



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 03:18 PM UTC

PDB ID : 8BEU / pdb_00008beu
Title : Structure of D188A-fructofuranosidase from *Rhodotorula dairenensis* in complex with raffinose
Authors : Jimenez-Ortega, E.; Sanz-Aparicio, J.
Deposited on : 2022-10-21
Resolution : 2.27 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	675	
1	B	675	
1	C	675	
1	D	675	
2	E	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	K	4	 25% 75%
3	F	2	 100%
3	I	2	 50% 50%
4	G	3	 100%
4	J	3	 100%
4	L	3	 100%
4	N	3	 33% 67%
5	H	5	 80% 20%
6	M	3	 67% 33%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	MAN	D	702	-	-	X	-

2 Entry composition i

There are 10 unique types of molecules in this entry. The entry contains 17609 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-fructofuranosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	527	Total 4047	C 2577	N 659	O 800	S 11	0	0	0
1	B	526	Total 4038	C 2572	N 657	O 798	S 11	0	0	0
1	C	526	Total 4038	C 2572	N 657	O 799	S 10	0	0	0
1	D	521	Total 4010	C 2556	N 653	O 790	S 11	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	188	ALA	ASP	engineered mutation	UNP A0A856TAI5
B	188	ALA	ASP	engineered mutation	UNP A0A856TAI5
C	188	ALA	ASP	engineered mutation	UNP A0A856TAI5
D	188	ALA	ASP	engineered mutation	UNP A0A856TAI5

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	4	Total 50	C 28	N 2	O 20	0	0	0
2	K	4	Total 50	C 28	N 2	O 20	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a

cetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	F	2	28	16	2	10	0	0	0
3	I	2	28	16	2	10	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-galactopyranose-(1-6)-alpha-D-glucopyranose-(1-2)-beta-D-fructofuranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
4	G	3	34	18	16	0	0	0
4	J	3	34	18	16	0	0	0
4	L	3	34	18	16	0	0	0
4	N	3	34	18	16	0	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	H	5	61	34	2	25	0	0	0

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
6	M	3	39	22	2	15	0	0	0

- Molecule 7 is alpha-D-mannopyranose (CCD ID: MAN) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
7	A	1	11	6	5	0	0
7	A	1	11	6	5	0	0
7	A	1	11	6	5	0	0
7	A	1	11	6	5	0	0
7	A	1	11	6	5	0	0
7	B	1	11	6	5	0	0
7	B	1	11	6	5	0	0
7	C	1	11	6	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			11	6	5		
7	C	1	Total	C	O	0	0
			11	6	5		
7	D	1	Total	C	O	0	0
			11	6	5		
7	D	1	Total	C	O	0	0
			11	6	5		
7	D	1	Total	C	O	0	0
			11	6	5		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	C O	0	0
			7	4 3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	213	Total	O	0	0
			213	213		
10	B	139	Total	O	0	0
			139	139		
10	C	130	Total	O	0	0
			130	130		
10	D	74	Total	O	0	0
			74	74		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-fructofuranosidase




- Molecule 1: Beta-fructofuranosidase



- Molecule 1: Beta-fructofuranosidase



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  25% 75%

MAG1
MAG2
BMA3
MAN4

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%


MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%


MAG1
MAG2

- Molecule 4: alpha-D-galactopyranose-(1-6)-alpha-D-glucopyranose-(1-2)-beta-D-fructofuranose

Chain G:  100%


FRU1
GLC2
GLA3

- Molecule 4: alpha-D-galactopyranose-(1-6)-alpha-D-glucopyranose-(1-2)-beta-D-fructofuranose

Chain J:  100%

FRU1
GLC2
GLA3

- Molecule 4: alpha-D-galactopyranose-(1-6)-alpha-D-glucopyranose-(1-2)-beta-D-fructofuranose

Chain L:  100%


FRU1
GLC2
GLA3

- Molecule 4: alpha-D-galactopyranose-(1-6)-alpha-D-glucopyranose-(1-2)-beta-D-fructofuranose

Chain N:  33% 67%

FRU1
GLC2
GLA3

- Molecule 5: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  80% 20%

MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  67% 33%

MAG1
MAG2
BMA3

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.01Å 114.54Å 139.16Å 90.00° 104.58° 90.00°	Depositor
Resolution (Å)	46.29 – 2.27 46.29 – 2.27	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.29-2.27) 99.8 (46.29-2.27)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.27Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.206 , 0.247 0.208 , 0.246	Depositor DCC
R_{free} test set	5731 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	42.8	Xtrriage
Anisotropy	0.409	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 26.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.020 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17609	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, PEG, BMA, NAG, FRU, GLA, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.98	0/4175	1.20	3/5741 (0.1%)
1	B	1.00	0/4166	1.22	1/5729 (0.0%)
1	C	0.99	0/4165	1.21	2/5726 (0.0%)
1	D	1.02	0/4136	1.22	3/5685 (0.1%)
All	All	1.00	0/16642	1.21	9/22881 (0.0%)

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	420	ASP	CA-CB-CG	6.54	119.14	112.60
1	B	420	ASP	CA-CB-CG	6.22	118.83	112.60
1	D	420	ASP	CA-CB-CG	6.14	118.74	112.60
1	A	420	ASP	CA-CB-CG	6.12	118.72	112.60
1	D	457	SER	N-CA-C	-5.87	102.74	110.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4047	0	3760	19	0
1	B	4038	0	3758	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	4038	0	3758	19	0
1	D	4010	0	3732	37	0
2	E	50	0	43	0	0
2	K	50	0	43	0	0
3	F	28	0	25	0	0
3	I	28	0	25	1	0
4	G	34	0	30	0	0
4	J	34	0	30	0	0
4	L	34	0	30	0	0
4	N	34	0	30	2	0
5	H	61	0	52	0	0
6	M	39	0	34	0	0
7	A	55	0	50	1	0
7	B	22	0	20	0	0
7	C	33	0	30	0	0
7	D	33	0	30	6	0
8	A	126	0	117	4	0
8	B	84	0	78	1	0
8	C	98	0	91	4	0
8	D	70	0	65	1	0
9	B	7	0	10	0	0
10	A	213	0	0	1	0
10	B	139	0	0	1	0
10	C	130	0	0	1	0
10	D	74	0	0	3	0
All	All	17609	0	15841	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 101 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:165:ILE:CG2	1:D:183:LYS:HE2	2.05	0.86
7:D:702:MAN:H3	7:D:703:MAN:H61	1.61	0.81
1:D:148:LEU:HD13	1:D:168:ASP:HB3	1.64	0.79
7:D:702:MAN:H3	7:D:703:MAN:C6	2.12	0.78
7:D:702:MAN:C3	7:D:703:MAN:H61	2.19	0.72

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	523/675 (78%)	503 (96%)	17 (3%)	3 (1%)	21	25
1	B	522/675 (77%)	501 (96%)	18 (3%)	3 (1%)	21	25
1	C	520/675 (77%)	500 (96%)	17 (3%)	3 (1%)	21	25
1	D	515/675 (76%)	485 (94%)	26 (5%)	4 (1%)	16	18
All	All	2080/2700 (77%)	1989 (96%)	78 (4%)	13 (1%)	21	25

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	155	LEU
1	A	463	SER
1	A	489	ASP
1	B	319	GLU
1	B	463	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	443/545 (81%)	442 (100%)	1 (0%)	87	93
1	B	442/545 (81%)	442 (100%)	0	100	100
1	C	442/545 (81%)	442 (100%)	0	100	100
1	D	438/545 (80%)	437 (100%)	1 (0%)	87	93
All	All	1765/2180 (81%)	1763 (100%)	2 (0%)	88	94

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	585	THR
1	D	164	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	471	ASN
1	D	308	ASN
1	D	471	ASN
1	D	299	ASN
1	B	308	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

32 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.62	0	17,19,21	1.00	1 (5%)
2	NAG	E	2	2	14,14,15	0.50	0	17,19,21	1.01	0
2	BMA	E	3	2	11,11,12	0.66	0	15,15,17	1.12	2 (13%)
2	MAN	E	4	2	11,11,12	0.38	0	15,15,17	1.01	1 (6%)
3	NAG	F	1	1,3	14,14,15	0.51	0	17,19,21	0.89	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	F	2	3	14,14,15	0.56	0	17,19,21	0.94	0
4	FRU	G	1	4	11,12,12	0.81	1 (9%)	10,18,18	1.07	0
4	GLC	G	2	4	11,11,12	1.06	1 (9%)	15,15,17	1.19	1 (6%)
4	GLA	G	3	4	11,11,12	0.60	0	15,15,17	1.00	1 (6%)
5	NAG	H	1	1,5	14,14,15	0.52	0	17,19,21	0.96	0
5	NAG	H	2	5	14,14,15	0.41	0	17,19,21	1.08	1 (5%)
5	BMA	H	3	5	11,11,12	0.33	0	15,15,17	0.65	0
5	MAN	H	4	5	11,11,12	0.37	0	15,15,17	0.56	0
5	MAN	H	5	5	11,11,12	0.48	0	15,15,17	1.02	0
3	NAG	I	1	1,3	14,14,15	0.59	0	17,19,21	0.59	0
3	NAG	I	2	3	14,14,15	0.35	0	17,19,21	1.06	1 (5%)
4	FRU	J	1	4	11,12,12	0.75	1 (9%)	10,18,18	1.21	1 (10%)
4	GLC	J	2	4	11,11,12	0.75	1 (9%)	15,15,17	1.01	0
4	GLA	J	3	4	11,11,12	0.92	0	15,15,17	1.28	1 (6%)
2	NAG	K	1	1,2	14,14,15	0.59	0	17,19,21	1.24	2 (11%)
2	NAG	K	2	2	14,14,15	0.50	0	17,19,21	0.65	0
2	BMA	K	3	2	11,11,12	0.53	0	15,15,17	0.94	1 (6%)
2	MAN	K	4	2	11,11,12	0.65	0	15,15,17	1.07	1 (6%)
4	FRU	L	1	4	11,12,12	0.77	0	10,18,18	1.38	1 (10%)
4	GLC	L	2	4	11,11,12	0.82	1 (9%)	15,15,17	0.82	0
4	GLA	L	3	4	11,11,12	0.79	0	15,15,17	1.55	2 (13%)
6	NAG	M	1	6,1	14,14,15	0.76	0	17,19,21	1.30	1 (5%)
6	NAG	M	2	6	14,14,15	0.37	0	17,19,21	0.69	0
6	BMA	M	3	6	11,11,12	0.48	0	15,15,17	0.63	0
4	FRU	N	1	4	11,12,12	1.09	1 (9%)	10,18,18	0.92	1 (10%)
4	GLC	N	2	4	11,11,12	0.95	0	15,15,17	1.08	1 (6%)
4	GLA	N	3	4	11,11,12	0.71	0	15,15,17	1.29	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
2	MAN	E	4	2	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
4	FRU	G	1	4	-	1/5/24/24	0/1/1/1
4	GLC	G	2	4	-	0/2/19/22	0/1/1/1
4	GLA	G	3	4	-	0/2/19/22	0/1/1/1
5	NAG	H	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1
5	BMA	H	3	5	-	0/2/19/22	0/1/1/1
5	MAN	H	4	5	-	1/2/19/22	0/1/1/1
5	MAN	H	5	5	-	1/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
4	FRU	J	1	4	-	1/5/24/24	0/1/1/1
4	GLC	J	2	4	-	0/2/19/22	0/1/1/1
4	GLA	J	3	4	-	0/2/19/22	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1
2	BMA	K	3	2	-	0/2/19/22	0/1/1/1
2	MAN	K	4	2	-	2/2/19/22	0/1/1/1
4	FRU	L	1	4	-	3/5/24/24	0/1/1/1
4	GLC	L	2	4	-	0/2/19/22	0/1/1/1
4	GLA	L	3	4	-	2/2/19/22	0/1/1/1
6	NAG	M	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	M	2	6	-	0/6/23/26	0/1/1/1
6	BMA	M	3	6	-	1/2/19/22	0/1/1/1
4	FRU	N	1	4	-	1/5/24/24	0/1/1/1
4	GLC	N	2	4	-	2/2/19/22	0/1/1/1
4	GLA	N	3	4	-	0/2/19/22	0/1/1/1

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	2	GLC	O5-C1	-3.16	1.38	1.43
4	N	1	FRU	O2-C2	3.12	1.46	1.40
4	L	2	GLC	O5-C1	-2.33	1.39	1.43
4	J	1	FRU	O2-C2	2.25	1.44	1.40
4	G	1	FRU	O2-C2	2.09	1.44	1.40

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	1	NAG	C1-O5-C5	4.09	117.67	112.19
2	K	1	NAG	O5-C1-C2	-3.57	105.76	111.29
4	L	3	GLA	C1-C2-C3	-3.30	104.84	109.64
4	L	3	GLA	C1-O5-C5	-3.27	107.81	112.19
2	E	1	NAG	C1-O5-C5	3.04	116.26	112.19

There are no chirality outliers.

5 of 27 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	L	1	FRU	O1-C1-C2-C3
4	L	1	FRU	O1-C1-C2-O2
4	L	1	FRU	O1-C1-C2-O5
3	F	2	NAG	O5-C5-C6-O6
5	H	2	NAG	C8-C7-N2-C2


There are no ring outliers.


4 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	N	1	FRU	1	0
3	I	1	NAG	1	0
3	I	2	NAG	1	0
4	N	2	GLC	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

41 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	C	702	1	11,11,12	0.49	0	15,15,17	1.27	3 (20%)
7	MAN	A	702	1	11,11,12	0.38	0	15,15,17	0.60	0
8	NAG	A	707	1	14,14,15	0.58	0	17,19,21	1.00	2 (11%)
8	NAG	C	708	1	14,14,15	0.80	1 (7%)	17,19,21	1.42	3 (17%)
8	NAG	C	709	1	14,14,15	0.44	0	17,19,21	1.29	1 (5%)
7	MAN	A	705	1	11,11,12	0.62	0	15,15,17	1.73	3 (20%)
8	NAG	D	706	1	14,14,15	0.47	0	17,19,21	1.04	1 (5%)
8	NAG	D	707	1	14,14,15	0.37	0	17,19,21	0.89	0
7	MAN	A	701	1	11,11,12	0.43	0	15,15,17	1.77	3 (20%)
7	MAN	D	702	1	11,11,12	0.64	0	15,15,17	1.42	1 (6%)
8	NAG	A	714	1	14,14,15	0.36	0	17,19,21	0.92	1 (5%)
8	NAG	B	707	1	14,14,15	0.30	0	17,19,21	0.86	0
8	NAG	C	704	1	14,14,15	0.43	0	17,19,21	0.75	0
7	MAN	A	703	1	11,11,12	0.45	0	15,15,17	0.73	0
7	MAN	D	701	1	11,11,12	0.27	0	15,15,17	1.24	2 (13%)
8	NAG	B	706	1	14,14,15	0.29	0	17,19,21	1.25	3 (17%)
8	NAG	C	706	1	14,14,15	0.30	0	17,19,21	0.75	0
8	NAG	D	708	1	14,14,15	0.39	0	17,19,21	1.00	2 (11%)
8	NAG	A	710	1	14,14,15	0.44	0	17,19,21	0.94	0
8	NAG	B	709	1	14,14,15	0.28	0	17,19,21	0.88	1 (5%)
8	NAG	A	711	1	14,14,15	0.39	0	17,19,21	0.79	0
8	NAG	C	707	1	14,14,15	0.63	0	17,19,21	0.74	0
7	MAN	B	703	1	11,11,12	0.33	0	15,15,17	1.04	1 (6%)
7	MAN	A	704	1	11,11,12	0.37	0	15,15,17	1.45	4 (26%)
7	MAN	B	701	1	11,11,12	0.32	0	15,15,17	0.73	0
8	NAG	B	708	1	14,14,15	0.49	0	17,19,21	1.14	1 (5%)
8	NAG	A	712	1	14,14,15	0.53	0	17,19,21	0.91	1 (5%)
8	NAG	B	705	1	14,14,15	0.33	0	17,19,21	1.27	2 (11%)
8	NAG	A	709	1	14,14,15	0.45	0	17,19,21	0.87	0
9	PEG	B	702	-	6,6,6	0.25	0	5,5,5	0.17	0
7	MAN	C	703	1	11,11,12	0.57	0	15,15,17	1.21	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	C	701	1	11,11,12	0.35	0	15,15,17	1.15	2 (13%)
8	NAG	C	705	1	14,14,15	0.63	0	17,19,21	1.43	2 (11%)
8	NAG	C	710	1	14,14,15	0.56	0	17,19,21	1.14	1 (5%)
8	NAG	A	708	1	14,14,15	0.43	0	17,19,21	1.07	1 (5%)
8	NAG	A	713	1	14,14,15	0.42	0	17,19,21	1.14	1 (5%)
8	NAG	B	704	1	14,14,15	0.36	0	17,19,21	0.83	0
8	NAG	D	705	1	14,14,15	0.39	0	17,19,21	1.21	3 (17%)
8	NAG	D	704	1	14,14,15	0.64	0	17,19,21	0.95	0
7	MAN	D	703	1	11,11,12	1.45	1 (9%)	15,15,17	1.09	1 (6%)
8	NAG	A	706	1	14,14,15	0.36	0	17,19,21	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	C	702	1	-	2/2/19/22	0/1/1/1
7	MAN	A	702	1	-	2/2/19/22	0/1/1/1
8	NAG	A	707	1	-	1/6/23/26	0/1/1/1
8	NAG	C	708	1	-	5/6/23/26	0/1/1/1
8	NAG	C	709	1	-	2/6/23/26	0/1/1/1
7	MAN	A	705	1	-	2/2/19/22	0/1/1/1
8	NAG	D	706	1	-	2/6/23/26	0/1/1/1
8	NAG	D	707	1	-	2/6/23/26	0/1/1/1
7	MAN	A	701	1	-	2/2/19/22	0/1/1/1
7	MAN	D	702	1	-	0/2/19/22	0/1/1/1
8	NAG	A	714	1	-	2/6/23/26	0/1/1/1
8	NAG	B	707	1	-	1/6/23/26	0/1/1/1
8	NAG	C	704	1	-	2/6/23/26	0/1/1/1
7	MAN	A	703	1	-	0/2/19/22	0/1/1/1
7	MAN	D	701	1	-	0/2/19/22	0/1/1/1
8	NAG	B	706	1	-	0/6/23/26	0/1/1/1
8	NAG	C	706	1	-	0/6/23/26	0/1/1/1
8	NAG	D	708	1	-	1/6/23/26	0/1/1/1
8	NAG	A	710	1	-	1/6/23/26	0/1/1/1
8	NAG	B	709	1	-	0/6/23/26	0/1/1/1
8	NAG	A	711	1	-	0/6/23/26	0/1/1/1
8	NAG	C	707	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	B	703	1	-	1/2/19/22	0/1/1/1
7	MAN	A	704	1	-	1/2/19/22	0/1/1/1
7	MAN	B	701	1	-	0/2/19/22	0/1/1/1
8	NAG	B	708	1	-	1/6/23/26	0/1/1/1
8	NAG	A	712	1	-	2/6/23/26	0/1/1/1
8	NAG	B	705	1	-	2/6/23/26	0/1/1/1
8	NAG	A	709	1	-	2/6/23/26	0/1/1/1
9	PEG	B	702	-	-	2/4/4/4	-
7	MAN	C	703	1	-	0/2/19/22	0/1/1/1
7	MAN	C	701	1	-	2/2/19/22	0/1/1/1
8	NAG	C	705	1	-	4/6/23/26	0/1/1/1
8	NAG	C	710	1	-	2/6/23/26	0/1/1/1
8	NAG	A	708	1	-	2/6/23/26	0/1/1/1
8	NAG	A	713	1	-	4/6/23/26	0/1/1/1
8	NAG	B	704	1	-	0/6/23/26	0/1/1/1
8	NAG	D	705	1	-	2/6/23/26	0/1/1/1
8	NAG	D	704	1	-	4/6/23/26	0/1/1/1
7	MAN	D	703	1	-	2/2/19/22	0/1/1/1
8	NAG	A	706	1	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	703	MAN	C2-C3	-2.93	1.48	1.52
8	C	708	NAG	C2-N2	2.08	1.49	1.46

The worst 5 of 49 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	705	NAG	C2-N2-C7	-4.77	116.51	122.90
7	A	701	MAN	C1-O5-C5	-4.76	105.81	112.19
7	A	705	MAN	O5-C1-C2	-4.61	99.79	110.79
8	C	709	NAG	C2-N2-C7	-3.83	117.77	122.90
8	C	708	NAG	C1-O5-C5	-3.76	107.14	112.19

There are no chirality outliers.

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	712	NAG	C8-C7-N2-C2
8	C	705	NAG	C8-C7-N2-C2
8	C	708	NAG	C3-C2-N2-C7
8	C	708	NAG	C8-C7-N2-C2
8	C	708	NAG	O7-C7-N2-C2

There are no ring outliers.

9 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	708	NAG	3	0
8	D	706	NAG	1	0
7	D	702	MAN	6	0
8	B	707	NAG	1	0
7	A	703	MAN	1	0
8	C	707	NAG	1	0
8	A	713	NAG	3	0
7	D	703	MAN	5	0
8	A	706	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	527/675 (78%)	0.07	8 (1%) 72 73	23, 37, 62, 93	0
1	B	526/675 (77%)	0.52	31 (5%) 28 29	26, 44, 78, 109	0
1	C	526/675 (77%)	0.50	26 (4%) 35 36	26, 48, 82, 113	0
1	D	521/675 (77%)	1.45	142 (27%) 1 1	35, 62, 94, 118	0
All	All	2100/2700 (77%)	0.63	207 (9%) 13 14	23, 47, 84, 118	0

The worst 5 of 207 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	159	VAL	5.3
1	D	184	GLY	5.1
1	D	294	PHE	4.9
1	D	211	TYR	4.9
1	D	245	VAL	4.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	E	4	11/12	0.42	0.17	88,100,106,107	0
5	MAN	H	4	11/12	0.51	0.16	98,111,113,113	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	BMA	K	3	11/12	0.56	0.14	80,87,90,97	0
2	MAN	K	4	11/12	0.57	0.13	95,102,105,108	0
6	BMA	M	3	11/12	0.65	0.11	97,104,113,117	0
3	NAG	F	2	14/15	0.67	0.14	92,107,121,121	0
3	NAG	I	2	14/15	0.68	0.13	94,119,124,124	0
5	BMA	H	3	11/12	0.68	0.11	81,84,89,101	0
4	GLA	N	3	11/12	0.69	0.18	81,86,91,92	0
4	GLC	N	2	11/12	0.69	0.17	64,80,84,85	0
4	GLA	L	3	11/12	0.73	0.18	70,76,86,88	0
5	MAN	H	5	11/12	0.76	0.17	77,89,99,100	0
4	GLA	J	3	11/12	0.76	0.17	69,75,81,86	0
6	NAG	M	2	14/15	0.79	0.13	78,88,94,95	0
2	NAG	K	2	14/15	0.80	0.12	72,77,81,81	0
6	NAG	M	1	14/15	0.81	0.13	52,66,80,84	0
4	GLA	G	3	11/12	0.82	0.13	55,61,65,66	0
2	BMA	E	3	11/12	0.83	0.10	68,71,72,74	0
4	FRU	N	1	12/12	0.83	0.15	52,65,72,73	0
2	NAG	E	2	14/15	0.86	0.10	51,58,66,72	0
2	NAG	E	1	14/15	0.86	0.10	38,47,51,51	0
2	NAG	K	1	14/15	0.87	0.10	50,55,64,65	0
5	NAG	H	2	14/15	0.87	0.10	68,76,80,81	0
4	GLC	J	2	11/12	0.92	0.08	50,52,58,58	0
3	NAG	F	1	14/15	0.92	0.08	42,50,61,75	0
5	NAG	H	1	14/15	0.92	0.08	46,53,57,67	0
3	NAG	I	1	14/15	0.92	0.08	48,57,64,77	0
4	FRU	J	1	12/12	0.92	0.09	37,43,47,54	0
4	GLC	G	2	11/12	0.94	0.07	33,38,41,50	0
4	GLC	L	2	11/12	0.94	0.07	38,40,46,49	0
4	FRU	L	1	12/12	0.95	0.07	36,38,42,50	0
4	FRU	G	1	12/12	0.97	0.06	27,29,38,44	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MAN	A	702	11/12	0.41	0.15	77,91,94,95	0
7	MAN	D	702	11/12	0.47	0.14	97,105,113,116	0
8	NAG	B	705	14/15	0.58	0.20	71,85,90,90	14
7	MAN	D	703	11/12	0.62	0.15	27,28,30,31	11
8	NAG	D	708	14/15	0.65	0.16	79,93,98,99	0
8	NAG	D	704	14/15	0.66	0.15	76,85,96,97	0
7	MAN	D	701	11/12	0.66	0.16	86,92,94,97	11
8	NAG	C	705	14/15	0.67	0.14	91,96,100,102	0
8	NAG	C	708	14/15	0.68	0.14	94,101,109,114	0
8	NAG	C	709	14/15	0.69	0.13	69,87,91,92	0
8	NAG	D	707	14/15	0.70	0.15	78,84,89,93	0
7	MAN	B	703	11/12	0.70	0.13	96,105,113,120	0
8	NAG	B	709	14/15	0.72	0.13	97,106,111,112	0
7	MAN	A	703	11/12	0.74	0.11	80,86,89,91	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	A	714	14/15	0.74	0.14	66,78,83,83	0
8	NAG	C	710	14/15	0.75	0.14	73,81,83,89	0
8	NAG	A	711	14/15	0.75	0.14	68,80,92,93	0
7	MAN	C	701	11/12	0.76	0.13	80,88,94,95	0
8	NAG	B	708	14/15	0.76	0.13	58,76,92,95	0
7	MAN	B	701	11/12	0.77	0.10	86,91,102,103	0
7	MAN	A	701	11/12	0.77	0.12	72,76,88,89	0
8	NAG	A	708	14/15	0.77	0.17	63,68,70,71	14
8	NAG	B	706	14/15	0.79	0.12	76,85,89,91	0
7	MAN	A	704	11/12	0.80	0.13	65,69,75,84	0
7	MAN	A	705	11/12	0.80	0.15	74,77,82,82	0
7	MAN	C	703	11/12	0.81	0.16	56,76,81,88	0
8	NAG	D	705	14/15	0.81	0.10	61,64,68,68	0
8	NAG	D	706	14/15	0.81	0.12	53,66,79,83	0
8	NAG	A	713	14/15	0.81	0.12	67,72,78,79	0
8	NAG	C	707	14/15	0.81	0.13	51,66,75,79	0
8	NAG	C	706	14/15	0.82	0.12	75,82,89,90	0
8	NAG	A	707	14/15	0.84	0.13	53,59,66,66	0
8	NAG	A	712	14/15	0.85	0.12	54,59,79,82	0
9	PEG	B	702	7/7	0.85	0.16	62,68,70,71	0
8	NAG	C	704	14/15	0.86	0.10	53,59,63,64	0
8	NAG	A	709	14/15	0.87	0.10	51,58,71,71	0
8	NAG	B	704	14/15	0.88	0.09	66,80,85,87	0
8	NAG	A	706	14/15	0.88	0.12	68,77,84,86	0
8	NAG	B	707	14/15	0.91	0.08	48,56,64,65	0
8	NAG	A	710	14/15	0.92	0.08	46,49,53,53	0
7	MAN	C	702	11/12	0.92	0.09	54,58,61,67	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.