



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 09:20 PM UTC

PDB ID : 6BFY / pdb_00006bfy
Title : Crystal structure of enolase from Escherichia coli with bound 2-phosphoglycerate substrate
Authors : Erlandsen, H.; Wright, D.; Krucinska, J.
Deposited on : 2017-10-27
Resolution : 1.81 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1112 (1.82-1.82)
Clashscore	190562	1148 (1.82-1.82)
Ramachandran outliers	187476	1140 (1.82-1.82)
Sidechain outliers	187428	1140 (1.82-1.82)
RSRZ outliers	180081	1112 (1.82-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	 4% 80% 16% ..
1	B	449	 2% 81% 16% ..
1	C	449	 2% 83% 13% ..
1	D	449	 7% 85% 11% ..
1	E	449	 3% 84% 12% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	449	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	D	806	-	X	-	-
5	GOL	F	505	-	X	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 20818 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	439	3254	2036	559	644	15	0	0	0
1	B	438	3249	2033	558	643	15	0	0	0
1	C	439	3254	2036	559	644	15	0	0	0
1	F	438	3245	2031	557	642	15	0	0	0
1	D	438	3249	2033	558	643	15	0	0	0
1	E	438	3258	2039	560	644	15	0	1	0

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	GLY	-	expression tag	UNP B7MLA0
A	-16	SER	-	expression tag	UNP B7MLA0
A	-15	HIS	-	expression tag	UNP B7MLA0
A	-14	MET	-	expression tag	UNP B7MLA0
A	-13	ALA	-	expression tag	UNP B7MLA0
A	-12	SER	-	expression tag	UNP B7MLA0
A	-11	MET	-	expression tag	UNP B7MLA0
A	-10	THR	-	expression tag	UNP B7MLA0
A	-9	GLY	-	expression tag	UNP B7MLA0
A	-8	GLY	-	expression tag	UNP B7MLA0
A	-7	GLN	-	expression tag	UNP B7MLA0
A	-6	GLN	-	expression tag	UNP B7MLA0
A	-5	MET	-	expression tag	UNP B7MLA0
A	-4	GLY	-	expression tag	UNP B7MLA0
A	-3	ARG	-	expression tag	UNP B7MLA0
A	-2	GLY	-	expression tag	UNP B7MLA0
A	-1	SER	-	expression tag	UNP B7MLA0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	GLY	-	expression tag	UNP B7MLA0
B	-16	SER	-	expression tag	UNP B7MLA0
B	-15	HIS	-	expression tag	UNP B7MLA0
B	-14	MET	-	expression tag	UNP B7MLA0
B	-13	ALA	-	expression tag	UNP B7MLA0
B	-12	SER	-	expression tag	UNP B7MLA0
B	-11	MET	-	expression tag	UNP B7MLA0
B	-10	THR	-	expression tag	UNP B7MLA0
B	-9	GLY	-	expression tag	UNP B7MLA0
B	-8	GLY	-	expression tag	UNP B7MLA0
B	-7	GLN	-	expression tag	UNP B7MLA0
B	-6	GLN	-	expression tag	UNP B7MLA0
B	-5	MET	-	expression tag	UNP B7MLA0
B	-4	GLY	-	expression tag	UNP B7MLA0
B	-3	ARG	-	expression tag	UNP B7MLA0
B	-2	GLY	-	expression tag	UNP B7MLA0
B	-1	SER	-	expression tag	UNP B7MLA0
C	-17	GLY	-	expression tag	UNP B7MLA0
C	-16	SER	-	expression tag	UNP B7MLA0
C	-15	HIS	-	expression tag	UNP B7MLA0
C	-14	MET	-	expression tag	UNP B7MLA0
C	-13	ALA	-	expression tag	UNP B7MLA0
C	-12	SER	-	expression tag	UNP B7MLA0
C	-11	MET	-	expression tag	UNP B7MLA0
C	-10	THR	-	expression tag	UNP B7MLA0
C	-9	GLY	-	expression tag	UNP B7MLA0
C	-8	GLY	-	expression tag	UNP B7MLA0
C	-7	GLN	-	expression tag	UNP B7MLA0
C	-6	GLN	-	expression tag	UNP B7MLA0
C	-5	MET	-	expression tag	UNP B7MLA0
C	-4	GLY	-	expression tag	UNP B7MLA0
C	-3	ARG	-	expression tag	UNP B7MLA0
C	-2	GLY	-	expression tag	UNP B7MLA0
C	-1	SER	-	expression tag	UNP B7MLA0
F	-17	GLY	-	expression tag	UNP B7MLA0
F	-16	SER	-	expression tag	UNP B7MLA0
F	-15	HIS	-	expression tag	UNP B7MLA0
F	-14	MET	-	expression tag	UNP B7MLA0
F	-13	ALA	-	expression tag	UNP B7MLA0
F	-12	SER	-	expression tag	UNP B7MLA0
F	-11	MET	-	expression tag	UNP B7MLA0
F	-10	THR	-	expression tag	UNP B7MLA0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-9	GLY	-	expression tag	UNP B7MLA0
F	-8	GLY	-	expression tag	UNP B7MLA0
F	-7	GLN	-	expression tag	UNP B7MLA0
F	-6	GLN	-	expression tag	UNP B7MLA0
F	-5	MET	-	expression tag	UNP B7MLA0
F	-4	GLY	-	expression tag	UNP B7MLA0
F	-3	ARG	-	expression tag	UNP B7MLA0
F	-2	GLY	-	expression tag	UNP B7MLA0
F	-1	SER	-	expression tag	UNP B7MLA0
D	-17	GLY	-	expression tag	UNP B7MLA0
D	-16	SER	-	expression tag	UNP B7MLA0
D	-15	HIS	-	expression tag	UNP B7MLA0
D	-14	MET	-	expression tag	UNP B7MLA0
D	-13	ALA	-	expression tag	UNP B7MLA0
D	-12	SER	-	expression tag	UNP B7MLA0
D	-11	MET	-	expression tag	UNP B7MLA0
D	-10	THR	-	expression tag	UNP B7MLA0
D	-9	GLY	-	expression tag	UNP B7MLA0
D	-8	GLY	-	expression tag	UNP B7MLA0
D	-7	GLN	-	expression tag	UNP B7MLA0
D	-6	GLN	-	expression tag	UNP B7MLA0
D	-5	MET	-	expression tag	UNP B7MLA0
D	-4	GLY	-	expression tag	UNP B7MLA0
D	-3	ARG	-	expression tag	UNP B7MLA0
D	-2	GLY	-	expression tag	UNP B7MLA0
D	-1	SER	-	expression tag	UNP B7MLA0
E	-17	GLY	-	expression tag	UNP B7MLA0
E	-16	SER	-	expression tag	UNP B7MLA0
E	-15	HIS	-	expression tag	UNP B7MLA0
E	-14	MET	-	expression tag	UNP B7MLA0
E	-13	ALA	-	expression tag	UNP B7MLA0
E	-12	SER	-	expression tag	UNP B7MLA0
E	-11	MET	-	expression tag	UNP B7MLA0
E	-10	THR	-	expression tag	UNP B7MLA0
E	-9	GLY	-	expression tag	UNP B7MLA0
E	-8	GLY	-	expression tag	UNP B7MLA0
E	-7	GLN	-	expression tag	UNP B7MLA0
E	-6	GLN	-	expression tag	UNP B7MLA0
E	-5	MET	-	expression tag	UNP B7MLA0
E	-4	GLY	-	expression tag	UNP B7MLA0
E	-3	ARG	-	expression tag	UNP B7MLA0
E	-2	GLY	-	expression tag	UNP B7MLA0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	SER	-	expression tag	UNP B7MLA0

- Molecule 2 is 2-PHOSPHOGLYCERIC ACID (CCD ID: 2PG) (formula: C₃H₇O₇P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	11	3	7	1	0	0
2	B	1	11	3	7	1	0	0
2	C	1	11	3	7	1	0	0
2	F	1	11	3	7	1	0	0
2	D	1	11	3	7	1	0	0
2	E	1	11	3	7	1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
3	A	2	2	2	0	0
3	B	2	2	2	0	0
3	C	2	2	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	F	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		
3	E	2	Total	Mg	0	0
			2	2		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	F	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	E	1	Total C O 6 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	186	Total O 186 186	0	0
6	B	209	Total O 209 209	0	0
6	C	241	Total O 241 241	0	0
6	F	123	Total O 123 123	0	0
6	D	169	Total O 169 169	0	0
6	E	175	Total O 175 175	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enolase



- Molecule 1: Enolase





- Molecule 1: Enolase









● Molecule 1: Enolase



● Molecule 1: Enolase



● Molecule 1: Enolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.94Å 142.40Å 206.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	78.61 – 1.81 78.61 – 1.81	Depositor EDS
% Data completeness (in resolution range)	99.9 (78.61-1.81) 99.9 (78.61-1.81)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 1.81Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.166 , 0.232 0.195 , 0.228	Depositor DCC
R_{free} test set	14046 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	20.5	Xtrriage
Anisotropy	0.674	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	20818	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, SO4, 2PG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.74	42/3296 (1.3%)	1.32	12/4435 (0.3%)
1	B	1.78	43/3291 (1.3%)	1.32	13/4428 (0.3%)
1	C	1.79	48/3296 (1.5%)	1.34	9/4435 (0.2%)
1	D	1.72	36/3291 (1.1%)	1.32	6/4428 (0.1%)
1	E	1.65	28/3300 (0.8%)	1.30	7/4439 (0.2%)
1	F	1.66	29/3287 (0.9%)	1.35	11/4423 (0.2%)
All	All	1.72	226/19761 (1.1%)	1.32	58/26588 (0.2%)

The worst 5 of 226 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	405	TYR	N-CA	9.15	1.57	1.46
1	A	150	MET	N-CA	8.76	1.56	1.46
1	C	148	PRO	CA-C	8.75	1.63	1.52
1	C	288	ILE	CA-CB	8.72	1.66	1.54
1	B	392	LYS	C-O	8.71	1.33	1.24

The worst 5 of 58 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	-7	GLN	CB-CA-C	9.51	128.16	110.10
1	F	219	ALA	N-CA-C	8.08	122.84	112.34
1	F	430	GLN	N-CA-C	7.64	123.54	113.30
1	C	-7	GLN	CB-CA-C	7.32	124.01	110.10
1	D	-6	GLN	N-CA-C	7.30	120.42	108.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3254	0	3278	15	0
1	B	3249	0	3273	12	0
1	C	3254	0	3278	15	0
1	D	3249	0	3273	14	0
1	E	3258	0	3285	14	0
1	F	3245	0	3270	27	0
2	A	11	0	4	0	0
2	B	11	0	4	0	0
2	C	11	0	4	0	0
2	D	11	0	4	0	0
2	E	11	0	4	0	0
2	F	11	0	4	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
4	A	25	0	0	0	0
4	B	25	0	0	1	0
4	C	25	0	0	0	0
4	D	10	0	0	0	0
4	E	20	0	0	1	0
4	F	5	0	0	0	0
5	D	6	0	8	0	0
5	E	6	0	8	0	0
5	F	6	0	6	0	0
6	A	186	0	0	1	0
6	B	209	0	0	1	0
6	C	241	0	0	1	0
6	D	169	0	0	3	0
6	E	175	0	0	1	0
6	F	123	0	0	1	0
All	All	20818	0	19703	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 95 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:201:MET:HE1	1:C:215:LEU:HD23	1.20	1.20
1:C:201:MET:CE	1:C:215:LEU:HD23	1.78	1.13
1:F:167:GLU:OE1	1:F:392:LYS:HE2	1.60	1.01
1:C:201:MET:HE1	1:C:215:LEU:CD2	1.95	0.96
1:A:197:LYS:HA	1:A:197:LYS:HE2	1.59	0.85

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/449 (97%)	425 (97%)	11 (2%)	1 (0%)	43	33
1	B	436/449 (97%)	418 (96%)	17 (4%)	1 (0%)	43	33
1	C	437/449 (97%)	426 (98%)	10 (2%)	1 (0%)	43	33
1	D	436/449 (97%)	419 (96%)	15 (3%)	2 (0%)	24	14
1	E	437/449 (97%)	422 (97%)	13 (3%)	2 (0%)	24	14
1	F	436/449 (97%)	424 (97%)	10 (2%)	2 (0%)	24	14
All	All	2619/2694 (97%)	2534 (97%)	76 (3%)	9 (0%)	36	26

5 of 9 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	254	ASP
1	D	266	ALA
1	E	-4	GLY
1	B	398	ARG
1	C	398	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	331/337 (98%)	320 (97%)	11 (3%)	33	15
1	B	331/337 (98%)	321 (97%)	10 (3%)	36	17
1	C	331/337 (98%)	323 (98%)	8 (2%)	43	27
1	D	331/337 (98%)	322 (97%)	9 (3%)	39	22
1	E	332/337 (98%)	318 (96%)	14 (4%)	26	10
1	F	330/337 (98%)	313 (95%)	17 (5%)	21	6
All	All	1986/2022 (98%)	1917 (96%)	69 (4%)	32	13

5 of 69 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	254	ASP
1	E	307	LEU
1	E	369	HIS
1	C	307	LEU
1	C	256	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 43 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	166	GLN
1	E	17	ASN
1	D	171	GLN
1	D	264	ASN
1	E	158	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 43 ligands modelled in this entry, 12 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	508	-	4,4,4	0.62	0	6,6,6	0.49	0
4	SO4	D	805	-	4,4,4	0.87	0	6,6,6	0.82	0
4	SO4	C	507	-	4,4,4	0.63	0	6,6,6	0.66	0
4	SO4	D	801	-	4,4,4	0.59	0	6,6,6	1.04	0
4	SO4	C	505	-	4,4,4	0.46	0	6,6,6	0.77	0
2	2PG	A	501	3	9,10,10	2.47	3 (33%)	12,14,14	1.95	3 (25%)
5	GOL	E	508	-	5,5,5	0.37	0	5,5,5	1.95	1 (20%)
4	SO4	C	508	-	4,4,4	0.69	0	6,6,6	0.74	0
2	2PG	C	501	3	9,10,10	1.74	4 (44%)	12,14,14	1.56	2 (16%)
4	SO4	E	506	-	4,4,4	0.60	0	6,6,6	0.58	0
4	SO4	E	507	-	4,4,4	0.72	0	6,6,6	0.91	0
5	GOL	F	505	-	5,5,5	1.58	1 (20%)	5,5,5	2.93	4 (80%)
4	SO4	B	506	-	4,4,4	0.54	0	6,6,6	0.64	0
5	GOL	D	806	-	5,5,5	0.93	0	5,5,5	2.82	4 (80%)
4	SO4	E	505	-	4,4,4	0.63	0	6,6,6	1.25	1 (16%)
4	SO4	B	505	-	4,4,4	0.67	0	6,6,6	0.59	0
4	SO4	A	504	-	4,4,4	1.14	1 (25%)	6,6,6	0.58	0
2	2PG	F	501	3	9,10,10	1.93	4 (44%)	12,14,14	1.60	3 (25%)
4	SO4	A	505	-	4,4,4	0.55	0	6,6,6	0.62	0
4	SO4	A	507	-	4,4,4	0.69	0	6,6,6	1.12	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	F	504	-	4,4,4	0.51	0	6,6,6	1.16	0
4	SO4	B	507	-	4,4,4	0.66	0	6,6,6	0.64	0
4	SO4	C	504	-	4,4,4	0.80	0	6,6,6	1.37	1 (16%)
2	2PG	E	502	3	9,10,10	1.26	1 (11%)	12,14,14	1.73	3 (25%)
4	SO4	C	506	-	4,4,4	0.26	0	6,6,6	1.46	1 (16%)
4	SO4	B	508	-	4,4,4	0.84	0	6,6,6	1.52	2 (33%)
4	SO4	E	501	-	4,4,4	0.72	0	6,6,6	1.21	0
2	2PG	B	501	3	9,10,10	1.75	2 (22%)	12,14,14	2.02	4 (33%)
4	SO4	A	506	-	4,4,4	0.80	0	6,6,6	0.73	0
2	2PG	D	802	3	9,10,10	1.52	3 (33%)	12,14,14	1.24	1 (8%)
4	SO4	B	504	-	4,4,4	0.70	0	6,6,6	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2PG	A	501	3	-	0/11/11/11	-
2	2PG	F	501	3	-	0/11/11/11	-
5	GOL	E	508	-	-	4/4/4/4	-
2	2PG	C	501	3	-	2/11/11/11	-
2	2PG	E	502	3	-	0/11/11/11	-
2	2PG	B	501	3	-	2/11/11/11	-
5	GOL	F	505	-	-	2/4/4/4	-
2	2PG	D	802	3	-	2/11/11/11	-
5	GOL	D	806	-	-	2/4/4/4	-

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	2PG	P-O1P	5.30	1.68	1.59
2	B	501	2PG	P-O1P	3.73	1.66	1.59
2	A	501	2PG	O1-C1	3.53	1.32	1.22
2	F	501	2PG	P-O2P	3.44	1.61	1.50
2	A	501	2PG	C2-C1	3.20	1.56	1.52

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	2PG	P-O1P-C2	-4.72	112.20	123.04
2	B	501	2PG	O1-C1-C2	-4.40	113.35	122.85
5	D	806	GOL	O3-C3-C2	-4.36	90.73	110.38
5	F	505	GOL	O2-C2-C1	-3.85	93.25	109.18
2	C	501	2PG	P-O1P-C2	-3.68	114.58	123.04

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	802	2PG	O1-C1-C2-C3
5	D	806	GOL	C1-C2-C3-O3
5	E	508	GOL	O1-C1-C2-C3
5	E	508	GOL	C1-C2-C3-O3
5	F	505	GOL	C1-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	507	SO4	1	0
2	F	501	2PG	1	0
4	B	507	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	439/449 (97%)	0.32	16 (3%) 46 53	13, 23, 42, 63	0
1	B	438/449 (97%)	0.20	8 (1%) 67 73	14, 21, 39, 66	0
1	C	439/449 (97%)	0.09	8 (1%) 67 73	12, 20, 38, 54	0
1	D	438/449 (97%)	0.43	31 (7%) 22 25	13, 22, 47, 67	0
1	E	438/449 (97%)	0.37	13 (2%) 52 59	13, 25, 46, 68	1 (0%)
1	F	438/449 (97%)	0.98	68 (15%) 5 5	15, 29, 56, 82	0
All	All	2630/2694 (97%)	0.40	144 (5%) 30 35	12, 23, 46, 82	1 (0%)

The worst 5 of 144 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	258	VAL	7.6
1	F	431	ALA	6.6
1	C	431	ALA	6.0
1	F	266	ALA	5.6
1	D	-5	MET	5.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	A	507	5/5	0.59	0.19	54,57,95,102	0
4	SO4	D	805	5/5	0.65	0.27	68,78,115,131	0
4	SO4	C	507	5/5	0.70	0.21	53,53,70,87	0
4	SO4	B	504	5/5	0.73	0.14	51,61,92,110	0
4	SO4	F	504	5/5	0.81	0.13	48,59,65,70	0
5	GOL	F	505	6/6	0.81	0.22	29,33,39,73	0
4	SO4	E	507	5/5	0.83	0.14	52,52,56,85	0
4	SO4	A	508	5/5	0.83	0.14	33,65,70,97	0
5	GOL	E	508	6/6	0.86	0.13	32,39,49,49	0
4	SO4	E	505	5/5	0.87	0.12	43,44,47,66	0
5	GOL	D	806	6/6	0.88	0.15	27,34,39,66	0
4	SO4	C	506	5/5	0.89	0.13	40,41,60,67	0
3	MG	F	503	1/1	0.89	0.13	48,48,48,48	0
4	SO4	C	504	5/5	0.89	0.10	38,41,44,49	0
4	SO4	C	508	5/5	0.90	0.11	27,58,65,71	0
4	SO4	B	507	5/5	0.91	0.10	26,60,61,70	0
4	SO4	A	506	5/5	0.91	0.10	40,44,45,58	0
4	SO4	A	505	5/5	0.92	0.10	43,44,51,55	0
3	MG	C	502	1/1	0.93	0.11	19,19,19,19	0
4	SO4	B	505	5/5	0.93	0.09	40,42,48,57	0
4	SO4	A	504	5/5	0.94	0.11	38,40,42,44	0
4	SO4	E	506	5/5	0.94	0.09	39,44,52,60	0
4	SO4	E	501	5/5	0.94	0.08	36,39,47,64	0
4	SO4	B	506	5/5	0.95	0.08	36,39,41,48	0
3	MG	D	803	1/1	0.95	0.17	28,28,28,28	0
4	SO4	B	508	5/5	0.95	0.13	34,39,43,49	0
4	SO4	D	801	5/5	0.95	0.09	35,37,44,68	0
3	MG	D	804	1/1	0.95	0.13	36,36,36,36	0
3	MG	A	502	1/1	0.95	0.09	29,29,29,29	0
2	2PG	F	501	11/11	0.96	0.08	25,29,36,37	0
3	MG	B	502	1/1	0.96	0.07	27,27,27,27	0
2	2PG	A	501	11/11	0.97	0.06	16,19,22,23	0
2	2PG	D	802	11/11	0.97	0.07	18,23,28,29	0
2	2PG	E	502	11/11	0.97	0.06	18,20,26,29	0
3	MG	E	504	1/1	0.97	0.05	34,34,34,34	0
3	MG	A	503	1/1	0.98	0.10	33,33,33,33	0
2	2PG	B	501	11/11	0.98	0.05	16,17,19,19	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	SO4	C	505	5/5	0.98	0.07	32,34,44,46	0
3	MG	B	503	1/1	0.98	0.05	28,28,28,28	0
3	MG	E	503	1/1	0.98	0.06	25,25,25,25	0
2	2PG	C	501	11/11	0.98	0.04	14,16,21,21	0
3	MG	C	503	1/1	0.98	0.05	27,27,27,27	0
3	MG	F	502	1/1	0.98	0.07	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.