



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:04 AM UTC

PDB ID : 2BGR / pdb_00002bgr
Title : Crystal structure of HIV-1 Tat derived nonapeptides Tat(1-9) bound to the active site of Dipeptidyl peptidase IV (CD26)
Authors : Weihofen, W.A.; Liu, J.; Reutter, W.; Saenger, W.; Fan, H.
Deposited on : 2005-01-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	738	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: orange;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">2% 89% 8% ..</p>
1	B	738	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">3% 90% 8% ..</p>
2	Y	9	<div style="display: flex; align-items: center;"> <div style="width: 11%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 22%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 33%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 34%; height: 10px; background-color: green;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">11% 22% 67%</p>
2	Z	9	<div style="display: flex; align-items: center;"> <div style="width: 22%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 33%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 34%; height: 10px; background-color: green;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">22% 11% 67%</p>
3	C	3	<div style="width: 100%; height: 10px; background-color: yellow;"></div> <p style="text-align: center;">100%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	2	 100%
4	F	2	 100%
4	G	2	 100%
4	I	2	 100%
4	K	2	 100%
4	L	2	 50%
5	E	3	 100%
5	J	3	 33%
6	H	2	 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FUC	C	3	X	-	-	-
6	FUC	H	2	X	-	-	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 14100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DIPEPTIDYL PEPTIDASE IV.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	729	Total 5972	C 3831	N 983	O 1132	S 26	0	0	0
1	B	729	Total 5972	C 3831	N 983	O 1132	S 26	0	0	0

- Molecule 2 is a protein called HIV-1 TAT PROTEIN DERIVED N-TERMINAL NONAPEPTIDE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	Y	3	Total 23	C 14	N 3	O 5	S 1	0	0	0
2	Z	3	Total 23	C 14	N 3	O 5	S 1	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	3	Total 38	C 22	N 2	O 14	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	L	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	3	Total	C	N	O	0	0	0
			39	22	2	15			
5	J	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 6 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	H	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	892	Total	O	0	0
			892	892		
8	B	845	Total	O	0	0
			845	845		
8	Y	6	Total	O	0	0
			6	6		
8	Z	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DIPEPTIDYL PEPTIDASE IV



- Molecule 1: DIPEPTIDYL PEPTIDASE IV




- Molecule 2: HIV-1 TAT PROTEIN DERIVED N-TERMINAL NONAPEPTIDE



- Molecule 2: HIV-1 TAT PROTEIN DERIVED N-TERMINAL NONAPEPTIDE





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  100%

MAG1
MAG2
FUC3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%


MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%

MAG1
MAG2

- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2
BMA3

- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  33% 67%

MAG1
MAG2
BMA3

- Molecule 6: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50% 50%

MAG1
FUC2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	118.30Å 127.04Å 137.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	92.1 (30.00-2.00) 92.1 (30.00-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.1.1999	Depositor
R, R_{free}	0.160 , 0.203 (Not available) , 0.307	Depositor DCC
R_{free} test set	1297 reflections (1.01%)	wwPDB-VP
Wilson B-factor (Å ²)	30.8	Xtrriage
Anisotropy	0.145	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14100	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.61	0/6144	0.89	2/8355 (0.0%)
1	B	0.59	0/6144	0.89	3/8355 (0.0%)
2	Y	0.56	0/23	1.50	0/30
2	Z	0.54	0/23	1.13	0/30
All	All	0.60	0/12334	0.89	5/16770 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	1	0

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	492	ARG	N-CA-C	8.54	121.12	108.14
1	B	207	VAL	CB-CA-C	6.92	117.21	111.05
1	B	669	ARG	NE-CZ-NH2	-6.77	113.11	119.20
1	B	594	ILE	N-CA-C	5.73	117.01	111.91
1	A	506	ASN	N-CA-C	5.13	119.53	113.16

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	304	THR	CB

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5972	0	5682	47	0
1	B	5972	0	5682	47	0
2	Y	23	0	22	1	0
2	Z	23	0	22	0	0
3	C	38	0	34	0	0
4	D	28	0	25	0	0
4	F	28	0	25	0	0
4	G	28	0	25	0	0
4	I	28	0	25	0	0
4	K	28	0	25	0	0
4	L	28	0	25	1	0
5	E	39	0	34	0	0
5	J	39	0	34	0	0
6	H	24	0	22	0	0
7	A	28	0	26	1	0
7	B	28	0	26	2	0
8	A	892	0	0	8	0
8	B	845	0	0	13	0
8	Y	6	0	0	1	0
8	Z	3	0	0	0	0
All	All	14100	0	11734	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:CYS:SG	8:A:2625:HOH:O	2.01	1.15
1:A:762:CYS:HB2	8:A:2874:HOH:O	1.48	1.12
1:B:472:CYS:SG	8:B:2571:HOH:O	2.14	1.06
1:A:503:MET:HG3	8:A:2028:HOH:O	1.76	0.85
1:B:762:CYS:HB2	8:B:2766:HOH:O	1.75	0.85
1:A:310:ARG:HD3	1:A:329:ASP:OD1	1.77	0.84
1:A:736:THR:HG21	1:B:717:ALA:O	1.85	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:320:GLN:OE1	1:B:669:ARG:HD3	1.88	0.73
1:B:74:ASN:HD22	7:B:1779:NAG:H81	1.53	0.71
1:B:304:THR:HG22	8:B:2454:HOH:O	1.92	0.70
1:B:762:CYS:CB	8:B:2766:HOH:O	2.36	0.69
1:A:272:ASN:HD22	1:A:274:ASP:H	1.40	0.68
1:A:272:ASN:ND2	1:A:274:ASP:H	1.93	0.66
1:A:310:ARG:CD	1:A:329:ASP:OD1	2.43	0.66
1:A:704:HIS:HD2	1:A:716:SER:OG	1.78	0.66
1:B:377:ASN:C	1:B:377:ASN:HD22	2.03	0.66
1:B:272:ASN:C	1:B:272:ASN:HD22	2.05	0.65
1:A:173:TYR:CE2	1:A:184:ARG:HG3	2.32	0.65
1:B:760:LYS:HE2	1:B:766:PRO:OXT	1.99	0.62
1:B:272:ASN:HD21	1:B:274:ASP:HB2	1.64	0.62
1:A:153:GLN:HE22	1:A:170:ASN:ND2	1.98	0.62
1:B:258:LYS:NZ	1:B:712:HIS:HD2	1.99	0.61
1:A:435:GLN:NE2	1:A:441:LYS:HD2	2.16	0.60
1:A:184:ARG:HD3	1:A:186:THR:O	2.01	0.60
1:A:760:LYS:CE	1:A:766:PRO:OXT	2.51	0.59
1:A:760:LYS:NZ	1:A:766:PRO:OXT	2.35	0.58
1:A:272:ASN:HD22	1:A:272:ASN:C	2.12	0.58
1:B:503:MET:HE1	8:B:2017:HOH:O	2.03	0.58
1:A:435:GLN:HE22	1:A:441:LYS:HD2	1.69	0.58
1:A:696:LYS:HG2	1:A:728:VAL:HG22	1.85	0.58
1:B:203:TYR:HA	1:B:207:VAL:HG13	1.86	0.57
2:Y:1:MET:HA	8:Y:2004:HOH:O	2.04	0.57
1:B:65:ASP:OD2	1:B:466:LYS:HB2	2.06	0.56
1:A:111:GLY:O	1:A:137:LEU:HD12	2.05	0.56
1:A:272:ASN:HD21	1:A:274:ASP:HB2	1.70	0.56
1:B:441:LYS:NZ	8:B:2551:HOH:O	2.35	0.56
1:B:472:CYS:CB	8:B:2571:HOH:O	2.49	0.56
1:B:452:GLU:H	1:B:452:GLU:CD	2.14	0.56
1:A:726:VAL:HG13	1:A:728:VAL:HG23	1.87	0.55
1:B:276:LEU:O	8:B:2348:HOH:O	2.19	0.53
1:B:302:ASP:OD1	1:B:304:THR:HG23	2.08	0.53
1:B:760:LYS:CE	1:B:766:PRO:OXT	2.58	0.52
1:B:304:THR:HG21	1:B:362:PRO:HD2	1.91	0.51
1:B:691:ARG:HD2	8:B:2752:HOH:O	2.10	0.51
1:B:726:VAL:HG23	1:B:728:VAL:HG23	1.91	0.50
1:A:310:ARG:HH22	1:A:369:ASN:ND2	2.09	0.50
1:B:710:ASN:C	1:B:710:ASN:HD22	2.19	0.50
1:B:258:LYS:HZ1	1:B:712:HIS:HD2	1.58	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:PHE:CE2	1:A:523:LYS:HD2	2.47	0.49
1:A:696:LYS:CG	1:A:728:VAL:HG22	2.42	0.48
1:A:762:CYS:CB	8:A:2874:HOH:O	2.30	0.48
1:A:481:THR:OG1	1:A:483:HIS:HE1	1.97	0.48
1:A:92:ASN:ND2	7:A:1780:NAG:C7	2.77	0.48
1:B:693:GLU:OE2	1:B:696:LYS:NZ	2.38	0.48
1:A:248:TYR:CZ	1:B:234:PRO:HB2	2.49	0.47
1:A:250:LYS:HD3	8:A:2351:HOH:O	2.14	0.47
1:B:640:LEU:HD11	1:B:650:GLY:HA3	1.97	0.47
1:B:741:GLY:O	1:B:742:ILE:C	2.57	0.47
1:A:597:ARG:HH12	1:A:679:ASN:HD21	1.62	0.47
1:A:704:HIS:HE1	1:A:711:VAL:O	1.97	0.47
1:B:170:ASN:ND2	8:B:2190:HOH:O	2.48	0.46
1:A:154:TRP:CE2	1:A:212:SER:HB3	2.50	0.46
1:A:253:ARG:HH21	1:B:253:ARG:HH21	1.63	0.46
1:B:377:ASN:ND2	1:B:381:TYR:H	2.14	0.45
1:B:175:LYS:NZ	1:B:180:LEU:O	2.49	0.45
1:B:74:ASN:ND2	7:B:1779:NAG:H81	2.28	0.45
1:B:126:HIS:HD2	8:B:2057:HOH:O	1.98	0.45
1:A:503:MET:HE3	8:A:2650:HOH:O	2.17	0.45
1:B:153:GLN:HE22	1:B:170:ASN:ND2	2.15	0.44
1:A:520:ASN:O	1:A:520:ASN:OD1	2.36	0.44
1:B:377:ASN:C	1:B:377:ASN:ND2	2.73	0.44
1:A:741:GLY:O	1:A:742:ILE:C	2.61	0.44
1:B:41:LYS:HE3	1:B:53:TYR:OH	2.17	0.44
1:B:55:LEU:HD23	1:B:500:LEU:CD2	2.48	0.44
1:A:704:HIS:CD2	1:A:716:SER:OG	2.66	0.43
8:B:2844:HOH:O	4:L:2:NAG:O7	2.21	0.43
1:B:105:TYR:HB2	1:B:114:ILE:HD11	2.00	0.43
1:B:114:ILE:HG23	1:B:135:TYR:HB3	2.00	0.43
1:B:718:GLN:HE22	1:B:721:LYS:NZ	2.17	0.42
1:A:51:ASN:HB3	8:A:2017:HOH:O	2.20	0.42
1:B:272:ASN:HD22	1:B:274:ASP:H	1.67	0.42
1:A:718:GLN:HE22	1:A:721:LYS:NZ	2.17	0.42
1:B:472:CYS:CA	8:B:2571:HOH:O	2.67	0.42
1:A:510:PRO:HD3	1:A:569:SER:HB2	2.01	0.42
1:A:75:ASN:ND2	1:A:92:ASN:H	2.17	0.41
1:A:143:ILE:HD13	1:A:178:PRO:HB2	2.03	0.41
1:A:136:ASP:CG	1:A:139:LYS:HG2	2.45	0.41
1:A:54:ARG:HE	1:A:54:ARG:HB2	1.69	0.41
1:A:170:ASN:HD22	1:A:170:ASN:N	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:498:SER:O	1:A:502:LYS:HG2	2.21	0.41
1:A:358:ARG:HD3	8:A:2100:HOH:O	2.21	0.40
1:B:136:ASP:CG	1:B:139:LYS:HG2	2.46	0.40
1:B:472:CYS:O	1:B:478:PRO:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	604/738 (82%)	585 (97%)	18 (3%)	1 (0%)	43	42
1	B	727/738 (98%)	703 (97%)	24 (3%)	0	100	100
2	Y	1/9 (11%)	1 (100%)	0	0	100	100
2	Z	1/9 (11%)	0	0	1 (100%)	0	0
All	All	1333/1494 (89%)	1289 (97%)	42 (3%)	2 (0%)	43	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	520	ASN
2	Z	2	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	654/660 (99%)	634 (97%)	20 (3%)	35	37
1	B	654/660 (99%)	636 (97%)	18 (3%)	38	41
2	Y	3/9 (33%)	2 (67%)	1 (33%)	0	0
2	Z	3/9 (33%)	2 (67%)	1 (33%)	0	0
All	All	1314/1338 (98%)	1274 (97%)	40 (3%)	36	38

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	LYS
1	A	54	ARG
1	A	91	GLU
1	A	170	ASN
1	A	184	ARG
1	A	272	ASN
1	A	313	LEU
1	A	366	LEU
1	A	415	LEU
1	A	436	LEU
1	A	442	VAL
1	A	482	LEU
1	A	506	ASN
1	A	507	VAL
1	A	543	LEU
1	A	561	LEU
1	A	673	LEU
1	A	726	VAL
1	A	736	THR
1	A	761	GLN
1	B	41	LYS
1	B	60	LEU
1	B	97	GLU
1	B	170	ASN
1	B	207	VAL
1	B	223	LEU
1	B	272	ASN
1	B	358	ARG
1	B	377	ASN
1	B	385	CYS
1	B	445	LEU
1	B	452	GLU
1	B	471	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	502	LYS
1	B	521	GLU
1	B	543	LEU
1	B	627	TRP
1	B	673	LEU
2	Y	2	ASP
2	Z	2	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	75	ASN
1	A	169	ASN
1	A	170	ASN
1	A	272	ASN
1	A	314	GLN
1	A	345	HIS
1	A	369	ASN
1	A	435	GLN
1	A	483	HIS
1	A	572	ASN
1	A	612	GLN
1	A	679	ASN
1	A	685	ASN
1	A	694	ASN
1	A	704	HIS
1	A	718	GLN
1	A	761	GLN
1	B	72	GLN
1	B	112	GLN
1	B	126	HIS
1	B	169	ASN
1	B	170	ASN
1	B	272	ASN
1	B	338	ASN
1	B	345	HIS
1	B	377	ASN
1	B	388	GLN
1	B	430	ASN
1	B	435	GLN
1	B	572	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	679	ASN
1	B	694	ASN
1	B	710	ASN
1	B	712	HIS
1	B	718	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

23 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	C	1	1,3	14,14,15	0.77	0	17,19,21	1.52	3 (17%)
3	NAG	C	2	3	14,14,15	0.57	0	17,19,21	1.82	6 (35%)
3	FUC	C	3	3	10,10,11	0.63	0	14,14,16	1.19	1 (7%)
4	NAG	D	1	1,4	14,14,15	0.65	0	17,19,21	1.30	2 (11%)
4	NAG	D	2	4	14,14,15	0.44	0	17,19,21	1.46	2 (11%)
5	NAG	E	1	1,5	14,14,15	0.74	0	17,19,21	0.96	1 (5%)
5	NAG	E	2	5	14,14,15	0.57	0	17,19,21	1.36	2 (11%)
5	BMA	E	3	5	11,11,12	0.68	0	15,15,17	1.31	3 (20%)
4	NAG	F	1	1,4	14,14,15	0.61	0	17,19,21	1.90	5 (29%)
4	NAG	F	2	4	14,14,15	0.50	0	17,19,21	1.09	2 (11%)
4	NAG	G	1	1,4	14,14,15	0.62	0	17,19,21	1.32	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	2	4	14,14,15	0.48	0	17,19,21	1.69	3 (17%)
6	NAG	H	1	6,1	14,14,15	0.63	0	17,19,21	1.12	2 (11%)
6	FUC	H	2	6	10,10,11	0.68	0	14,14,16	0.81	0
4	NAG	I	1	1,4	14,14,15	0.44	0	17,19,21	1.33	2 (11%)
4	NAG	I	2	4	14,14,15	0.64	0	17,19,21	1.61	3 (17%)
5	NAG	J	1	1,5	14,14,15	0.52	0	17,19,21	1.46	2 (11%)
5	NAG	J	2	5	14,14,15	0.56	0	17,19,21	1.00	1 (5%)
5	BMA	J	3	5	11,11,12	0.61	0	15,15,17	0.92	0
4	NAG	K	1	1,4	14,14,15	0.63	0	17,19,21	1.28	1 (5%)
4	NAG	K	2	4	14,14,15	0.55	0	17,19,21	1.17	2 (11%)
4	NAG	L	1	1,4	14,14,15	0.59	0	17,19,21	1.54	3 (17%)
4	NAG	L	2	4	14,14,15	0.65	0	17,19,21	1.52	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	C	2	3	-	4/6/23/26	0/1/1/1
3	FUC	C	3	3	1/1/4/5	-	0/1/1/1
4	NAG	D	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
5	NAG	E	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	E	2	5	-	2/6/23/26	0/1/1/1
5	BMA	E	3	5	-	2/2/19/22	0/1/1/1
4	NAG	F	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	F	2	4	-	5/6/23/26	0/1/1/1
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
6	NAG	H	1	6,1	-	2/6/23/26	0/1/1/1
6	FUC	H	2	6	1/1/4/5	-	0/1/1/1
4	NAG	I	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	4/6/23/26	0/1/1/1
5	NAG	J	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	1/6/23/26	0/1/1/1
5	BMA	J	3	5	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	K	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	NAG	L	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	L	2	4	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	1	NAG	C1-O5-C5	5.14	119.08	112.19
4	I	2	NAG	C4-C3-C2	4.61	117.77	111.02
4	D	2	NAG	C1-O5-C5	4.56	118.30	112.19
4	L	1	NAG	O5-C1-C2	-4.19	104.81	111.29
3	C	2	NAG	O5-C1-C2	-3.97	105.15	111.29
4	G	2	NAG	C1-O5-C5	3.90	117.41	112.19
5	J	1	NAG	O5-C1-C2	-3.78	105.44	111.29
4	L	2	NAG	C2-N2-C7	3.72	127.89	122.90
4	G	2	NAG	C4-C3-C2	-3.71	105.58	111.02
3	C	1	NAG	O5-C1-C2	-3.50	105.88	111.29
4	I	2	NAG	C3-C4-C5	3.39	116.38	110.23
5	E	2	NAG	C8-C7-N2	3.38	121.73	116.12
4	I	1	NAG	O5-C1-C2	-3.36	106.09	111.29
3	C	2	NAG	C3-C4-C5	3.30	116.22	110.23
4	K	1	NAG	C1-C2-N2	3.24	115.54	110.43
3	C	1	NAG	C1-O5-C5	3.21	116.48	112.19
4	G	1	NAG	O5-C1-C2	-3.20	106.33	111.29
4	K	2	NAG	C1-O5-C5	3.18	116.45	112.19
5	E	3	BMA	C2-C3-C4	2.97	116.09	110.86
4	F	1	NAG	O5-C1-C2	-2.94	106.74	111.29
4	G	2	NAG	C1-C2-N2	2.91	115.02	110.43
4	F	2	NAG	O5-C1-C2	-2.87	106.86	111.29
4	L	1	NAG	C1-O5-C5	2.85	116.01	112.19
4	L	2	NAG	C4-C3-C2	2.83	115.17	111.02
4	L	2	NAG	C1-C2-N2	-2.78	106.06	110.43
5	E	3	BMA	C1-C2-C3	2.63	113.47	109.64
3	C	2	NAG	C2-N2-C7	-2.62	119.39	122.90
3	C	3	FUC	O5-C5-C6	2.59	113.03	107.40
3	C	2	NAG	C1-C2-N2	2.49	114.35	110.43
4	F	2	NAG	C2-N2-C7	2.47	126.21	122.90
4	D	1	NAG	O5-C1-C2	-2.47	107.48	111.29
3	C	2	NAG	C1-O5-C5	2.47	115.49	112.19
4	K	2	NAG	C1-C2-N2	2.46	114.31	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	2	NAG	O7-C7-C8	-2.41	117.75	122.05
3	C	1	NAG	O4-C4-C5	-2.40	103.40	109.32
5	E	3	BMA	C3-C4-C5	2.38	114.56	110.23
4	G	1	NAG	C1-O5-C5	2.38	115.38	112.19
4	F	1	NAG	O5-C5-C6	-2.37	103.05	107.66
4	G	1	NAG	O7-C7-N2	2.37	126.16	121.98
3	C	2	NAG	O5-C5-C4	2.31	116.45	110.83
4	F	1	NAG	O4-C4-C3	-2.30	104.95	110.38
4	D	1	NAG	C4-C3-C2	2.27	114.35	111.02
4	L	1	NAG	O7-C7-C8	-2.27	118.02	122.05
4	I	1	NAG	O7-C7-N2	2.23	125.93	121.98
5	J	2	NAG	C4-C3-C2	2.23	114.28	111.02
6	H	1	NAG	O7-C7-C8	-2.10	118.32	122.05
4	F	1	NAG	C1-C2-N2	2.10	113.74	110.43
4	I	2	NAG	C1-O5-C5	2.05	114.94	112.19
5	E	1	NAG	O5-C1-C2	-2.03	108.14	111.29
4	D	2	NAG	C2-N2-C7	-2.02	120.19	122.90
6	H	1	NAG	O7-C7-N2	2.02	125.55	121.98
5	J	1	NAG	C1-C2-N2	2.01	113.60	110.43

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	3	FUC	C1
6	H	2	FUC	C1

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	2	NAG	C8-C7-N2-C2
3	C	2	NAG	O7-C7-N2-C2
4	F	2	NAG	C3-C2-N2-C7
4	L	2	NAG	C8-C7-N2-C2
4	L	2	NAG	O7-C7-N2-C2
5	E	2	NAG	C8-C7-N2-C2
5	E	2	NAG	O7-C7-N2-C2
3	C	2	NAG	O5-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
4	D	1	NAG	C8-C7-N2-C2
4	F	2	NAG	C8-C7-N2-C2
4	F	2	NAG	O7-C7-N2-C2
4	I	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	D	2	NAG	C4-C5-C6-O6
6	H	1	NAG	O5-C5-C6-O6
4	F	2	NAG	C4-C5-C6-O6
5	E	3	BMA	C4-C5-C6-O6
3	C	2	NAG	C4-C5-C6-O6
6	H	1	NAG	C4-C5-C6-O6
5	E	3	BMA	O5-C5-C6-O6
4	D	1	NAG	O7-C7-N2-C2
4	D	2	NAG	O5-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
4	I	2	NAG	C8-C7-N2-C2
4	L	2	NAG	O5-C5-C6-O6
4	F	1	NAG	O5-C5-C6-O6
4	I	2	NAG	O7-C7-N2-C2
4	L	2	NAG	C4-C5-C6-O6
5	J	3	BMA	C4-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
4	G	2	NAG	C3-C2-N2-C7
4	G	2	NAG	C1-C2-N2-C7
5	J	2	NAG	C4-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	L	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	NAG	B	1779	1	14,14,15	0.46	0	17,19,21	1.26	2 (11%)
7	NAG	A	1780	1	14,14,15	0.53	0	17,19,21	1.75	5 (29%)
7	NAG	A	1770	1	14,14,15	0.45	0	17,19,21	1.19	2 (11%)
7	NAG	B	1769	1	14,14,15	0.50	0	17,19,21	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	B	1779	1	-	4/6/23/26	0/1/1/1
7	NAG	A	1780	1	-	6/6/23/26	0/1/1/1
7	NAG	A	1770	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	B	1769	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1780	NAG	C4-C3-C2	-3.98	105.18	111.02
7	B	1779	NAG	C1-O5-C5	3.18	116.45	112.19
7	A	1780	NAG	O5-C5-C4	-2.69	104.27	110.83
7	A	1780	NAG	C1-O5-C5	2.65	115.73	112.19
7	A	1770	NAG	C1-O5-C5	2.63	115.72	112.19
7	A	1780	NAG	C3-C4-C5	-2.47	105.76	110.23
7	B	1779	NAG	C3-C4-C5	2.29	114.39	110.23
7	A	1780	NAG	O5-C5-C6	2.18	111.90	107.66
7	A	1770	NAG	O5-C1-C2	-2.05	108.12	111.29

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	1780	NAG	C1-C2-N2-C7
7	A	1780	NAG	C8-C7-N2-C2
7	A	1780	NAG	O7-C7-N2-C2
7	B	1779	NAG	O7-C7-N2-C2
7	A	1780	NAG	C4-C5-C6-O6
7	B	1779	NAG	C8-C7-N2-C2
7	A	1780	NAG	O5-C5-C6-O6
7	B	1779	NAG	O5-C5-C6-O6
7	B	1779	NAG	C4-C5-C6-O6
7	A	1780	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	1779	NAG	2	0
7	A	1780	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	729/738 (98%)	0.79	12 (1%) 70 70	35, 44, 55, 66	0
1	B	729/738 (98%)	0.82	24 (3%) 49 48	36, 44, 55, 70	0
2	Y	3/9 (33%)	3.64	3 (100%) 0 0	65, 65, 69, 72	0
2	Z	3/9 (33%)	3.71	3 (100%) 0 0	75, 75, 78, 79	0
All	All	1464/1494 (97%)	0.82	42 (2%) 53 52	35, 44, 55, 79	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Z	3	PRO	5.6
2	Y	3	PRO	5.3
1	A	766	PRO	4.1
1	B	766	PRO	3.9
1	B	95	PHE	3.3
2	Z	2	ASP	3.2
2	Y	1	MET	3.0
1	A	52	THR	2.9
1	B	138	ASN	2.8
1	B	450	ASN	2.7
1	A	692	ALA	2.7
1	A	137	LEU	2.7
1	B	99	GLY	2.7
1	B	98	PHE	2.7
1	B	762	CYS	2.7
1	B	471	ARG	2.7
2	Y	2	ASP	2.6
1	B	65	ASP	2.6
1	A	761	GLN	2.5
1	B	472	CYS	2.5
1	B	379	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	330	TYR	2.4
2	Z	1	MET	2.4
1	B	140	ARG	2.4
1	B	100	HIS	2.3
1	B	452	GLU	2.3
1	A	505	GLN	2.3
1	A	348	MET	2.3
1	A	135	TYR	2.2
1	A	722	ALA	2.2
1	B	235	LEU	2.1
1	B	447	CYS	2.1
1	B	73	GLU	2.1
1	B	91	GLU	2.1
1	B	276	LEU	2.1
1	B	233	VAL	2.1
1	B	413	ASP	2.1
1	A	726	VAL	2.1
1	B	659	TRP	2.1
1	A	378	GLU	2.0
1	B	348	MET	2.0
1	B	723	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	C	1	14/15	-	-	43,52,64,65	0
3	NAG	C	2	14/15	-	-	72,76,78,78	0
3	FUC	C	3	10/11	-	-	64,65,65,67	0
4	NAG	D	1	14/15	-	-	49,56,64,65	0
4	NAG	D	2	14/15	-	-	61,66,69,70	0
5	NAG	E	2	14/15	0.53	0.16	62,66,72,77	0
4	NAG	I	2	14/15	0.59	0.18	61,64,66,67	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NAG	G	2	14/15	0.65	0.17	63,67,68,69	0
4	NAG	K	2	14/15	0.70	0.16	40,46,50,51	0
4	NAG	F	2	14/15	0.73	0.15	77,80,81,82	0
6	NAG	H	1	14/15	0.79	0.14	51,57,64,68	0
4	NAG	F	1	14/15	0.80	0.14	60,63,67,72	0
4	NAG	L	2	14/15	0.80	0.15	65,68,70,70	0
4	NAG	I	1	14/15	0.83	0.14	46,54,57,59	0
5	NAG	J	1	14/15	0.84	0.12	32,36,44,49	0
4	NAG	K	1	14/15	0.85	0.13	29,32,37,39	0
4	NAG	L	1	14/15	0.88	0.11	50,54,57,61	0
5	BMA	E	3	11/12	-	-	81,83,85,86	0
4	NAG	G	1	14/15	0.89	0.10	47,52,56,59	0
5	NAG	J	2	14/15	-	-	54,56,61,66	0
5	BMA	J	3	11/12	-	-	69,72,73,74	0
5	NAG	E	1	14/15	0.90	0.11	43,47,57,59	0
6	FUC	H	2	10/11	-	-	70,72,72,74	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	NAG	A	1780	14/15	0.59	0.18	72,75,76,77	0
7	NAG	B	1769	14/15	0.71	0.15	59,63,66,67	0
7	NAG	B	1779	14/15	0.71	0.14	72,73,76,76	0
7	NAG	A	1770	14/15	0.75	0.15	58,60,61,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.