



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:09 AM UTC

PDB ID : 6BG2 / pdb_00006bg2
Title : Crystal structure of cGMP-dependent protein kinase Ialpha (PKG Ialpha) catalytic domain in AMP-PNP bound state
Authors : Qin, L.; Sankaran, B.; Kim, C.
Deposited on : 2017-10-27
Resolution : 1.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1296 (1.84-1.84)
Clashscore	190562	1329 (1.84-1.84)
Ramachandran outliers	187476	1318 (1.84-1.84)
Sidechain outliers	187428	1318 (1.84-1.84)
RSRZ outliers	180081	1296 (1.84-1.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	7% 88% 9% .
1	B	347	3% 87% 7% 6%
1	C	347	3% 88% 9% .
1	D	347	% 89% 5% 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11857 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cGMP-dependent protein kinase 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	C	335	Total	C	N	O	P	S	0	0	0
			2610	1690	430	480	1	9			
1	B	326	Total	C	N	O	P	S	0	0	0
			2515	1636	408	461	1	9			
1	A	336	Total	C	N	O	P	S	0	1	0
			2596	1688	423	474	1	10			
1	D	328	Total	C	N	O	P	S	0	0	0
			2549	1651	415	472	1	10			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	325	GLY	-	expression tag	UNP Q13976
C	326	SER	-	expression tag	UNP Q13976
B	325	GLY	-	expression tag	UNP Q13976
B	326	SER	-	expression tag	UNP Q13976
A	325	GLY	-	expression tag	UNP Q13976
A	326	SER	-	expression tag	UNP Q13976
D	325	GLY	-	expression tag	UNP Q13976
D	326	SER	-	expression tag	UNP Q13976

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	2	Total	Mn	0	0
			2	2		
3	B	2	Total	Mn	0	0
			2	2		
3	A	2	Total	Mn	0	0
			2	2		
3	D	2	Total	Mn	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	398	Total	O	0	0
			398	398		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	317	Total 317	O 317	0	0
4	A	358	Total 358	O 358	0	0
4	D	382	Total 382	O 382	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cGMP-dependent protein kinase 1




- Molecule 1: cGMP-dependent protein kinase 1




- Molecule 1: cGMP-dependent protein kinase 1



- Molecule 1: cGMP-dependent protein kinase 1





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	165.39Å 98.50Å 116.42Å 90.00° 133.47° 90.00°	Depositor
Resolution (Å)	47.23 – 1.83 47.23 – 1.83	Depositor EDS
% Data completeness (in resolution range)	98.8 (47.23-1.83) 98.8 (47.23-1.83)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 1.83Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.188 , 0.215 0.188 , 0.216	Depositor DCC
R_{free} test set	1994 reflections (1.67%)	wwPDB-VP
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.286	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.003 for h+2*k,-h-l 0.012 for h,-k,-h-l 0.016 for -h-2*k,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11857	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.39 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.7822e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, TPO, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/2654	0.45	0/3593
1	B	0.20	0/2569	0.43	0/3484
1	C	0.21	0/2666	0.42	0/3611
1	D	0.20	0/2603	0.42	0/3525
All	All	0.20	0/10492	0.43	0/14213

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2596	0	2455	30	0
1	B	2515	0	2370	23	0
1	C	2610	0	2494	18	0
1	D	2549	0	2411	15	0
2	A	31	0	13	0	0
2	B	31	0	13	2	0
2	C	31	0	13	0	0
2	D	31	0	13	0	0
3	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	358	0	0	20	0
4	B	317	0	0	8	0
4	C	398	0	0	4	0
4	D	382	0	0	7	0
All	All	11857	0	9782	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:409:GLU:HG2	1:B:436:MET:HE1	1.55	0.88
1:A:394:LYS:NZ	4:A:810:HOH:O	2.18	0.77
1:B:598:ASN:HB3	4:B:810:HOH:O	1.87	0.74
1:D:667:TRP:O	4:D:801:HOH:O	2.06	0.74
1:C:338:ASP:HB3	1:B:657:ASP:HA	1.70	0.73
1:A:405:HIS:NE2	4:A:802:HOH:O	2.03	0.72
1:D:441:CYS:HB2	1:D:491:ILE:HD12	1.70	0.72
1:A:346:GLU:OE1	4:A:803:HOH:O	2.08	0.71
1:D:409:GLU:OE2	4:D:802:HOH:O	2.08	0.70
1:A:655:ASP:OD2	4:A:804:HOH:O	2.10	0.69
1:B:413:MET:HE2	1:B:424:LEU:HB2	1.74	0.68
1:D:513:LYS:NZ	4:D:806:HOH:O	2.29	0.66
1:C:363:ILE:HD11	1:C:378:GLN:HB2	1.77	0.66
1:A:346:GLU:OE1	4:A:806:HOH:O	2.14	0.66
1:C:348:GLU:OE2	4:C:802:HOH:O	2.14	0.65
1:A:655:ASP:HA	4:A:856:HOH:O	1.96	0.65
1:A:403:GLN:NE2	4:A:811:HOH:O	2.24	0.65
1:A:560:GLY:O	4:A:805:HOH:O	2.13	0.65
1:B:394:LYS:HE2	1:B:663:ASP:HB3	1.81	0.63
1:D:524:TYR:OH	1:D:550:GLU:OE1	2.09	0.63
1:C:364:ASP:HB2	4:C:821:HOH:O	1.99	0.62
1:A:536:ASP:HB2	4:A:1055:HOH:O	2.00	0.62
1:A:521:THR:OG1	4:A:801:HOH:O	2.02	0.61
1:A:398:VAL:HG21	4:A:1056:HOH:O	2.01	0.61
1:A:639:SER:O	4:A:808:HOH:O	2.17	0.58
1:B:462:ARG:NE	4:B:809:HOH:O	2.36	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:561:PRO:N	4:A:819:HOH:O	2.39	0.56
1:B:462:ARG:NE	4:B:815:HOH:O	2.41	0.53
1:B:413:MET:HE3	1:B:422:VAL:HG23	1.90	0.52
1:C:462:ARG:HA	1:C:618:TRP:CH2	2.44	0.52
1:A:663:ASP:C	4:A:809:HOH:O	2.53	0.52
1:B:630:GLY:O	4:B:803:HOH:O	2.19	0.52
1:B:422:VAL:HG21	1:B:501:VAL:HG12	1.92	0.52
1:B:491:ILE:HD11	2:B:700:ANP:H2'	1.92	0.52
1:A:462:ARG:HA	1:A:618:TRP:CH2	2.45	0.52
1:C:525:VAL:HG13	1:C:529:ILE:HB	1.92	0.50
1:A:410:LYS:HE2	1:A:671:PHE:HA	1.94	0.50
1:A:664:ASN:HA	4:A:939:HOH:O	2.11	0.50
1:A:664:ASN:N	4:A:809:HOH:O	2.45	0.49
1:C:413:MET:HG3	1:C:503:PHE:HB2	1.94	0.49
1:C:577:ILE:HG23	4:C:803:HOH:O	2.13	0.48
1:B:668:ASP:OD2	1:B:668:ASP:N	2.45	0.48
1:A:348:GLU:OE1	1:A:423:ARG:NH2	2.43	0.47
1:A:453:ARG:NH2	4:A:815:HOH:O	2.42	0.47
1:A:409:GLU:O	1:A:413:MET:HB2	2.14	0.47
1:A:558:PHE:HD1	1:A:569:ILE:HG22	1.79	0.47
1:A:427:THR:HG22	1:A:436:MET:HG2	1.97	0.47
1:A:390:LYS:HE3	1:A:436:MET:CE	2.45	0.46
1:C:558:PHE:HD1	1:C:569:ILE:HG22	1.81	0.46
1:B:462:ARG:HA	1:B:618:TRP:CH2	2.50	0.46
1:D:441:CYS:HB2	1:D:491:ILE:CD1	2.42	0.46
1:C:361:ASN:HD21	1:C:380:LYS:HE3	1.81	0.45
1:A:410:LYS:NZ	1:A:414:GLN:OE1	2.50	0.45
1:B:491:ILE:CD1	2:B:700:ANP:H2'	2.47	0.45
1:D:445:GLU:OE1	1:D:447:TRP:HB3	2.17	0.45
1:D:586:ASN:ND2	4:D:803:HOH:O	2.19	0.45
1:C:461:THR:HG21	1:C:552:LEU:HG	1.99	0.45
1:C:405:HIS:HB3	1:C:504:GLY:O	2.17	0.45
1:B:447:TRP:CB	1:B:488:GLU:HG3	2.47	0.45
1:C:514:LYS:NZ	4:C:822:HOH:O	2.49	0.44
1:C:363:ILE:HD13	1:C:644:THR:HG22	1.98	0.44
1:C:422:VAL:HG21	1:C:501:VAL:HG12	1.99	0.44
1:D:615:LYS:HD2	4:D:1036:HOH:O	2.16	0.44
1:A:373:ARG:HD2	1:A:655:ASP:HB2	2.00	0.44
1:D:462:ARG:HD3	4:D:923:HOH:O	2.16	0.44
1:C:481:ILE:HD13	1:C:483:ARG:HD3	2.00	0.44
1:B:422:VAL:HG22	1:B:500:LEU:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:402:GLN:O	1:C:406:ILE:HG12	2.18	0.44
1:D:537:ILE:HD13	4:D:1093:HOH:O	2.18	0.43
1:B:536:ASP:HB2	4:B:1027:HOH:O	2.18	0.43
1:D:538:SER:HA	1:D:541:TYR:CD1	2.54	0.43
1:A:573:GLY:HA2	4:A:1017:HOH:O	2.18	0.43
1:B:414:GLN:NE2	4:B:826:HOH:O	2.51	0.43
1:A:390:LYS:HE3	1:A:436:MET:HE3	2.00	0.43
1:D:422:VAL:HG21	1:D:491:ILE:HD11	2.01	0.42
1:D:462:ARG:HA	1:D:618:TRP:CH2	2.55	0.42
1:B:393:LYS:HG2	1:B:433:TYR:CE1	2.55	0.41
1:A:453:ARG:NH1	4:A:815:HOH:O	2.33	0.41
1:C:546:ILE:HG23	1:C:557:PRO:HD2	2.03	0.41
1:B:414:GLN:CD	4:B:834:HOH:O	2.64	0.41
1:B:446:LEU:HD12	1:B:446:LEU:HA	1.90	0.41
1:A:445:GLU:HB3	4:A:841:HOH:O	2.21	0.41
1:B:593:LYS:N	1:B:593:LYS:HD2	2.36	0.40
1:D:603:LEU:HD12	1:D:603:LEU:HA	1.95	0.40
1:B:414:GLN:HG3	4:B:836:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/347 (96%)	327 (98%)	7 (2%)	0	100	100
1	B	323/347 (93%)	313 (97%)	10 (3%)	0	100	100
1	C	332/347 (96%)	326 (98%)	6 (2%)	0	100	100
1	D	325/347 (94%)	316 (97%)	9 (3%)	0	100	100
All	All	1314/1388 (95%)	1282 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/297 (84%)	249 (100%)	0	100	100
1	B	243/297 (82%)	243 (100%)	0	100	100
1	C	258/297 (87%)	258 (100%)	0	100	100
1	D	252/297 (85%)	252 (100%)	0	100	100
All	All	1002/1188 (84%)	1002 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	664	ASN
1	A	378	GLN
1	A	568	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	B	517	1	8,10,11	1.55	1 (12%)	10,14,16	1.89	2 (20%)
1	TPO	C	517	1	8,10,11	1.50	1 (12%)	10,14,16	1.86	2 (20%)
1	TPO	A	517	1	8,10,11	1.58	1 (12%)	10,14,16	2.16	2 (20%)
1	TPO	D	517	1	8,10,11	1.65	1 (12%)	10,14,16	2.05	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	B	517	1	-	0/9/11/13	-
1	TPO	C	517	1	-	0/9/11/13	-
1	TPO	A	517	1	-	0/9/11/13	-
1	TPO	D	517	1	-	0/9/11/13	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	517	TPO	P-O1P	3.55	1.61	1.50
1	A	517	TPO	P-O1P	3.40	1.61	1.50
1	B	517	TPO	P-O1P	3.36	1.60	1.50
1	C	517	TPO	P-O1P	3.28	1.60	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	517	TPO	P-OG1-CB	-5.92	107.24	123.33
1	D	517	TPO	P-OG1-CB	-5.70	107.85	123.33
1	B	517	TPO	P-OG1-CB	-5.03	109.66	123.33
1	C	517	TPO	P-OG1-CB	-4.82	110.22	123.33
1	A	517	TPO	CG2-CB-CA	-2.62	108.16	113.26
1	C	517	TPO	CG2-CB-CA	-2.45	108.48	113.26
1	B	517	TPO	CG2-CB-CA	-2.12	109.12	113.26
1	D	517	TPO	CG2-CB-CA	-2.12	109.13	113.26

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ANP	C	700	3	33,33,33	1.82	6 (18%)	45,52,52	0.57	1 (2%)
2	ANP	B	700	3	33,33,33	2.47	14 (42%)	45,52,52	1.93	11 (24%)
2	ANP	D	700	3	33,33,33	1.73	5 (15%)	45,52,52	0.60	0
2	ANP	A	700	3	33,33,33	1.66	5 (15%)	45,52,52	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	C	700	3	-	1/18/38/38	0/3/3/3
2	ANP	B	700	3	-	2/18/38/38	0/3/3/3
2	ANP	D	700	3	-	1/18/38/38	0/3/3/3
2	ANP	A	700	3	-	5/18/38/38	0/3/3/3

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	700	ANP	PG-O1G	8.22	1.58	1.46
2	A	700	ANP	PG-O1G	7.95	1.58	1.46
2	C	700	ANP	PG-O1G	7.18	1.57	1.46
2	C	700	ANP	PB-O1B	5.48	1.54	1.46
2	B	700	ANP	PB-O2B	-5.17	1.43	1.56
2	B	700	ANP	C5-N7	-4.71	1.30	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	700	ANP	PG-O2G	-4.61	1.44	1.56
2	B	700	ANP	PG-O3G	-4.50	1.44	1.56
2	B	700	ANP	C4-N9	-3.88	1.29	1.37
2	B	700	ANP	O4'-C4'	-3.42	1.37	1.45
2	B	700	ANP	PA-O1A	-3.35	1.39	1.50
2	B	700	ANP	C5-C4	3.34	1.45	1.39
2	B	700	ANP	C8-N9	-3.07	1.32	1.37
2	B	700	ANP	PA-O2A	-3.03	1.41	1.55
2	B	700	ANP	C2-N3	-2.83	1.28	1.33
2	C	700	ANP	PB-O2B	-2.67	1.49	1.56
2	D	700	ANP	PG-N3B	2.65	1.70	1.63
2	D	700	ANP	PB-O1B	2.60	1.50	1.46
2	A	700	ANP	PG-N3B	2.52	1.69	1.63
2	A	700	ANP	PG-O2G	-2.50	1.50	1.56
2	C	700	ANP	PG-N3B	2.49	1.69	1.63
2	D	700	ANP	PG-O2G	-2.45	1.50	1.56
2	B	700	ANP	PB-O1B	-2.40	1.42	1.46
2	A	700	ANP	PB-O1B	2.39	1.49	1.46
2	C	700	ANP	PG-O3G	-2.35	1.50	1.56
2	D	700	ANP	PB-N3B	2.23	1.69	1.63
2	A	700	ANP	PB-O3A	-2.18	1.56	1.59
2	B	700	ANP	PB-O3A	-2.11	1.56	1.59
2	B	700	ANP	PA-O3A	-2.05	1.57	1.59
2	C	700	ANP	PB-N3B	2.04	1.68	1.63

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	700	ANP	C5-C4-N3	-6.31	118.03	126.72
2	B	700	ANP	N3-C4-N9	4.83	135.39	127.17
2	B	700	ANP	C2-N3-C4	4.07	121.78	111.83
2	B	700	ANP	C4-C5-N7	-3.89	106.13	110.58
2	B	700	ANP	N3-C2-N1	-3.61	123.11	128.58
2	B	700	ANP	C5-N7-C8	2.90	108.00	103.45
2	B	700	ANP	C2-N1-C6	2.74	123.23	118.73
2	B	700	ANP	C6-C5-N7	2.53	136.97	132.09
2	B	700	ANP	C4-N9-C8	2.32	108.18	105.74
2	C	700	ANP	O2A-PA-O3A	2.18	113.16	107.27
2	B	700	ANP	O1G-PG-N3B	-2.02	108.79	111.77
2	B	700	ANP	N9-C8-N7	-2.00	111.10	113.94

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	700	ANP	PG-N3B-PB-O1B
2	B	700	ANP	PG-N3B-PB-O1B
2	B	700	ANP	PG-N3B-PB-O3A
2	A	700	ANP	PB-N3B-PG-O1G
2	A	700	ANP	C5'-O5'-PA-O1A
2	D	700	ANP	PG-N3B-PB-O1B
2	A	700	ANP	PB-O3A-PA-O1A
2	A	700	ANP	O4'-C4'-C5'-O5'
2	A	700	ANP	C3'-C4'-C5'-O5'


There are no ring outliers.


1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	700	ANP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	335/347 (96%)	0.40	25 (7%)	20 21	11, 26, 52, 66	1 (0%)
1	B	325/347 (93%)	0.31	12 (3%)	45 48	14, 27, 48, 66	0
1	C	334/347 (96%)	0.02	12 (3%)	46 49	12, 23, 43, 59	0
1	D	327/347 (94%)	0.13	4 (1%)	76 82	14, 26, 40, 60	0
All	All	1321/1388 (95%)	0.22	53 (4%)	42 45	11, 25, 46, 66	1 (0%)

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	347	ALA	3.6
1	B	669	ILE	3.5
1	A	398	VAL	3.5
1	C	562	ASP	3.4
1	A	397	ILE	3.2
1	A	661	PRO	3.2
1	A	567	TYR	3.2
1	B	665	SER	3.2
1	B	664	ASN	3.2
1	A	564	MET	3.1
1	A	399	ASP	3.1
1	A	561	PRO	3.1
1	A	406	ILE	3.0
1	A	336	TYR	3.0
1	A	667	TRP	3.0
1	D	669	ILE	3.0
1	B	663	ASP	2.9
1	A	521	THR	2.9
1	D	345	TYR	2.7
1	C	563	PRO	2.7
1	A	371	PHE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	664	ASN	2.7
1	C	657	ASP	2.6
1	A	663	ASP	2.6
1	A	402	GLN	2.6
1	A	639	SER	2.6
1	A	524	TYR	2.5
1	A	660	PRO	2.5
1	B	417	HIS	2.5
1	B	657	ASP	2.5
1	C	560	GLY	2.5
1	C	656	ASN	2.5
1	A	569	ILE	2.5
1	D	655	ASP	2.4
1	B	662	ASP	2.4
1	B	667	TRP	2.4
1	A	396	HIS	2.4
1	C	345	TYR	2.4
1	C	341	ALA	2.3
1	C	565	LYS	2.3
1	A	405	HIS	2.3
1	B	562	ASP	2.2
1	C	577	ILE	2.2
1	D	562	ASP	2.2
1	A	631	THR	2.1
1	C	576	MET	2.1
1	B	577	ILE	2.1
1	C	339	ALA	2.1
1	A	558	PHE	2.1
1	C	337	GLU	2.0
1	B	668	ASP	2.0
1	A	559	SER	2.0
1	A	640	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	D	517	11/12	0.96	0.08	25,27,30,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TPO	A	517	11/12	0.97	0.07	22,25,26,27	0
1	TPO	C	517	11/12	0.98	0.06	18,20,22,23	0
1	TPO	B	517	11/12	0.98	0.04	17,18,22,22	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MN	A	702	1/1	0.79	0.19	73,73,73,73	0
3	MN	A	701	1/1	0.80	0.14	60,60,60,60	0
2	ANP	A	700	31/31	0.91	0.08	17,32,56,58	0
2	ANP	B	700	31/31	0.97	0.05	12,16,23,23	0
2	ANP	C	700	31/31	0.98	0.04	9,13,15,17	0
2	ANP	D	700	31/31	0.98	0.05	12,15,18,20	0
3	MN	B	702	1/1	0.99	0.03	16,16,16,16	0
3	MN	D	701	1/1	0.99	0.02	16,16,16,16	0
3	MN	C	702	1/1	1.00	0.01	13,13,13,13	0
3	MN	B	701	1/1	1.00	0.01	17,17,17,17	0
3	MN	C	701	1/1	1.00	0.01	15,15,15,15	0
3	MN	D	702	1/1	1.00	0.02	16,16,16,16	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ANP A 700:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP B 700:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP C 700:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP D 700:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.