



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 02:20 PM UTC

PDB ID : 7BG9 / pdb_00007bg9
EMDB ID : EMD-12174
Title : The catalytic core lobe of human telomerase in complex with a telomeric DNA substrate
Authors : Nguyen, T.H.D.; Ghanim, G.E.; Fountain, A.J.; van Roon, A.M.M.; Rangan, R.; Das, R.; Collins, K.
Deposited on : 2021-01-06
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10198 (3.30 - 4.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1332	6% 54% 12% 31%
2	N	18	28% 6% 67%
3	M	166	27% 53% 46%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	L	130	22%58%5%37%
5	B	451	6%32%19%5%43%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 14233 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Telomerase reverse transcriptase, Telomerase reverse transcriptase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	913	Total	C	N	O	S	0	0
			7333	4705	1364	1229	35		

- Molecule 2 is a DNA chain called DNA (5'-D(P*TP*TP*AP*GP*GP*G)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
2	N	6	Total	C	N	O	P	0	0
			127	60	24	37	6		

- Molecule 3 is a protein called Histone H2B.


Mol	Chain	Residues	Atoms					AltConf	Trace
3	M	90	Total	C	N	O	S	0	0
			699	440	123	134	2		

- Molecule 4 is a protein called Histone H2A.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	L	82	Total	C	N	O	0	0
			643	403	128	112		


- Molecule 5 is a RNA chain called RNA (256-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	256	Total	C	N	O	P	0	0
			5431	2420	947	1808	256		




- Molecule 2: DNA (5'-D(P*TP*TP*AP*GP*GP*G)-3')

Chain N: 28% 6% 67%




- Molecule 3: Histone H2B

Chain M: 27% 53% 46%




- Molecule 4: Histone H2A

Chain L: 22% 58% 5% 37%



- Molecule 5: RNA (256-MER)

Chain B: 6% 32% 19% 5% 43%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	168538	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.085	Depositor
Minimum map value	-0.052	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.014	Depositor
Map size ($\text{\AA}$)	266.4, 266.4, 266.4	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.11, 1.11, 1.11	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	18/7506 (0.2%)	1.21	37/10167 (0.4%)
2	N	0.59	0/142	1.04	0/218
3	M	0.69	0/710	0.91	0/957
4	L	0.87	2/650 (0.3%)	1.06	2/874 (0.2%)
5	B	0.60	2/6055 (0.0%)	0.88	22/9426 (0.2%)
All	All	0.88	22/15063 (0.1%)	1.06	61/21642 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	529	VAL	CA-C	9.26	1.62	1.52
1	A	529	VAL	C-N	9.07	1.44	1.33
1	A	560	PHE	C-O	-8.59	1.15	1.24
1	A	1023	GLN	C-O	8.05	1.33	1.23
1	A	1004	ILE	CA-C	-6.96	1.44	1.52
1	A	529	VAL	N-CA	6.71	1.54	1.46
5	B	177	U	O3'-P	6.67	1.71	1.61
4	L	36	ARG	CA-C	6.46	1.61	1.52
4	L	36	ARG	N-CA	6.31	1.54	1.46
1	A	561	PHE	CA-C	6.08	1.59	1.52
1	A	971	ARG	CA-C	-5.88	1.45	1.52
1	A	553	VAL	C-O	5.83	1.30	1.24
1	A	329	LYS	C-O	-5.76	1.17	1.24
1	A	1065	LEU	N-CA	5.71	1.52	1.46
1	A	562	TYR	CA-C	-5.62	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	522	ARG	N-CA	5.53	1.53	1.46
5	B	176	A	O3'-P	5.41	1.69	1.61
1	A	635	ASN	C-O	-5.37	1.17	1.23
1	A	1090	VAL	CA-C	5.34	1.58	1.52
1	A	530	PRO	N-CA	5.23	1.51	1.46
1	A	708	PHE	C-O	-5.23	1.17	1.23
1	A	328	THR	CA-CB	5.11	1.61	1.53

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	410	LYS	N-CA-C	-10.06	99.30	112.68
1	A	337	ASP	N-CA-C	10.01	123.23	111.02
1	A	561	PHE	N-CA-C	9.75	125.23	108.76
1	A	529	VAL	CA-C-N	-9.71	110.36	120.85
1	A	529	VAL	C-N-CA	-9.71	110.36	120.85
1	A	338	LYS	N-CA-C	9.48	122.61	111.71
5	B	112	C	C2'-C3'-O3'	8.95	127.12	113.70
5	B	103	U	C3'-C2'-O2'	8.06	122.79	110.70
4	L	34	LEU	N-CA-C	7.99	124.40	113.37
1	A	1125	SER	N-CA-C	7.54	119.14	111.07
1	A	411	THR	N-CA-C	7.39	125.55	114.09
1	A	708	PHE	N-CA-C	7.38	121.61	109.06
1	A	322	PRO	CA-C-N	7.33	129.00	119.84
1	A	322	PRO	C-N-CA	7.33	129.00	119.84
5	B	53	U	C4'-C3'-O3'	7.25	123.88	113.00
5	B	312	U	C2'-C3'-O3'	7.19	124.49	113.70
1	A	559	SER	N-CA-C	7.02	125.76	110.80
5	B	312	U	C4'-C3'-O3'	6.77	123.16	113.00
1	A	570	LYS	N-CA-C	6.72	121.09	113.02
1	A	554	VAL	CA-C-O	-6.70	113.98	120.95
1	A	408	LEU	N-CA-C	6.68	118.56	111.28
1	A	747	VAL	N-CA-C	6.47	117.14	111.90
1	A	560	PHE	N-CA-C	6.38	121.89	114.62
5	B	26	G	C2'-C3'-O3'	6.36	119.05	109.50
1	A	564	THR	N-CA-C	6.28	117.77	108.60
5	B	176	A	C2'-C3'-O3'	6.16	118.74	109.50
5	B	300	G	C4'-C3'-O3'	6.14	118.61	109.40
4	L	37	LYS	N-CA-C	6.01	117.50	111.07
1	A	553	VAL	O-C-N	5.89	127.58	121.87
1	A	551	VAL	CG1-CB-CG2	5.89	123.75	110.80
1	A	1053	GLY	N-CA-C	-5.81	102.57	112.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	635	ASN	N-CA-C	5.62	117.82	108.99
5	B	317	C	C4'-C3'-O3'	5.59	117.79	109.40
5	B	174	A	C2'-C3'-O3'	5.59	122.09	113.70
5	B	103	U	C4'-C3'-O3'	-5.59	104.62	113.00
5	B	307	U	C4'-C3'-O3'	5.58	117.78	109.40
5	B	48	A	C4'-C3'-O3'	5.58	121.37	113.00
1	A	645	PHE	N-CA-C	5.53	118.02	111.33
1	A	553	VAL	N-CA-C	5.50	116.23	110.62
1	A	328	THR	N-CA-C	-5.47	104.34	111.02
1	A	992	ASN	N-CA-C	5.47	118.18	110.14
1	A	838	SER	N-CA-C	5.47	117.67	111.11
1	A	919	PHE	N-CA-C	5.46	117.31	111.36
1	A	127	VAL	N-CA-C	5.45	116.18	110.62
5	B	176	A	C4'-C3'-O3'	5.45	117.58	109.40
5	B	333	G	C3'-C2'-O2'	5.42	118.84	110.70
1	A	556	LEU	N-CA-C	5.41	117.26	111.36
5	B	311	C	C3'-C2'-O2'	-5.36	102.67	110.70
1	A	869	ASP	N-CA-C	5.35	117.39	108.99
5	B	300	G	C2'-C3'-O3'	5.30	117.45	109.50
5	B	193	G	C3'-C2'-O2'	5.29	118.64	110.70
1	A	738	THR	N-CA-C	5.25	118.00	109.24
5	B	311	C	N1-C1'-C2'	5.21	119.82	112.00
1	A	578	LYS	N-CA-C	5.15	116.89	111.28
1	A	1090	VAL	N-CA-C	5.14	119.97	108.88
5	B	308	G	C2'-C3'-O3'	5.09	117.13	109.50
5	B	310	G	C4'-C3'-O3'	-5.08	105.38	113.00
1	A	945	ASP	N-CA-C	5.06	119.92	113.55
5	B	52	C	C4'-C3'-O3'	-5.06	105.41	113.00
1	A	839	THR	CB-CA-C	-5.04	102.11	110.68
1	A	679	SER	N-CA-C	5.01	117.73	110.42

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	405	TYR	Peptide
1	A	411	THR	Peptide
1	A	569	GLN	Peptide
1	A	570	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7333	0	7574	182	0
2	N	127	0	69	1	0
3	M	699	0	712	2	0
4	L	643	0	680	2	0
5	B	5431	0	2767	48	0
All	All	14233	0	11802	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:PRO:CB	1:A:60:TRP:CZ3	1.75	1.66
1:A:23:PRO:HB3	1:A:60:TRP:CZ3	1.13	1.62
1:A:23:PRO:CG	1:A:60:TRP:CZ3	2.13	1.30
1:A:23:PRO:HB3	1:A:60:TRP:CH2	1.77	1.20
1:A:529:VAL:C	5:B:318:A:H61	1.48	1.20
1:A:23:PRO:CB	1:A:60:TRP:HZ3	1.21	1.18
1:A:530:PRO:N	5:B:318:A:H61	1.55	1.04
1:A:570:LYS:HG3	1:A:571:ASN:HD22	1.22	1.01
1:A:529:VAL:C	5:B:318:A:N6	2.24	0.94
1:A:23:PRO:HG2	1:A:60:TRP:CE3	2.03	0.94
1:A:556:LEU:HD12	1:A:557:LEU:N	1.84	0.93
1:A:465:VAL:CG1	1:A:552:TYR:HE1	1.84	0.90
1:A:23:PRO:CB	1:A:60:TRP:CH2	2.46	0.89
1:A:23:PRO:HG2	1:A:60:TRP:CZ3	2.12	0.84
1:A:23:PRO:HB2	1:A:60:TRP:HZ3	1.40	0.84
1:A:23:PRO:CG	1:A:60:TRP:CE3	2.61	0.84
1:A:495:ILE:HD11	1:A:552:TYR:OH	1.76	0.83
1:A:408:LEU:HD22	1:A:560:PHE:CD1	2.15	0.81
1:A:530:PRO:N	5:B:318:A:N6	2.27	0.81
1:A:409:LEU:HD12	1:A:409:LEU:O	1.81	0.81
1:A:23:PRO:CG	1:A:60:TRP:CH2	2.64	0.80
1:A:405:TYR:HE1	1:A:468:CYS:HG	1.27	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:VAL:HG13	1:A:552:TYR:HE1	1.48	0.77
1:A:332:LEU:HD23	1:A:578:LYS:HE2	1.67	0.75
1:A:1022:HIS:ND1	5:B:312:U:O2'	1.95	0.74
1:A:570:LYS:CG	1:A:571:ASN:HD22	2.00	0.74
1:A:604:ALA:HB1	1:A:607:ARG:CG	2.17	0.74
1:A:465:VAL:HG11	1:A:552:TYR:HE1	1.53	0.73
1:A:570:LYS:HG3	1:A:571:ASN:ND2	2.01	0.73
1:A:162:VAL:HG21	1:A:774:ARG:HB3	1.72	0.72
1:A:738:THR:HB	1:A:799:ASN:HB3	1.70	0.72
1:A:1020:PRO:HB2	1:A:1022:HIS:HD2	1.54	0.71
1:A:465:VAL:HG11	1:A:552:TYR:CE1	2.25	0.71
1:A:494:PHE:HE1	1:A:553:VAL:CG2	2.04	0.71
1:A:408:LEU:HD22	1:A:560:PHE:CE1	2.25	0.71
1:A:332:LEU:HD23	1:A:578:LYS:CE	2.21	0.70
1:A:1022:HIS:HD1	5:B:312:U:HO2'	0.71	0.70
1:A:465:VAL:CG1	1:A:552:TYR:CE1	2.74	0.69
1:A:494:PHE:CE1	1:A:553:VAL:CG2	2.76	0.69
1:A:529:VAL:HG13	1:A:533:GLU:HB3	1.73	0.69
1:A:23:PRO:HG3	1:A:60:TRP:CH2	2.28	0.68
1:A:557:LEU:HD12	1:A:557:LEU:C	2.20	0.67
1:A:603:GLU:N	1:A:603:GLU:OE1	2.27	0.67
1:A:531:ALA:HB2	5:B:301:A:C8	2.30	0.66
1:A:495:ILE:HD11	1:A:552:TYR:HH	1.62	0.64
1:A:557:LEU:CD1	1:A:558:ARG:HG3	2.27	0.64
1:A:405:TYR:HE1	1:A:468:CYS:SG	2.20	0.64
1:A:531:ALA:N	5:B:301:A:N7	2.45	0.64
1:A:1019:LEU:HB3	1:A:1020:PRO:HD2	1.79	0.63
1:A:521:ARG:NH1	1:A:529:VAL:HG21	2.14	0.63
1:A:661:LEU:HD12	1:A:808:VAL:HG23	1.82	0.62
1:A:768:ASP:OD1	1:A:769:LEU:N	2.32	0.61
1:A:669:ARG:HD2	1:A:676:LEU:HD21	1.81	0.61
1:A:570:LYS:O	1:A:571:ASN:CG	2.43	0.61
1:A:25:ALA:HB1	1:A:55:LEU:HD11	1.83	0.60
1:A:557:LEU:HD11	1:A:558:ARG:HG3	1.83	0.60
1:A:570:LYS:O	1:A:571:ASN:ND2	2.35	0.60
1:A:1123:LEU:HB2	1:A:1124:PRO:HD3	1.82	0.60
1:A:162:VAL:HG21	1:A:774:ARG:CB	2.31	0.60
1:A:529:VAL:HG13	1:A:533:GLU:CG	2.32	0.59
5:B:28:G:O6	5:B:198:C:N3	2.34	0.59
1:A:529:VAL:CA	5:B:318:A:H61	2.14	0.59
1:A:529:VAL:CG1	1:A:533:GLU:HB3	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:604:ALA:HB1	1:A:607:ARG:HG2	1.83	0.59
1:A:708:PHE:CZ	1:A:937:THR:HG22	2.38	0.59
1:A:529:VAL:HG13	1:A:533:GLU:CB	2.33	0.59
1:A:550:SER:O	1:A:554:VAL:HG23	2.02	0.59
1:A:329:LYS:HE2	1:A:331:PHE:CZ	2.37	0.58
1:A:341:LEU:HD12	1:A:558:ARG:HD3	1.85	0.58
1:A:528:CYS:C	5:B:318:A:N1	2.61	0.58
1:A:489:ARG:NH2	5:B:179:U:OP2	2.37	0.57
1:A:23:PRO:HB2	1:A:60:TRP:CZ3	2.16	0.57
1:A:412:HIS:CG	1:A:412:HIS:O	2.58	0.57
1:A:521:ARG:CZ	1:A:537:ARG:HD3	2.35	0.57
1:A:570:LYS:C	1:A:571:ASN:ND2	2.63	0.57
1:A:1019:LEU:HD23	5:B:307:U:O4	2.04	0.56
1:A:332:LEU:CD2	1:A:578:LYS:HE2	2.36	0.56
1:A:340:GLN:HG2	1:A:559:SER:HB2	1.88	0.56
1:A:906:ASN:O	1:A:920:VAL:O	2.25	0.55
1:A:570:LYS:C	1:A:571:ASN:CG	2.75	0.55
1:A:669:ARG:CD	1:A:676:LEU:HD21	2.36	0.55
1:A:1088:THR:OG1	1:A:1089:TYR:CD2	2.58	0.55
1:A:494:PHE:HE1	1:A:553:VAL:HG22	1.72	0.55
3:M:95:ILE:HD11	4:L:51:TYR:HB3	1.89	0.55
1:A:408:LEU:HD22	1:A:560:PHE:HD1	1.71	0.54
1:A:600:GLU:HG3	1:A:825:TYR:CE1	2.42	0.54
1:A:740:CYS:SG	1:A:761:SER:O	2.61	0.54
1:A:621:LEU:HD23	1:A:622:ARG:N	2.22	0.54
5:B:186:C:O3'	5:B:187:U:H4'	2.07	0.54
1:A:389:MET:HE1	1:A:520:LEU:HA	1.89	0.54
1:A:905:VAL:HG12	1:A:920:VAL:HG12	1.90	0.54
1:A:514:VAL:O	1:A:514:VAL:HG22	2.08	0.54
1:A:622:ARG:NH1	1:A:624:ILE:HD11	2.23	0.53
5:B:93:G:C2	5:B:122:G:C2	2.96	0.53
1:A:577:ARG:NH1	1:A:579:SER:OG	2.41	0.53
1:A:620:ARG:HD3	5:B:48:A:C2	2.43	0.53
1:A:22:LEU:HD11	1:A:25:ALA:HB2	1.91	0.53
5:B:185:G:C6	5:B:186:C:C4	2.97	0.53
1:A:663:SER:HB2	1:A:760:LYS:HE2	1.91	0.52
1:A:556:LEU:HD12	1:A:556:LEU:C	2.33	0.52
1:A:412:HIS:O	1:A:412:HIS:CD2	2.63	0.52
1:A:604:ALA:O	1:A:608:GLN:OE1	2.27	0.52
5:B:134:C:C4	5:B:135:G:C6	2.98	0.51
1:A:413:CYS:N	1:A:414:PRO:CD	2.73	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:412:HIS:CD2	1:A:577:ARG:CD	2.94	0.51
1:A:494:PHE:CE1	1:A:553:VAL:HG21	2.45	0.51
1:A:1040:ALA:HB2	1:A:1074:CYS:SG	2.51	0.51
1:A:528:CYS:C	5:B:318:A:C2	2.88	0.50
1:A:412:HIS:CD2	1:A:577:ARG:HD3	2.46	0.50
1:A:1020:PRO:HB2	1:A:1022:HIS:CD2	2.43	0.50
1:A:554:VAL:O	1:A:557:LEU:HG	2.12	0.50
1:A:503:LEU:HD23	1:A:504:SER:N	2.26	0.50
1:A:1019:LEU:HB3	1:A:1020:PRO:CD	2.42	0.50
1:A:465:VAL:HG13	1:A:552:TYR:CE1	2.38	0.50
1:A:170:VAL:CG1	1:A:773:MET:HE1	2.42	0.50
1:A:528:CYS:O	5:B:318:A:C2	2.65	0.49
1:A:623:PHE:O	1:A:624:ILE:HD13	2.13	0.49
1:A:1021:PHE:CG	1:A:1021:PHE:O	2.66	0.49
1:A:529:VAL:HA	5:B:318:A:N1	2.28	0.48
1:A:340:GLN:HG2	1:A:559:SER:CB	2.44	0.48
1:A:329:LYS:CE	1:A:331:PHE:CZ	2.96	0.48
1:A:332:LEU:CD2	1:A:578:LYS:CE	2.91	0.48
1:A:412:HIS:C	1:A:414:PRO:N	2.69	0.48
5:B:331:U:H2'	5:B:332:C:C6	2.48	0.48
1:A:867:VAL:O	1:A:868:ASP:HB3	2.14	0.48
5:B:27:G:OP2	5:B:29:U:N3	2.39	0.47
1:A:22:LEU:HD22	1:A:57:CYS:SG	2.54	0.47
5:B:45:U:O4'	5:B:45:U:O2	2.28	0.47
1:A:329:LYS:O	1:A:330:HIS:C	2.58	0.47
1:A:935:LEU:HD23	1:A:942:VAL:HG23	1.96	0.47
5:B:194:U:H2'	5:B:196:C:OP2	2.14	0.47
1:A:599:ARG:HG2	1:A:826:VAL:HB	1.96	0.47
1:A:521:ARG:HA	1:A:521:ARG:NE	2.30	0.47
1:A:544:PHE:CZ	1:A:548:LEU:HD11	2.50	0.47
1:A:942:VAL:HG21	1:A:985:LEU:HD21	1.97	0.46
5:B:261:U:H2'	5:B:262:C:C6	2.50	0.46
1:A:474:PRO:HD2	1:A:477:LEU:HD12	1.97	0.46
5:B:95:G:O2'	5:B:168:A:N1	2.45	0.46
5:B:171:A:C2	5:B:172:A:C4	3.03	0.46
1:A:412:HIS:C	1:A:414:PRO:HD2	2.40	0.46
1:A:329:LYS:HE2	1:A:331:PHE:CE2	2.50	0.46
1:A:598:LEU:HD23	1:A:825:TYR:HB3	1.96	0.46
1:A:557:LEU:HD12	1:A:558:ARG:HG3	1.96	0.46
1:A:412:HIS:CD2	1:A:577:ARG:HD2	2.51	0.46
5:B:87:C:H2'	5:B:88:C:O4'	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:TYR:O	1:A:325:TYR:CD2	2.69	0.45
1:A:170:VAL:HG13	1:A:773:MET:HE1	1.97	0.45
1:A:980:LEU:HD12	2:N:14:DT:C4	2.51	0.45
1:A:604:ALA:HB1	1:A:607:ARG:CB	2.46	0.45
5:B:28:G:C5	5:B:29:U:H1'	2.52	0.45
1:A:770:GLN:HB2	1:A:771:PRO:HD3	1.97	0.45
5:B:316:U:O2	5:B:316:U:O4'	2.34	0.45
1:A:377:ARG:NH1	5:B:283:G:OP1	2.50	0.45
1:A:906:ASN:HD22	1:A:908:PRO:HG2	1.82	0.45
1:A:960:PHE:HB3	1:A:961:ASN:H	1.57	0.45
1:A:557:LEU:HD12	1:A:558:ARG:N	2.31	0.44
5:B:93:G:N2	5:B:122:G:N3	2.66	0.44
1:A:557:LEU:C	1:A:557:LEU:CD1	2.89	0.44
1:A:1006:LEU:HD12	1:A:1077:ALA:HB1	2.00	0.44
5:B:118:G:H2'	5:B:119:C:O4'	2.18	0.44
1:A:823:LYS:HE2	1:A:825:TYR:OH	2.18	0.44
1:A:827:GLN:HE22	1:A:832:PRO:HD3	1.83	0.44
5:B:240:A:H2'	5:B:241:A:O4'	2.17	0.44
1:A:578:LYS:O	1:A:582:SER:OG	2.33	0.44
1:A:716:ALA:C	1:A:718:ASP:H	2.25	0.44
5:B:67:G:C2	5:B:143:G:C2	3.06	0.44
1:A:332:LEU:HD22	1:A:557:LEU:O	2.17	0.43
1:A:1105:ARG:NH2	5:B:127:A:OP1	2.51	0.43
1:A:581:TRP:CE3	1:A:584:LEU:HD23	2.53	0.43
1:A:168:TYR:HB3	1:A:773:MET:HE3	2.00	0.43
5:B:134:C:O2'	5:B:135:G:O4'	2.36	0.43
1:A:961:ASN:ND2	1:A:1015:CYS:SG	2.91	0.43
5:B:61:A:H3'	5:B:62:A:H5''	2.01	0.43
5:B:184:U:C2	5:B:185:G:H1'	2.53	0.43
1:A:598:LEU:HG	1:A:826:VAL:O	2.19	0.42
1:A:907:PHE:HA	1:A:921:GLN:HA	2.02	0.42
1:A:742:ARG:HH11	1:A:768:ASP:HB2	1.84	0.42
5:B:75:C:H2'	5:B:76:G:C8	2.54	0.42
1:A:599:ARG:CG	1:A:826:VAL:HB	2.49	0.42
1:A:603:GLU:O	1:A:603:GLU:HG2	2.19	0.42
1:A:713:VAL:HA	1:A:900:LEU:HB3	2.00	0.42
5:B:167:A:N7	5:B:168:A:C6	2.88	0.42
1:A:144:VAL:HG11	1:A:149:LEU:HB2	2.01	0.42
1:A:412:HIS:HD2	1:A:577:ARG:CD	2.33	0.42
1:A:708:PHE:CE2	1:A:937:THR:HG22	2.55	0.42
1:A:322:PRO:HA	1:A:323:PRO:HD2	1.91	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:709:VAL:HG12	1:A:710:LYS:N	2.34	0.42
1:A:866:LEU:O	1:A:867:VAL:C	2.62	0.41
1:A:413:CYS:N	1:A:414:PRO:HD2	2.35	0.41
1:A:533:GLU:O	1:A:534:HIS:C	2.63	0.41
1:A:550:SER:O	1:A:554:VAL:CG2	2.68	0.41
1:A:604:ALA:HB1	1:A:607:ARG:HB2	2.01	0.41
1:A:412:HIS:HD2	1:A:577:ARG:HD3	1.85	0.41
1:A:529:VAL:N	5:B:318:A:N1	2.68	0.41
3:M:43:TYR:CZ	5:B:316:U:H3'	2.55	0.41
1:A:922:MET:HA	1:A:923:PRO:HD3	1.79	0.41
1:A:558:ARG:HG2	5:B:45:U:H5	1.86	0.41
1:A:763:VAL:HB	1:A:799:ASN:HD21	1.85	0.41
1:A:1006:LEU:CD1	1:A:1077:ALA:HB1	2.50	0.41
1:A:549:MET:O	1:A:552:TYR:HB3	2.21	0.41
4:L:30:ARG:NH2	5:B:320:C:OP2	2.54	0.41
1:A:346:LEU:C	1:A:346:LEU:HD23	2.46	0.40
1:A:346:LEU:HD23	1:A:346:LEU:O	2.21	0.40
1:A:767:THR:HA	1:A:771:PRO:HG2	2.02	0.40
1:A:531:ALA:HA	5:B:301:A:C5	2.55	0.40
1:A:884:LEU:HD22	1:A:914:LEU:HD23	2.02	0.40
1:A:508:LEU:HA	1:A:508:LEU:HD23	1.81	0.40
1:A:529:VAL:CA	5:B:318:A:N6	2.78	0.40
1:A:529:VAL:CG1	1:A:533:GLU:CG	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	903/1332 (68%)	770 (85%)	117 (13%)	16 (2%)	6	33
3	M	88/166 (53%)	83 (94%)	5 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	L	80/130 (62%)	73 (91%)	6 (8%)	1 (1%)	9	38
All	All	1071/1628 (66%)	926 (86%)	128 (12%)	17 (2%)	10	35

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	571	ASN
1	A	923	PRO
1	A	966	ALA
1	A	41	ARG
1	A	982	CYS
1	A	1064	PRO
1	A	382	LEU
1	A	773	MET
1	A	850	GLU
1	A	323	PRO
1	A	414	PRO
1	A	748	GLN
4	L	33	ARG
1	A	632	PRO
1	A	1019	LEU
1	A	374	GLY
1	A	785	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	793/1121 (71%)	786 (99%)	7 (1%)	70	74
3	M	77/140 (55%)	77 (100%)	0	100	100
4	L	64/99 (65%)	64 (100%)	0	100	100
All	All	934/1360 (69%)	927 (99%)	7 (1%)	73	77

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LEU
1	A	469	LEU
1	A	489	ARG
1	A	511	LYS
1	A	904	VAL
1	A	960	PHE
1	A	992	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	GLN
1	A	330	HIS
1	A	384	GLN
1	A	388	GLN
1	A	400	HIS
1	A	454	GLN
1	A	483	ASN
1	A	546	HIS
1	A	571	ASN
1	A	592	HIS
1	A	635	ASN
1	A	687	HIS
1	A	799	ASN
1	A	906	ASN
1	A	995	GLN
1	A	1018	GLN
1	A	1100	GLN
4	L	25	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
5	B	252/451 (55%)	73 (28%)	11 (4%)

All (73) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	B	27	G
5	B	30	G
5	B	37	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	B	42	U
5	B	43	U
5	B	44	G
5	B	45	U
5	B	46	C
5	B	47	U
5	B	48	A
5	B	49	A
5	B	53	U
5	B	54	A
5	B	55	A
5	B	56	C
5	B	59	A
5	B	60	G
5	B	63	G
5	B	79	C
5	B	86	U
5	B	91	G
5	B	99	U
5	B	103	U
5	B	113	U
5	B	120	G
5	B	125	G
5	B	126	A
5	B	133	U
5	B	134	C
5	B	135	G
5	B	141	C
5	B	142	C
5	B	149	C
5	B	165	G
5	B	169	A
5	B	171	A
5	B	172	A
5	B	175	A
5	B	177	U
5	B	180	C
5	B	185	G
5	B	187	U
5	B	188	G
5	B	193	G
5	B	194	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	B	195	U
5	B	246	G
5	B	257	G
5	B	260	G
5	B	274	U
5	B	275	C
5	B	277	C
5	B	278	C
5	B	279	G
5	B	282	G
5	B	284	C
5	B	285	A
5	B	286	C
5	B	293	C
5	B	300	G
5	B	301	A
5	B	302	A
5	B	308	G
5	B	310	G
5	B	311	C
5	B	312	U
5	B	313	C
5	B	316	U
5	B	317	C
5	B	318	A
5	B	319	G
5	B	322	G
5	B	327	U

All (11) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
5	B	48	A
5	B	53	U
5	B	112	C
5	B	171	A
5	B	174	A
5	B	176	A
5	B	292	G
5	B	300	G
5	B	307	U
5	B	312	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	B	315	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12174. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 120




Y Index: 120




Z Index: 120


6.2.2 Raw map



X Index: 120



Y Index: 120




Z Index: 120


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 138




Y Index: 116




Z Index: 115


6.3.2 Raw map



X Index: 138



Y Index: 115




Z Index: 115


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.014. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 136 nm³; this corresponds to an approximate mass of 123 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.78	7.67	3.88
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12174 and PDB model 7BG9. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.014).

9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.014) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7750	0.3460
A	0.8090	0.3910
B	0.8040	0.2950
L	0.4980	0.3120
M	0.4200	0.2790
N	0.9450	0.4560

