



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:30 PM UTC

PDB ID : 4BHY / pdb_00004bhy
Title : Structure of alanine racemase from *Aeromonas hydrophila*
Authors : Otero, L.H.; Carrasco-Lopez, C.; Bernardo-Garcia, N.; Hermoso, J.A.
Deposited on : 2013-04-09
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1605 (3.30-3.22)
Clashscore	190562	1660 (3.30-3.22)
Ramachandran outliers	187476	1630 (3.30-3.22)
Sidechain outliers	187428	1629 (3.30-3.22)
RSRZ outliers	180081	1605 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	378	2% 67% 18% 14%
1	B	378	2% 60% 20% 15%
1	C	378	0% 61% 17% 16%
1	D	378	2% 66% 18% 11%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10083 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALANINE RACEMASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	325	Total	C	N	O	S	0	0	0
			2493	1600	423	457	13			
1	B	320	Total	C	N	O	S	0	0	0
			2473	1582	424	454	13			
1	C	317	Total	C	N	O	S	0	0	0
			2412	1542	411	444	15			
1	D	336	Total	C	N	O	S	0	0	0
			2570	1644	436	476	14			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP A0KH11
A	-19	HIS	-	expression tag	UNP A0KH11
A	-18	HIS	-	expression tag	UNP A0KH11
A	-17	HIS	-	expression tag	UNP A0KH11
A	-16	HIS	-	expression tag	UNP A0KH11
A	-15	HIS	-	expression tag	UNP A0KH11
A	-14	HIS	-	expression tag	UNP A0KH11
A	-13	ASP	-	expression tag	UNP A0KH11
A	-12	TYR	-	expression tag	UNP A0KH11
A	-11	ASP	-	expression tag	UNP A0KH11
A	-10	ILE	-	expression tag	UNP A0KH11
A	-9	PRO	-	expression tag	UNP A0KH11
A	-8	THR	-	expression tag	UNP A0KH11
A	-7	THR	-	expression tag	UNP A0KH11
A	-6	GLU	-	expression tag	UNP A0KH11
A	-5	ASN	-	expression tag	UNP A0KH11
A	-4	LEU	-	expression tag	UNP A0KH11
A	-3	TYR	-	expression tag	UNP A0KH11
A	-2	PHE	-	expression tag	UNP A0KH11
A	-1	GLN	-	expression tag	UNP A0KH11
A	0	SER	-	expression tag	UNP A0KH11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	MET	-	expression tag	UNP A0KH11
B	-19	HIS	-	expression tag	UNP A0KH11
B	-18	HIS	-	expression tag	UNP A0KH11
B	-17	HIS	-	expression tag	UNP A0KH11
B	-16	HIS	-	expression tag	UNP A0KH11
B	-15	HIS	-	expression tag	UNP A0KH11
B	-14	HIS	-	expression tag	UNP A0KH11
B	-13	ASP	-	expression tag	UNP A0KH11
B	-12	TYR	-	expression tag	UNP A0KH11
B	-11	ASP	-	expression tag	UNP A0KH11
B	-10	ILE	-	expression tag	UNP A0KH11
B	-9	PRO	-	expression tag	UNP A0KH11
B	-8	THR	-	expression tag	UNP A0KH11
B	-7	THR	-	expression tag	UNP A0KH11
B	-6	GLU	-	expression tag	UNP A0KH11
B	-5	ASN	-	expression tag	UNP A0KH11
B	-4	LEU	-	expression tag	UNP A0KH11
B	-3	TYR	-	expression tag	UNP A0KH11
B	-2	PHE	-	expression tag	UNP A0KH11
B	-1	GLN	-	expression tag	UNP A0KH11
B	0	SER	-	expression tag	UNP A0KH11
C	-20	MET	-	expression tag	UNP A0KH11
C	-19	HIS	-	expression tag	UNP A0KH11
C	-18	HIS	-	expression tag	UNP A0KH11
C	-17	HIS	-	expression tag	UNP A0KH11
C	-16	HIS	-	expression tag	UNP A0KH11
C	-15	HIS	-	expression tag	UNP A0KH11
C	-14	HIS	-	expression tag	UNP A0KH11
C	-13	ASP	-	expression tag	UNP A0KH11
C	-12	TYR	-	expression tag	UNP A0KH11
C	-11	ASP	-	expression tag	UNP A0KH11
C	-10	ILE	-	expression tag	UNP A0KH11
C	-9	PRO	-	expression tag	UNP A0KH11
C	-8	THR	-	expression tag	UNP A0KH11
C	-7	THR	-	expression tag	UNP A0KH11
C	-6	GLU	-	expression tag	UNP A0KH11
C	-5	ASN	-	expression tag	UNP A0KH11
C	-4	LEU	-	expression tag	UNP A0KH11
C	-3	TYR	-	expression tag	UNP A0KH11
C	-2	PHE	-	expression tag	UNP A0KH11
C	-1	GLN	-	expression tag	UNP A0KH11
C	0	SER	-	expression tag	UNP A0KH11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-20	MET	-	expression tag	UNP A0KH11
D	-19	HIS	-	expression tag	UNP A0KH11
D	-18	HIS	-	expression tag	UNP A0KH11
D	-17	HIS	-	expression tag	UNP A0KH11
D	-16	HIS	-	expression tag	UNP A0KH11
D	-15	HIS	-	expression tag	UNP A0KH11
D	-14	HIS	-	expression tag	UNP A0KH11
D	-13	ASP	-	expression tag	UNP A0KH11
D	-12	TYR	-	expression tag	UNP A0KH11
D	-11	ASP	-	expression tag	UNP A0KH11
D	-10	ILE	-	expression tag	UNP A0KH11
D	-9	PRO	-	expression tag	UNP A0KH11
D	-8	THR	-	expression tag	UNP A0KH11
D	-7	THR	-	expression tag	UNP A0KH11
D	-6	GLU	-	expression tag	UNP A0KH11
D	-5	ASN	-	expression tag	UNP A0KH11
D	-4	LEU	-	expression tag	UNP A0KH11
D	-3	TYR	-	expression tag	UNP A0KH11
D	-2	PHE	-	expression tag	UNP A0KH11
D	-1	GLN	-	expression tag	UNP A0KH11
D	0	SER	-	expression tag	UNP A0KH11

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	23	Total O 23 23	0	0
2	A	2	Total O 2 2	0	0
2	A	1	Total O 1 1	0	0
2	B	34	Total O 34 34	0	0
2	B	1	Total O 1 1	0	0
2	B	2	Total O 2 2	0	0
2	B	1	Total O 1 1	0	0
2	B	2	Total O 2 2	0	0
2	B	1	Total O 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 1	O 1	0	0
2	C	30	Total 30	O 30	0	0
2	C	1	Total 1	O 1	0	0
2	C	1	Total 1	O 1	0	0
2	C	2	Total 2	O 2	0	0
2	C	1	Total 1	O 1	0	0
2	D	26	Total 26	O 26	0	0
2	D	3	Total 3	O 3	0	0
2	D	1	Total 1	O 1	0	0
2	D	1	Total 1	O 1	0	0
2	D	1	Total 1	O 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALANINE RACEMASE



• Molecule 1: ALANINE RACEMASE



• Molecule 1: ALANINE RACEMASE





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	110.80Å 134.74Å 192.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.32 – 3.25 47.32 – 3.25	Depositor EDS
% Data completeness (in resolution range)	92.5 (47.32-3.25) 92.4 (47.32-3.25)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 3.25Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.256 , 0.292 0.302 , 0.349	Depositor DCC
R_{free} test set	2173 reflections (10.20%)	wwPDB-VP
Wilson B-factor (Å ²)	95.5	Xtriage
Anisotropy	0.465	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 141.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	10083	wwPDB-VP
Average B, all atoms (Å ²)	113.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/2532	1.21	7/3453 (0.2%)
1	B	0.86	0/2508	1.31	18/3415 (0.5%)
1	C	0.84	1/2442 (0.0%)	1.33	15/3325 (0.5%)
1	D	0.83	0/2607	1.27	14/3552 (0.4%)
All	All	0.84	1/10089 (0.0%)	1.28	54/13745 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	191	MET	CA-C	5.09	1.59	1.52

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	31	ALA	CA-C-N	10.46	140.54	121.70
1	C	31	ALA	C-N-CA	10.46	140.54	121.70
1	B	156	ILE	CA-C-N	9.20	138.25	121.70
1	B	156	ILE	C-N-CA	9.20	138.25	121.70
1	D	154	PHE	CA-C-N	8.75	137.44	121.70
1	D	154	PHE	C-N-CA	8.75	137.44	121.70
1	B	31	ALA	CA-C-N	8.72	137.41	121.70
1	B	31	ALA	C-N-CA	8.72	137.41	121.70
1	A	31	ALA	CA-C-N	8.66	137.28	121.70
1	A	31	ALA	C-N-CA	8.66	137.28	121.70
1	D	31	ALA	CA-C-N	8.61	137.20	121.70
1	D	31	ALA	C-N-CA	8.61	137.20	121.70
1	D	191	MET	CA-C-N	8.28	136.59	121.70
1	D	191	MET	C-N-CA	8.28	136.59	121.70
1	C	155	ASN	CA-C-N	8.15	136.37	121.70
1	C	155	ASN	C-N-CA	8.15	136.37	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	8	ILE	CA-C-N	8.10	136.27	121.70
1	B	8	ILE	C-N-CA	8.10	136.27	121.70
1	D	229	ASP	CA-C-N	7.92	135.96	121.70
1	D	229	ASP	C-N-CA	7.92	135.96	121.70
1	C	8	ILE	CA-C-N	7.79	135.72	121.70
1	C	8	ILE	C-N-CA	7.79	135.72	121.70
1	B	284	GLY	CA-C-N	7.53	135.26	121.70
1	B	284	GLY	C-N-CA	7.53	135.26	121.70
1	C	-2	PHE	CA-C-N	7.41	135.04	121.70
1	C	-2	PHE	C-N-CA	7.41	135.04	121.70
1	B	204	HIS	CA-C-N	7.29	134.83	121.70
1	B	204	HIS	C-N-CA	7.29	134.83	121.70
1	B	175	ILE	CA-C-N	7.28	134.80	121.70
1	B	175	ILE	C-N-CA	7.28	134.80	121.70
1	C	191	MET	CA-C-N	6.32	133.08	121.70
1	C	191	MET	C-N-CA	6.32	133.08	121.70
1	D	175	ILE	CA-C-N	5.67	131.90	121.70
1	D	175	ILE	C-N-CA	5.67	131.90	121.70
1	C	32	VAL	N-CA-CB	5.65	121.10	111.50
1	D	356	TYR	CA-C-N	5.43	131.47	121.70
1	D	356	TYR	C-N-CA	5.43	131.47	121.70
1	D	33	VAL	CA-C-N	5.39	128.29	120.79
1	D	33	VAL	C-N-CA	5.39	128.29	120.79
1	B	36	ASN	CA-C-N	5.18	129.50	122.19
1	B	36	ASN	C-N-CA	5.18	129.50	122.19
1	A	266	LEU	CA-C-N	5.16	125.16	121.65
1	A	266	LEU	C-N-CA	5.16	125.16	121.65
1	B	33	VAL	CA-C-N	5.15	127.94	120.79
1	B	33	VAL	C-N-CA	5.15	127.94	120.79
1	C	356	TYR	CA-C-N	5.12	130.92	121.70
1	C	356	TYR	C-N-CA	5.12	130.92	121.70
1	B	159	HIS	CA-C-N	5.12	130.91	121.70
1	B	159	HIS	C-N-CA	5.12	130.91	121.70
1	C	263	ASP	CA-C-N	5.08	130.85	121.70
1	C	263	ASP	C-N-CA	5.08	130.85	121.70
1	A	154	PHE	CA-C-N	5.07	131.22	121.54
1	A	154	PHE	C-N-CA	5.07	131.22	121.54
1	A	71	VAL	N-CA-CB	5.05	117.53	110.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2493	0	2521	19	0
1	B	2473	0	2496	31	0
1	C	2412	0	2461	36	0
1	D	2570	0	2593	37	0
2	A	26	0	0	0	0
2	B	42	0	0	0	0
2	C	35	0	0	0	0
2	D	32	0	0	0	0
All	All	10083	0	10071	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:HIS:HA	1:B:205:CYS:HB2	1.29	1.13
1:D:229:ASP:HA	1:D:230:LEU:HB2	1.39	1.01
1:B:8:ILE:HA	1:B:9:ASN:HB2	1.60	0.84
1:D:245:ASP:H	1:D:246:HIS:HA	1.43	0.83
1:C:155:ASN:HA	1:C:156:ILE:HG22	1.61	0.83
1:C:31:ALA:HA	1:C:32:VAL:HG22	1.67	0.76
1:D:191:MET:HA	1:D:192:ALA:CB	2.18	0.73
1:C:191:MET:HB3	1:C:192:ALA:HB2	1.69	0.73
1:A:339:THR:HG22	1:D:279:ARG:HE	1.54	0.72
1:D:229:ASP:CA	1:D:230:LEU:HB2	2.20	0.69
1:B:204:HIS:CA	1:B:205:CYS:HB2	2.15	0.67
1:D:191:MET:HA	1:D:192:ALA:HB3	1.76	0.66
1:B:122:KCX:HB3	1:B:157:MET:HB3	1.79	0.65
1:D:121:LEU:HB3	1:D:156:ILE:HG22	1.80	0.64
1:D:356:TYR:H	1:D:357:VAL:HA	1.64	0.63
1:B:156:ILE:HA	1:B:157:MET:HB2	1.83	0.60
1:D:34:LYS:HG3	1:D:58:ALA:HB2	1.83	0.59
1:C:88:PRO:HB2	1:D:72:VAL:HG11	1.83	0.59
1:B:284:GLY:HA2	1:B:285:THR:O	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:13:LEU:HD22	1:D:233:VAL:HG11	1.85	0.58
1:A:259:VAL:HG13	1:A:260:SER:H	1.69	0.58
1:C:263:ASP:HB2	1:C:266:LEU:HD13	1.85	0.58
1:C:157:MET:H	1:C:189:ARG:HA	1.70	0.57
1:C:72:VAL:HG11	1:D:88:PRO:HB2	1.86	0.57
1:B:175:ILE:HA	1:B:176:ASP:HB2	1.86	0.56
1:C:122:KCX:HB3	1:C:157:MET:HE3	1.88	0.56
1:A:264:THR:HA	1:A:311:PRO:HG3	1.87	0.55
1:B:82:PHE:HB2	1:C:241:ILE:HG23	1.88	0.55
1:B:292:ARG:HH22	1:B:309:LEU:HB2	1.72	0.54
1:C:96:GLN:HB3	1:C:120:TRP:HE1	1.73	0.54
1:C:-2:PHE:HB2	1:C:0:SER:H	1.73	0.54
1:D:191:MET:HG3	1:D:192:ALA:HB3	1.90	0.54
1:D:259:VAL:HG22	1:D:260:SER:H	1.74	0.53
1:B:156:ILE:O	1:B:189:ARG:HA	2.09	0.53
1:B:38:TYR:HB3	1:B:345:ILE:HD12	1.92	0.52
1:A:88:PRO:HB2	1:B:72:VAL:HG11	1.92	0.52
1:B:235:THR:HG22	1:B:326:GLU:H	1.75	0.51
1:A:99:VAL:HG13	1:A:104:GLN:HG3	1.91	0.51
1:A:235:THR:HG22	1:A:326:GLU:H	1.74	0.51
1:C:38:TYR:HB3	1:C:345:ILE:HD12	1.92	0.51
1:D:38:TYR:HB3	1:D:345:ILE:HD12	1.91	0.51
1:C:13:LEU:HB3	1:C:233:VAL:HG11	1.93	0.51
1:A:17:LEU:HD13	1:A:49:LEU:HD22	1.93	0.51
1:D:7:GLN:HB3	1:D:235:THR:HG23	1.91	0.51
1:C:99:VAL:HG13	1:C:104:GLN:HG3	1.92	0.51
1:C:235:THR:HG22	1:C:326:GLU:H	1.76	0.51
1:D:182:THR:HA	1:D:185:LEU:HD12	1.91	0.51
1:B:182:THR:HA	1:B:185:LEU:HD12	1.91	0.51
1:D:252:VAL:HG21	1:D:259:VAL:HG12	1.93	0.51
1:C:182:THR:HA	1:C:185:LEU:HD12	1.93	0.50
1:A:182:THR:HA	1:A:185:LEU:HD12	1.92	0.50
1:B:99:VAL:HG13	1:B:104:GLN:HG3	1.92	0.50
1:C:320:GLU:HG2	1:C:321:ALA:H	1.76	0.50
1:D:17:LEU:HD13	1:D:49:LEU:HD22	1.94	0.50
1:D:238:THR:HB	1:D:271:ILE:HD12	1.93	0.49
1:A:72:VAL:HG11	1:B:88:PRO:HB2	1.95	0.49
1:A:216:GLY:HA2	1:A:230:LEU:HD12	1.94	0.49
1:C:17:LEU:HD13	1:C:49:LEU:HD22	1.94	0.49
1:B:175:ILE:HG21	1:B:178:PHE:HB2	1.95	0.48
1:A:38:TYR:HB3	1:A:345:ILE:HD12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:VAL:HG21	1:B:296:LEU:HD13	1.95	0.48
1:D:320:GLU:HG2	1:D:321:ALA:H	1.77	0.48
1:C:240:LEU:HD13	1:C:319:ASP:HB2	1.95	0.48
1:B:5:ILE:HD11	1:B:355:GLU:HB2	1.95	0.48
1:C:175:ILE:HB	1:C:176:ASP:HA	1.96	0.48
1:A:78:LEU:HD11	1:A:209:ARG:HH12	1.79	0.47
1:A:7:GLN:HA	1:A:355:GLU:HB3	1.97	0.46
1:B:278:PRO:HG2	1:B:337:ILE:HD13	1.97	0.46
1:D:210:PRO:HG2	1:D:214:LEU:HD13	1.98	0.46
1:B:210:PRO:HG2	1:B:214:LEU:HD13	1.97	0.46
1:B:241:ILE:HG13	1:B:268:VAL:HG13	1.97	0.46
1:D:175:ILE:HB	1:D:176:ASP:HA	1.97	0.46
1:A:210:PRO:HG2	1:A:214:LEU:HD13	1.97	0.46
1:B:320:GLU:HG3	1:B:321:ALA:H	1.80	0.46
1:C:68:SER:HA	1:D:64:LEU:HB3	1.98	0.45
1:C:210:PRO:HG2	1:C:214:LEU:HD13	1.98	0.45
1:C:356:TYR:H	1:C:357:VAL:HA	1.82	0.45
1:D:244:ARG:HA	1:D:245:ASP:HA	1.79	0.45
1:B:122:KCX:HG2	1:B:157:MET:O	2.17	0.45
1:D:154:PHE:HA	1:D:155:ASN:HB2	1.97	0.45
1:D:-4:LEU:H	1:D:-4:LEU:HD13	1.82	0.45
1:A:122:KCX:HA	1:A:178:PHE:CZ	2.52	0.45
1:B:8:ILE:CA	1:B:9:ASN:HB2	2.39	0.44
1:C:122:KCX:HA	1:C:178:PHE:CZ	2.53	0.44
1:B:339:THR:HA	1:C:279:ARG:HH21	1.83	0.43
1:B:246:HIS:HB3	1:B:266:LEU:HD13	1.98	0.43
1:C:191:MET:HB3	1:C:192:ALA:CB	2.45	0.43
1:C:122:KCX:HD3	1:C:123:LEU:N	2.33	0.43
1:C:283:ASN:HA	1:C:296:LEU:O	2.18	0.43
1:B:204:HIS:HA	1:B:205:CYS:CB	2.20	0.43
1:D:27:CYS:HB3	1:D:208:VAL:HG22	2.01	0.43
1:C:17:LEU:HD12	1:C:214:LEU:HD11	2.01	0.42
1:A:17:LEU:HD12	1:A:214:LEU:HD11	2.01	0.42
1:C:-2:PHE:HA	1:C:-1:GLN:HB2	2.00	0.42
1:A:30:ILE:HG12	1:A:54:ALA:HB3	2.00	0.42
1:A:264:THR:HG22	1:A:311:PRO:HD3	2.02	0.42
1:D:13:LEU:HD12	1:D:49:LEU:HD21	2.02	0.42
1:C:90:LEU:HA	1:C:95:LEU:HD12	2.02	0.42
1:D:229:ASP:H	1:D:230:LEU:HD12	1.85	0.42
1:D:245:ASP:N	1:D:246:HIS:HA	2.21	0.42
1:C:155:ASN:HA	1:C:156:ILE:CG2	2.42	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:33:VAL:HA	1:D:37:ALA:HA	2.01	0.41
1:C:30:ILE:HG12	1:C:54:ALA:HB3	2.01	0.41
1:D:17:LEU:HD12	1:D:214:LEU:HD11	2.03	0.41
1:D:356:TYR:H	1:D:357:VAL:CA	2.32	0.41
1:B:159:HIS:HB3	1:B:160:PHE:HA	2.03	0.41
1:B:30:ILE:HG12	1:B:54:ALA:HB3	2.01	0.41
1:C:157:MET:N	1:C:189:ARG:HA	2.32	0.41
1:D:264:THR:HG22	1:D:311:PRO:HG3	2.03	0.41
1:D:90:LEU:HA	1:D:95:LEU:HD12	2.03	0.41
1:B:12:ALA:HB3	1:B:233:VAL:HG12	2.02	0.40
1:C:244:ARG:HA	1:C:245:ASP:HA	1.83	0.40
1:A:349:THR:HA	1:D:349:THR:HA	2.02	0.40
1:C:8:ILE:HA	1:C:9:ASN:CB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	316/378 (84%)	275 (87%)	27 (8%)	14 (4%)	2	12
1	B	307/378 (81%)	253 (82%)	34 (11%)	20 (6%)	1	7
1	C	306/378 (81%)	259 (85%)	33 (11%)	14 (5%)	2	11
1	D	323/378 (85%)	273 (84%)	35 (11%)	15 (5%)	2	11
All	All	1252/1512 (83%)	1060 (85%)	129 (10%)	63 (5%)	1	10

All (63) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	32	VAL
1	A	154	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	155	ASN
1	A	282	PRO
1	B	32	VAL
1	B	154	PHE
1	B	205	CYS
1	C	32	VAL
1	C	136	GLU
1	C	263	ASP
1	C	280	MET
1	D	32	VAL
1	D	175	ILE
1	D	230	LEU
1	B	9	ASN
1	B	157	MET
1	B	287	VAL
1	B	354	MET
1	C	9	ASN
1	C	155	ASN
1	C	224	VAL
1	C	321	ALA
1	D	4	ALA
1	D	192	ALA
1	D	256	ALA
1	D	321	ALA
1	A	175	ILE
1	A	187	GLY
1	A	281	ALA
1	A	321	ALA
1	B	4	ALA
1	B	176	ASP
1	B	177	LEU
1	B	285	THR
1	B	321	ALA
1	D	-12	TYR
1	D	155	ASN
1	D	313	ALA
1	A	3	ALA
1	A	115	ALA
1	A	137	MET
1	B	-5	ASN
1	B	-4	LEU
1	B	115	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	136	GLU
1	C	0	SER
1	C	115	ALA
1	C	187	GLY
1	C	283	ASN
1	D	115	ALA
1	D	174	GLN
1	D	250	GLU
1	A	176	ASP
1	B	174	GLN
1	D	231	GLN
1	B	-2	PHE
1	C	137	MET
1	C	156	ILE
1	A	212	VAL
1	D	187	GLY
1	A	259	VAL
1	B	187	GLY
1	B	286	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/307 (85%)	231 (88%)	31 (12%)	5	21
1	B	262/307 (85%)	225 (86%)	37 (14%)	3	15
1	C	254/307 (83%)	219 (86%)	35 (14%)	3	15
1	D	270/307 (88%)	237 (88%)	33 (12%)	5	20
All	All	1048/1228 (85%)	912 (87%)	136 (13%)	4	17

All (136) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-6	GLU
1	A	-4	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2	LYS
1	A	9	ASN
1	A	28	LYS
1	A	29	ILE
1	A	73	LYS
1	A	77	LEU
1	A	108	LEU
1	A	113	LEU
1	A	142	GLU
1	A	154	PHE
1	A	156	ILE
1	A	159	HIS
1	A	174	GLN
1	A	176	ASP
1	A	177	LEU
1	A	181	LEU
1	A	206	ASP
1	A	209	ARG
1	A	240	LEU
1	A	247	LYS
1	A	261	ASP
1	A	269	ILE
1	A	271	ILE
1	A	299	ARG
1	A	320	GLU
1	A	336	GLN
1	A	340	ILE
1	A	354	MET
1	A	355	GLU
1	B	-3	TYR
1	B	1	MET
1	B	2	LYS
1	B	7	GLN
1	B	8	ILE
1	B	13	LEU
1	B	17	LEU
1	B	26	GLN
1	B	77	LEU
1	B	82	PHE
1	B	90	LEU
1	B	108	LEU
1	B	113	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	118	VAL
1	B	121	LEU
1	B	123	LEU
1	B	133	ARG
1	B	137	MET
1	B	142	GLU
1	B	158	THR
1	B	159	HIS
1	B	160	PHE
1	B	175	ILE
1	B	177	LEU
1	B	180	GLN
1	B	181	LEU
1	B	207	TRP
1	B	231	GLN
1	B	240	LEU
1	B	264	THR
1	B	269	ILE
1	B	271	ILE
1	B	288	LEU
1	B	292	ARG
1	B	336	GLN
1	B	340	ILE
1	B	347	LYS
1	C	2	LYS
1	C	13	LEU
1	C	29	ILE
1	C	34	LYS
1	C	73	LYS
1	C	77	LEU
1	C	82	PHE
1	C	90	LEU
1	C	108	LEU
1	C	113	LEU
1	C	121	LEU
1	C	123	LEU
1	C	127	MET
1	C	137	MET
1	C	142	GLU
1	C	143	ARG
1	C	146	LYS
1	C	156	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	157	MET
1	C	177	LEU
1	C	181	LEU
1	C	193	ASN
1	C	206	ASP
1	C	230	LEU
1	C	231	GLN
1	C	240	LEU
1	C	265	ARG
1	C	266	LEU
1	C	271	ILE
1	C	279	ARG
1	C	299	ARG
1	C	309	LEU
1	C	336	GLN
1	C	347	LYS
1	C	351	ARG
1	D	-6	GLU
1	D	-4	LEU
1	D	-3	TYR
1	D	1	MET
1	D	13	LEU
1	D	26	GLN
1	D	29	ILE
1	D	30	ILE
1	D	73	LYS
1	D	77	LEU
1	D	82	PHE
1	D	90	LEU
1	D	105	LEU
1	D	108	LEU
1	D	113	LEU
1	D	121	LEU
1	D	123	LEU
1	D	143	ARG
1	D	156	ILE
1	D	175	ILE
1	D	180	GLN
1	D	181	LEU
1	D	191	MET
1	D	207	TRP
1	D	230	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	235	THR
1	D	239	GLN
1	D	240	LEU
1	D	254	TYR
1	D	271	ILE
1	D	280	MET
1	D	336	GLN
1	D	351	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-1	GLN
1	A	26	GLN
1	A	94	ASN
1	A	149	ASN
1	B	7	GLN
1	B	26	GLN
1	B	94	ASN
1	B	149	ASN
1	B	155	ASN
1	B	180	GLN
1	B	283	ASN
1	B	290	ASN
1	C	7	GLN
1	C	23	HIS
1	C	26	GLN
1	C	94	ASN
1	C	149	ASN
1	D	16	ASN
1	D	94	ASN
1	D	231	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	C	122	1	10,11,12	0.63	0	6,12,14	1.06	0
1	KCX	B	122	1	10,11,12	0.55	0	6,12,14	1.11	0
1	KCX	A	122	1	10,11,12	0.74	0	6,12,14	1.77	1 (16%)
1	KCX	D	122	1	10,11,12	0.61	0	6,12,14	1.46	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	C	122	1	-	4/9/10/12	-
1	KCX	B	122	1	-	4/9/10/12	-
1	KCX	A	122	1	-	4/9/10/12	-
1	KCX	D	122	1	-	4/9/10/12	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	122	KCX	OQ1-CX-NZ	-3.81	119.14	124.92
1	D	122	KCX	OQ1-CX-NZ	-3.53	119.55	124.92

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	122	KCX	N-CA-CB-CG
1	A	122	KCX	C-CA-CB-CG
1	C	122	KCX	N-CA-CB-CG
1	C	122	KCX	C-CA-CB-CG
1	D	122	KCX	C-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	D	122	KCX	CE-CD-CG-CB
1	A	122	KCX	CG-CD-CE-NZ
1	B	122	KCX	CA-CB-CG-CD
1	A	122	KCX	CE-CD-CG-CB
1	C	122	KCX	CE-CD-CG-CB
1	C	122	KCX	CG-CD-CE-NZ
1	B	122	KCX	CG-CD-CE-NZ
1	D	122	KCX	CA-CB-CG-CD
1	B	122	KCX	CE-CD-CG-CB
1	B	122	KCX	N-CA-CB-CG
1	D	122	KCX	N-CA-CB-CG

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	122	KCX	3	0
1	B	122	KCX	2	0
1	A	122	KCX	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	252:VAL	C	253:GLY	N	3.75

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	324/378 (85%)	0.35	7 (2%) 62 43	62, 100, 147, 217	0
1	B	319/378 (84%)	0.39	8 (2%) 58 39	74, 107, 166, 252	0
1	C	316/378 (83%)	0.38	5 (1%) 70 52	64, 106, 173, 251	0
1	D	335/378 (88%)	0.45	9 (2%) 56 38	56, 112, 215, 253	0
All	All	1294/1512 (85%)	0.39	29 (2%) 62 43	56, 106, 183, 253	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	349	THR	4.5
1	A	276	GLY	4.1
1	C	85	ALA	3.9
1	A	274	GLY	3.6
1	D	116	PRO	3.2
1	D	321	ALA	3.0
1	B	275	ASP	2.8
1	C	38	TYR	2.8
1	A	107	ALA	2.6
1	D	238	THR	2.6
1	A	208	VAL	2.5
1	A	139	ALA	2.5
1	B	213	ILE	2.5
1	D	340	ILE	2.4
1	D	307	VAL	2.4
1	D	213	ILE	2.4
1	B	322	VAL	2.3
1	C	139	ALA	2.3
1	B	225	ALA	2.2
1	B	223	THR	2.2
1	B	79	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	118	VAL	2.2
1	A	253	GLY	2.2
1	C	276	GLY	2.1
1	C	19	VAL	2.1
1	D	286	PRO	2.1
1	A	72	VAL	2.1
1	B	76	VAL	2.0
1	B	321	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	B	122	12/13	0.79	0.12	92,105,112,124	0
1	KCX	D	122	12/13	0.81	0.10	90,92,95,96	0
1	KCX	A	122	12/13	0.86	0.11	67,68,69,71	0
1	KCX	C	122	12/13	0.87	0.09	85,90,96,96	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.