



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:51 AM UTC

PDB ID : 1BII / pdb_00001bii
Title : THE CRYSTAL STRUCTURE OF H-2DD MHC CLASS I IN COMPLEX WITH THE HIV-1 DERIVED PEPTIDE P18-110
Authors : Achour, A.; Persson, K.; Harris, R.A.; Sundback, J.; Sentman, C.L.; Lindqvist, Y.; Schneider, G.; Karre, K.
Deposited on : 1998-06-11
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	365	
2	B	119	
3	P	10	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC CLASS I H-2DD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2248	1411	407	421	9			

- Molecule 2 is a protein called BETA-2 MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			821	524	138	152	7			

- Molecule 3 is a protein called DECAMERIC PEPTIDE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	P	10	Total	C	N	O	0	0	0
			76	48	16	12			

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	37	Total	O	0	0
			37	37		
4	B	27	Total	O	0	0
			27	27		
4	P	1	Total	O	0	0
			1	1		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: MHC CLASS I H-2DD



• Molecule 2: BETA-2 MICROGLOBULIN



• Molecule 3: DECAMERIC PEPTIDE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.26Å 92.53Å 108.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.40	Depositor
% Data completeness (in resolution range)	97.8 (6.00-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.278 , 0.323	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3210	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/2311	1.32	13/3138 (0.4%)
2	B	0.76	0/847	1.40	7/1148 (0.6%)
3	P	0.77	0/77	1.53	1/101 (1.0%)
All	All	0.68	0/3235	1.34	21/4387 (0.5%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	162	GLY	N-CA-C	8.73	118.16	110.21
1	A	180	LEU	CA-C-O	7.84	129.08	120.92
1	A	228	MET	N-CA-C	7.20	120.26	108.52
1	A	141	GLN	N-CA-C	-6.97	103.45	112.23
2	B	397	ARG	N-CA-C	6.62	118.57	111.36
2	B	374	GLU	CB-CG-CD	6.11	122.99	112.60
2	B	352	SER	N-CA-C	5.57	115.90	108.38
1	A	202	ARG	CD-NE-CZ	5.54	132.16	124.40
2	B	307	ILE	N-CA-C	5.49	115.80	108.11
1	A	50	ARG	N-CA-C	5.42	117.94	111.71
1	A	100	GLY	N-CA-C	5.35	118.80	110.88
1	A	35	ARG	CD-NE-CZ	5.29	131.81	124.40
2	B	315	PRO	N-CA-C	5.28	118.77	110.80
2	B	319	LYS	N-CA-C	5.26	118.97	109.44
2	B	314	PRO	N-CA-C	-5.23	104.31	110.70
1	A	186	LYS	N-CA-C	-5.22	100.79	109.46
1	A	174	ASN	CB-CA-C	-5.20	100.60	109.65
3	P	402	GLY	N-CA-C	5.14	118.42	112.10
1	A	12	VAL	CB-CA-C	-5.07	104.40	110.99
1	A	202	ARG	NE-CZ-NH1	5.01	126.51	121.50
1	A	202	ARG	NE-CZ-NH2	-5.01	114.69	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2248	0	2117	68	0
2	B	821	0	793	25	0
3	P	76	0	79	5	0
4	A	37	0	0	1	0
4	B	27	0	0	2	0
4	P	1	0	0	0	0
All	All	3210	0	2989	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:319:LYS:HD3	2:B:320:PRO:HD2	1.56	0.85
1:A:98:MET:HE3	1:A:115:GLN:HE21	1.42	0.85
2:B:304:THR:HG23	2:B:387:MET:HE3	1.69	0.74
1:A:171:TYR:HH	3:P:401:ARG:N	1.86	0.72
1:A:85:TYR:HB2	1:A:87:GLN:HE21	1.55	0.72
2:B:399:MET:HB3	4:B:8:HOH:O	1.88	0.72
1:A:170:ARG:HG2	1:A:174:ASN:HD21	1.54	0.71
1:A:98:MET:HE3	1:A:115:GLN:NE2	2.06	0.70
1:A:85:TYR:HB2	1:A:87:GLN:NE2	2.10	0.67
1:A:138:MET:HA	1:A:141:GLN:HG3	1.79	0.64
1:A:131:LYS:HG3	1:A:157:ARG:HH21	1.61	0.64
1:A:64:THR:HG22	1:A:68:LYS:HE3	1.79	0.63
1:A:263:HIS:CD2	1:A:265:GLY:H	2.17	0.62
1:A:253:LYS:HD3	1:A:256:LYS:HG3	1.81	0.61
1:A:170:ARG:HG2	1:A:174:ASN:ND2	2.15	0.60
2:B:389:GLU:HG2	2:B:390:PRO:HD2	1.84	0.60
2:B:379:ALA:HB2	2:B:394:TYR:CD1	2.37	0.59
1:A:253:LYS:HE2	1:A:256:LYS:HE2	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:THR:OG1	1:A:243:LYS:HD2	2.04	0.58
1:A:191:HIS:NE2	1:A:193:ARG:HD3	2.19	0.58
1:A:54:GLN:NE2	1:A:174:ASN:HB3	2.18	0.57
1:A:77:ASP:OD1	3:P:409:THR:HB	2.04	0.57
1:A:101:CYS:HB2	1:A:109:LEU:HD11	1.87	0.56
1:A:202:ARG:NE	2:B:399:MET:OXT	2.38	0.56
1:A:14:ARG:HD2	1:A:17:PHE:HB2	1.88	0.56
2:B:332:PRO:HB2	2:B:333:PRO:HD2	1.88	0.55
1:A:117:ALA:HB2	2:B:360:TRP:CE2	2.43	0.54
1:A:266:LEU:HD13	1:A:270:LEU:HG	1.90	0.54
1:A:133:TRP:HB2	1:A:144:ARG:HG3	1.88	0.54
2:B:338:GLN:HG3	2:B:345:LYS:HE3	1.89	0.53
2:B:338:GLN:NE2	2:B:345:LYS:HD2	2.25	0.52
1:A:209:TYR:HA	1:A:210:PRO:C	2.35	0.52
1:A:192:HIS:HB2	1:A:200:THR:OG1	2.10	0.51
1:A:98:MET:HE2	2:B:358:LYS:HD3	1.92	0.50
1:A:230:LEU:HD12	1:A:230:LEU:O	2.11	0.50
1:A:210:PRO:O	1:A:263:HIS:HE1	1.95	0.50
1:A:103:VAL:HG12	1:A:109:LEU:HD12	1.94	0.49
1:A:193:ARG:CD	1:A:193:ARG:H	2.26	0.49
1:A:93:HIS:HD2	1:A:119:ASP:OD2	1.96	0.48
1:A:109:LEU:HD22	1:A:161:GLU:HA	1.95	0.48
1:A:217:TRP:HB3	1:A:224:LEU:HD11	1.95	0.48
2:B:332:PRO:HB2	4:B:55:HOH:O	2.13	0.48
2:B:373:THR:HG22	2:B:374:GLU:H	1.79	0.48
1:A:147:TRP:NE1	3:P:409:THR:O	2.39	0.47
1:A:87:GLN:OE1	1:A:93:HIS:NE2	2.48	0.47
2:B:319:LYS:HD3	2:B:320:PRO:CD	2.38	0.46
1:A:126:LEU:HD23	1:A:130:LEU:HD22	1.97	0.46
1:A:42:ASN:O	1:A:44:ARG:HG2	2.16	0.46
1:A:212:ASP:HB2	4:A:370:HOH:O	2.15	0.46
1:A:219:LEU:O	1:A:222:GLU:HB2	2.16	0.46
1:A:25:VAL:HG22	1:A:35:ARG:HD3	1.98	0.46
1:A:219:LEU:HB2	1:A:224:LEU:HD23	1.97	0.45
1:A:176:ASN:HA	1:A:180:LEU:HD12	1.97	0.45
1:A:190:THR:OG1	1:A:202:ARG:HB3	2.17	0.45
2:B:353:ASP:HB3	2:B:363:TYR:HE1	1.82	0.44
1:A:111:ARG:NH2	1:A:128:GLU:HB2	2.33	0.44
1:A:64:THR:CG2	1:A:68:LYS:HE3	2.45	0.44
2:B:341:LYS:O	2:B:342:ASN:C	2.61	0.44
1:A:8:PHE:HD2	2:B:356:PHE:CE1	2.36	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:VAL:HG22	1:A:35:ARG:CD	2.48	0.44
1:A:253:LYS:CD	1:A:256:LYS:HG3	2.46	0.44
2:B:324:ASN:HB3	2:B:365:LEU:HD11	1.99	0.43
1:A:166:GLU:HA	1:A:169:ARG:NH1	2.33	0.43
1:A:51:TRP:O	1:A:54:GLN:HG2	2.17	0.43
1:A:244:TRP:CZ2	2:B:399:MET:HE3	2.53	0.43
1:A:50:ARG:HA	1:A:53:GLU:OE1	2.18	0.43
1:A:219:LEU:HD13	1:A:257:TYR:CE2	2.54	0.43
2:B:341:LYS:HB2	2:B:346:ILE:HD11	2.00	0.43
1:A:51:TRP:CZ2	1:A:179:LEU:HD11	2.54	0.43
1:A:163:GLU:HG2	1:A:167:TRP:CD1	2.54	0.42
2:B:338:GLN:OE1	2:B:381:ARG:NH2	2.49	0.42
1:A:104:GLU:HB2	1:A:108:ARG:HD3	2.02	0.42
1:A:123:TYR:HD2	1:A:124:ILE:HG22	1.84	0.42
1:A:202:ARG:HD3	1:A:244:TRP:CE3	2.54	0.42
1:A:167:TRP:CG	3:P:401:ARG:HB2	2.54	0.42
1:A:139:ALA:O	1:A:142:ILE:HB	2.19	0.41
1:A:28:VAL:O	1:A:29:ASP:HB2	2.20	0.41
2:B:355:SER:OG	2:B:356:PHE:N	2.50	0.41
1:A:113:TYR:O	1:A:160:LEU:HD21	2.21	0.41
2:B:307:ILE:HG12	2:B:382:VAL:HG21	2.02	0.41
2:B:309:VAL:HG12	2:B:323:LEU:HD11	2.02	0.41
1:A:104:GLU:HG2	1:A:110:LEU:HD13	2.02	0.41
1:A:66:ARG:CZ	3:P:402:GLY:HA3	2.50	0.40
1:A:95:LEU:HD12	1:A:95:LEU:HA	1.97	0.40
1:A:114:TRP:HH2	1:A:155:ARG:HH21	1.69	0.40
2:B:323:LEU:HG	2:B:339:MET:HE1	2.02	0.40
1:A:189:VAL:HA	1:A:202:ARG:O	2.20	0.40
1:A:37:ASP:O	1:A:43:PRO:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/365 (74%)	248 (91%)	20 (7%)	4 (2%)	8	12
2	B	97/119 (82%)	90 (93%)	7 (7%)	0	100	100
3	P	8/10 (80%)	8 (100%)	0	0	100	100
All	All	377/494 (76%)	346 (92%)	27 (7%)	4 (1%)	11	18

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	127	ASN
1	A	114	TRP
1	A	29	ASP
1	A	137	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/298 (77%)	188 (82%)	41 (18%)	2	2
2	B	94/111 (85%)	78 (83%)	16 (17%)	2	2
3	P	7/7 (100%)	6 (86%)	1 (14%)	3	4
All	All	330/416 (79%)	272 (82%)	58 (18%)	2	2

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	ASN
1	A	35	ARG
1	A	38	SER
1	A	45	TYR
1	A	62	ARG
1	A	68	LYS
1	A	75	ARG
1	A	79	ARG
1	A	88	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105	SER
1	A	106	ASP
1	A	108	ARG
1	A	111	ARG
1	A	131	LYS
1	A	134	THR
1	A	138	MET
1	A	141	GLN
1	A	149	GLN
1	A	155	ARG
1	A	157	ARG
1	A	166	GLU
1	A	173	LYS
1	A	176	ASN
1	A	178	THR
1	A	182	THR
1	A	186	LYS
1	A	191	HIS
1	A	193	ARG
1	A	199	VAL
1	A	200	THR
1	A	212	ASP
1	A	218	GLN
1	A	222	GLU
1	A	224	LEU
1	A	226	GLN
1	A	230	LEU
1	A	253	LYS
1	A	255	GLN
1	A	256	LYS
1	A	258	THR
1	A	264	GLU
2	B	307	ILE
2	B	319	LYS
2	B	335	ILE
2	B	336	GLU
2	B	344	LYS
2	B	348	LYS
2	B	351	MET
2	B	352	SER
2	B	354	MET
2	B	357	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	358	LYS
2	B	373	THR
2	B	374	GLU
2	B	383	LYS
2	B	387	MET
2	B	398	ASP
3	P	401	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	127	ASN
1	A	149	GLN
1	A	174	ASN
1	A	188	HIS
1	A	218	GLN
1	A	226	GLN
1	A	263	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.