



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:31 PM UTC

PDB ID : 1BKH / pdb_00001bkh
Title : MUCONATE LACTONIZING ENZYME FROM PSEUDOMONAS PUTIDA
Authors : Hasson, M.S.; Schlichting, I.; Moulai, J.; Taylor, K.; Barrett, W.; Kenyon, G.L.; Babbitt, P.C.; Gerlt, J.A.; Petsko, G.A.; Ringe, D.
Deposited on : 1998-07-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	
1	B	369	
1	C	369	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MUCONATE LACTONIZING ENZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	358	Total	C	N	O	S	0	0	0
			2709	1700	489	514	6			
1	B	361	Total	C	N	O	S	0	0	0
			2730	1713	493	518	6			
1	C	359	Total	C	N	O	S	0	0	0
			2718	1705	491	516	6			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	138	VAL	GLU	conflict	GB 607908
B	138	VAL	GLU	conflict	GB 607908
C	138	VAL	GLU	conflict	GB 607908


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	172	Total	O	0	0
			172	172		
2	B	196	Total	O	0	0
			196	196		
2	C	196	Total	O	0	0
			196	196		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MUCONATE LACTONIZING ENZYME



• Molecule 1: MUCONATE LACTONIZING ENZYME



• Molecule 1: MUCONATE LACTONIZING ENZYME



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	136.18Å 136.18Å 265.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	5.00 – 2.10 5.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	77.2 (5.00-2.10) 71.1 (5.00-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.00Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.157 , (Not available) 0.154 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	18.4	Xtriage
Anisotropy	0.115	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.66 , 123.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8721	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	1/2746 (0.0%)	0.97	8/3719 (0.2%)
1	B	0.58	1/2768 (0.0%)	0.97	5/3750 (0.1%)
1	C	0.61	1/2755 (0.0%)	1.03	14/3731 (0.4%)
All	All	0.59	3/8269 (0.0%)	0.99	27/11200 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	247	MET	SD-CE	-9.26	1.56	1.79
1	B	247	MET	SD-CE	-7.60	1.60	1.79
1	A	247	MET	SD-CE	-6.70	1.62	1.79

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	279	GLY	CA-C-N	9.46	129.07	119.24
1	C	279	GLY	C-N-CA	9.46	129.07	119.24
1	C	221	ASP	N-CA-C	8.06	120.07	111.28
1	A	202	TYR	N-CA-C	7.14	119.15	111.36
1	C	143	ALA	N-CA-C	6.67	122.23	113.30
1	C	202	TYR	N-CA-C	6.47	119.33	111.82
1	B	202	TYR	N-CA-C	6.27	118.92	111.71
1	A	302	MET	N-CA-C	-6.22	104.05	112.26
1	A	349	GLN	N-CA-C	6.20	118.38	109.14
1	A	143	ALA	N-CA-C	6.00	121.40	112.94
1	B	138	VAL	N-CA-C	5.97	116.47	107.75
1	C	302	MET	N-CA-C	-5.96	103.47	111.87
1	B	221	ASP	N-CA-C	5.88	118.64	111.82
1	B	219	GLY	N-CA-C	5.75	123.26	115.32
1	C	349	GLN	N-CA-C	5.67	118.03	109.41
1	C	204	ASP	N-CA-C	-5.65	101.66	110.42
1	C	75	LEU	N-CA-C	5.65	117.11	111.07
1	C	352	ILE	N-CA-C	5.64	114.16	107.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	306	SER	N-CA-C	5.56	117.34	111.28
1	C	138	VAL	N-CA-C	5.27	115.66	107.28
1	C	74	HIS	N-CA-C	5.26	119.45	112.72
1	A	138	VAL	N-CA-C	5.25	115.42	107.75
1	A	271	ALA	N-CA-C	-5.20	101.98	110.20
1	B	271	ALA	N-CA-C	-5.17	102.03	110.20
1	A	221	ASP	N-CA-C	5.15	116.97	111.36
1	A	147	THR	N-CA-C	5.13	117.27	111.11
1	C	73	ALA	N-CA-C	5.13	118.00	111.69

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2709	0	2766	55	0
1	B	2730	0	2783	45	0
1	C	2718	0	2774	56	0
2	A	172	0	0	6	0
2	B	196	0	0	5	0
2	C	196	0	0	5	0
All	All	8721	0	8323	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:MET:HE3	1:A:271:ALA:HB2	1.21	1.13
1:B:159:GLU:HG2	1:C:159:GLU:HG2	1.30	1.12
1:B:247:MET:HE3	1:B:271:ALA:HB2	1.39	1.02
1:C:247:MET:HE3	1:C:271:ALA:HB2	1.64	0.80
1:B:196:ARG:HG2	1:B:222:LEU:HG	1.65	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:212:CYS:HB3	1:B:242:THR:HG23	1.67	0.77
1:A:212:CYS:HB3	1:A:242:THR:HG23	1.70	0.74
1:A:167:LYS:HE3	1:A:198:ASP:HB2	1.73	0.71
1:C:337:GLU:HG3	2:C:3282:HOH:O	1.92	0.67
1:B:242:THR:HG22	1:B:244:ALA:H	1.61	0.65
1:C:196:ARG:HG2	1:C:222:LEU:HG	1.77	0.65
1:B:176:GLU:HB2	2:B:3362:HOH:O	1.97	0.64
1:A:366:ARG:HG2	1:A:370:PHE:HE2	1.63	0.63
1:A:284:LEU:O	1:A:288:GLN:HG2	1.98	0.63
1:C:231:ASN:ND2	1:C:234:GLY:H	1.97	0.63
1:C:339:VAL:HG21	1:C:360:LEU:HG	1.82	0.62
1:A:337:GLU:H	1:A:366:ARG:HH21	1.45	0.62
1:C:78:ALA:O	1:C:93:LYS:HE3	2.00	0.61
1:C:151:ILE:HD13	1:C:188:GLU:HG3	1.81	0.61
1:A:224:GLU:HG3	1:A:247:MET:HE2	1.82	0.61
1:B:147:THR:OG1	1:B:181:HIS:HD2	1.83	0.61
1:B:272:LEU:HD21	1:B:297:LEU:HG	1.82	0.61
1:C:340:ASN:OD1	1:C:361:THR:HG22	2.01	0.60
1:C:346:ARG:HH11	1:C:346:ARG:HG2	1.67	0.60
1:C:167:LYS:HE3	1:C:198:ASP:HB2	1.84	0.59
1:A:247:MET:CE	1:A:271:ALA:HB2	2.15	0.59
1:A:317:LEU:HD21	1:A:352:ILE:HD13	1.83	0.59
1:A:288:GLN:OE1	1:C:285:ARG:HG2	2.04	0.58
1:A:88:ASN:HD22	1:A:281:ARG:HH22	1.52	0.58
1:B:176:GLU:H	1:B:176:GLU:CD	2.12	0.57
1:C:337:GLU:H	1:C:366:ARG:HH21	1.52	0.57
1:A:240:GLN:HG3	2:A:3390:HOH:O	2.05	0.57
1:C:212:CYS:HB3	1:C:242:THR:HG23	1.86	0.57
1:C:82:LEU:HD21	1:C:93:LYS:HD3	1.86	0.56
1:C:363:ASP:OD2	1:C:366:ARG:HD3	2.06	0.55
1:B:146:ASP:HB3	1:B:149:ARG:HB2	1.87	0.55
1:A:242:THR:HG22	1:A:244:ALA:H	1.73	0.54
1:C:125:SER:H	1:C:314:HIS:HD2	1.54	0.54
1:A:132:VAL:HG11	1:C:92:LEU:HD23	1.89	0.54
1:C:123:PRO:HG2	1:C:126:GLU:HB2	1.90	0.53
1:B:82:LEU:HD11	1:B:93:LYS:HD2	1.90	0.53
1:A:205:GLU:O	1:A:209:ILE:HG12	2.08	0.52
1:C:352:ILE:N	1:C:352:ILE:HD12	2.23	0.52
1:B:159:GLU:HG2	1:C:159:GLU:CG	2.21	0.52
1:B:231:ASN:ND2	1:B:234:GLY:H	2.08	0.51
1:A:151:ILE:HD13	1:A:188:GLU:HG3	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:ARG:HD2	1:B:163:HIS:NE2	2.26	0.51
1:B:167:LYS:HE3	1:B:198:ASP:HB2	1.94	0.50
1:B:306:SER:O	1:B:310:LEU:HD23	2.12	0.50
1:B:313:ALA:O	1:B:317:LEU:HG	2.12	0.50
1:A:288:GLN:OE1	1:C:288:GLN:NE2	2.44	0.49
1:A:256:GLU:H	1:A:256:GLU:CD	2.20	0.49
1:A:40:ARG:HG3	2:A:3421:HOH:O	2.11	0.49
1:B:239:ASN:ND2	1:B:267:ALA:HA	2.27	0.49
1:B:15:ASP:OD2	1:B:372:ARG:HD2	2.12	0.49
1:C:242:THR:HG22	1:C:244:ALA:O	2.13	0.49
1:C:162:ARG:HD2	1:C:163:HIS:NE2	2.27	0.48
1:C:125:SER:H	1:C:314:HIS:CD2	2.29	0.48
1:A:140:TRP:HB2	1:A:163:HIS:CG	2.49	0.48
1:A:224:GLU:CD	1:A:247:MET:HE2	2.39	0.48
1:B:224:GLU:CD	1:B:247:MET:HE2	2.38	0.48
1:C:265:GLY:HA2	2:C:3239:HOH:O	2.13	0.48
1:A:338:ILE:H	1:A:338:ILE:HD13	1.79	0.48
1:A:37:LEU:HD21	1:A:71:ILE:HD13	1.96	0.47
1:A:71:ILE:HA	1:A:75:LEU:HB2	1.95	0.47
1:B:169:LYS:HE2	1:B:200:ASN:OD1	2.13	0.47
1:A:224:GLU:CG	1:A:247:MET:HE2	2.43	0.47
1:C:144:SER:HB2	1:C:149:ARG:HH11	1.78	0.47
1:A:76:ALA:HB3	1:A:77:PRO:HD3	1.97	0.47
1:A:144:SER:HB2	1:A:149:ARG:HD3	1.97	0.47
1:A:239:ASN:ND2	2:A:3114:HOH:O	2.48	0.46
1:C:313:ALA:O	1:C:317:LEU:HG	2.15	0.46
1:C:341:GLU:OE2	1:C:361:THR:HB	2.16	0.46
1:B:14:VAL:HG12	1:B:16:LEU:HD13	1.97	0.46
1:C:17:PRO:HB2	1:C:335:THR:OG1	2.16	0.46
1:A:184:THR:HG23	1:A:187:ARG:NH2	2.30	0.46
1:C:237:ARG:O	1:C:241:ARG:HG2	2.15	0.46
1:A:247:MET:HE3	1:A:271:ALA:CB	2.15	0.46
1:C:297:LEU:HB3	1:C:322:LEU:HD23	1.98	0.46
1:B:162:ARG:HD2	1:B:163:HIS:CD2	2.50	0.46
1:B:247:MET:HE1	1:B:298:TYR:CD2	2.50	0.46
1:A:199:VAL:HB	1:A:226:PRO:HA	1.98	0.46
1:A:17:PRO:HB2	1:A:335:THR:OG1	2.16	0.45
1:B:39:VAL:O	1:B:46:GLU:HA	2.16	0.45
1:C:40:ARG:HA	1:C:40:ARG:HD3	1.76	0.45
1:C:317:LEU:HD21	1:C:352:ILE:HD13	1.97	0.45
1:C:366:ARG:HG2	1:C:370:PHE:HE2	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:34:LEU:HD22	1:C:50:GLU:OE2	2.17	0.45
1:C:140:TRP:HB2	1:C:163:HIS:CG	2.52	0.45
1:A:11:ALA:O	1:A:68:LYS:HE2	2.17	0.45
1:C:338:ILE:HD13	1:C:338:ILE:H	1.82	0.44
1:C:352:ILE:HA	1:C:353:PRO:HD3	1.78	0.44
1:B:173:ASN:HB3	1:B:174:PRO:CD	2.48	0.44
1:C:224:GLU:CD	1:C:247:MET:HE2	2.42	0.44
1:B:37:LEU:HD21	1:B:71:ILE:HD13	1.98	0.44
1:B:167:LYS:HE3	1:B:198:ASP:CB	2.48	0.44
1:B:304:GLU:HG3	1:B:308:GLY:HA3	1.99	0.44
1:A:184:THR:O	1:A:188:GLU:HG2	2.18	0.44
1:B:210:ARG:HB2	2:B:3079:HOH:O	2.16	0.44
1:A:162:ARG:O	1:A:348:PHE:HA	2.18	0.43
1:C:222:LEU:HD12	1:C:222:LEU:C	2.43	0.43
1:B:40:ARG:HG3	2:B:3294:HOH:O	2.17	0.43
1:A:180:LYS:HE2	1:A:181:HIS:N	2.32	0.43
1:C:199:VAL:HB	1:C:226:PRO:HA	2.00	0.43
1:C:242:THR:HG22	1:C:244:ALA:H	1.83	0.43
1:C:225:GLN:HG2	1:C:250:GLU:OE1	2.18	0.43
1:A:131:ARG:HD2	1:A:354:ARG:HH21	1.83	0.43
1:A:288:GLN:HG3	2:A:3192:HOH:O	2.18	0.43
1:C:16:LEU:HA	1:C:17:PRO:HD3	1.85	0.43
1:B:173:ASN:HB3	1:B:174:PRO:HD2	2.01	0.43
1:C:60:GLY:HA3	2:C:3227:HOH:O	2.18	0.43
1:C:175:VAL:O	1:C:179:LEU:HG	2.19	0.43
1:C:231:ASN:C	1:C:231:ASN:HD22	2.27	0.43
1:A:155:ARG:CG	1:A:155:ARG:HH11	2.32	0.43
1:C:216:GLY:HA3	1:C:243:PRO:HB2	2.00	0.43
1:A:231:ASN:ND2	1:A:234:GLY:H	2.17	0.42
1:A:82:LEU:HD11	1:A:93:LYS:HE3	2.00	0.42
1:A:353:PRO:HG2	2:A:3526:HOH:O	2.18	0.42
1:C:162:ARG:HD2	1:C:163:HIS:CD2	2.54	0.42
1:C:304:GLU:HG3	1:C:308:GLY:HA3	2.01	0.42
1:B:16:LEU:HD23	1:B:334:LEU:HD13	2.00	0.42
1:C:284:LEU:HD23	1:C:284:LEU:HA	1.77	0.42
1:A:242:THR:HG22	1:A:244:ALA:O	2.18	0.42
1:A:160:ILE:HG13	1:A:162:ARG:HB2	2.02	0.42
1:A:288:GLN:HG3	2:A:3185:HOH:O	2.19	0.41
1:B:224:GLU:CG	1:B:247:MET:HE2	2.50	0.41
1:A:309:THR:HG23	1:A:328:LEU:HB3	2.02	0.41
1:C:338:ILE:H	1:C:338:ILE:CD1	2.33	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:ILE:HD12	1:A:241:ARG:NH1	2.35	0.41
1:B:76:ALA:N	1:B:77:PRO:HD2	2.36	0.41
1:B:224:GLU:HG3	1:B:247:MET:HE2	2.02	0.41
1:B:345:TYR:HA	1:B:349:GLN:O	2.21	0.41
1:A:310:LEU:HD13	1:A:310:LEU:HA	1.95	0.41
1:B:57:LEU:CD2	1:B:63:SER:HB3	2.51	0.41
1:B:151:ILE:HD13	1:B:188:GLU:HG3	2.02	0.41
1:A:122:LEU:HD22	1:A:126:GLU:OE1	2.21	0.41
1:A:304:GLU:HG3	1:A:308:GLY:HA3	2.02	0.41
1:B:60:GLY:HA3	2:B:3030:HOH:O	2.21	0.41
1:B:346:ARG:HD2	2:B:3351:HOH:O	2.21	0.41
1:A:196:ARG:HG2	1:A:222:LEU:HG	2.02	0.41
1:C:314:HIS:HE1	2:C:3269:HOH:O	2.04	0.41
1:B:199:VAL:HB	1:B:226:PRO:HA	2.03	0.40
1:B:236:VAL:O	1:B:240:GLN:HG3	2.21	0.40
1:B:343:PRO:HB2	1:B:345:TYR:CE2	2.56	0.40
1:B:346:ARG:O	1:B:351:HIS:HE1	2.04	0.40
1:A:34:LEU:HD22	1:A:50:GLU:OE2	2.21	0.40
1:A:333:LEU:HD12	1:A:333:LEU:HA	1.93	0.40
1:C:342:PRO:HA	2:C:3475:HOH:O	2.21	0.40
1:A:92:LEU:HA	1:A:92:LEU:HD12	1.81	0.40
1:A:343:PRO:HB2	1:A:345:TYR:CE2	2.57	0.40
1:C:39:VAL:O	1:C:39:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	354/369 (96%)	342 (97%)	12 (3%)	0	100	100
1	B	357/369 (97%)	346 (97%)	11 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	355/369 (96%)	346 (98%)	9 (2%)	0	100	100
All	All	1066/1107 (96%)	1034 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/290 (97%)	258 (92%)	22 (8%)	11	9
1	B	282/290 (97%)	262 (93%)	20 (7%)	13	11
1	C	281/290 (97%)	255 (91%)	26 (9%)	8	6
All	All	843/870 (97%)	775 (92%)	68 (8%)	11	8

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	VAL
1	A	16	LEU
1	A	75	LEU
1	A	77	PRO
1	A	92	LEU
1	A	93	LYS
1	A	112	LEU
1	A	155	ARG
1	A	162	ARG
1	A	179	LEU
1	A	210	ARG
1	A	215	LEU
1	A	238	LEU
1	A	256	GLU
1	A	272	LEU
1	A	283	VAL
1	A	304	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	333	LEU
1	A	338	ILE
1	A	339	VAL
1	A	347	ASP
1	A	360	LEU
1	B	5	LEU
1	B	16	LEU
1	B	92	LEU
1	B	112	LEU
1	B	120	LEU
1	B	126	GLU
1	B	162	ARG
1	B	176	GLU
1	B	179	LEU
1	B	196	ARG
1	B	215	LEU
1	B	238	LEU
1	B	272	LEU
1	B	283	VAL
1	B	297	LEU
1	B	304	GLU
1	B	333	LEU
1	B	338	ILE
1	B	339	VAL
1	B	360	LEU
1	C	5	LEU
1	C	8	ARG
1	C	16	LEU
1	C	40	ARG
1	C	46	GLU
1	C	75	LEU
1	C	92	LEU
1	C	112	LEU
1	C	120	LEU
1	C	126	GLU
1	C	162	ARG
1	C	215	LEU
1	C	238	LEU
1	C	246	ILE
1	C	272	LEU
1	C	283	VAL
1	C	297	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	304	GLU
1	C	337	GLU
1	C	338	ILE
1	C	339	VAL
1	C	346	ARG
1	C	360	LEU
1	C	361	THR
1	C	365	GLN
1	C	366	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	88	ASN
1	A	231	ASN
1	A	239	ASN
1	A	277	ASN
1	A	340	ASN
1	A	349	GLN
1	B	31	GLN
1	B	88	ASN
1	B	177	GLN
1	B	181	HIS
1	B	213	GLN
1	B	231	ASN
1	B	239	ASN
1	B	277	ASN
1	B	344	GLN
1	C	31	GLN
1	C	74	HIS
1	C	88	ASN
1	C	156	HIS
1	C	181	HIS
1	C	200	ASN
1	C	213	GLN
1	C	231	ASN
1	C	239	ASN
1	C	277	ASN
1	C	288	GLN
1	C	314	HIS
1	C	321	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	365	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	358/369 (97%)	-1.17	0 100 100	11, 22, 42, 57	0
1	B	361/369 (97%)	-1.19	0 100 100	11, 21, 41, 58	0
1	C	359/369 (97%)	-1.26	0 100 100	9, 18, 37, 58	0
All	All	1078/1107 (97%)	-1.20	0 100 100	9, 20, 41, 58	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.