



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:10 PM UTC

PDB ID : 6BKD / pdb_00006bkd
Title : Structure of Hepatitis C Virus Envelope Glycoprotein E2 core from genotype 6a bound to broadly neutralizing antibody AR3D
Authors : Tzarum, N.; Wilson, I.A.; Law, M.
Deposited on : 2017-11-08
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1605 (3.30-3.22)
Clashscore	190562	1660 (3.30-3.22)
Ramachandran outliers	187476	1630 (3.30-3.22)
Sidechain outliers	187428	1629 (3.30-3.22)
RSRZ outliers	180081	1605 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	189	% 49% 29% 21%
2	H	234	2% 57% 36% 5%
3	L	212	% 68% 29% .
4	A	2	50% 50%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4440 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	150	Total	C	N	O	S	0	0	0
			1178	756	199	211	12			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	470	ASP	ASN	engineered mutation	UNP B9V0E2
E	482	GLY	-	linker	UNP B9V0E2
E	483	SER	-	linker	UNP B9V0E2
E	484	SER	-	linker	UNP B9V0E2
E	485	GLY	-	linker	UNP B9V0E2
E	592	GLY	-	linker	UNP B9V0E2
E	593	GLY	-	linker	UNP B9V0E2
E	594	PRO	-	linker	UNP B9V0E2
E	595	THR	-	linker	UNP B9V0E2
E	596	ASP	-	linker	UNP B9V0E2
E	597	GLY	-	linker	UNP B9V0E2

- Molecule 2 is a protein called Fab AR3D heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	223	Total	C	N	O	S	0	0	0
			1647	1045	276	320	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	108	LEU	THR	conflict	UNP S6B2A6
H	210	LYS	ARG	conflict	UNP S6B2A6
H	217	GLY	-	expression tag	UNP S6B2A6
H	218	SER	-	expression tag	UNP S6B2A6

- Molecule 3 is a protein called Fab AR3D light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	207	Total	C	N	O	S	0	0	0
			1587	990	274	319	4			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	105	GLU	ASP	conflict	UNP Q6PIL8

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	A	2	Total	C	N	O	0	0	0
			28	16	2	10			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Polyprotein



- Molecule 2: Fab AR3D heavy chain



- Molecule 3: Fab AR3D light chain



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain A:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	37.32Å 60.39Å 148.08Å 90.00° 88.00° 90.00°	Depositor
Resolution (Å)	49.33 – 3.25 49.33 – 3.25	Depositor EDS
% Data completeness (in resolution range)	86.9 (49.33-3.25) 86.9 (49.33-3.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.23	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 3.25Å)	Xtriage
Refinement program	PHENIX (1.12_2829)	Depositor
R, R_{free}	0.268 , 0.286 0.270 , 0.291	Depositor DCC
R_{free} test set	911 reflections (8.59%)	wwPDB-VP
Wilson B-factor (Å ²)	76.7	Xtriage
Anisotropy	0.593	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 13.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.067 for h,-k,-l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4440	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	0.17	0/1217	0.51	2/1662 (0.1%)
2	H	0.19	0/1686	0.52	2/2298 (0.1%)
3	L	0.12	0/1620	0.39	0/2197
All	All	0.16	0/4523	0.47	4/6157 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	H	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	148	GLU	CA-C-N	6.66	128.17	119.84
2	H	148	GLU	C-N-CA	6.66	128.17	119.84
1	E	510	THR	CB-CA-C	6.27	122.53	110.17
1	E	510	THR	N-CA-C	-5.03	98.70	109.81

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	148	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1178	0	1109	54	0
2	H	1647	0	1631	83	0
3	L	1587	0	1539	44	0
4	A	28	0	25	3	0
All	All	4440	0	4304	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:147:PRO:HG2	2:H:200:HIS:NE2	1.79	0.97
1:E:427:LEU:HB3	2:H:100(D):LEU:HD22	1.48	0.91
2:H:147:PRO:HG2	2:H:200:HIS:CE1	2.05	0.91
2:H:52:ILE:HD13	2:H:98:LEU:HD11	1.57	0.86
2:H:100(C):VAL:HG22	2:H:100(D):LEU:H	1.41	0.84
2:H:100(K):LEU:HB2	3:L:92:GLY:H	1.44	0.82
2:H:5:GLU:HB2	2:H:23:LYS:HB3	1.62	0.81
2:H:39:GLN:HB2	2:H:45:LEU:HD23	1.62	0.81
1:E:528:ASN:HB3	1:E:531:GLU:HG2	1.64	0.79
2:H:147:PRO:HG2	2:H:200:HIS:HE2	1.47	0.78
1:E:560:PHE:HD2	4:A:1:NAG:H5	1.49	0.77
2:H:31:SER:HB2	2:H:98:LEU:HB2	1.66	0.76
1:E:427:LEU:HD23	2:H:100(D):LEU:HD21	1.72	0.72
1:E:555:MET:HE2	1:E:617:HIS:HD2	1.55	0.71
2:H:94:LYS:HB3	2:H:102:PRO:HG2	1.72	0.71
2:H:18:VAL:HG13	2:H:82(C):LEU:HD11	1.71	0.70
2:H:93:ALA:HB1	2:H:100(N):PHE:HB3	1.74	0.69
2:H:7:SER:HB2	2:H:20:VAL:HG13	1.74	0.69
2:H:52:ILE:HD11	2:H:100(I):PRO:HB3	1.75	0.69
2:H:147:PRO:O	2:H:200:HIS:NE2	2.26	0.67
2:H:98:LEU:HD13	2:H:100(D):LEU:HD12	1.77	0.67
3:L:61:ARG:NH1	3:L:82:ASP:OD2	2.31	0.63
1:E:431:ASP:HB3	2:H:100(B):GLY:HA2	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:38:ARG:NH2	2:H:46:GLU:OE2	2.33	0.61
1:E:511:PRO:HG2	1:E:638:HIS:CE1	2.37	0.60
2:H:82:LEU:HD23	2:H:82(C):LEU:HD23	1.84	0.60
1:E:427:LEU:HB3	2:H:100(D):LEU:CD2	2.28	0.59
1:E:610:ASP:HA	1:E:614:ARG:HD3	1.84	0.59
3:L:10:THR:HG22	3:L:103:ARG:HB3	1.85	0.58
2:H:100(C):VAL:HG22	2:H:100(D):LEU:N	2.16	0.58
1:E:509:PHE:HE2	1:E:553:THR:HG23	1.68	0.57
1:E:555:MET:HE2	1:E:617:HIS:CD2	2.39	0.57
2:H:121:VAL:HG21	2:H:207:VAL:HG11	1.86	0.57
3:L:108:ARG:HH22	3:L:111:ALA:HB2	1.70	0.57
2:H:3:LEU:N	2:H:25:SER:HG	2.04	0.56
2:H:147:PRO:CG	2:H:200:HIS:CE1	2.86	0.56
2:H:100(C):VAL:CG2	2:H:100(D):LEU:H	2.16	0.56
2:H:67:VAL:HG21	2:H:80:MET:HE1	1.87	0.56
1:E:510:THR:OG1	1:E:511:PRO:HD3	2.06	0.55
1:E:604:THR:HB	1:E:607:CYS:H	1.71	0.55
2:H:38:ARG:HD3	2:H:90:TYR:CZ	2.42	0.55
2:H:49:GLY:HA3	2:H:59:LEU:HD22	1.88	0.55
2:H:153:SER:O	2:H:197:ASN:N	2.27	0.55
1:E:511:PRO:HG2	1:E:638:HIS:CG	2.42	0.55
2:H:119:PRO:HD3	2:H:200:HIS:ND1	2.21	0.55
3:L:34:ALA:HB2	3:L:91:TYR:OH	2.07	0.55
2:H:100(K):LEU:HD12	3:L:96:SER:HB2	1.89	0.54
3:L:6:GLN:NE2	3:L:88:CYS:H	2.06	0.54
1:E:511:PRO:HG2	1:E:638:HIS:ND1	2.23	0.54
2:H:100(C):VAL:CG2	2:H:100(J):HIS:H	2.19	0.54
2:H:58:ASN:HB2	2:H:100(H):VAL:HG23	1.89	0.54
2:H:126:PRO:HG2	2:H:189:LEU:HD21	1.89	0.54
1:E:436:GLY:HA2	2:H:99:SER:O	2.09	0.53
3:L:21:LEU:HD22	3:L:102:THR:HG21	1.90	0.53
1:E:598:GLY:HA3	1:E:602:TRP:HB2	1.90	0.53
3:L:113:PRO:O	3:L:115:VAL:HG23	2.08	0.53
2:H:119:PRO:HB3	2:H:145:TYR:HB3	1.90	0.52
3:L:142:ARG:HG3	3:L:173:TYR:CG	2.44	0.52
2:H:100(C):VAL:HG23	2:H:100(J):HIS:HB2	1.92	0.52
3:L:120:PRO:HD3	3:L:132:VAL:HG22	1.91	0.52
2:H:22:CYS:O	2:H:77:THR:HA	2.08	0.52
2:H:57:THR:O	2:H:58:ASN:ND2	2.42	0.52
2:H:3:LEU:C	2:H:4:LEU:HD12	2.35	0.51
3:L:11:LEU:HB3	3:L:104:LEU:HD12	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:510:THR:OG1	1:E:511:PRO:CD	2.59	0.51
1:E:440:SER:HG	1:E:616:TRP:CD1	2.29	0.51
1:E:606:ARG:HB3	1:E:645:ASN:HB3	1.93	0.51
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.92	0.51
1:E:619:PRO:O	1:E:622:VAL:HG23	2.10	0.51
2:H:153:SER:HB2	2:H:197:ASN:HB2	1.92	0.51
1:E:555:MET:HE3	1:E:616:TRP:CE2	2.45	0.50
1:E:520:ASP:N	1:E:524:ILE:O	2.44	0.50
2:H:39:GLN:O	2:H:88:ALA:HB1	2.11	0.50
3:L:106:ILE:H	3:L:166:GLN:HE22	1.58	0.50
2:H:23:LYS:HD2	2:H:76:LYS:O	2.11	0.50
1:E:510:THR:CB	1:E:511:PRO:HD3	2.42	0.49
1:E:500:ARG:NE	1:E:533:GLU:HG2	2.27	0.49
3:L:18:ARG:HG3	3:L:76:SER:HA	1.93	0.49
2:H:147:PRO:HB2	2:H:202:PRO:HB2	1.95	0.49
1:E:607:CYS:HA	1:E:644:CYS:HA	1.94	0.49
1:E:440:SER:HA	1:E:443:TYR:CD2	2.48	0.49
3:L:6:GLN:NE2	3:L:88:CYS:SG	2.82	0.49
2:H:166:PHE:CZ	3:L:176:SER:HB3	2.48	0.49
2:H:112:SER:HB3	2:H:146:PHE:CE1	2.48	0.49
2:H:154:TRP:NE1	2:H:180:SER:OG	2.41	0.49
1:E:497:VAL:HG11	1:E:554:TRP:CH2	2.49	0.48
3:L:29:VAL:HG12	3:L:30:ALA:O	2.13	0.48
2:H:138:LEU:HD13	2:H:211:VAL:HG11	1.95	0.48
1:E:427:LEU:HD21	2:H:54:PHE:CE1	2.49	0.48
1:E:632:PHE:CE1	1:E:637:GLU:HB2	2.50	0.47
2:H:112:SER:HB3	2:H:146:PHE:HE1	1.79	0.47
3:L:38:HIS:O	3:L:84:ALA:HB1	2.15	0.47
3:L:150:VAL:HG22	3:L:192:TYR:HD1	1.80	0.47
1:E:437:PHE:O	1:E:616:TRP:NE1	2.41	0.46
1:E:431:ASP:O	2:H:100(B):GLY:HA3	2.15	0.46
3:L:54:ARG:NH1	3:L:58:ILE:O	2.48	0.46
1:E:507:TYR:CZ	1:E:515:VAL:HG22	2.50	0.46
1:E:562:LYS:HD3	4:A:1:NAG:O6	2.16	0.46
1:E:608:LEU:N	1:E:643:ALA:O	2.46	0.46
2:H:4:LEU:HD13	2:H:102:PRO:HB2	1.97	0.45
2:H:19:LYS:HE2	2:H:79:TYR:CD1	2.50	0.45
3:L:113:PRO:HA	3:L:139:PHE:HB3	1.97	0.45
3:L:33:LEU:HD13	3:L:71:PHE:CD2	2.51	0.45
2:H:201:LYS:HB2	2:H:202:PRO:HD3	1.99	0.45
1:E:441:LEU:HD12	1:E:441:LEU:H	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:63:PHE:O	2:H:67:VAL:HG12	2.16	0.45
2:H:149:PRO:HD2	2:H:202:PRO:CD	2.47	0.45
3:L:8:PRO:HG3	3:L:11:LEU:HD13	1.98	0.45
1:E:499:ALA:HA	1:E:502:VAL:HG23	1.99	0.45
1:E:609:VAL:O	1:E:611:TYR:HD1	1.99	0.45
2:H:100(L):ARG:HG2	2:H:100(M):HIS:H	1.82	0.45
3:L:24:ARG:HG2	3:L:25:ALA:H	1.82	0.45
2:H:164:HIS:CD2	3:L:174:SER:HB2	2.52	0.45
3:L:54:ARG:HD3	3:L:62:PHE:O	2.16	0.45
3:L:105:GLU:OE1	3:L:173:TYR:OH	2.34	0.45
3:L:142:ARG:HG3	3:L:173:TYR:CD1	2.52	0.45
1:E:520:ASP:HB3	1:E:524:ILE:HB	1.99	0.45
1:E:423:ASN:HB3	1:E:527:TYR:HB3	1.99	0.44
2:H:100(C):VAL:HG23	2:H:100(J):HIS:H	1.82	0.44
2:H:169:VAL:CG2	3:L:162:SER:HB2	2.48	0.44
1:E:557:SER:HB2	4:A:1:NAG:H82	2.00	0.44
3:L:32:SER:HB3	3:L:91:TYR:HB2	1.99	0.44
1:E:500:ARG:HE	1:E:533:GLU:HG2	1.80	0.44
2:H:136:ALA:HB3	2:H:184:VAL:HG23	1.98	0.44
3:L:133:VAL:HG22	3:L:178:THR:HG23	2.00	0.44
3:L:197:THR:HG23	3:L:204:PRO:HG3	2.00	0.44
1:E:512:SER:OG	1:E:638:HIS:HB3	2.18	0.44
2:H:101:ASP:HB3	2:H:102:PRO:HD3	2.00	0.43
2:H:169:VAL:HG11	3:L:160:GLN:HB3	2.00	0.43
2:H:100(N):PHE:O	2:H:103:TRP:NE1	2.51	0.43
3:L:61:ARG:HD2	3:L:77:ARG:O	2.18	0.43
2:H:95:ALA:O	2:H:100(L):ARG:HB3	2.17	0.43
2:H:75:THR:O	2:H:77:THR:N	2.51	0.43
2:H:92:CYS:O	2:H:104:GLY:N	2.33	0.43
2:H:6:GLN:HB2	2:H:105:GLN:HG2	2.01	0.43
3:L:31:ASN:O	3:L:50:GLY:HA2	2.19	0.43
1:E:628:LYS:HE3	1:E:628:LYS:HB2	1.80	0.42
3:L:30(A):SER:O	3:L:51:ALA:HB2	2.19	0.42
1:E:434:GLN:HB3	2:H:100:VAL:HG22	2.01	0.42
1:E:500:ARG:HE	1:E:533:GLU:HA	1.84	0.42
3:L:37:GLN:HG2	3:L:84:ALA:HB3	2.01	0.42
2:H:36:TRP:CE2	2:H:80:MET:HB2	2.55	0.42
2:H:209:LYS:HA	2:H:209:LYS:HD2	1.80	0.42
1:E:510:THR:HG22	1:E:550:PHE:CE1	2.55	0.42
2:H:140:CYS:HB2	2:H:154:TRP:CZ2	2.54	0.42
2:H:142:VAL:HB	2:H:178:LEU:HD23	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:11:LEU:O	3:L:105:GLU:N	2.50	0.42
2:H:166:PHE:HB3	3:L:162:SER:OG	2.20	0.42
2:H:10:GLU:O	2:H:109:VAL:HA	2.20	0.41
2:H:31:SER:CB	2:H:98:LEU:HB2	2.45	0.41
1:E:427:LEU:HD21	2:H:54:PHE:CZ	2.55	0.41
2:H:116:THR:HG23	2:H:147:PRO:HG3	2.03	0.41
1:E:427:LEU:HD13	1:E:529:TRP:HE3	1.84	0.41
2:H:100(K):LEU:HD12	3:L:96:SER:CB	2.49	0.41
3:L:186:TYR:O	3:L:192:TYR:OH	2.33	0.41
1:E:427:LEU:HD23	2:H:100(D):LEU:CD2	2.46	0.41
1:E:503:CYS:HB2	1:E:557:SER:HA	2.03	0.41
1:E:598:GLY:N	1:E:602:TRP:O	2.46	0.41
1:E:611:TYR:CZ	1:E:614:ARG:HA	2.55	0.41
2:H:58:ASN:C	2:H:59:LEU:HD23	2.45	0.41
3:L:49:TYR:O	3:L:53:ILE:HB	2.21	0.41
1:E:511:PRO:O	1:E:640:PHE:CE2	2.74	0.40
3:L:78:LEU:HD23	3:L:78:LEU:HA	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	140/189 (74%)	130 (93%)	7 (5%)	3 (2%)	5	25
2	H	219/234 (94%)	208 (95%)	10 (5%)	1 (0%)	24	55
3	L	203/212 (96%)	201 (99%)	2 (1%)	0	100	100
All	All	562/635 (88%)	539 (96%)	19 (3%)	4 (1%)	18	48

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	511	PRO
1	E	601	PRO
2	H	149	PRO
1	E	510	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	132/159 (83%)	131 (99%)	1 (1%)	73	78
2	H	183/193 (95%)	178 (97%)	5 (3%)	39	61
3	L	177/181 (98%)	177 (100%)	0	100	100
All	All	492/533 (92%)	486 (99%)	6 (1%)	63	74

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	443	TYR
2	H	6	GLN
2	H	30	ARG
2	H	39	GLN
2	H	140	CYS
2	H	148	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	645	ASN
2	H	6	GLN
2	H	58	ASN
2	H	100(M)	HIS
2	H	199	ASN
3	L	155	GLN
3	L	158	ASN
3	L	160	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	L	189	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1	4,1	14,14,15	0.53	0	17,19,21	0.43	0
4	NAG	A	2	4	14,14,15	0.33	0	17,19,21	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	A	2	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	2	NAG	O5-C5-C6-O6
4	A	2	NAG	C4-C5-C6-O6
4	A	1	NAG	O5-C5-C6-O6
4	A	1	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	E	150/189 (79%)	0.04	2 (1%) 75 56	59, 75, 99, 119	0
2	H	223/234 (95%)	0.23	4 (1%) 67 48	45, 73, 93, 116	0
3	L	207/212 (97%)	-0.09	3 (1%) 73 54	40, 58, 84, 104	0
All	All	580/635 (91%)	0.06	9 (1%) 70 52	40, 69, 94, 119	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	522	LEU	4.1
3	L	92	GLY	3.1
3	L	52	SER	2.8
2	H	100(C)	VAL	2.5
1	E	548	GLY	2.2
3	L	30	ALA	2.2
2	H	199	ASN	2.2
2	H	25	SER	2.2
2	H	211	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	1	14/15	-	-	83,95,105,116	0
4	NAG	A	2	14/15	-	-	107,119,126,134	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.