



wwPDB EM Validation Summary Report ⓘ

Mar 23, 2026 – 09:53 AM UTC

PDB ID : 7BKC / pdb_00007bkc
EMDB ID : EMD-12209
Title : Formate dehydrogenase - heterodisulfide reductase - formylmethanofuran dehydrogenase complex from Methanospirillum hungatei (dimeric, composite structure)
Authors : Pfeil-Gardiner, O.; Watanabe, T.; Shima, S.; Murphy, B.J.
Deposited on : 2021-01-15
Resolution : 3.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	671	
1	a	671	
2	F	140	
2	f	140	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	414	
3	e	414	
4	C	191	
4	c	191	
5	B	296	
5	b	296	
6	D	686	
6	d	686	
7	I	266	
7	i	266	
8	L	146	
8	l	146	
9	G	571	
9	g	571	
10	J	137	
10	j	137	
11	K	388	
11	M	388	
11	k	388	
11	m	388	
12	H	443	
12	h	443	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	SF4	A	703	-	-	X	-
13	SF4	a	703	-	-	X	-

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 64126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CoB–CoM heterodisulfide reductase iron-sulfur subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	662	Total	C	N	O	S	0	0
			5011	3168	851	935	57		
1	a	662	Total	C	N	O	S	0	0
			5011	3168	851	935	57		

- Molecule 2 is a protein called F420-non-reducing hydrogenase subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	F	137	Total	C	N	O	S	0	0
			1073	687	188	186	12		
2	f	137	Total	C	N	O	S	0	0
			1073	687	188	186	12		

- Molecule 3 is a protein called Formate dehydrogenase, beta subunit (F420).

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	411	Total	C	N	O	S	0	0
			3151	1985	542	589	35		
3	e	411	Total	C	N	O	S	0	0
			3151	1985	542	589	35		

- Molecule 4 is a protein called CoB–CoM heterodisulfide reductase subunit C.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	189	Total	C	N	O	S	0	0
			1498	936	271	278	13		
4	c	189	Total	C	N	O	S	0	0
			1498	936	271	278	13		

- Molecule 5 is a protein called CoB–CoM heterodisulfide reductase subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	296	Total	C	N	O	S	0	0
			2304	1470	387	426	21		
5	b	296	Total	C	N	O	S	0	0
			2304	1470	387	426	21		

- Molecule 6 is a protein called Formate dehydrogenase.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	D	549	Total	C	N	O	S	0	0
			4251	2691	737	795	28		
6	d	549	Total	C	N	O	S	0	0
			4251	2691	737	795	28		

- Molecule 7 is a protein called Formylmethanofuran dehydrogenase.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	264	Total	C	N	O	S	0	0
			1996	1270	336	380	10		
7	i	264	Total	C	N	O	S	0	0
			1996	1270	336	380	10		

- Molecule 8 is a protein called Formylmethanofuran dehydrogenase, subunit G.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	L	79	Total	C	N	O	S	0	0
			576	357	98	112	9		
8	l	79	Total	C	N	O	S	0	0
			576	357	98	112	9		

- Molecule 9 is a protein called Formylmethanofuran dehydrogenase, subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	G	568	Total	C	N	O	S	0	0
			4455	2840	751	841	23		
9	g	568	Total	C	N	O	S	0	0
			4455	2840	751	841	23		

- Molecule 10 is a protein called Formylmethanofuran dehydrogenase, subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	131	Total	C	N	O	S	0	0
			1007	629	179	190	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
10	j	131	Total	C	N	O	S	0	0
			1007	629	179	190	9		


- Molecule 11 is a protein called Formylmethanofuran dehydrogenase, subunit F.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	M	65	Total	C	N	O	S	0	0
			487	303	77	99	8		
11	K	321	Total	C	N	O	S	0	0
			2423	1512	411	472	28		
11	m	65	Total	C	N	O	S	0	0
			487	303	77	99	8		
11	k	321	Total	C	N	O	S	0	0
			2423	1512	411	472	28		

- Molecule 12 is a protein called Formylmethanofuran dehydrogenase, subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	438	Total	C	N	O	S	0	0
			3416	2155	600	629	32		
12	h	438	Total	C	N	O	S	0	0
			3416	2155	600	629	32		

- Molecule 13 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			AltConf
13	A	1	Total	Fe	S	0
			8	4	4	
13	A	1	Total	Fe	S	0
			8	4	4	
13	A	1	Total	Fe	S	0
			8	4	4	
13	A	1	Total	Fe	S	0
			8	4	4	
13	A	1	Total	Fe	S	0
			8	4	4	
13	E	1	Total	Fe	S	0
			8	4	4	
13	E	1	Total	Fe	S	0
			8	4	4	
13	E	1	Total	Fe	S	0
			8	4	4	
13	E	1	Total	Fe	S	0
			8	4	4	
13	C	1	Total	Fe	S	0
			8	4	4	
13	C	1	Total	Fe	S	0
			8	4	4	
13	D	1	Total	Fe	S	0
			8	4	4	
13	L	1	Total	Fe	S	0
			8	4	4	
13	L	1	Total	Fe	S	0
			8	4	4	
13	M	1	Total	Fe	S	0
			8	4	4	
13	M	1	Total	Fe	S	0
			8	4	4	
13	K	1	Total	Fe	S	0
			8	4	4	
13	K	1	Total	Fe	S	0
			8	4	4	
13	K	1	Total	Fe	S	0
			8	4	4	
13	K	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
13	K	1	Total 8	Fe 4	S 4	0
13	H	1	Total 8	Fe 4	S 4	0
13	a	1	Total 8	Fe 4	S 4	0
13	a	1	Total 8	Fe 4	S 4	0
13	a	1	Total 8	Fe 4	S 4	0
13	a	1	Total 8	Fe 4	S 4	0
13	a	1	Total 8	Fe 4	S 4	0
13	a	1	Total 8	Fe 4	S 4	0
13	e	1	Total 8	Fe 4	S 4	0
13	e	1	Total 8	Fe 4	S 4	0
13	e	1	Total 8	Fe 4	S 4	0
13	e	1	Total 8	Fe 4	S 4	0
13	c	1	Total 8	Fe 4	S 4	0
13	c	1	Total 8	Fe 4	S 4	0
13	d	1	Total 8	Fe 4	S 4	0
13	l	1	Total 8	Fe 4	S 4	0
13	l	1	Total 8	Fe 4	S 4	0
13	m	1	Total 8	Fe 4	S 4	0
13	m	1	Total 8	Fe 4	S 4	0
13	k	1	Total 8	Fe 4	S 4	0
13	k	1	Total 8	Fe 4	S 4	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
13	k	1	Total	Fe	S	0
			8	4	4	
13	k	1	Total	Fe	S	0
			8	4	4	
13	k	1	Total	Fe	S	0
			8	4	4	
13	k	1	Total	Fe	S	0
			8	4	4	
13	h	1	Total	Fe	S	0
			8	4	4	

- Molecule 14 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
14	A	1	Total	C	N	O	P	0
			53	27	9	15	2	
14	E	1	Total	C	N	O	P	0
			53	27	9	15	2	
14	a	1	Total	C	N	O	P	0
			53	27	9	15	2	
14	e	1	Total	C	N	O	P	0
			53	27	9	15	2	

- Molecule 15 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			AltConf
15	F	1	Total	Fe	S	0
			4	2	2	
15	f	1	Total	Fe	S	0
			4	2	2	

- Molecule 16 is Non-cubane [4Fe-4S]-cluster (CCD ID: 9S8) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
16	B	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
16	B	1	Total	Fe	S	0
			8	4	4	
16	b	1	Total	Fe	S	0
			8	4	4	
16	b	1	Total	Fe	S	0
			8	4	4	


- Molecule 17 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
17	G	2	Total	Zn	0
			2	2	
17	g	2	Total	Zn	0
			2	2	

- Molecule 18 is MOLYBDENUM ATOM (CCD ID: MO) (formula: Mo).

Mol	Chain	Residues	Atoms		AltConf
18	H	1	Total	Mo	0
			1	1	
18	h	1	Total	Mo	0
			1	1	

- Molecule 19 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (CCD ID: MGD) (formula: C₂₀H₂₆N₁₀O₁₃P₂S₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
19	H	1	Total 47	C 20	N 10	O 13	P 2	S 2	0
19	H	1	Total 47	C 20	N 10	O 13	P 2	S 2	0
19	h	1	Total 47	C 20	N 10	O 13	P 2	S 2	0
19	h	1	Total 47	C 20	N 10	O 13	P 2	S 2	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CoB–CoM heterodisulfide reductase iron-sulfur subunit A






• Molecule 1: CoB–CoM heterodisulfide reductase iron-sulfur subunit A









- Molecule 2: F420-non-reducing hydrogenase subunit D




- Molecule 2: F420-non-reducing hydrogenase subunit D




- Molecule 3: Formate dehydrogenase, beta subunit (F420)




- Molecule 3: Formate dehydrogenase, beta subunit (F420)









• Molecule 4: CoB–CoM heterodisulfide reductase subunit C




• Molecule 4: CoB–CoM heterodisulfide reductase subunit C





• Molecule 5: CoB–CoM heterodisulfide reductase subunit B




• Molecule 5: CoB–CoM heterodisulfide reductase subunit B









• Molecule 7: Formylmethanofuran dehydrogenase





• Molecule 7: Formylmethanofuran dehydrogenase








- Molecule 8: Formylmethanofuran dehydrogenase, subunit G




- Molecule 8: Formylmethanofuran dehydrogenase, subunit G




- Molecule 9: Formylmethanofuran dehydrogenase, subunit A






• Molecule 9: Formylmethanofuran dehydrogenase, subunit A




• Molecule 10: Formylmethanofuran dehydrogenase, subunit D







- Molecule 10: Formylmethanofuran dehydrogenase, subunit D




- Molecule 11: Formylmethanofuran dehydrogenase, subunit F




- Molecule 11: Formylmethanofuran dehydrogenase, subunit F




- Molecule 11: Formylmethanofuran dehydrogenase, subunit F




- Molecule 11: Formylmethanofuran dehydrogenase, subunit F







• Molecule 12: Formylmethanofuran dehydrogenase, subunit B



• Molecule 12: Formylmethanofuran dehydrogenase, subunit B





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	1239454	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	103.221	Depositor
Minimum map value	-64.149	Depositor
Average map value	-0.069	Depositor
Map value standard deviation	1.898	Depositor
Recommended contour level	10	Depositor
Map size (Å)	361.584, 361.584, 361.584	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.837, 0.837, 0.837	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FES, MO, KCX, MGD, SF4, 9S8, FAD, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/5115	0.64	3/6920 (0.0%)
1	a	0.47	0/5115	0.65	2/6920 (0.0%)
2	F	0.49	0/1096	0.64	1/1474 (0.1%)
2	f	0.49	0/1096	0.64	1/1474 (0.1%)
3	E	0.59	0/3208	0.74	1/4314 (0.0%)
3	e	0.59	0/3208	0.74	1/4314 (0.0%)
4	C	0.31	0/1529	0.41	0/2072
4	c	0.31	0/1529	0.41	0/2072
5	B	0.43	0/2355	0.62	2/3187 (0.1%)
5	b	0.43	0/2355	0.62	2/3187 (0.1%)
6	D	0.49	0/4345	0.70	7/5889 (0.1%)
6	d	0.50	0/4345	0.70	7/5889 (0.1%)
7	I	0.47	0/2029	0.73	1/2724 (0.0%)
7	i	0.47	0/2029	0.73	1/2724 (0.0%)
8	L	0.80	0/585	1.12	3/800 (0.4%)
8	l	0.80	0/585	1.12	3/800 (0.4%)
9	G	0.42	0/4549	0.65	10/6174 (0.2%)
9	g	0.42	0/4549	0.65	10/6174 (0.2%)
10	J	0.36	0/1023	0.57	0/1383
10	j	0.36	0/1023	0.57	0/1383
11	K	0.65	0/2455	0.88	4/3313 (0.1%)
11	M	0.67	0/495	1.17	2/669 (0.3%)
11	k	0.66	0/2455	0.88	4/3313 (0.1%)
11	m	0.67	0/495	1.17	2/669 (0.3%)
12	H	0.51	0/3497	0.68	1/4732 (0.0%)
12	h	0.51	0/3497	0.68	1/4732 (0.0%)
All	All	0.50	0/64562	0.70	69/87302 (0.1%)

There are no bond length outliers.

The worst 5 of 69 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	96	ILE	N-CA-C	-8.36	104.56	112.83
2	f	96	ILE	N-CA-C	-8.35	104.56	112.83
11	k	128	CYS	N-CA-C	8.14	120.23	111.36
11	K	128	CYS	N-CA-C	8.13	120.22	111.36
7	I	12	PRO	CB-CA-C	-7.77	102.02	111.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5011	0	4967	71	0
1	a	5011	0	4967	70	0
2	F	1073	0	1082	23	0
2	f	1073	0	1082	25	0
3	E	3151	0	3162	52	0
3	e	3151	0	3162	51	0
4	C	1498	0	1495	27	0
4	c	1498	0	1495	26	0
5	B	2304	0	2272	42	0
5	b	2304	0	2272	44	0
6	D	4251	0	4204	95	0
6	d	4251	0	4204	101	0
7	I	1996	0	2001	54	0
7	i	1996	0	2001	61	0
8	L	576	0	559	18	0
8	l	576	0	559	15	0
9	G	4455	0	4380	125	0
9	g	4455	0	4380	127	0
10	J	1007	0	1022	37	0
10	j	1007	0	1022	39	0
11	K	2423	0	2435	57	0
11	M	487	0	457	9	0
11	k	2423	0	2435	59	0
11	m	487	0	457	10	0
12	H	3416	0	3354	108	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	h	3416	0	3354	110	0
13	A	48	0	0	2	0
13	C	16	0	0	1	0
13	D	8	0	0	0	0
13	E	32	0	0	0	0
13	H	8	0	0	0	0
13	K	48	0	0	1	0
13	L	16	0	0	0	0
13	M	16	0	0	0	0
13	a	48	0	0	2	0
13	c	16	0	0	1	0
13	d	8	0	0	0	0
13	e	32	0	0	0	0
13	h	8	0	0	0	0
13	k	48	0	0	1	0
13	l	16	0	0	0	0
13	m	16	0	0	0	0
14	A	53	0	31	0	0
14	E	53	0	31	1	0
14	a	53	0	31	0	0
14	e	53	0	31	0	0
15	F	4	0	0	0	0
15	f	4	0	0	0	0
16	B	16	0	0	1	0
16	b	16	0	0	1	0
17	G	2	0	0	0	0
17	g	2	0	0	0	0
18	H	1	0	0	0	0
18	h	1	0	0	0	0
19	H	94	0	44	8	0
19	h	94	0	44	8	0
All	All	64126	0	62992	1323	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 1323 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:G:107:GLY:HA3	9:G:139:PRO:HD2	1.49	0.92
9:g:107:GLY:HA3	9:g:139:PRO:HD2	1.49	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:j:11:THR:HG21	19:h:503:MGD:H191	1.34	0.92
10:J:11:THR:HG21	19:H:503:MGD:H191	1.34	0.92
7:i:74:ARG:HG3	7:i:93:ASP:HB2	1.58	0.85

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	660/671 (98%)	626 (95%)	33 (5%)	1 (0%)	43	76
1	a	660/671 (98%)	627 (95%)	32 (5%)	1 (0%)	43	76
2	F	135/140 (96%)	126 (93%)	9 (7%)	0	100	100
2	f	135/140 (96%)	126 (93%)	9 (7%)	0	100	100
3	E	409/414 (99%)	389 (95%)	20 (5%)	0	100	100
3	e	409/414 (99%)	389 (95%)	20 (5%)	0	100	100
4	C	187/191 (98%)	179 (96%)	8 (4%)	0	100	100
4	c	187/191 (98%)	179 (96%)	8 (4%)	0	100	100
5	B	294/296 (99%)	279 (95%)	15 (5%)	0	100	100
5	b	294/296 (99%)	279 (95%)	15 (5%)	0	100	100
6	D	545/686 (79%)	506 (93%)	39 (7%)	0	100	100
6	d	545/686 (79%)	506 (93%)	39 (7%)	0	100	100
7	I	262/266 (98%)	226 (86%)	35 (13%)	1 (0%)	30	65
7	i	262/266 (98%)	226 (86%)	35 (13%)	1 (0%)	30	65
8	L	77/146 (53%)	72 (94%)	5 (6%)	0	100	100
8	l	77/146 (53%)	72 (94%)	5 (6%)	0	100	100
9	G	565/571 (99%)	514 (91%)	49 (9%)	2 (0%)	30	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	g	565/571 (99%)	514 (91%)	49 (9%)	2 (0%)	30	65
10	J	129/137 (94%)	118 (92%)	11 (8%)	0	100	100
10	j	129/137 (94%)	118 (92%)	11 (8%)	0	100	100
11	K	317/388 (82%)	276 (87%)	40 (13%)	1 (0%)	36	70
11	M	63/388 (16%)	55 (87%)	7 (11%)	1 (2%)	7	34
11	k	317/388 (82%)	276 (87%)	40 (13%)	1 (0%)	36	70
11	m	63/388 (16%)	55 (87%)	7 (11%)	1 (2%)	7	34
12	H	436/443 (98%)	390 (89%)	46 (11%)	0	100	100
12	h	436/443 (98%)	390 (89%)	46 (11%)	0	100	100
All	All	8158/9474 (86%)	7513 (92%)	633 (8%)	12 (0%)	49	80

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	G	276	HIS
9	g	276	HIS
1	A	446	ASP
11	K	42	ILE
1	a	446	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	536/543 (99%)	526 (98%)	10 (2%)	50	76
1	a	536/543 (99%)	524 (98%)	12 (2%)	45	74
2	F	112/114 (98%)	108 (96%)	4 (4%)	31	65
2	f	112/114 (98%)	108 (96%)	4 (4%)	31	65
3	E	338/341 (99%)	327 (97%)	11 (3%)	33	67
3	e	338/341 (99%)	327 (97%)	11 (3%)	33	67
4	C	168/170 (99%)	168 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	c	168/170 (99%)	168 (100%)	0	100	100
5	B	245/245 (100%)	239 (98%)	6 (2%)	43	73
5	b	245/245 (100%)	239 (98%)	6 (2%)	43	73
6	D	454/571 (80%)	438 (96%)	16 (4%)	32	65
6	d	454/571 (80%)	438 (96%)	16 (4%)	32	65
7	I	202/204 (99%)	187 (93%)	15 (7%)	13	42
7	i	202/204 (99%)	187 (93%)	15 (7%)	13	42
8	L	67/128 (52%)	59 (88%)	8 (12%)	5	22
8	l	67/128 (52%)	59 (88%)	8 (12%)	5	22
9	G	472/474 (100%)	463 (98%)	9 (2%)	50	76
9	g	472/474 (100%)	463 (98%)	9 (2%)	50	76
10	J	111/116 (96%)	110 (99%)	1 (1%)	70	85
10	j	111/116 (96%)	110 (99%)	1 (1%)	70	85
11	K	275/332 (83%)	260 (94%)	15 (6%)	19	53
11	M	55/332 (17%)	44 (80%)	11 (20%)	1	7
11	k	275/332 (83%)	260 (94%)	15 (6%)	19	53
11	m	55/332 (17%)	44 (80%)	11 (20%)	1	7
12	H	370/373 (99%)	360 (97%)	10 (3%)	39	71
12	h	370/373 (99%)	360 (97%)	10 (3%)	39	71
All	All	6810/7886 (86%)	6576 (97%)	234 (3%)	33	66

5 of 234 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	H	424	GLU
11	k	261	THR
5	b	160	MET
11	k	157	LYS
11	m	171	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 66 such sidechains are listed below:

Mol	Chain	Res	Type
9	g	545	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	j	73	GLN
12	h	386	HIS
9	G	274	ASN
9	G	273	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	KCX	g	184	17,9	10,11,12	0.36	0	6,12,14	0.45	0
9	KCX	G	184	17,9	10,11,12	0.36	0	6,12,14	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	KCX	g	184	17,9	-	3/9/10/12	-
9	KCX	G	184	17,9	-	3/9/10/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 6 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	G	184	KCX	OQ1-CX-NZ-CE
9	g	184	KCX	OQ1-CX-NZ-CE
9	G	184	KCX	OQ2-CX-NZ-CE
9	g	184	KCX	OQ2-CX-NZ-CE
9	G	184	KCX	N-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	g	184	KCX	1	0
9	G	184	KCX	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 68 ligands modelled in this entry, 6 are monoatomic - leaving 62 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
13	SF4	A	706	1	0,12,12	-	-	-		
13	SF4	C	201	4	0,12,12	-	-	-		
16	9S8	B	302	5	4,10,10	6.77	2 (50%)	-		
16	9S8	b	302	5	4,10,10	6.79	2 (50%)	-		
19	MGD	h	503	18	47,52,52	4.89	29 (61%)	58,81,81	2.02	16 (27%)
13	SF4	a	706	1	0,12,12	-	-	-		
14	FAD	E	505	-	58,58,58	1.19	3 (5%)	85,89,89	0.43	0
13	SF4	M	402	11	0,12,12	-	-	-		
13	SF4	e	502	3	0,12,12	-	-	-		
13	SF4	E	504	3	0,12,12	-	-	-		
13	SF4	a	705	1	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	SF4	D	701	6	0,12,12	-	-	-		
13	SF4	h	504	12	0,12,12	-	-	-		
13	SF4	L	202	8	0,12,12	-	-	-		
15	FES	F	201	2	0,4,4	-	-	-		
13	SF4	A	703	1	0,12,12	-	-	-		
13	SF4	A	705	1	0,12,12	-	-	-		
13	SF4	k	401	11	0,12,12	-	-	-		
13	SF4	E	501	3	0,12,12	-	-	-		
13	SF4	k	403	11	0,12,12	-	-	-		
15	FES	f	201	2	0,4,4	-	-	-		
13	SF4	K	404	11	0,12,12	-	-	-		
13	SF4	k	404	11	0,12,12	-	-	-		
14	FAD	a	702	-	58,58,58	0.84	3 (5%)	85,89,89	0.44	0
13	SF4	M	401	11	0,12,12	-	-	-		
13	SF4	k	406	11	0,12,12	-	-	-		
14	FAD	e	505	-	58,58,58	1.19	3 (5%)	85,89,89	0.43	0
13	SF4	e	503	3	0,12,12	-	-	-		
13	SF4	d	701	6	0,12,12	-	-	-		
16	9S8	b	301	5	4,10,10	6.83	2 (50%)	-		
19	MGD	H	502	18	47,52,52	4.84	27 (57%)	58,81,81	2.10	15 (25%)
13	SF4	e	504	3	0,12,12	-	-	-		
13	SF4	e	501	3	0,12,12	-	-	-		
13	SF4	c	201	4	0,12,12	-	-	-		
13	SF4	K	405	11	0,12,12	-	-	-		
13	SF4	K	403	11	0,12,12	-	-	-		
13	SF4	K	402	11	0,12,12	-	-	-		
16	9S8	B	301	5	4,10,10	6.85	2 (50%)	-		
13	SF4	K	406	11	0,12,12	-	-	-		
13	SF4	l	201	8	0,12,12	-	-	-		
13	SF4	l	202	8	0,12,12	-	-	-		
13	SF4	A	707	1	0,12,12	-	-	-		
13	SF4	E	502	3	0,12,12	-	-	-		
13	SF4	H	504	12	0,12,12	-	-	-		
19	MGD	H	503	18	47,52,52	4.89	29 (61%)	58,81,81	2.02	17 (29%)
13	SF4	a	704	1	0,12,12	-	-	-		
13	SF4	c	202	4	0,12,12	-	-	-		
13	SF4	a	707	1	0,12,12	-	-	-		
13	SF4	K	401	11	0,12,12	-	-	-		
13	SF4	a	703	1	0,12,12	-	-	-		
13	SF4	m	401	11	0,12,12	-	-	-		
14	FAD	A	702	-	58,58,58	0.84	3 (5%)	85,89,89	0.44	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	SF4	L	201	8	0,12,12	-	-	-		
13	SF4	C	202	4	0,12,12	-	-	-		
19	MGD	h	502	18	47,52,52	4.83	27 (57%)	58,81,81	2.10	15 (25%)
13	SF4	E	503	3	0,12,12	-	-	-		
13	SF4	k	405	11	0,12,12	-	-	-		
13	SF4	A	704	1	0,12,12	-	-	-		
13	SF4	A	701	1	0,12,12	-	-	-		
13	SF4	a	701	1	0,12,12	-	-	-		
13	SF4	k	402	11	0,12,12	-	-	-		
13	SF4	m	402	11	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	SF4	A	706	1	-	-	0/6/5/5
13	SF4	C	201	4	-	-	0/6/5/5
16	9S8	B	302	5	-	-	0/3/3/3
16	9S8	b	302	5	-	-	0/3/3/3
19	MGD	h	503	18	-	8/22/66/66	0/6/6/6
13	SF4	a	706	1	-	-	0/6/5/5
14	FAD	E	505	-	-	13/34/50/50	0/6/6/6
13	SF4	M	402	11	-	-	0/6/5/5
13	SF4	e	502	3	-	-	0/6/5/5
13	SF4	E	504	3	-	-	0/6/5/5
13	SF4	a	705	1	-	-	0/6/5/5
13	SF4	D	701	6	-	-	0/6/5/5
13	SF4	h	504	12	-	-	0/6/5/5
13	SF4	L	202	8	-	-	0/6/5/5
15	FES	F	201	2	-	-	0/1/1/1
13	SF4	A	703	1	-	-	0/6/5/5
13	SF4	A	705	1	-	-	0/6/5/5
13	SF4	k	401	11	-	-	0/6/5/5
13	SF4	E	501	3	-	-	0/6/5/5
13	SF4	k	403	11	-	-	0/6/5/5
15	FES	f	201	2	-	-	0/1/1/1
13	SF4	K	404	11	-	-	0/6/5/5
13	SF4	k	404	11	-	-	0/6/5/5
14	FAD	a	702	-	-	1/34/50/50	0/6/6/6
13	SF4	M	401	11	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	MGD	H	502	18	-	8/22/66/66	0/6/6/6
14	FAD	e	505	-	-	13/34/50/50	0/6/6/6
13	SF4	e	503	3	-	-	0/6/5/5
13	SF4	d	701	6	-	-	0/6/5/5
13	SF4	k	406	11	-	-	0/6/5/5
16	9S8	b	301	5	-	-	0/3/3/3
13	SF4	e	504	3	-	-	0/6/5/5
13	SF4	e	501	3	-	-	0/6/5/5
13	SF4	c	201	4	-	-	0/6/5/5
13	SF4	K	405	11	-	-	0/6/5/5
13	SF4	K	403	11	-	-	0/6/5/5
13	SF4	K	402	11	-	-	0/6/5/5
16	9S8	B	301	5	-	-	0/3/3/3
13	SF4	K	406	11	-	-	0/6/5/5
13	SF4	l	201	8	-	-	0/6/5/5
13	SF4	l	202	8	-	-	0/6/5/5
13	SF4	A	707	1	-	-	0/6/5/5
13	SF4	E	502	3	-	-	0/6/5/5
13	SF4	H	504	12	-	-	0/6/5/5
19	MGD	H	503	18	-	8/22/66/66	0/6/6/6
13	SF4	a	704	1	-	-	0/6/5/5
13	SF4	c	202	4	-	-	0/6/5/5
13	SF4	a	707	1	-	-	0/6/5/5
13	SF4	K	401	11	-	-	0/6/5/5
13	SF4	a	703	1	-	-	0/6/5/5
13	SF4	m	401	11	-	-	0/6/5/5
14	FAD	A	702	-	-	1/34/50/50	0/6/6/6
13	SF4	L	201	8	-	-	0/6/5/5
19	MGD	h	502	18	-	8/22/66/66	0/6/6/6
13	SF4	C	202	4	-	-	0/6/5/5
13	SF4	E	503	3	-	-	0/6/5/5
13	SF4	k	405	11	-	-	0/6/5/5
13	SF4	A	704	1	-	-	0/6/5/5
13	SF4	A	701	1	-	-	0/6/5/5
13	SF4	a	701	1	-	-	0/6/5/5
13	SF4	k	402	11	-	-	0/6/5/5
13	SF4	m	402	11	-	-	0/6/5/5

The worst 5 of 132 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	h	503	MGD	C16-C21	12.90	1.60	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	H	503	MGD	C16-C21	12.84	1.60	1.38
19	H	502	MGD	C16-C21	12.25	1.59	1.38
19	h	502	MGD	C16-C21	12.24	1.59	1.38
19	H	503	MGD	C14-N15	11.02	1.58	1.46

The worst 5 of 63 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	h	502	MGD	O11-C23-N22	-6.39	102.81	108.61
19	H	502	MGD	O11-C23-N22	-6.38	102.81	108.61
19	H	503	MGD	C23-C14-N15	5.79	113.56	107.87
19	h	503	MGD	C23-C14-N15	5.79	113.55	107.87
19	H	503	MGD	C5-C4-N3	-5.38	119.82	128.39

There are no chirality outliers.

5 of 60 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
14	E	505	FAD	C5B-O5B-PA-O1A
14	E	505	FAD	C5B-O5B-PA-O3P
14	E	505	FAD	C1'-C2'-C3'-O3'
14	E	505	FAD	C1'-C2'-C3'-C4'
14	E	505	FAD	O2'-C2'-C3'-O3'


There are no ring outliers.


13 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	C	201	SF4	1	0
16	B	302	9S8	1	0
16	b	302	9S8	1	0
19	h	503	MGD	2	0
14	E	505	FAD	1	0
13	A	703	SF4	2	0
19	H	502	MGD	6	0
13	c	201	SF4	1	0
13	K	405	SF4	1	0
19	H	503	MGD	2	0
13	a	703	SF4	2	0
19	h	502	MGD	6	0
13	k	405	SF4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12209. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 216



Y Index: 216




Z Index: 216


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 235



Y Index: 202




Z Index: 248


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 10.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 229 nm³; this corresponds to an approximate mass of 207 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12209 and PDB model 7BKC. Per-residue inclusion information can be found in section 3 on page 14.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 10.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (10).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (10) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7070	 0.5690
A	 0.8180	 0.6480
B	 0.7460	 0.6300
C	 0.7510	 0.6450
D	 0.6950	 0.5610
E	 0.8240	 0.6040
F	 0.8430	 0.6230
G	 0.5790	 0.4970
H	 0.6910	 0.5390
I	 0.5380	 0.4860
J	 0.6330	 0.5310
K	 0.6600	 0.5200
L	 0.7420	 0.5590
M	 0.5990	 0.4860
a	 0.8190	 0.6460
b	 0.7440	 0.6310
c	 0.7470	 0.6420
d	 0.6930	 0.5600
e	 0.8230	 0.6050
f	 0.8460	 0.6210
g	 0.5740	 0.4980
h	 0.6960	 0.5410
i	 0.5370	 0.4850
j	 0.6340	 0.5310
k	 0.6620	 0.5200
l	 0.7470	 0.5630
m	 0.6050	 0.4880

