



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 05:57 PM UTC

PDB ID : 4BL8 / pdb_00004bl8
Title : Crystal structure of full-length human Suppressor of fused (SUFU)
Authors : Karlstrom, M.; Finta, C.; Cherry, A.L.; Toftgard, R.; Jovine, L.
Deposited on : 2013-05-02
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3685 (3.08-3.00)
Clashscore	190562	4007 (3.08-3.00)
Ramachandran outliers	187476	3834 (3.08-3.00)
Sidechain outliers	187428	3836 (3.08-3.00)
RSRZ outliers	180081	3684 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	831	
1	B	831	
2	C	2	
2	D	2	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 11495 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MALTOSE-BINDING PERIPLASMIC PROTEIN, SUPPRESSOR OF FUSED HOMOLOG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	727	Total	C	N	O	S	0	0	0
			5694	3651	946	1079	18			
1	B	734	Total	C	N	O	S	0	0	0
			5755	3689	954	1093	19			

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP P0AEX9
A	3	THR	ILE	engineered mutation	UNP P0AEX9
A	360	ALA	GLU	engineered mutation	UNP P0AEX9
A	363	ALA	LYS	engineered mutation	UNP P0AEX9
A	364	ALA	ASP	engineered mutation	UNP P0AEX9
A	368	ASN	ARG	engineered mutation	UNP P0AEX9
A	369	ALA	-	linker	UNP P0AEX9
A	370	ALA	-	linker	UNP P0AEX9
A	371	ALA	-	linker	UNP P0AEX9
A	824	VAL	-	expression tag	UNP Q9UMX1
A	825	GLU	-	expression tag	UNP Q9UMX1
A	826	HIS	-	expression tag	UNP Q9UMX1
A	827	HIS	-	expression tag	UNP Q9UMX1
A	828	HIS	-	expression tag	UNP Q9UMX1
A	829	HIS	-	expression tag	UNP Q9UMX1
A	830	HIS	-	expression tag	UNP Q9UMX1
A	831	HIS	-	expression tag	UNP Q9UMX1
B	1	MET	-	expression tag	UNP P0AEX9
B	3	THR	ILE	engineered mutation	UNP P0AEX9
B	360	ALA	GLU	engineered mutation	UNP P0AEX9
B	363	ALA	LYS	engineered mutation	UNP P0AEX9
B	364	ALA	ASP	engineered mutation	UNP P0AEX9
B	368	ASN	ARG	engineered mutation	UNP P0AEX9
B	369	ALA	-	linker	UNP P0AEX9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	370	ALA	-	linker	UNP P0AEX9
B	371	ALA	-	linker	UNP P0AEX9
B	824	VAL	-	expression tag	UNP Q9UMX1
B	825	GLU	-	expression tag	UNP Q9UMX1
B	826	HIS	-	expression tag	UNP Q9UMX1
B	827	HIS	-	expression tag	UNP Q9UMX1
B	828	HIS	-	expression tag	UNP Q9UMX1
B	829	HIS	-	expression tag	UNP Q9UMX1
B	830	HIS	-	expression tag	UNP Q9UMX1
B	831	HIS	-	expression tag	UNP Q9UMX1

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	2	Total	C	O	0	0	0
			23	12	11			
2	D	2	Total	C	O	0	0	0
			23	12	11			


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MALTOSE-BINDING PERIPLASMIC PROTEIN, SUPPRESSOR OF FUSED HOMOLOG



• Molecule 1: MALTOSE-BINDING PERIPLASMIC PROTEIN, SUPPRESSOR OF FUSED HOMOLOG






- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	97.32Å 99.55Å 192.94Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.67 – 3.04 48.67 – 3.04	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.67-3.04) 99.9 (48.67-3.04)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 3.07Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.200 , 0.246 0.201 , 0.246	Depositor DCC
R_{free} test set	2198 reflections (5.98%)	wwPDB-VP
Wilson B-factor (Å ²)	90.1	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 60.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.024 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11495	wwPDB-VP
Average B, all atoms (Å ²)	105.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/5845	0.75	1/7949 (0.0%)
1	B	0.44	0/5907	0.74	3/8031 (0.0%)
All	All	0.45	0/11752	0.75	4/15980 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	6
All	All	0	9

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	378	TYR	N-CA-C	-5.87	104.88	111.28
1	A	761	GLU	N-CA-C	-5.82	104.89	112.23
1	B	761	GLU	N-CA-C	-5.82	104.90	112.23
1	B	817	VAL	N-CA-C	5.46	115.59	110.30

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	767	HIS	Peptide
1	A	768	GLY	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	806	GLU	Peptide
1	B	370	ALA	Peptide
1	B	492	GLU	Peptide
1	B	767	HIS	Peptide
1	B	768	GLY	Peptide
1	B	806	GLU	Peptide
1	B	818	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5694	0	5558	71	0
1	B	5755	0	5615	101	0
2	C	23	0	21	0	0
2	D	23	0	21	0	0
All	All	11495	0	11215	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:759:THR:O	1:A:760:GLU:HB3	1.80	0.79
1:A:374:LEU:HD21	1:A:378:TYR:CE2	2.17	0.78
1:B:759:THR:O	1:B:760:GLU:HB3	1.82	0.78
1:A:818:VAL:HG12	1:A:818:VAL:O	1.90	0.70
1:B:376:ALA:HB1	1:B:528:VAL:HG11	1.73	0.68
1:B:50:GLN:HG2	1:B:383:ARG:HG3	1.75	0.68
1:A:11:TRP:CE2	1:A:58:PRO:HG3	2.29	0.66
1:B:739:SER:O	1:B:740:ILE:HG12	1.95	0.66
1:B:819:PHE:O	1:B:820:ASP:C	2.39	0.66
1:B:122:LEU:HD21	1:B:145:LYS:HE2	1.78	0.65
1:B:486:ARG:O	1:B:490:GLN:HG2	1.95	0.65
1:A:610:SER:HB3	1:A:740:ILE:HG21	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:817:VAL:HG23	1:B:818:VAL:HG23	1.81	0.63
1:A:739:SER:O	1:A:740:ILE:HG12	1.98	0.62
1:B:50:GLN:HG2	1:B:383:ARG:HA	1.82	0.62
1:A:611:ALA:HB1	1:A:717:SER:HB3	1.82	0.61
1:B:11:TRP:CD2	1:B:58:PRO:HG3	2.36	0.61
1:A:11:TRP:CD2	1:A:58:PRO:HG3	2.36	0.60
1:B:610:SER:HB3	1:B:740:ILE:HG21	1.82	0.60
1:A:814:LEU:N	1:A:815:PRO:CD	2.65	0.59
1:B:611:ALA:HB1	1:B:717:SER:HB3	1.84	0.59
1:B:796:PHE:CG	1:B:796:PHE:O	2.55	0.59
1:B:69:GLY:HA3	1:B:333:ASN:O	2.03	0.58
1:A:725:LEU:HD23	1:A:729:LEU:HD12	1.84	0.58
1:B:814:LEU:N	1:B:815:PRO:CD	2.67	0.58
1:A:807:LYS:HG2	1:A:808:LYS:N	2.20	0.57
1:A:818:VAL:O	1:A:818:VAL:CG1	2.52	0.57
1:A:430:TYR:O	1:A:461:THR:HA	2.05	0.56
1:B:122:LEU:HD21	1:B:145:LYS:CE	2.36	0.56
1:B:807:LYS:HG2	1:B:808:LYS:N	2.21	0.55
1:B:11:TRP:CE2	1:B:58:PRO:HG3	2.41	0.55
1:A:259:PHE:CD1	1:A:331:MET:HG2	2.42	0.55
1:A:814:LEU:HD12	1:A:817:VAL:CG2	2.37	0.55
1:A:69:GLY:HA3	1:A:333:ASN:O	2.07	0.55
1:B:725:LEU:HD23	1:B:729:LEU:HD12	1.87	0.54
1:A:612:LYS:HB2	1:A:714:ASN:HB2	1.90	0.53
1:B:44:LEU:C	1:B:44:LEU:HD12	2.33	0.53
1:B:779:PHE:CZ	1:B:783:MET:HE2	2.44	0.53
1:B:612:LYS:HB2	1:B:714:ASN:HB2	1.89	0.53
1:A:516:HIS:ND1	1:A:548:LEU:HD22	2.24	0.53
1:B:90:LEU:HD23	1:B:305:LEU:HA	1.91	0.53
1:B:339:ALA:HB2	1:B:375:HIS:CE1	2.43	0.53
1:B:430:TYR:O	1:B:461:THR:HA	2.09	0.53
1:A:606:LEU:O	1:A:728:ARG:HD2	2.09	0.52
1:A:44:LEU:C	1:A:44:LEU:HD12	2.34	0.52
1:A:308:TYR:CE2	1:A:312:LEU:HD11	2.45	0.52
1:A:376:ALA:HB1	1:A:528:VAL:HG11	1.91	0.52
1:B:805:PRO:HG2	1:B:806:GLU:OE1	2.09	0.52
1:A:729:LEU:HD11	1:A:748:PHE:HB3	1.90	0.51
1:B:606:LEU:O	1:B:728:ARG:HD2	2.10	0.51
1:A:374:LEU:C	1:A:374:LEU:HD23	2.35	0.51
1:A:516:HIS:CG	1:A:548:LEU:HD22	2.46	0.51
1:B:159:TRP:N	1:B:160:PRO:CD	2.74	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:804:TRP:HB3	1:B:805:PRO:HD2	1.92	0.51
1:B:819:PHE:CD1	1:B:820:ASP:N	2.78	0.51
1:A:804:TRP:HB3	1:A:805:PRO:HD2	1.93	0.51
1:B:797:LYS:O	1:B:800:LYS:HG3	2.10	0.51
1:B:814:LEU:HD21	1:B:818:VAL:HG21	1.93	0.51
1:B:11:TRP:CG	1:B:58:PRO:HG3	2.46	0.51
1:B:774:LEU:HD23	1:B:774:LEU:C	2.36	0.50
1:B:703:THR:HG22	1:B:703:THR:O	2.12	0.50
1:A:467:GLU:OE1	1:A:579:ARG:NH1	2.45	0.50
1:A:614:ALA:HB1	1:A:744:MET:SD	2.52	0.50
1:B:259:PHE:CD1	1:B:331:MET:HG2	2.46	0.50
1:A:602:ASP:O	1:B:84:LYS:HE3	2.12	0.49
1:B:47:LYS:HA	1:B:50:GLN:OE1	2.12	0.49
1:B:373:GLY:O	1:B:377:ILE:HD12	2.13	0.49
1:A:11:TRP:CD2	1:A:58:PRO:CG	2.95	0.49
1:A:807:LYS:CG	1:A:808:LYS:N	2.75	0.49
1:B:476:TRP:N	1:B:477:PRO:CD	2.75	0.49
1:A:159:TRP:N	1:A:160:PRO:CD	2.76	0.49
1:A:703:THR:HG22	1:A:703:THR:O	2.13	0.49
1:A:516:HIS:C	1:A:517:MET:HG3	2.38	0.49
1:B:807:LYS:CG	1:B:808:LYS:N	2.76	0.49
1:B:413:MET:HG2	1:B:430:TYR:CD2	2.48	0.48
1:B:610:SER:HB3	1:B:740:ILE:CG2	2.42	0.48
1:A:439:TYR:CD2	1:A:443:ARG:HD2	2.48	0.48
1:A:610:SER:HB3	1:A:740:ILE:CG2	2.43	0.48
1:A:774:LEU:C	1:A:774:LEU:HD23	2.39	0.48
1:A:798:LEU:HD13	1:A:813:ILE:HG12	1.94	0.48
1:B:308:TYR:CE2	1:B:312:LEU:HD11	2.48	0.48
1:B:764:TYR:OH	1:B:806:GLU:HB3	2.14	0.48
1:B:798:LEU:HD13	1:B:813:ILE:HG12	1.96	0.48
1:B:11:TRP:CD2	1:B:58:PRO:CG	2.96	0.48
1:B:50:GLN:HG2	1:B:383:ARG:CG	2.44	0.48
1:B:729:LEU:HD11	1:B:748:PHE:HB3	1.96	0.48
1:B:761:GLU:HG2	1:B:762:HIS:CE1	2.49	0.47
1:A:152:LEU:HD11	1:A:205:MET:HE3	1.96	0.47
1:B:400:TYR:CG	1:B:407:PRO:HA	2.50	0.47
1:A:476:TRP:N	1:A:477:PRO:CD	2.78	0.47
1:A:32:THR:HG22	1:A:34:ILE:HD13	1.97	0.47
1:B:90:LEU:HA	1:B:304:ALA:O	2.16	0.46
1:B:516:HIS:CG	1:B:548:LEU:HD22	2.51	0.46
1:B:522:ASP:OD1	1:B:523:PRO:HD2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:443:ARG:HG3	1:B:444:VAL:HG23	1.97	0.46
1:B:614:ALA:HB1	1:B:744:MET:SD	2.55	0.46
1:A:456:PHE:HD1	1:A:494:THR:HG22	1.80	0.46
1:B:90:LEU:HD12	1:B:95:TRP:CZ2	2.50	0.46
1:B:530:THR:HG22	1:B:532:PHE:H	1.81	0.46
1:A:306:LYS:O	1:A:310:GLU:HG3	2.16	0.46
1:A:520:THR:HG21	1:A:574:LEU:HD13	1.99	0.45
1:B:50:GLN:HA	1:B:383:ARG:HG3	1.99	0.45
1:B:430:TYR:CZ	1:B:477:PRO:HG2	2.51	0.45
1:A:11:TRP:CD1	1:A:58:PRO:HG3	2.52	0.45
1:A:555:ASN:OD1	1:A:558:GLY:N	2.44	0.45
1:A:721:ILE:HB	1:A:722:PRO:HD3	1.99	0.44
1:A:797:LYS:O	1:A:800:LYS:HG3	2.17	0.44
1:B:122:LEU:HD21	1:B:145:LYS:CD	2.47	0.44
1:A:413:MET:HG2	1:A:430:TYR:CD2	2.52	0.44
1:A:11:TRP:CG	1:A:58:PRO:HG3	2.52	0.44
1:B:520:THR:HG21	1:B:574:LEU:HD13	1.98	0.44
1:A:374:LEU:HD21	1:A:378:TYR:CD2	2.52	0.44
1:B:516:HIS:ND1	1:B:548:LEU:HD22	2.32	0.44
1:A:400:TYR:CG	1:A:407:PRO:HA	2.52	0.44
1:B:408:LEU:HD13	1:B:432:SER:HB2	2.00	0.44
1:A:779:PHE:CZ	1:A:783:MET:HE2	2.53	0.43
1:B:817:VAL:HG23	1:B:818:VAL:N	2.33	0.43
1:B:152:LEU:HD11	1:B:205:MET:HE3	1.99	0.43
1:B:779:PHE:CE2	1:B:783:MET:CE	3.02	0.43
1:A:129:THR:OG1	1:A:132:GLU:HG3	2.19	0.43
1:A:443:ARG:HG3	1:A:444:VAL:HG23	1.99	0.43
1:A:814:LEU:O	1:A:815:PRO:C	2.61	0.43
1:B:748:PHE:CE2	1:B:773:ILE:HD11	2.54	0.43
1:B:32:THR:HG22	1:B:34:ILE:HD13	2.01	0.43
1:B:814:LEU:O	1:B:816:ASP:N	2.51	0.43
1:B:377:ILE:CG2	1:B:433:PHE:CE2	3.01	0.43
1:A:408:LEU:HD13	1:A:432:SER:HB2	2.01	0.43
1:B:516:HIS:C	1:B:517:MET:HG3	2.44	0.43
1:A:524:GLN:NE2	1:A:573:TRP:CH2	2.87	0.42
1:A:748:PHE:CE2	1:A:773:ILE:HD11	2.54	0.42
1:B:372:PRO:HG2	1:B:532:PHE:CZ	2.54	0.42
1:B:814:LEU:H	1:B:815:PRO:HD3	1.85	0.42
1:A:764:TYR:OH	1:A:806:GLU:HB3	2.18	0.42
1:B:90:LEU:CD2	1:B:305:LEU:HA	2.49	0.42
1:B:122:LEU:CD2	1:B:145:LYS:CD	2.98	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:356:GLN:NE2	1:B:361:ALA:HA	2.34	0.42
1:A:131:GLU:O	1:A:134:PRO:HD2	2.19	0.42
1:A:435:LEU:HD13	1:A:458:PHE:CE1	2.54	0.42
1:B:185:ASP:HB2	1:B:366:GLN:HB2	2.01	0.42
1:B:713:PHE:CD2	1:B:809:LEU:HD11	2.55	0.42
1:A:739:SER:C	1:A:741:THR:H	2.27	0.42
1:B:609:VAL:HG22	1:B:610:SER:N	2.35	0.42
1:A:159:TRP:CD1	1:A:259:PHE:CD2	3.08	0.41
1:A:181:ASP:OD1	1:A:181:ASP:C	2.62	0.41
1:B:251:PHE:CE2	1:B:252:LYS:HG3	2.55	0.41
1:B:435:LEU:HD13	1:B:458:PHE:CE1	2.55	0.41
1:B:171:LYS:HA	1:B:171:LYS:HD3	1.66	0.41
1:B:495:PHE:O	1:B:538:LEU:HD11	2.20	0.41
1:B:11:TRP:CD1	1:B:58:PRO:HG3	2.55	0.41
1:A:356:GLN:NE2	1:A:361:ALA:HA	2.35	0.41
1:A:392:LEU:HD23	1:A:473:PRO:HG2	2.02	0.41
1:B:278:LYS:HE3	1:B:282:GLU:OE2	2.21	0.41
1:A:98:VAL:HG21	1:A:108:PRO:HD3	2.03	0.41
1:A:185:ASP:HB2	1:A:366:GLN:HB2	2.03	0.41
1:B:159:TRP:CD1	1:B:259:PHE:CD2	3.09	0.41
1:B:400:TYR:HB2	1:B:407:PRO:HA	2.03	0.41
1:B:476:TRP:CG	1:B:477:PRO:HD3	2.55	0.41
1:B:814:LEU:CD1	1:B:817:VAL:CG2	2.99	0.41
1:B:818:VAL:O	1:B:818:VAL:HG12	2.21	0.41
1:B:372:PRO:HB2	1:B:531:PRO:HG2	2.03	0.41
1:B:739:SER:C	1:B:741:THR:H	2.28	0.40
1:B:814:LEU:N	1:B:815:PRO:HD3	2.36	0.40
1:B:814:LEU:O	1:B:815:PRO:C	2.63	0.40
1:A:118:TYR:CE2	1:A:126:PRO:HD3	2.55	0.40
1:A:472:ALA:HB1	1:A:473:PRO:HD2	2.04	0.40
1:B:553:GLN:O	1:B:604:SER:HA	2.21	0.40
1:B:779:PHE:CZ	1:B:783:MET:CE	3.04	0.40
1:B:129:THR:OG1	1:B:132:GLU:HG3	2.21	0.40
1:B:165:ASP:HB3	1:B:188:GLY:CA	2.51	0.40
1:B:498:GLY:O	1:B:556:GLY:HA3	2.21	0.40
1:B:374:LEU:C	1:B:374:LEU:HD23	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	721/831 (87%)	700 (97%)	20 (3%)	1 (0%)	48	78
1	B	728/831 (88%)	708 (97%)	18 (2%)	2 (0%)	36	67
All	All	1449/1662 (87%)	1408 (97%)	38 (3%)	3 (0%)	43	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	740	ILE
1	B	740	ILE
1	B	819	PHE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	601/698 (86%)	600 (100%)	1 (0%)	87	90
1	B	608/698 (87%)	605 (100%)	3 (0%)	81	86
All	All	1209/1396 (87%)	1205 (100%)	4 (0%)	86	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	329	GLU
1	B	171	LYS
1	B	382	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	491	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	GLN
1	A	375	HIS
1	A	529	GLN
1	A	715	GLN
1	A	767	HIS
1	B	73	GLN
1	B	390	ASN
1	B	767	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	C	1	2	12,12,12	0.55	0	17,17,17	0.61	0
2	GLC	C	2	2	11,11,12	0.62	0	15,15,17	0.85	1 (6%)
2	GLC	D	1	2	12,12,12	0.50	0	17,17,17	0.63	0
2	GLC	D	2	2	11,11,12	0.67	0	15,15,17	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	-	0/2/22/22	0/1/1/1
2	GLC	C	2	2	-	0/2/19/22	0/1/1/1
2	GLC	D	1	2	-	0/2/22/22	0/1/1/1
2	GLC	D	2	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	GLC	C2-C3-C4	-2.00	107.34	110.86


There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	727/831 (87%)	-0.50	2 (0%) 90 79	46, 80, 135, 201	0
1	B	734/831 (88%)	-0.16	6 (0%) 82 63	67, 118, 189, 248	0
All	All	1461/1662 (87%)	-0.33	8 (0%) 87 72	46, 99, 174, 248	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	813	ILE	2.5
1	B	33	GLY	2.3
1	B	325	ALA	2.2
1	B	351	ALA	2.1
1	B	157	PHE	2.1
1	B	32	THR	2.1
1	B	321	THR	2.1
1	A	805	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	C	1	12/12	0.90	0.11	45,59,66,73	0

Continued on next page...



Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	D	2	11/12	0.92	0.07	75,80,86,86	0
2	GLC	D	1	12/12	0.95	0.07	81,90,95,97	0
2	GLC	C	2	11/12	0.98	0.05	48,61,64,65	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.