



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:37 AM UTC

PDB ID : 8BLT / pdb_00008blt
Title : Structure of Lactobacillus salivarius (Ls) bile salt hydrolase(BSH) in complex with taurocholate (TCA)
Authors : Karlov, D.S.; Long, S.L.; Zeng, X.; Xu, F.; Lal, K.; Cao, L.; Hayoun, K.; Lin, J.; Joyce, S.A.; Tikhonova, I.G.
Deposited on : 2022-11-10
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	% 89%8% ..
1	B	325	% 92%6% ..
1	C	325	% 92%6% ..
1	D	325	% 88%8% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	325	2% 91% 6%
1	F	325	2% 89% 9%
1	G	325	2% 89% 8%
1	H	325	% 87% 10%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 21507 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bile salt hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	0
			2546	1622	417	501	6			
1	B	321	Total	C	N	O	S	0	1	0
			2550	1625	417	502	6			
1	C	321	Total	C	N	O	S	0	0	0
			2551	1623	420	502	6			
1	D	319	Total	C	N	O	S	0	0	0
			2508	1598	411	493	6			
1	E	318	Total	C	N	O	S	0	0	0
			2477	1579	405	487	6			
1	F	318	Total	C	N	O	S	0	0	0
			2519	1603	410	500	6			
1	G	318	Total	C	N	O	S	0	0	0
			2506	1598	412	490	6			
1	H	319	Total	C	N	O	S	0	0	0
			2532	1612	416	498	6			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	325	LEU	-	expression tag	UNP J7H3P9
A	326	GLU	-	expression tag	UNP J7H3P9
B	325	LEU	-	expression tag	UNP J7H3P9
B	326	GLU	-	expression tag	UNP J7H3P9
C	325	LEU	-	expression tag	UNP J7H3P9
C	326	GLU	-	expression tag	UNP J7H3P9
D	325	LEU	-	expression tag	UNP J7H3P9
D	326	GLU	-	expression tag	UNP J7H3P9
E	325	LEU	-	expression tag	UNP J7H3P9
E	326	GLU	-	expression tag	UNP J7H3P9
F	325	LEU	-	expression tag	UNP J7H3P9
F	326	GLU	-	expression tag	UNP J7H3P9
G	325	LEU	-	expression tag	UNP J7H3P9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	326	GLU	-	expression tag	UNP J7H3P9
H	325	LEU	-	expression tag	UNP J7H3P9
H	326	GLU	-	expression tag	UNP J7H3P9

- Molecule 2 is TAUROCHOLIC ACID (CCD ID: TCH) (formula: $C_{26}H_{45}NO_7S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	B	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	C	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	D	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	E	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	F	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	G	1	Total	C	N	O	S	0	0
			35	26	1	7	1		
2	H	1	Total	C	N	O	S	0	0
			35	26	1	7	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	155	Total 161	O 161	0	6
3	B	195	Total 198	O 198	0	3
3	C	179	Total 181	O 181	0	2
3	D	119	Total 119	O 119	0	0
3	E	98	Total 98	O 98	0	0
3	F	98	Total 100	O 100	0	2
3	G	92	Total 93	O 93	0	1
3	H	88	Total 88	O 88	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bile salt hydrolase




- Molecule 1: Bile salt hydrolase




- Molecule 1: Bile salt hydrolase




- Molecule 1: Bile salt hydrolase




- Molecule 1: Bile salt hydrolase




- Molecule 1: Bile salt hydrolase



- Molecule 1: Bile salt hydrolase



- Molecule 1: Bile salt hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.76Å 94.61Å 168.22Å 90.00° 90.26° 90.00°	Depositor
Resolution (Å)	25.75 – 2.10 25.75 – 2.10	Depositor EDS
% Data completeness (in resolution range)	96.6 (25.75-2.10) 96.6 (25.75-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.05 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.180 , 0.213 0.187 , 0.218	Depositor DCC
R_{free} test set	7772 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.033 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21507	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: TCH, OCS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.07	1/2590 (0.0%)	1.34	7/3513 (0.2%)
1	B	1.11	1/2594 (0.0%)	1.31	5/3520 (0.1%)
1	C	1.11	3/2595 (0.1%)	1.31	2/3520 (0.1%)
1	D	1.08	1/2552 (0.0%)	1.37	1/3468 (0.0%)
1	E	1.07	0/2520	1.37	2/3426 (0.1%)
1	F	1.06	0/2563	1.35	0/3481
1	G	1.11	0/2550	1.37	3/3463 (0.1%)
1	H	1.09	1/2576 (0.0%)	1.36	5/3494 (0.1%)
All	All	1.09	7/20540 (0.0%)	1.35	25/27885 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	277	CYS	C-O	6.79	1.32	1.24
1	C	165	PRO	C-O	-6.36	1.16	1.24
1	D	77	GLY	C-O	6.14	1.30	1.23
1	B	150	ILE	C-O	5.51	1.29	1.23
1	C	300	LEU	C-O	-5.37	1.17	1.24
1	H	64	TYR	C-O	5.22	1.30	1.24
1	A	290	TYR	C-O	5.16	1.30	1.24

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	164	ASN	CB-CA-C	7.89	118.86	110.65
1	G	164	ASN	CB-CA-C	7.35	117.06	110.44
1	G	199	ASP	CA-CB-CG	6.64	119.25	112.60
1	A	26	GLU	CB-CA-C	-6.61	97.26	110.42
1	H	155	THR	CA-CB-OG1	-6.43	99.96	109.60
1	G	15	GLY	CA-C-O	-6.13	115.81	121.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	315	GLU	CB-CA-C	6.02	119.59	109.48
1	H	55	GLY	CA-C-O	-5.78	116.48	121.04
1	C	32	PRO	CA-C-N	5.56	127.74	120.28
1	C	32	PRO	C-N-CA	5.56	127.74	120.28
1	D	26	GLU	CB-CA-C	-5.42	99.62	110.42
1	H	264	THR	CA-C-N	5.41	127.80	120.38
1	H	264	THR	C-N-CA	5.41	127.80	120.38
1	E	55	GLY	CA-C-O	-5.39	116.20	121.05
1	H	153	GLU	CB-CG-CD	5.37	121.73	112.60
1	E	276	ASN	CA-CB-CG	5.25	117.85	112.60
1	A	252	LEU	CA-C-N	5.24	125.89	120.03
1	A	252	LEU	C-N-CA	5.24	125.89	120.03
1	A	21	ASP	N-CA-C	-5.18	106.47	112.89
1	A	79	ASN	CA-CB-CG	-5.16	107.44	112.60
1	B	113	VAL	CA-C-O	-5.14	115.61	120.95
1	B	9	GLY	CA-C-N	5.13	127.57	120.29
1	B	9	GLY	C-N-CA	5.13	127.57	120.29
1	A	153	GLU	CB-CG-CD	5.10	121.27	112.60
1	A	322	LYS	CA-C-O	-5.00	114.83	120.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2546	0	2463	16	0
1	B	2550	0	2466	8	0
1	C	2551	0	2471	13	0
1	D	2508	0	2404	19	0
1	E	2477	0	2362	8	0
1	F	2519	0	2421	15	0
1	G	2506	0	2417	14	0
1	H	2532	0	2450	22	0
2	A	35	0	44	2	0
2	B	35	0	44	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	35	0	44	3	0
2	D	35	0	44	5	0
2	E	35	0	44	0	0
2	F	35	0	44	5	0
2	G	35	0	44	6	0
2	H	35	0	44	7	0
3	A	161	0	0	2	0
3	B	198	0	0	0	0
3	C	181	0	0	1	0
3	D	119	0	0	3	0
3	E	98	0	0	1	0
3	F	100	0	0	3	0
3	G	93	0	0	3	0
3	H	88	0	0	0	0
All	All	21507	0	19806	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:235:SER:HB2	1:F:247:GLN:HE21	1.41	0.84
2:F:401:TCH:H26	3:F:503:HOH:O	1.89	0.71
1:C:79:ASN:ND2	2:C:401:TCH:H26A	2.07	0.70
2:G:401:TCH:C26	3:G:509:HOH:O	2.40	0.68
2:F:401:TCH:C26	3:F:503:HOH:O	2.41	0.66
2:H:401:TCH:H12	2:H:401:TCH:H21A	1.78	0.66
1:A:235:SER:HB2	1:A:247:GLN:HE21	1.61	0.65
1:F:280:LEU:O	1:F:283:LYS:HD3	1.97	0.65
1:D:70:GLU:O	1:D:283:LYS:HE2	1.97	0.64
1:A:70:GLU:O	1:A:283:LYS:HE2	2.00	0.61
2:F:401:TCH:H21A	2:F:401:TCH:H12	1.83	0.60
1:F:110:CYS:SG	1:F:119:LEU:HD12	2.42	0.60
1:H:31:THR:HG21	1:H:37:PHE:CZ	2.36	0.60
1:D:307:ASN:ND2	1:D:307:ASN:O	2.35	0.60
1:C:235:SER:HB2	1:C:247:GLN:HE21	1.67	0.59
2:G:401:TCH:H26A	3:G:509:HOH:O	2.01	0.59
1:H:79:ASN:CG	2:H:401:TCH:H39	2.27	0.59
1:G:235:SER:HB2	1:G:247:GLN:HE21	1.70	0.57
1:B:303:ASP:O	1:B:305:ASP:CB	2.54	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:GLU:CD	1:A:26:GLU:H	2.12	0.56
1:H:79:ASN:HB2	2:H:401:TCH:H22	1.86	0.56
1:B:117:ARG:NH1	1:B:163:ASP:OD1	2.39	0.56
1:G:21:ASP:HB2	1:G:268:LYS:HB3	1.87	0.56
2:B:401:TCH:H21A	2:B:401:TCH:H12	1.88	0.54
1:C:79:ASN:HD22	2:C:401:TCH:H26A	1.71	0.54
1:F:279:ASP:C	1:F:279:ASP:OD1	2.51	0.54
1:H:79:ASN:HB2	2:H:401:TCH:C22	2.37	0.54
1:G:70:GLU:O	1:G:283:LYS:HE2	2.09	0.53
1:H:32:PRO:HB2	1:H:306:GLY:HA2	1.91	0.53
1:G:17:ASN:HB3	1:G:272:THR:HG23	1.91	0.52
1:F:79:ASN:HB2	2:F:401:TCH:H22	1.92	0.52
2:H:401:TCH:H12	2:H:401:TCH:C21	2.40	0.52
1:D:34:GLU:HB2	1:D:306:GLY:O	2.09	0.52
1:G:323:LEU:HD23	1:H:298:VAL:CG2	2.40	0.52
1:A:70:GLU:O	1:A:283:LYS:CE	2.58	0.52
1:A:134:LEU:HD22	2:A:401:TCH:H1A	1.93	0.51
1:D:28:VAL:HB	1:D:312:TYR:HB2	1.93	0.51
1:C:70:GLU:O	1:C:283:LYS:HE2	2.10	0.51
1:A:91:GLU:HB3	1:A:94:LYS:HB2	1.93	0.51
1:F:265:GLU:HA	1:F:265:GLU:OE1	2.10	0.50
1:C:117:ARG:NH2	1:C:163:ASP:OD1	2.44	0.50
1:B:133:GLN:H	1:B:133:GLN:CD	2.20	0.50
1:D:97:ILE:O	1:D:125:LEU:HA	2.12	0.50
1:F:140:HIS:HB2	1:F:153:GLU:HG2	1.93	0.50
1:F:35:TYR:O	1:F:48:HIS:NE2	2.43	0.50
1:G:2:OCS:OD2	1:G:78:LEU:HA	2.12	0.50
1:D:26:GLU:H	1:D:26:GLU:CD	2.20	0.49
1:C:70:GLU:O	1:C:283:LYS:CE	2.61	0.49
2:C:401:TCH:H21A	2:C:401:TCH:H12	1.94	0.49
2:D:401:TCH:C26	3:D:527:HOH:O	2.60	0.49
2:G:401:TCH:H26	3:G:509:HOH:O	2.09	0.49
1:A:134:LEU:HB3	2:A:401:TCH:H2A	1.94	0.49
1:H:5:ILE:HA	1:H:167:GLY:O	2.12	0.48
1:E:235:SER:HB2	1:E:247:GLN:HE21	1.78	0.48
1:H:70:GLU:O	1:H:283:LYS:CE	2.62	0.48
1:G:117:ARG:NH2	1:G:163:ASP:OD1	2.46	0.48
1:G:50:SER:OG	1:G:300:LEU:HD11	2.14	0.48
1:D:98:THR:HG22	1:D:128:LEU:HB2	1.96	0.48
1:E:97:ILE:O	1:E:125:LEU:HA	2.14	0.47
1:F:186:ARG:HD2	3:F:535:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:26:GLU:H	1:C:26:GLU:CD	2.22	0.47
2:D:401:TCH:H18B	2:D:401:TCH:H21A	1.96	0.47
1:C:21:ASP:HB2	1:C:268:LYS:HB3	1.97	0.47
1:A:263:LYS:HE2	1:A:267:GLY:HA2	1.95	0.47
1:H:26:GLU:H	1:H:26:GLU:CD	2.23	0.47
1:A:59:ASN:OD1	1:A:59:ASN:N	2.48	0.46
1:D:21:ASP:HB2	1:D:268:LYS:HB3	1.98	0.46
1:F:26:GLU:H	1:F:26:GLU:CD	2.23	0.46
1:F:21:ASP:OD2	1:F:268:LYS:HB2	2.14	0.46
1:H:65:PHE:CD1	1:H:65:PHE:N	2.83	0.46
1:C:258:ILE:HD11	1:D:231:SER:HB3	1.96	0.46
1:E:117:ARG:NH2	1:E:163:ASP:OD1	2.49	0.46
1:B:70:GLU:O	1:B:283:LYS:CE	2.63	0.46
1:D:266:SER:OG	1:D:268:LYS:HG2	2.14	0.46
1:D:20:LEU:HD13	2:D:401:TCH:H21	1.97	0.46
1:E:116:ALA:O	1:E:120:VAL:HG23	2.16	0.46
1:A:291:GLU:OE2	3:A:501:HOH:O	2.21	0.45
2:D:401:TCH:H21A	2:D:401:TCH:H12	1.96	0.45
1:C:218:ASP:HB2	3:D:542:HOH:O	2.16	0.45
1:G:285:LEU:O	1:G:297:ALA:HA	2.16	0.45
1:H:102:PHE:CE1	1:H:123:ILE:HD13	2.52	0.45
1:A:37:PHE:CE1	1:A:104:PRO:HB3	2.52	0.45
1:C:288:THR:HA	3:C:520:HOH:O	2.15	0.45
1:H:270:GLU:OE2	2:H:401:TCH:H25	2.16	0.45
1:E:293:ARG:HG3	3:E:573:HOH:O	2.16	0.44
1:F:65:PHE:HE1	2:F:401:TCH:H19	1.82	0.44
1:H:70:GLU:O	1:H:283:LYS:HE3	2.17	0.44
1:C:101:GLU:C	1:C:104:PRO:HD2	2.43	0.44
1:E:13:TYR:HA	1:E:278:TYR:O	2.18	0.44
1:H:65:PHE:N	1:H:65:PHE:HD1	2.15	0.44
1:C:31:THR:HG21	1:C:37:PHE:CZ	2.53	0.44
1:F:93:ASP:OD1	1:F:93:ASP:N	2.37	0.44
1:F:40:ARG:HG3	1:F:128:LEU:HD23	2.01	0.43
1:D:94:LYS:HA	1:D:94:LYS:HD2	1.89	0.43
1:G:20:LEU:HD13	2:G:401:TCH:H21	2.01	0.43
2:D:401:TCH:H26A	3:D:527:HOH:O	2.18	0.43
1:B:5:ILE:HA	1:B:167:GLY:O	2.19	0.43
1:G:102:PHE:CE1	1:G:123:ILE:CD1	3.02	0.42
1:E:49:LYS:HD2	1:E:108:GLY:O	2.20	0.42
2:H:401:TCH:H21	2:H:401:TCH:H23	1.62	0.42
1:A:77:GLY:C	1:A:78:LEU:HD12	2.45	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:30:ILE:HB	1:D:310:VAL:HB	2.02	0.42
1:D:232:LYS:O	1:D:235:SER:HB2	2.20	0.42
1:G:34:GLU:HB2	1:G:306:GLY:O	2.20	0.42
1:H:13:TYR:HA	1:H:278:TYR:O	2.20	0.42
1:H:103:ILE:HB	1:H:104:PRO:HD3	2.01	0.42
1:B:133:GLN:CD	1:B:133:GLN:N	2.78	0.42
1:G:136:LEU:HD23	1:G:136:LEU:HA	1.87	0.42
1:H:34:GLU:HB2	1:H:306:GLY:O	2.19	0.42
1:D:65:PHE:N	1:D:65:PHE:CD1	2.88	0.41
1:D:116:ALA:O	1:D:120:VAL:HG23	2.20	0.41
1:H:16:ARG:HD3	1:H:16:ARG:C	2.45	0.41
1:D:120:VAL:O	1:D:123:ILE:HG22	2.20	0.41
2:G:401:TCH:H21A	2:G:401:TCH:H12	2.03	0.41
1:A:186:ARG:HD2	3:A:537:HOH:O	2.21	0.41
1:H:11:SER:OG	1:H:281:ASP:HB2	2.21	0.41
1:G:79:ASN:ND2	2:G:401:TCH:H25A	2.36	0.41
1:H:77:GLY:C	1:H:78:LEU:HD12	2.46	0.41
1:A:2:OCS:OD3	1:A:16:ARG:NH1	2.54	0.40
1:A:11:SER:OG	1:A:281:ASP:HB2	2.21	0.40
1:F:117:ARG:NH2	1:F:163:ASP:OD1	2.54	0.40
1:H:55:GLY:HA2	1:H:65:PHE:CD1	2.56	0.40
1:E:94:LYS:HG3	1:E:124:ASN:HB2	2.02	0.40
1:H:53:GLY:HA3	1:H:67:ALA:HB2	2.04	0.40
1:B:302:LYS:O	1:B:303:ASP:C	2.65	0.40
1:D:125:LEU:HD12	1:D:154:VAL:HG21	2.03	0.40
1:A:125:LEU:HD12	1:A:154:VAL:HG21	2.03	0.40
1:B:97:ILE:O	1:B:125:LEU:HA	2.22	0.40
1:D:248:PHE:CD1	1:D:277:CYS:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/325 (98%)	306 (96%)	11 (4%)	0	100	100
1	B	318/325 (98%)	312 (98%)	6 (2%)	0	100	100
1	C	317/325 (98%)	309 (98%)	8 (2%)	0	100	100
1	D	315/325 (97%)	301 (96%)	14 (4%)	0	100	100
1	E	314/325 (97%)	303 (96%)	11 (4%)	0	100	100
1	F	314/325 (97%)	306 (98%)	8 (2%)	0	100	100
1	G	314/325 (97%)	303 (96%)	11 (4%)	0	100	100
1	H	315/325 (97%)	306 (97%)	9 (3%)	0	100	100
All	All	2524/2600 (97%)	2446 (97%)	78 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/287 (97%)	272 (98%)	6 (2%)	45	53
1	B	279/287 (97%)	272 (98%)	7 (2%)	42	48
1	C	280/287 (98%)	277 (99%)	3 (1%)	65	74
1	D	271/287 (94%)	266 (98%)	5 (2%)	51	60
1	E	265/287 (92%)	260 (98%)	5 (2%)	50	58
1	F	276/287 (96%)	268 (97%)	8 (3%)	37	42
1	G	272/287 (95%)	268 (98%)	4 (2%)	57	65
1	H	277/287 (96%)	273 (99%)	4 (1%)	59	67
All	All	2198/2296 (96%)	2156 (98%)	42 (2%)	50	58

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	GLU
1	A	34	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	47	ASN
1	A	59	ASN
1	A	79	ASN
1	A	91	GLU
1	B	47	ASN
1	B	133	GLN
1	B	232	LYS
1	B	235	SER
1	B	239	MET
1	B	270	GLU
1	B	302	LYS
1	C	21	ASP
1	C	256	GLU
1	C	268	LYS
1	D	90	LEU
1	D	94	LYS
1	D	123	ILE
1	D	235	SER
1	D	307	ASN
1	E	94	LYS
1	E	119	LEU
1	E	123	ILE
1	E	256	GLU
1	E	317	LYS
1	F	43	LYS
1	F	47	ASN
1	F	66	ASP
1	F	123	ILE
1	F	128	LEU
1	F	239	MET
1	F	256	GLU
1	F	268	LYS
1	G	47	ASN
1	G	123	ILE
1	G	322	LYS
1	G	323	LEU
1	H	21	ASP
1	H	65	PHE
1	H	123	ILE
1	H	256	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	83	ASN
1	A	124	ASN
1	A	133	GLN
1	A	247	GLN
1	B	109	GLN
1	B	118	ASN
1	B	124	ASN
1	B	133	GLN
1	B	292	ASN
1	C	8	ASN
1	C	109	GLN
1	C	124	ASN
1	C	133	GLN
1	C	247	GLN
1	D	307	ASN
1	E	181	ASN
1	E	187	ASN
1	F	8	ASN
1	F	79	ASN
1	F	247	GLN
1	G	109	GLN
1	G	247	GLN
1	H	133	GLN
1	H	294	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OCS	F	2	1	6,8,9	1.27	1 (16%)	7,11,13	2.33	2 (28%)
1	OCS	C	2	1	6,8,9	0.83	0	7,11,13	1.57	1 (14%)
1	OCS	E	2	1	6,8,9	1.38	1 (16%)	7,11,13	4.20	4 (57%)
1	OCS	B	2	1	6,8,9	1.28	1 (16%)	7,11,13	0.96	1 (14%)
1	OCS	G	2	1	6,8,9	1.38	1 (16%)	7,11,13	1.62	1 (14%)
1	OCS	H	2	1	6,8,9	1.18	1 (16%)	7,11,13	2.15	2 (28%)
1	OCS	A	2	1	6,8,9	1.62	1 (16%)	7,11,13	1.84	3 (42%)
1	OCS	D	2	1	6,8,9	1.05	0	7,11,13	1.94	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OCS	F	2	1	-	0/4/7/9	-
1	OCS	C	2	1	-	0/4/7/9	-
1	OCS	E	2	1	-	1/4/7/9	-
1	OCS	B	2	1	-	0/4/7/9	-
1	OCS	G	2	1	-	0/4/7/9	-
1	OCS	H	2	1	-	1/4/7/9	-
1	OCS	A	2	1	-	1/4/7/9	-
1	OCS	D	2	1	-	0/4/7/9	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2	OCS	OD3-SG	3.57	1.55	1.45
1	G	2	OCS	OD3-SG	2.93	1.53	1.45
1	E	2	OCS	OD3-SG	2.91	1.53	1.45
1	F	2	OCS	OD1-SG	2.66	1.52	1.45
1	B	2	OCS	OD3-SG	2.37	1.51	1.45
1	H	2	OCS	OD1-SG	2.36	1.51	1.45

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	2	OCS	OD3-SG-CB	-9.95	91.89	106.76
1	F	2	OCS	OD1-SG-CB	-5.28	98.87	106.76
1	H	2	OCS	OD2-SG-OD3	4.43	122.49	111.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	2	OCS	OD3-SG-CB	-3.49	101.55	106.76
1	A	2	OCS	OD2-SG-OD1	3.26	119.55	111.40
1	E	2	OCS	OD2-SG-OD1	3.21	119.43	111.40
1	G	2	OCS	CA-CB-SG	3.06	118.15	113.61
1	A	2	OCS	OD3-SG-CB	-2.80	102.57	106.76
1	H	2	OCS	OD3-SG-OD1	-2.76	104.83	113.82
1	D	2	OCS	OD2-SG-OD1	-2.73	104.58	111.40
1	E	2	OCS	OD2-SG-OD3	2.68	118.09	111.40
1	F	2	OCS	CA-CB-SG	2.40	117.17	113.61
1	D	2	OCS	OD2-SG-CB	-2.28	101.57	105.97
1	B	2	OCS	OD3-SG-CB	-2.16	103.53	106.76
1	D	2	OCS	CA-CB-SG	2.12	116.76	113.61
1	A	2	OCS	OD2-SG-OD3	-2.03	106.31	111.40
1	E	2	OCS	OD3-SG-OD1	-2.02	107.25	113.82

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	2	OCS	N-CA-CB-SG
1	E	2	OCS	CA-CB-SG-OD1
1	H	2	OCS	CA-CB-SG-OD3

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	G	2	OCS	1	0
1	A	2	OCS	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TCH	F	401	-	38,38,38	0.58	0	59,60,60	0.92	2 (3%)
2	TCH	G	401	-	38,38,38	0.45	0	59,60,60	1.08	4 (6%)
2	TCH	E	401	-	38,38,38	0.45	0	59,60,60	0.78	2 (3%)
2	TCH	B	401	-	38,38,38	0.52	0	59,60,60	0.96	2 (3%)
2	TCH	A	401	-	38,38,38	0.49	0	59,60,60	0.90	2 (3%)
2	TCH	D	401	-	38,38,38	0.57	0	59,60,60	1.00	3 (5%)
2	TCH	H	401	-	38,38,38	0.71	0	59,60,60	1.33	8 (13%)
2	TCH	C	401	-	38,38,38	0.70	0	59,60,60	1.23	10 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TCH	F	401	-	-	2/16/81/81	0/4/4/4
2	TCH	G	401	-	-	6/16/81/81	0/4/4/4
2	TCH	E	401	-	-	3/16/81/81	0/4/4/4
2	TCH	B	401	-	-	6/16/81/81	0/4/4/4
2	TCH	A	401	-	-	6/16/81/81	0/4/4/4
2	TCH	D	401	-	-	6/16/81/81	0/4/4/4
2	TCH	H	401	-	-	11/16/81/81	0/4/4/4
2	TCH	C	401	-	-	4/16/81/81	0/4/4/4

There are no bond length outliers.

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	401	TCH	C22-C23-C24	4.02	122.02	113.06
2	B	401	TCH	O1S-S26-C26	-3.67	101.19	106.73
2	G	401	TCH	C9-C8-C7	3.57	116.35	111.86
2	C	401	TCH	C11-C12-C13	2.87	114.19	111.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	TCH	O3S-S26-O1S	-2.72	104.59	111.40
2	A	401	TCH	C9-C8-C7	2.70	115.26	111.86
2	C	401	TCH	C22-C23-C24	2.66	118.99	113.06
2	C	401	TCH	O3S-S26-C26	2.60	111.09	106.00
2	H	401	TCH	C16-C17-C20	2.48	115.93	112.18
2	D	401	TCH	O3S-S26-O1S	-2.48	105.20	111.40
2	H	401	TCH	C17-C13-C14	2.45	102.57	100.11
2	G	401	TCH	C10-C9-C8	2.39	114.50	111.84
2	H	401	TCH	C22-C20-C17	2.37	115.23	110.33
2	H	401	TCH	C13-C17-C20	-2.35	116.64	119.48
2	F	401	TCH	C16-C17-C20	2.34	115.71	112.18
2	C	401	TCH	C25-N24-C24	2.33	127.16	122.82
2	E	401	TCH	O2S-S26-C26	-2.32	103.22	106.73
2	E	401	TCH	C15-C14-C13	2.28	105.75	103.54
2	D	401	TCH	C10-C9-C8	2.25	114.34	111.84
2	H	401	TCH	C13-C14-C8	-2.23	111.89	114.72
2	A	401	TCH	C11-C12-C13	2.22	113.53	111.26
2	C	401	TCH	C22-C20-C17	2.21	114.91	110.33
2	H	401	TCH	C10-C9-C8	2.18	114.27	111.84
2	B	401	TCH	C9-C8-C7	2.16	114.57	111.86
2	G	401	TCH	O7-C7-C6	2.15	115.21	109.86
2	H	401	TCH	C16-C17-C13	-2.14	101.47	103.54
2	C	401	TCH	C26-C25-N24	2.14	117.71	111.41
2	C	401	TCH	O2S-S26-O1S	2.09	120.64	113.82
2	F	401	TCH	C13-C17-C20	-2.07	116.97	119.48
2	C	401	TCH	C13-C17-C20	-2.04	117.01	119.48
2	D	401	TCH	O2S-S26-O1S	2.04	120.47	113.82
2	C	401	TCH	O3S-S26-O2S	-2.02	106.34	111.40
2	G	401	TCH	C13-C14-C8	-2.00	112.18	114.72

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	TCH	C25-C26-S26-O1S
2	A	401	TCH	C25-C26-S26-O3S
2	B	401	TCH	C20-C22-C23-C24
2	B	401	TCH	C23-C24-N24-C25
2	B	401	TCH	C25-C26-S26-O1S
2	C	401	TCH	C20-C22-C23-C24
2	C	401	TCH	C25-C26-S26-O1S
2	C	401	TCH	C25-C26-S26-O2S

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	401	TCH	C25-C26-S26-O3S
2	D	401	TCH	C20-C22-C23-C24
2	D	401	TCH	C25-C26-S26-O2S
2	D	401	TCH	C25-C26-S26-O3S
2	E	401	TCH	C23-C24-N24-C25
2	F	401	TCH	N24-C25-C26-S26
2	G	401	TCH	C20-C22-C23-C24
2	H	401	TCH	C20-C22-C23-C24
2	H	401	TCH	N24-C25-C26-S26
2	H	401	TCH	C25-C26-S26-O3S
2	E	401	TCH	O24-C24-N24-C25
2	B	401	TCH	O24-C24-N24-C25
2	H	401	TCH	C21-C20-C22-C23
2	D	401	TCH	O24-C24-N24-C25
2	F	401	TCH	C20-C22-C23-C24
2	A	401	TCH	O24-C24-N24-C25
2	A	401	TCH	C23-C24-N24-C25
2	D	401	TCH	C23-C24-N24-C25
2	E	401	TCH	C20-C22-C23-C24
2	G	401	TCH	O24-C24-N24-C25
2	H	401	TCH	C23-C24-N24-C25
2	B	401	TCH	C25-C26-S26-O3S
2	G	401	TCH	C25-C26-S26-O3S
2	G	401	TCH	C23-C24-N24-C25
2	A	401	TCH	C25-C26-S26-O2S
2	B	401	TCH	C25-C26-S26-O2S
2	D	401	TCH	C25-C26-S26-O1S
2	G	401	TCH	C25-C26-S26-O1S
2	G	401	TCH	C25-C26-S26-O2S
2	H	401	TCH	C25-C26-S26-O1S
2	H	401	TCH	C25-C26-S26-O2S
2	A	401	TCH	N24-C25-C26-S26
2	H	401	TCH	O24-C24-N24-C25
2	H	401	TCH	C22-C23-C24-O24
2	H	401	TCH	C22-C23-C24-N24
2	H	401	TCH	C17-C20-C22-C23

There are no ring outliers.

7 monomers are involved in 29 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	401	TCH	5	0




Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	401	TCH	6	0
2	B	401	TCH	1	0
2	A	401	TCH	2	0
2	D	401	TCH	5	0
2	H	401	TCH	7	0
2	C	401	TCH	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/325 (98%)	-0.23	3 (0%) 81 83	16, 26, 48, 67	0
1	B	320/325 (98%)	-0.40	2 (0%) 85 87	10, 21, 40, 63	1 (0%)
1	C	320/325 (98%)	-0.43	3 (0%) 81 83	15, 21, 38, 66	0
1	D	318/325 (97%)	-0.00	4 (1%) 75 77	16, 30, 50, 71	0
1	E	317/325 (97%)	0.29	8 (2%) 58 61	17, 36, 58, 68	0
1	F	317/325 (97%)	0.08	6 (1%) 66 69	17, 31, 52, 67	0
1	G	317/325 (97%)	0.33	6 (1%) 66 69	18, 36, 55, 68	0
1	H	318/325 (97%)	0.17	2 (0%) 85 87	18, 34, 53, 92	0
All	All	2547/2600 (97%)	-0.03	34 (1%) 75 77	10, 29, 53, 92	1 (0%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	306	GLY	4.7
1	E	323	LEU	3.6
1	E	51	LEU	3.5
1	C	305	ASP	3.4
1	E	301	ASN	3.3
1	E	47	ASN	3.2
1	A	301	ASN	3.1
1	D	323	LEU	2.7
1	E	300	LEU	2.7
1	F	92	ASN	2.7
1	B	303	ASP	2.7
1	H	307	ASN	2.6
1	F	312	TYR	2.6
1	F	306	GLY	2.6
1	C	302	LYS	2.6
1	E	92	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	92	ASN	2.5
1	E	90	LEU	2.5
1	F	323	LEU	2.5
1	B	239	MET	2.4
1	H	301	ASN	2.3
1	D	33	ALA	2.3
1	E	308	ARG	2.2
1	G	323	LEU	2.2
1	G	92	ASN	2.2
1	F	309	LEU	2.2
1	G	96	ASN	2.2
1	A	93	ASP	2.2
1	G	128	LEU	2.1
1	D	307	ASN	2.1
1	F	301	ASN	2.1
1	G	58	ALA	2.1
1	C	265	GLU	2.1
1	G	309	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	OCS	G	2	9/10	0.93	0.10	23,28,43,44	0
1	OCS	E	2	9/10	0.96	0.08	23,28,40,46	0
1	OCS	B	2	9/10	0.97	0.07	15,23,30,34	0
1	OCS	C	2	9/10	0.97	0.07	17,20,30,31	0
1	OCS	H	2	9/10	0.97	0.07	21,26,34,36	0
1	OCS	F	2	9/10	0.98	0.06	23,26,35,43	0
1	OCS	D	2	9/10	0.98	0.06	20,26,35,38	0
1	OCS	A	2	9/10	0.98	0.07	19,22,27,28	0

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	TCH	H	401	35/35	0.80	0.17	40,65,97,100	0
2	TCH	G	401	35/35	0.81	0.14	44,56,73,79	0
2	TCH	F	401	35/35	0.86	0.13	34,46,69,69	0
2	TCH	E	401	35/35	0.89	0.11	38,48,66,69	0
2	TCH	C	401	35/35	0.90	0.12	25,31,65,69	0
2	TCH	D	401	35/35	0.90	0.10	36,40,58,61	0
2	TCH	A	401	35/35	0.90	0.12	34,47,54,55	0
2	TCH	B	401	35/35	0.92	0.09	25,27,59,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TCH G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TCH F 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TCH E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TCH C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around TCH D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TCH A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.