



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 12:39 PM UTC

PDB ID : 9BLK / pdb_00009blk
EMDB ID : EMD-44658
Title : HCoV-OC43 Spike glycoprotein
Authors : Torrents de la Pena, A.; Sewall, L.M.; Ward, A.B.
Deposited on : 2024-04-30
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1363	7% 80% 6% 14%
1	B	1363	7% 80% 6% 14%
1	C	1363	7% 80% 6% 14%
2	D	3	67% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	3	67% 100%
2	H	3	67% 100%
3	E	2	50% 100%
3	G	2	50% 100%
3	I	2	50% 100%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 28035 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1173	Total	C	N	O	S	0	0
			9138	5826	1503	1748	61		
1	B	1173	Total	C	N	O	S	0	0
			9138	5826	1503	1748	61		
1	C	1173	Total	C	N	O	S	0	0
			9138	5826	1503	1748	61		

There are 51 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	152	VAL	ASP	conflict	UNP Q696P8
A	505	SER	GLY	conflict	UNP Q696P8
A	507	LEU	-	insertion	UNP Q696P8
A	532	HIS	ASP	conflict	UNP Q696P8
A	712	UNK	-	insertion	UNP Q696P8
A	768	ARG	GLY	conflict	UNP Q696P8
A	1237	THR	ILE	conflict	UNP Q696P8
A	1244	ARG	LYS	conflict	UNP Q696P8
A	1315	GLY	CYS	conflict	UNP Q696P8
A	1364	HIS	-	expression tag	UNP Q696P8
A	1365	HIS	-	expression tag	UNP Q696P8
A	1366	HIS	-	expression tag	UNP Q696P8
A	1367	HIS	-	expression tag	UNP Q696P8
A	1368	HIS	-	expression tag	UNP Q696P8
A	1369	HIS	-	expression tag	UNP Q696P8
A	1370	HIS	-	expression tag	UNP Q696P8
A	1371	HIS	-	expression tag	UNP Q696P8
B	152	VAL	ASP	conflict	UNP Q696P8
B	505	SER	GLY	conflict	UNP Q696P8
B	507	LEU	-	insertion	UNP Q696P8
B	532	HIS	ASP	conflict	UNP Q696P8
B	712	UNK	-	insertion	UNP Q696P8
B	768	ARG	GLY	conflict	UNP Q696P8
B	1237	THR	ILE	conflict	UNP Q696P8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1244	ARG	LYS	conflict	UNP Q696P8
B	1315	GLY	CYS	conflict	UNP Q696P8
B	1364	HIS	-	expression tag	UNP Q696P8
B	1365	HIS	-	expression tag	UNP Q696P8
B	1366	HIS	-	expression tag	UNP Q696P8
B	1367	HIS	-	expression tag	UNP Q696P8
B	1368	HIS	-	expression tag	UNP Q696P8
B	1369	HIS	-	expression tag	UNP Q696P8
B	1370	HIS	-	expression tag	UNP Q696P8
B	1371	HIS	-	expression tag	UNP Q696P8
C	152	VAL	ASP	conflict	UNP Q696P8
C	505	SER	GLY	conflict	UNP Q696P8
C	507	LEU	-	insertion	UNP Q696P8
C	532	HIS	ASP	conflict	UNP Q696P8
C	712	UNK	-	insertion	UNP Q696P8
C	768	ARG	GLY	conflict	UNP Q696P8
C	1237	THR	ILE	conflict	UNP Q696P8
C	1244	ARG	LYS	conflict	UNP Q696P8
C	1315	GLY	CYS	conflict	UNP Q696P8
C	1364	HIS	-	expression tag	UNP Q696P8
C	1365	HIS	-	expression tag	UNP Q696P8
C	1366	HIS	-	expression tag	UNP Q696P8
C	1367	HIS	-	expression tag	UNP Q696P8
C	1368	HIS	-	expression tag	UNP Q696P8
C	1369	HIS	-	expression tag	UNP Q696P8
C	1370	HIS	-	expression tag	UNP Q696P8
C	1371	HIS	-	expression tag	UNP Q696P8

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	3	Total	C	N	O	0	0
			39	22	2	15		
2	F	3	Total	C	N	O	0	0
			39	22	2	15		
2	H	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	2	Total	C	N	O	0	0
			28	16	2	10		
3	G	2	Total	C	N	O	0	0
			28	16	2	10		
3	I	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0



Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	



• Molecule 1: Spike glycoprotein



VAL THR PHE LEU ASP GLN VAL GLU MET ASN ARG LEU GLN GLU ALA ILE LYS VAL LEU ASN GLN TYR ILE ASN LYS ASP ILE GLY THR TYR TYR TYR TYR VAL LYS TRP PRO TRP TRP VAL TRP LEU LEU ILE GLY LEU ALA GLY VAL ALA MET LEU VAL LEU PHE

ILE CYS CYS CYS GLY CYS GLY THR SER CYS PHE LYS LYS CYS GLY CYS VAL LEU ASP ASP TYR THR GLY TYR ILE GLN GLU LEU VAL ILE LYS SER HIS ASP HIS HIS HIS HIS HIS HIS

- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	18599	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	190000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.800	Depositor
Minimum map value	-0.534	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	367.616, 367.616, 367.616	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.718, 0.718, 0.718	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.10	5/9346 (0.1%)	1.32	86/12725 (0.7%)
1	B	1.10	4/9346 (0.0%)	1.32	83/12725 (0.7%)
1	C	1.10	4/9346 (0.0%)	1.32	86/12725 (0.7%)
All	All	1.10	13/28038 (0.0%)	1.32	255/38175 (0.7%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	215	HIS	CB-CG	-6.77	1.40	1.50
1	A	215	HIS	CB-CG	-6.75	1.40	1.50
1	C	215	HIS	CB-CG	-6.74	1.40	1.50
1	B	519	ILE	CB-CG1	5.84	1.65	1.53
1	A	519	ILE	CB-CG1	5.83	1.65	1.53
1	C	519	ILE	CB-CG1	5.81	1.65	1.53
1	C	390	ASP	CB-CG	-5.31	1.38	1.52
1	B	390	ASP	CB-CG	-5.30	1.38	1.52
1	A	390	ASP	CB-CG	-5.25	1.39	1.52
1	B	968	PHE	CB-CG	-5.08	1.39	1.50
1	C	968	PHE	CB-CG	-5.08	1.39	1.50
1	A	968	PHE	CB-CG	-5.03	1.39	1.50
1	A	1142	HIS	CB-CG	-5.01	1.43	1.50

All (255) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	473	LYS	CA-C-N	8.43	128.57	120.31
1	B	473	LYS	C-N-CA	8.43	128.57	120.31
1	C	473	LYS	CA-C-N	8.38	128.52	120.31
1	C	473	LYS	C-N-CA	8.38	128.52	120.31
1	A	473	LYS	CA-C-N	8.33	128.47	120.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	473	LYS	C-N-CA	8.33	128.47	120.31
1	A	34	PRO	CA-C-N	7.90	129.71	119.84
1	A	34	PRO	C-N-CA	7.90	129.71	119.84
1	C	34	PRO	CA-C-N	7.87	129.67	119.84
1	C	34	PRO	C-N-CA	7.87	129.67	119.84
1	B	34	PRO	CA-C-N	7.85	129.65	119.84
1	B	34	PRO	C-N-CA	7.85	129.65	119.84
1	C	171	TYR	CA-C-N	7.83	127.85	119.78
1	C	171	TYR	C-N-CA	7.83	127.85	119.78
1	C	215	HIS	CA-CB-CG	7.83	121.63	113.80
1	A	215	HIS	CA-CB-CG	7.80	121.60	113.80
1	B	171	TYR	CA-C-N	7.80	127.81	119.78
1	B	171	TYR	C-N-CA	7.80	127.81	119.78
1	B	215	HIS	CA-CB-CG	7.80	121.60	113.80
1	A	171	TYR	CA-C-N	7.77	127.78	119.78
1	A	171	TYR	C-N-CA	7.77	127.78	119.78
1	A	960	PRO	CA-C-N	7.74	127.69	120.03
1	A	960	PRO	C-N-CA	7.74	127.69	120.03
1	C	960	PRO	CA-C-N	7.74	127.69	120.03
1	C	960	PRO	C-N-CA	7.74	127.69	120.03
1	B	960	PRO	CA-C-N	7.73	127.68	120.03
1	B	960	PRO	C-N-CA	7.73	127.68	120.03
1	A	306	ALA	CA-C-N	7.71	125.29	119.66
1	A	306	ALA	C-N-CA	7.71	125.29	119.66
1	C	306	ALA	CA-C-N	7.71	125.29	119.66
1	C	306	ALA	C-N-CA	7.71	125.29	119.66
1	B	306	ALA	CA-C-N	7.71	125.29	119.66
1	B	306	ALA	C-N-CA	7.71	125.29	119.66
1	C	598	ASN	CA-CB-CG	7.67	120.27	112.60
1	B	1171	VAL	N-CA-C	7.67	119.53	108.48
1	B	598	ASN	CA-CB-CG	7.65	120.25	112.60
1	A	1171	VAL	N-CA-C	7.63	119.47	108.48
1	C	1171	VAL	N-CA-C	7.61	119.43	108.48
1	A	598	ASN	CA-CB-CG	7.59	120.19	112.60
1	B	122	PHE	CA-CB-CG	7.46	121.26	113.80
1	C	122	PHE	CA-CB-CG	7.44	121.24	113.80
1	A	122	PHE	CA-CB-CG	7.41	121.21	113.80
1	C	603	PHE	CA-CB-CG	7.29	121.08	113.80
1	B	603	PHE	CA-CB-CG	7.28	121.08	113.80
1	A	603	PHE	CA-CB-CG	7.26	121.06	113.80
1	B	494	ALA	CA-C-N	7.17	127.16	119.78
1	B	494	ALA	C-N-CA	7.17	127.16	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	307	PRO	CA-C-N	7.13	127.06	119.85
1	B	307	PRO	C-N-CA	7.13	127.06	119.85
1	A	494	ALA	CA-C-N	7.12	127.12	119.78
1	A	494	ALA	C-N-CA	7.12	127.12	119.78
1	C	494	ALA	CA-C-N	7.12	127.12	119.78
1	C	494	ALA	C-N-CA	7.12	127.12	119.78
1	C	307	PRO	CA-C-N	7.10	127.03	119.85
1	C	307	PRO	C-N-CA	7.10	127.03	119.85
1	A	307	PRO	CA-C-N	7.10	127.02	119.85
1	A	307	PRO	C-N-CA	7.10	127.02	119.85
1	C	340	LEU	CA-C-N	7.01	126.94	120.21
1	C	340	LEU	C-N-CA	7.01	126.94	120.21
1	A	340	LEU	CA-C-N	6.99	126.92	120.21
1	A	340	LEU	C-N-CA	6.99	126.92	120.21
1	B	340	LEU	CA-C-N	6.99	126.92	120.21
1	B	340	LEU	C-N-CA	6.99	126.92	120.21
1	C	337	LYS	CA-C-N	6.95	127.12	120.31
1	C	337	LYS	C-N-CA	6.95	127.12	120.31
1	B	337	LYS	CA-C-N	6.91	127.08	120.31
1	B	337	LYS	C-N-CA	6.91	127.08	120.31
1	A	851	ILE	N-CA-C	-6.91	105.11	111.67
1	A	337	LYS	CA-C-N	6.90	127.08	120.31
1	A	337	LYS	C-N-CA	6.90	127.08	120.31
1	C	522	CYS	CA-C-N	6.89	126.86	120.03
1	C	522	CYS	C-N-CA	6.89	126.86	120.03
1	A	522	CYS	CA-C-N	6.88	126.84	120.03
1	A	522	CYS	C-N-CA	6.88	126.84	120.03
1	A	33	PRO	CA-C-N	6.88	127.46	120.38
1	A	33	PRO	C-N-CA	6.88	127.46	120.38
1	B	851	ILE	N-CA-C	-6.87	105.14	111.67
1	B	58	LEU	N-CA-C	6.87	119.61	111.71
1	C	58	LEU	N-CA-C	6.87	119.61	111.71
1	C	851	ILE	N-CA-C	-6.85	105.17	111.67
1	A	58	LEU	N-CA-C	6.83	119.57	111.71
1	B	522	CYS	CA-C-N	6.82	126.78	120.03
1	B	522	CYS	C-N-CA	6.82	126.78	120.03
1	C	1228	ALA	CA-C-N	6.79	126.48	119.82
1	C	1228	ALA	C-N-CA	6.79	126.48	119.82
1	C	33	PRO	CA-C-N	6.79	127.37	120.38
1	C	33	PRO	C-N-CA	6.79	127.37	120.38
1	B	33	PRO	CA-C-N	6.76	127.35	120.38
1	B	33	PRO	C-N-CA	6.76	127.35	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1228	ALA	CA-C-N	6.74	126.42	119.82
1	B	1228	ALA	C-N-CA	6.74	126.42	119.82
1	A	1228	ALA	CA-C-N	6.73	126.42	119.82
1	A	1228	ALA	C-N-CA	6.73	126.42	119.82
1	C	1172	SER	CA-C-N	6.71	127.29	120.04
1	C	1172	SER	C-N-CA	6.71	127.29	120.04
1	B	1172	SER	CA-C-N	6.65	127.22	120.04
1	B	1172	SER	C-N-CA	6.65	127.22	120.04
1	A	1172	SER	CA-C-N	6.59	127.16	120.04
1	A	1172	SER	C-N-CA	6.59	127.16	120.04
1	A	1056	LEU	N-CA-C	-6.51	104.98	113.12
1	B	68	TYR	CA-C-N	6.48	126.45	119.78
1	B	68	TYR	C-N-CA	6.48	126.45	119.78
1	C	68	TYR	CA-C-N	6.47	126.44	119.78
1	C	68	TYR	C-N-CA	6.47	126.44	119.78
1	C	1056	LEU	N-CA-C	-6.46	105.04	113.12
1	A	68	TYR	CA-C-N	6.45	126.42	119.78
1	A	68	TYR	C-N-CA	6.45	126.42	119.78
1	B	1056	LEU	N-CA-C	-6.45	105.06	113.12
1	A	780	GLU	CA-C-N	6.40	126.09	119.56
1	A	780	GLU	C-N-CA	6.40	126.09	119.56
1	B	538	ASP	CA-C-N	6.38	126.07	119.56
1	B	538	ASP	C-N-CA	6.38	126.07	119.56
1	A	538	ASP	CA-C-N	6.35	126.04	119.56
1	A	538	ASP	C-N-CA	6.35	126.04	119.56
1	B	780	GLU	CA-C-N	6.34	126.03	119.56
1	B	780	GLU	C-N-CA	6.34	126.03	119.56
1	C	780	GLU	CA-C-N	6.34	126.02	119.56
1	C	780	GLU	C-N-CA	6.34	126.02	119.56
1	B	96	LEU	N-CA-C	-6.32	99.90	109.95
1	C	96	LEU	N-CA-C	-6.30	99.93	109.95
1	A	96	LEU	N-CA-C	-6.28	99.96	109.95
1	C	538	ASP	CA-C-N	6.27	125.95	119.56
1	C	538	ASP	C-N-CA	6.27	125.95	119.56
1	B	981	PHE	CA-C-N	6.07	124.09	119.66
1	B	981	PHE	C-N-CA	6.07	124.09	119.66
1	B	548	CYS	CA-C-N	6.04	125.72	119.56
1	B	548	CYS	C-N-CA	6.04	125.72	119.56
1	C	548	CYS	CA-C-N	6.03	125.70	119.56
1	C	548	CYS	C-N-CA	6.03	125.70	119.56
1	C	981	PHE	CA-C-N	6.02	124.06	119.66
1	C	981	PHE	C-N-CA	6.02	124.06	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	981	PHE	CA-C-N	6.01	124.05	119.66
1	A	981	PHE	C-N-CA	6.01	124.05	119.66
1	B	845	GLY	N-CA-C	6.01	121.44	114.16
1	C	845	GLY	N-CA-C	6.01	121.44	114.16
1	A	845	GLY	N-CA-C	6.01	121.43	114.16
1	A	548	CYS	CA-C-N	6.00	125.69	119.56
1	A	548	CYS	C-N-CA	6.00	125.69	119.56
1	B	844	TYR	N-CA-C	-6.00	105.25	113.30
1	A	844	TYR	N-CA-C	-6.00	105.25	113.30
1	C	844	TYR	N-CA-C	-6.00	105.26	113.30
1	B	177	HIS	CA-C-N	5.88	126.28	119.47
1	B	177	HIS	C-N-CA	5.88	126.28	119.47
1	C	177	HIS	CA-C-N	5.84	126.25	119.47
1	C	177	HIS	C-N-CA	5.84	126.25	119.47
1	B	409	ILE	CB-CA-C	-5.84	104.46	111.18
1	A	409	ILE	CB-CA-C	-5.82	104.49	111.18
1	B	990	VAL	CA-C-N	5.81	125.82	119.89
1	B	990	VAL	C-N-CA	5.81	125.82	119.89
1	A	990	VAL	CA-C-N	5.81	125.81	119.89
1	A	990	VAL	C-N-CA	5.81	125.81	119.89
1	A	177	HIS	CA-C-N	5.79	126.19	119.47
1	A	177	HIS	C-N-CA	5.79	126.19	119.47
1	C	990	VAL	CA-C-N	5.79	125.80	119.89
1	C	990	VAL	C-N-CA	5.79	125.80	119.89
1	C	409	ILE	CB-CA-C	-5.77	104.55	111.18
1	A	461	ASN	CA-CB-CG	5.76	118.36	112.60
1	C	461	ASN	CA-CB-CG	5.75	118.35	112.60
1	B	461	ASN	CA-CB-CG	5.75	118.35	112.60
1	C	614	CYS	N-CA-C	5.69	118.74	109.24
1	B	614	CYS	N-CA-C	5.67	118.71	109.24
1	A	614	CYS	N-CA-C	5.67	118.70	109.24
1	A	38	THR	N-CA-C	5.60	117.63	108.55
1	A	456	ASN	CA-C-N	5.58	125.68	119.87
1	A	456	ASN	C-N-CA	5.58	125.68	119.87
1	B	456	ASN	CA-C-N	5.58	125.68	119.87
1	B	456	ASN	C-N-CA	5.58	125.68	119.87
1	B	91	PHE	CA-CB-CG	-5.57	108.23	113.80
1	C	315	ASN	N-CA-C	5.57	118.99	110.36
1	C	456	ASN	CA-C-N	5.55	125.65	119.87
1	C	456	ASN	C-N-CA	5.55	125.65	119.87
1	B	38	THR	N-CA-C	5.55	117.54	108.55
1	A	315	ASN	N-CA-C	5.55	118.96	110.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	91	PHE	CA-CB-CG	-5.54	108.26	113.80
1	C	38	THR	N-CA-C	5.54	117.52	108.55
1	B	315	ASN	N-CA-C	5.53	118.94	110.36
1	B	134	THR	N-CA-C	-5.53	106.90	113.97
1	C	134	THR	N-CA-C	-5.52	106.90	113.97
1	A	134	THR	N-CA-C	-5.51	106.92	113.97
1	A	91	PHE	CA-CB-CG	-5.49	108.31	113.80
1	C	788	ASN	CA-C-N	5.48	129.54	120.94
1	C	788	ASN	C-N-CA	5.48	129.54	120.94
1	A	788	ASN	CA-C-N	5.46	129.50	120.94
1	A	788	ASN	C-N-CA	5.46	129.50	120.94
1	A	700	ALA	CA-C-N	-5.43	115.06	122.93
1	A	700	ALA	C-N-CA	-5.43	115.06	122.93
1	B	700	ALA	CA-C-N	-5.42	115.07	122.93
1	B	700	ALA	C-N-CA	-5.42	115.07	122.93
1	B	788	ASN	CA-C-N	5.41	129.44	120.94
1	B	788	ASN	C-N-CA	5.41	129.44	120.94
1	C	700	ALA	CA-C-N	-5.41	115.09	122.93
1	C	700	ALA	C-N-CA	-5.41	115.09	122.93
1	A	464	PHE	CA-CB-CG	-5.39	108.41	113.80
1	C	786	SER	N-CA-C	5.39	117.27	109.07
1	B	786	SER	N-CA-C	5.39	117.26	109.07
1	C	932	VAL	N-CA-C	-5.38	106.93	111.56
1	A	786	SER	N-CA-C	5.38	117.25	109.07
1	C	122	PHE	CB-CA-C	5.38	117.32	110.22
1	C	464	PHE	CA-CB-CG	-5.38	108.42	113.80
1	B	464	PHE	CA-CB-CG	-5.37	108.43	113.80
1	A	122	PHE	CB-CA-C	5.36	117.30	110.22
1	A	932	VAL	N-CA-C	-5.35	106.96	111.56
1	B	122	PHE	CB-CA-C	5.35	117.28	110.22
1	A	877	VAL	N-CA-C	5.33	116.43	108.54
1	B	932	VAL	N-CA-C	-5.33	106.97	111.56
1	C	246	LEU	N-CA-C	-5.33	102.60	110.48
1	C	877	VAL	N-CA-C	5.32	116.42	108.54
1	A	92	LYS	CA-C-N	5.32	123.54	119.66
1	A	92	LYS	C-N-CA	5.32	123.54	119.66
1	B	877	VAL	N-CA-C	5.32	116.41	108.54
1	A	1123	VAL	N-CA-C	-5.32	107.24	111.81
1	B	75	TYR	CA-CB-CG	5.32	123.47	113.90
1	A	31	THR	N-CA-C	-5.32	105.50	112.41
1	C	75	TYR	CA-CB-CG	5.31	123.46	113.90
1	B	31	THR	N-CA-C	-5.31	105.51	112.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	31	THR	N-CA-C	-5.30	105.51	112.41
1	A	75	TYR	CA-CB-CG	5.29	123.42	113.90
1	B	92	LYS	CA-C-N	5.29	123.52	119.66
1	B	92	LYS	C-N-CA	5.29	123.52	119.66
1	A	603	PHE	CB-CA-C	-5.29	102.09	110.81
1	B	603	PHE	CB-CA-C	-5.27	102.11	110.81
1	A	246	LEU	N-CA-C	-5.27	102.69	110.48
1	C	92	LYS	CA-C-N	5.27	123.50	119.66
1	C	92	LYS	C-N-CA	5.27	123.50	119.66
1	C	1123	VAL	N-CA-C	-5.26	107.28	111.81
1	A	1223	VAL	N-CA-C	5.26	117.63	111.05
1	B	1223	VAL	N-CA-C	5.26	117.62	111.05
1	A	141	GLN	CA-C-N	5.24	125.14	119.85
1	A	141	GLN	C-N-CA	5.24	125.14	119.85
1	B	1123	VAL	N-CA-C	-5.23	107.31	111.81
1	C	603	PHE	CB-CA-C	-5.23	102.19	110.81
1	B	27	ASN	N-CA-C	5.22	116.59	109.18
1	B	874	MET	N-CA-C	5.21	120.28	113.30
1	C	1223	VAL	N-CA-C	5.21	117.56	111.05
1	A	27	ASN	N-CA-C	5.19	116.55	109.18
1	A	874	MET	N-CA-C	5.19	120.25	113.30
1	C	27	ASN	N-CA-C	5.19	116.55	109.18
1	C	874	MET	N-CA-C	5.18	120.25	113.30
1	B	141	GLN	CA-C-N	5.14	125.04	119.85
1	B	141	GLN	C-N-CA	5.14	125.04	119.85
1	C	141	GLN	CA-C-N	5.13	125.04	119.85
1	C	141	GLN	C-N-CA	5.13	125.04	119.85
1	A	289	ASP	CA-C-N	5.13	127.15	120.28
1	A	289	ASP	C-N-CA	5.13	127.15	120.28
1	C	289	ASP	CA-C-N	5.13	127.15	120.28
1	C	289	ASP	C-N-CA	5.13	127.15	120.28
1	B	196	SER	CB-CA-C	-5.12	103.75	112.00
1	C	196	SER	CB-CA-C	-5.11	103.78	112.00
1	A	196	SER	CB-CA-C	-5.09	103.81	112.00
1	B	289	ASP	CA-C-N	5.08	127.09	120.28
1	B	289	ASP	C-N-CA	5.08	127.09	120.28
1	C	95	PHE	CA-CB-CG	-5.04	108.76	113.80
1	A	95	PHE	CA-CB-CG	-5.03	108.77	113.80
1	C	692	PHE	N-CA-C	5.03	116.71	108.52
1	A	692	PHE	N-CA-C	5.02	116.70	108.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9138	0	8841	20	0
1	B	9138	0	8841	12	0
1	C	9138	0	8841	9	0
2	D	39	0	34	0	0
2	F	39	0	34	0	0
2	H	39	0	34	0	0
3	E	28	0	25	0	0
3	G	28	0	25	0	0
3	I	28	0	25	0	0
4	A	140	0	130	0	0
4	B	140	0	130	0	0
4	C	140	0	130	0	0
All	All	28035	0	27090	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:ASP:OD1	1:A:352:LYS:N	1.99	0.95
1:A:351:ASP:CG	1:A:352:LYS:H	1.98	0.72
1:A:453:SER:HB2	1:A:455:PHE:HE2	1.57	0.69
1:A:453:SER:HB2	1:A:455:PHE:CE2	2.38	0.58
1:A:454:ARG:O	1:A:455:PHE:CG	2.57	0.57
1:B:229:ASP:OD1	1:B:229:ASP:N	2.43	0.52
1:B:729:SER:OG	1:B:730:TYR:N	2.42	0.52
1:C:729:SER:OG	1:C:730:TYR:N	2.42	0.52
1:A:729:SER:OG	1:A:730:TYR:N	2.42	0.51
1:A:229:ASP:OD1	1:A:229:ASP:N	2.43	0.51
1:C:229:ASP:OD1	1:C:229:ASP:N	2.43	0.50
1:A:351:ASP:CG	1:A:352:LYS:N	2.59	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:454:ARG:C	1:A:455:PHE:CG	2.92	0.48
1:A:129:SER:OG	1:A:130:THR:N	2.47	0.47
1:A:161:VAL:HG11	1:A:238:PHE:CE1	2.50	0.47
1:A:454:ARG:C	1:A:455:PHE:CD2	2.93	0.46
1:B:35:PRO:O	1:B:36:ILE:C	2.56	0.46
1:C:161:VAL:HG11	1:C:238:PHE:CE1	2.50	0.46
1:B:161:VAL:HG11	1:B:238:PHE:CE1	2.50	0.46
1:C:129:SER:OG	1:C:130:THR:N	2.47	0.45
1:A:83:SER:OG	1:A:84:VAL:N	2.49	0.45
1:C:83:SER:OG	1:C:84:VAL:N	2.49	0.45
1:C:35:PRO:O	1:C:36:ILE:C	2.56	0.45
1:B:83:SER:OG	1:B:84:VAL:N	2.49	0.45
1:A:35:PRO:O	1:A:36:ILE:C	2.56	0.45
1:A:258:SER:OG	1:A:259:LYS:N	2.51	0.43
1:C:258:SER:OG	1:C:259:LYS:N	2.51	0.43
1:B:129:SER:OG	1:B:130:THR:N	2.47	0.42
1:B:258:SER:OG	1:B:259:LYS:N	2.51	0.42
1:C:307:PRO:HA	1:C:308:PRO:HD3	1.89	0.42
1:A:332:ASP:OD1	1:A:332:ASP:N	2.48	0.42
1:A:454:ARG:O	1:A:455:PHE:CD2	2.72	0.42
1:B:661:ASP:OD1	1:B:661:ASP:C	2.63	0.42
1:B:307:PRO:HA	1:B:308:PRO:HD3	1.90	0.42
1:A:661:ASP:OD1	1:A:661:ASP:C	2.63	0.41
1:B:97:SER:OG	1:B:98:ASP:N	2.53	0.41
1:C:97:SER:OG	1:C:98:ASP:N	2.53	0.41
1:A:97:SER:OG	1:A:98:ASP:N	2.53	0.41
1:B:911:SER:OG	1:B:912:SER:N	2.54	0.41
1:B:897:SER:N	1:B:898:PRO:HD2	2.37	0.40
1:A:307:PRO:HA	1:A:308:PRO:HD3	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1159/1363 (85%)	1128 (97%)	31 (3%)	0	100	100
1	B	1159/1363 (85%)	1128 (97%)	31 (3%)	0	100	100
1	C	1159/1363 (85%)	1128 (97%)	31 (3%)	0	100	100
All	All	3477/4089 (85%)	3384 (97%)	93 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1021/1190 (86%)	1020 (100%)	1 (0%)	88	91
1	B	1021/1190 (86%)	1020 (100%)	1 (0%)	88	91
1	C	1021/1190 (86%)	1020 (100%)	1 (0%)	88	91
All	All	3063/3570 (86%)	3060 (100%)	3 (0%)	87	91

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	371	ASN
1	B	371	ASN
1	C	371	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	146	ASN
1	A	182	ASN
1	A	328	GLN
1	A	418	GLN
1	A	444	ASN
1	A	801	GLN
1	A	871	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	146	ASN
1	B	182	ASN
1	B	248	HIS
1	B	328	GLN
1	B	388	ASN
1	B	418	GLN
1	B	444	ASN
1	B	871	ASN
1	C	146	ASN
1	C	182	ASN
1	C	328	GLN
1	C	388	ASN
1	C	418	GLN
1	C	444	ASN
1	C	871	ASN
1	C	1012	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	1,2	14,14,15	2.05	5 (35%)	17,19,21	0.84	0
2	NAG	D	2	2	14,14,15	2.01	6 (42%)	17,19,21	0.96	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BMA	D	3	2	11,11,12	1.88	5 (45%)	15,15,17	0.67	0
3	NAG	E	1	1,3	14,14,15	2.10	4 (28%)	17,19,21	1.11	1 (5%)
3	NAG	E	2	3	14,14,15	1.95	5 (35%)	17,19,21	0.92	1 (5%)
2	NAG	F	1	1,2	14,14,15	2.05	4 (28%)	17,19,21	0.85	0
2	NAG	F	2	2	14,14,15	2.01	6 (42%)	17,19,21	0.97	2 (11%)
2	BMA	F	3	2	11,11,12	1.86	5 (45%)	15,15,17	0.67	0
3	NAG	G	1	1,3	14,14,15	2.11	4 (28%)	17,19,21	1.12	1 (5%)
3	NAG	G	2	3	14,14,15	1.95	4 (28%)	17,19,21	0.92	1 (5%)
2	NAG	H	1	1,2	14,14,15	2.04	5 (35%)	17,19,21	0.84	0
2	NAG	H	2	2	14,14,15	2.01	6 (42%)	17,19,21	0.97	2 (11%)
2	BMA	H	3	2	11,11,12	1.88	5 (45%)	15,15,17	0.67	0
3	NAG	I	1	1,3	14,14,15	2.10	4 (28%)	17,19,21	1.11	1 (5%)
3	NAG	I	2	3	14,14,15	1.94	4 (28%)	17,19,21	0.93	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	BMA	D	3	2	-	1/2/19/22	0/1/1/1
3	NAG	E	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	BMA	F	3	2	-	1/2/19/22	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
2	BMA	H	3	2	-	1/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1

All (72) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	1	NAG	C1-C2	5.89	1.60	1.52
3	G	1	NAG	C1-C2	5.89	1.60	1.52
3	I	1	NAG	C1-C2	5.87	1.60	1.52
2	D	1	NAG	C1-C2	5.79	1.60	1.52
2	F	1	NAG	C1-C2	5.72	1.60	1.52
2	H	1	NAG	C1-C2	5.67	1.60	1.52
3	G	2	NAG	C1-C2	4.49	1.58	1.52
3	I	2	NAG	C1-C2	4.49	1.58	1.52
2	D	2	NAG	C1-C2	4.47	1.58	1.52
2	H	2	NAG	C1-C2	4.45	1.58	1.52
3	E	2	NAG	C1-C2	4.43	1.58	1.52
2	F	2	NAG	C1-C2	4.42	1.58	1.52
2	D	3	BMA	O5-C5	3.24	1.49	1.43
2	F	3	BMA	O5-C5	3.22	1.49	1.43
2	H	3	BMA	O5-C5	3.18	1.49	1.43
3	E	2	NAG	O5-C5	3.17	1.49	1.43
3	I	2	NAG	O5-C5	3.14	1.49	1.43
3	G	2	NAG	O5-C5	3.14	1.49	1.43
2	F	2	NAG	O5-C5	3.01	1.49	1.43
2	D	2	NAG	O5-C5	3.00	1.49	1.43
2	H	2	NAG	O5-C5	2.98	1.49	1.43
2	D	3	BMA	C2-C3	2.80	1.56	1.52
2	H	3	BMA	C2-C3	2.80	1.56	1.52
2	F	3	BMA	C2-C3	2.73	1.56	1.52
2	H	1	NAG	O5-C5	2.65	1.48	1.43
2	H	3	BMA	C1-C2	2.63	1.58	1.52
2	F	3	BMA	C1-C2	2.60	1.58	1.52
2	F	1	NAG	O5-C5	2.60	1.48	1.43
2	D	3	BMA	C1-C2	2.60	1.58	1.52
2	H	2	NAG	C4-C5	2.57	1.58	1.53
2	D	1	NAG	O5-C5	2.57	1.48	1.43
2	F	2	NAG	C4-C5	2.55	1.58	1.53
2	D	2	NAG	C4-C5	2.54	1.58	1.53
2	H	2	NAG	C3-C2	2.49	1.57	1.52
2	F	2	NAG	C3-C2	2.48	1.57	1.52
2	D	2	NAG	C3-C2	2.47	1.57	1.52
3	I	2	NAG	C3-C2	2.44	1.57	1.52
3	G	2	NAG	C3-C2	2.42	1.57	1.52
3	E	2	NAG	C3-C2	2.42	1.57	1.52
2	H	3	BMA	C4-C5	2.39	1.58	1.53
2	F	3	BMA	C4-C5	2.35	1.58	1.53
3	G	2	NAG	C4-C5	2.34	1.58	1.53
2	D	3	BMA	C4-C5	2.34	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	2	NAG	C4-C5	2.33	1.58	1.53
3	I	1	NAG	O5-C5	2.31	1.47	1.43
3	E	2	NAG	C4-C5	2.30	1.57	1.53
3	I	1	NAG	C4-C5	2.28	1.57	1.53
3	G	1	NAG	C4-C5	2.28	1.57	1.53
2	F	2	NAG	C4-C3	2.27	1.58	1.52
3	E	1	NAG	C3-C2	2.26	1.57	1.52
3	G	1	NAG	C3-C2	2.26	1.57	1.52
2	H	1	NAG	O5-C1	2.26	1.47	1.43
2	F	1	NAG	O5-C1	2.26	1.47	1.43
3	E	1	NAG	O5-C5	2.24	1.47	1.43
3	G	1	NAG	O5-C5	2.24	1.47	1.43
3	E	1	NAG	C4-C5	2.24	1.57	1.53
3	I	1	NAG	C3-C2	2.24	1.57	1.52
2	H	2	NAG	C4-C3	2.23	1.58	1.52
2	D	2	NAG	C4-C3	2.23	1.58	1.52
2	D	1	NAG	O5-C1	2.22	1.47	1.43
2	D	2	NAG	C2-N2	2.17	1.49	1.46
2	H	2	NAG	C2-N2	2.14	1.49	1.46
2	F	2	NAG	C2-N2	2.13	1.49	1.46
2	D	3	BMA	O5-C1	2.11	1.47	1.43
2	H	3	BMA	O5-C1	2.09	1.47	1.43
2	H	1	NAG	C3-C2	2.07	1.56	1.52
2	F	3	BMA	O5-C1	2.05	1.47	1.43
2	F	1	NAG	C3-C2	2.03	1.56	1.52
3	E	2	NAG	O5-C1	2.02	1.47	1.43
2	D	1	NAG	C3-C2	2.02	1.56	1.52
2	H	1	NAG	C4-C5	2.02	1.57	1.53
2	D	1	NAG	C4-C5	2.00	1.57	1.53

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	1	NAG	C1-O5-C5	2.56	115.62	112.19
3	G	1	NAG	C1-O5-C5	2.54	115.59	112.19
3	I	1	NAG	C1-O5-C5	2.53	115.58	112.19
2	F	2	NAG	C8-C7-N2	2.39	120.08	116.12
2	D	2	NAG	C8-C7-N2	2.39	120.07	116.12
2	H	2	NAG	C8-C7-N2	2.38	120.06	116.12
3	I	2	NAG	C8-C7-N2	2.17	119.72	116.12
3	G	2	NAG	C8-C7-N2	2.14	119.67	116.12
3	E	2	NAG	C8-C7-N2	2.12	119.63	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2	NAG	O7-C7-C8	-2.04	118.42	122.05
2	F	2	NAG	O7-C7-C8	-2.03	118.43	122.05
2	H	2	NAG	O7-C7-C8	-2.02	118.45	122.05

There are no chirality outliers.


All (3) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	D	3	BMA	O5-C5-C6-O6
2	F	3	BMA	O5-C5-C6-O6
2	H	3	BMA	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	C	1406	1	14,14,15	2.20	6 (42%)	17,19,21	1.06	2 (11%)
4	NAG	C	1404	1	14,14,15	2.08	5 (35%)	17,19,21	1.08	1 (5%)
4	NAG	C	1401	1	14,14,15	2.24	4 (28%)	17,19,21	0.92	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	C	1403	1	14,14,15	2.05	5 (35%)	17,19,21	1.19	2 (11%)
4	NAG	B	1406	1	14,14,15	2.20	6 (42%)	17,19,21	1.05	2 (11%)
4	NAG	C	1409	1	14,14,15	2.29	5 (35%)	17,19,21	1.15	2 (11%)
4	NAG	A	1405	1	14,14,15	2.18	5 (35%)	17,19,21	0.85	0
4	NAG	A	1408	1	14,14,15	2.21	5 (35%)	17,19,21	1.02	0
4	NAG	B	1409	1	14,14,15	2.29	4 (28%)	17,19,21	1.16	2 (11%)
4	NAG	A	1410	1	14,14,15	2.27	5 (35%)	17,19,21	0.89	0
4	NAG	A	1402	1	14,14,15	2.16	5 (35%)	17,19,21	1.01	0
4	NAG	B	1407	1	14,14,15	2.22	5 (35%)	17,19,21	0.95	1 (5%)
4	NAG	B	1410	1	14,14,15	2.24	5 (35%)	17,19,21	0.90	0
4	NAG	A	1407	1	14,14,15	2.22	5 (35%)	17,19,21	0.96	1 (5%)
4	NAG	B	1408	1	14,14,15	2.21	4 (28%)	17,19,21	1.02	0
4	NAG	C	1410	1	14,14,15	2.25	5 (35%)	17,19,21	0.89	0
4	NAG	C	1408	1	14,14,15	2.22	4 (28%)	17,19,21	1.02	0
4	NAG	A	1404	1	14,14,15	2.08	5 (35%)	17,19,21	1.09	1 (5%)
4	NAG	A	1401	1	14,14,15	2.25	4 (28%)	17,19,21	0.93	0
4	NAG	A	1406	1	14,14,15	2.21	6 (42%)	17,19,21	1.05	2 (11%)
4	NAG	B	1401	1	14,14,15	2.24	4 (28%)	17,19,21	0.92	0
4	NAG	A	1409	1	14,14,15	2.30	5 (35%)	17,19,21	1.15	2 (11%)
4	NAG	A	1403	1	14,14,15	2.07	6 (42%)	17,19,21	1.18	2 (11%)
4	NAG	C	1402	1	14,14,15	2.14	5 (35%)	17,19,21	1.00	0
4	NAG	B	1403	1	14,14,15	2.07	5 (35%)	17,19,21	1.19	2 (11%)
4	NAG	B	1402	1	14,14,15	2.14	5 (35%)	17,19,21	1.01	0
4	NAG	C	1405	1	14,14,15	2.17	5 (35%)	17,19,21	0.85	0
4	NAG	B	1405	1	14,14,15	2.18	5 (35%)	17,19,21	0.86	0
4	NAG	C	1407	1	14,14,15	2.23	5 (35%)	17,19,21	0.96	1 (5%)
4	NAG	B	1404	1	14,14,15	2.07	5 (35%)	17,19,21	1.09	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1406	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1404	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1401	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1403	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1406	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1409	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1405	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1408	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1409	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1410	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1402	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1407	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1410	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1407	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1408	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1410	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1408	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1404	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1401	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1406	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1401	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1409	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1403	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1402	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1403	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1402	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1405	1	-	1/6/23/26	0/1/1/1
4	NAG	B	1405	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1407	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1404	1	-	0/6/23/26	0/1/1/1

All (148) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1401	NAG	C1-C2	6.25	1.60	1.52
4	A	1409	NAG	C1-C2	6.19	1.60	1.52
4	B	1401	NAG	C1-C2	6.17	1.60	1.52
4	C	1401	NAG	C1-C2	6.16	1.60	1.52
4	B	1409	NAG	C1-C2	6.12	1.60	1.52
4	C	1409	NAG	C1-C2	6.10	1.60	1.52
4	A	1402	NAG	C1-C2	5.97	1.60	1.52
4	C	1402	NAG	C1-C2	5.93	1.60	1.52
4	B	1402	NAG	C1-C2	5.92	1.60	1.52
4	A	1410	NAG	C1-C2	5.90	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1406	NAG	C1-C2	5.88	1.60	1.52
4	C	1408	NAG	C1-C2	5.88	1.60	1.52
4	B	1405	NAG	C1-C2	5.87	1.60	1.52
4	C	1405	NAG	C1-C2	5.86	1.60	1.52
4	C	1406	NAG	C1-C2	5.86	1.60	1.52
4	A	1405	NAG	C1-C2	5.84	1.60	1.52
4	B	1408	NAG	C1-C2	5.84	1.60	1.52
4	B	1410	NAG	C1-C2	5.84	1.60	1.52
4	C	1410	NAG	C1-C2	5.83	1.60	1.52
4	A	1408	NAG	C1-C2	5.80	1.60	1.52
4	B	1406	NAG	C1-C2	5.79	1.60	1.52
4	C	1407	NAG	C1-C2	5.49	1.59	1.52
4	B	1407	NAG	C1-C2	5.48	1.59	1.52
4	A	1407	NAG	C1-C2	5.46	1.59	1.52
4	A	1404	NAG	C1-C2	5.40	1.59	1.52
4	C	1404	NAG	C1-C2	5.35	1.59	1.52
4	B	1404	NAG	C1-C2	5.33	1.59	1.52
4	B	1403	NAG	C1-C2	5.25	1.59	1.52
4	A	1403	NAG	C1-C2	5.24	1.59	1.52
4	C	1403	NAG	C1-C2	5.19	1.59	1.52
4	C	1407	NAG	O5-C5	3.60	1.50	1.43
4	A	1410	NAG	O5-C5	3.59	1.50	1.43
4	B	1407	NAG	O5-C5	3.57	1.50	1.43
4	A	1407	NAG	O5-C5	3.57	1.50	1.43
4	C	1410	NAG	O5-C5	3.55	1.50	1.43
4	C	1408	NAG	O5-C5	3.53	1.50	1.43
4	B	1410	NAG	O5-C5	3.53	1.50	1.43
4	C	1405	NAG	O5-C5	3.49	1.50	1.43
4	A	1405	NAG	O5-C5	3.49	1.50	1.43
4	B	1405	NAG	O5-C5	3.48	1.50	1.43
4	A	1408	NAG	O5-C5	3.47	1.50	1.43
4	B	1408	NAG	O5-C5	3.46	1.50	1.43
4	B	1409	NAG	O5-C5	3.39	1.50	1.43
4	C	1409	NAG	O5-C5	3.36	1.50	1.43
4	A	1409	NAG	O5-C5	3.36	1.50	1.43
4	C	1401	NAG	O5-C5	3.20	1.49	1.43
4	A	1401	NAG	O5-C5	3.17	1.49	1.43
4	B	1406	NAG	O5-C5	3.13	1.49	1.43
4	B	1401	NAG	O5-C5	3.10	1.49	1.43
4	C	1406	NAG	O5-C5	3.10	1.49	1.43
4	B	1404	NAG	O5-C5	3.09	1.49	1.43
4	C	1404	NAG	O5-C5	3.08	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1406	NAG	O5-C5	3.07	1.49	1.43
4	A	1404	NAG	O5-C5	3.03	1.49	1.43
4	B	1403	NAG	O5-C5	2.96	1.49	1.43
4	C	1403	NAG	O5-C5	2.96	1.49	1.43
4	A	1403	NAG	O5-C5	2.95	1.49	1.43
4	C	1409	NAG	O5-C1	2.82	1.48	1.43
4	B	1408	NAG	O5-C1	2.80	1.48	1.43
4	B	1409	NAG	O5-C1	2.79	1.48	1.43
4	A	1409	NAG	O5-C1	2.78	1.48	1.43
4	C	1408	NAG	O5-C1	2.77	1.48	1.43
4	A	1408	NAG	O5-C1	2.75	1.48	1.43
4	C	1407	NAG	O5-C1	2.74	1.48	1.43
4	B	1407	NAG	O5-C1	2.72	1.48	1.43
4	A	1407	NAG	O5-C1	2.70	1.48	1.43
4	C	1410	NAG	O5-C1	2.65	1.48	1.43
4	A	1410	NAG	O5-C1	2.62	1.48	1.43
4	B	1401	NAG	O5-C1	2.60	1.48	1.43
4	B	1410	NAG	O5-C1	2.59	1.48	1.43
4	A	1403	NAG	C3-C2	2.57	1.57	1.52
4	A	1402	NAG	O5-C5	2.57	1.48	1.43
4	C	1403	NAG	C3-C2	2.55	1.57	1.52
4	B	1403	NAG	C3-C2	2.54	1.57	1.52
4	A	1405	NAG	O5-C1	2.54	1.48	1.43
4	B	1406	NAG	C2-N2	2.53	1.50	1.46
4	B	1402	NAG	O5-C5	2.52	1.48	1.43
4	C	1401	NAG	O5-C1	2.51	1.47	1.43
4	A	1401	NAG	O5-C1	2.50	1.47	1.43
4	C	1402	NAG	O5-C5	2.49	1.48	1.43
4	B	1405	NAG	O5-C1	2.48	1.47	1.43
4	C	1405	NAG	O5-C1	2.47	1.47	1.43
4	C	1406	NAG	C2-N2	2.47	1.50	1.46
4	A	1406	NAG	O5-C1	2.43	1.47	1.43
4	A	1402	NAG	C3-C2	2.41	1.57	1.52
4	C	1402	NAG	O5-C1	2.41	1.47	1.43
4	A	1402	NAG	O5-C1	2.41	1.47	1.43
4	A	1407	NAG	C4-C5	2.39	1.58	1.53
4	C	1402	NAG	C3-C2	2.39	1.57	1.52
4	A	1406	NAG	C2-N2	2.39	1.50	1.46
4	B	1402	NAG	O5-C1	2.37	1.47	1.43
4	C	1406	NAG	O5-C1	2.36	1.47	1.43
4	C	1404	NAG	O5-C1	2.35	1.47	1.43
4	B	1407	NAG	C4-C5	2.35	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1406	NAG	O5-C1	2.35	1.47	1.43
4	A	1410	NAG	C4-C5	2.35	1.58	1.53
4	B	1404	NAG	O5-C1	2.34	1.47	1.43
4	B	1402	NAG	C3-C2	2.34	1.57	1.52
4	A	1404	NAG	O5-C1	2.33	1.47	1.43
4	B	1401	NAG	C3-C2	2.32	1.57	1.52
4	C	1404	NAG	C3-C2	2.32	1.57	1.52
4	B	1404	NAG	C3-C2	2.31	1.57	1.52
4	A	1404	NAG	C3-C2	2.31	1.57	1.52
4	C	1407	NAG	C3-C2	2.31	1.57	1.52
4	A	1409	NAG	C3-C2	2.30	1.57	1.52
4	C	1401	NAG	C3-C2	2.30	1.57	1.52
4	C	1407	NAG	C4-C5	2.29	1.57	1.53
4	B	1410	NAG	C4-C5	2.29	1.57	1.53
4	C	1408	NAG	C3-C2	2.29	1.57	1.52
4	B	1407	NAG	C3-C2	2.28	1.57	1.52
4	B	1408	NAG	C3-C2	2.28	1.57	1.52
4	A	1408	NAG	C3-C2	2.28	1.57	1.52
4	C	1410	NAG	C4-C5	2.28	1.57	1.53
4	A	1407	NAG	C3-C2	2.27	1.57	1.52
4	A	1403	NAG	O5-C1	2.26	1.47	1.43
4	A	1401	NAG	C3-C2	2.26	1.57	1.52
4	C	1409	NAG	C3-C2	2.25	1.57	1.52
4	B	1409	NAG	C3-C2	2.24	1.57	1.52
4	C	1403	NAG	O5-C1	2.24	1.47	1.43
4	B	1403	NAG	O5-C1	2.23	1.47	1.43
4	C	1410	NAG	C3-C2	2.22	1.57	1.52
4	A	1410	NAG	C3-C2	2.19	1.57	1.52
4	B	1410	NAG	C3-C2	2.18	1.57	1.52
4	A	1404	NAG	C4-C5	2.18	1.57	1.53
4	A	1405	NAG	C4-C5	2.17	1.57	1.53
4	A	1406	NAG	C3-C2	2.16	1.57	1.52
4	B	1403	NAG	C2-N2	2.15	1.49	1.46
4	B	1406	NAG	C3-C2	2.15	1.57	1.52
4	C	1405	NAG	C4-C5	2.15	1.57	1.53
4	C	1404	NAG	C4-C5	2.14	1.57	1.53
4	B	1405	NAG	C4-C5	2.14	1.57	1.53
4	C	1403	NAG	C2-N2	2.13	1.49	1.46
4	B	1404	NAG	C4-C5	2.13	1.57	1.53
4	A	1403	NAG	C2-N2	2.12	1.49	1.46
4	C	1406	NAG	C3-C2	2.10	1.56	1.52
4	A	1405	NAG	C3-C2	2.09	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1405	NAG	C3-C2	2.05	1.56	1.52
4	A	1408	NAG	C4-C5	2.05	1.57	1.53
4	B	1405	NAG	C3-C2	2.05	1.56	1.52
4	B	1402	NAG	C2-N2	2.05	1.49	1.46
4	A	1403	NAG	C4-C5	2.04	1.57	1.53
4	B	1406	NAG	C4-C5	2.03	1.57	1.53
4	C	1406	NAG	C4-C5	2.01	1.57	1.53
4	C	1402	NAG	C2-N2	2.01	1.49	1.46
4	A	1402	NAG	C2-N2	2.01	1.49	1.46
4	A	1409	NAG	C4-C5	2.00	1.57	1.53
4	C	1409	NAG	C4-C5	2.00	1.57	1.53
4	A	1406	NAG	C4-C5	2.00	1.57	1.53

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1409	NAG	C8-C7-N2	2.90	120.93	116.12
4	A	1409	NAG	C8-C7-N2	2.86	120.86	116.12
4	C	1409	NAG	C8-C7-N2	2.84	120.84	116.12
4	C	1406	NAG	C8-C7-N2	2.83	120.81	116.12
4	A	1406	NAG	C8-C7-N2	2.81	120.78	116.12
4	B	1406	NAG	C8-C7-N2	2.78	120.72	116.12
4	C	1403	NAG	C8-C7-N2	2.71	120.62	116.12
4	A	1403	NAG	C8-C7-N2	2.69	120.58	116.12
4	B	1403	NAG	C8-C7-N2	2.68	120.57	116.12
4	C	1409	NAG	O7-C7-C8	-2.39	117.79	122.05
4	A	1409	NAG	O7-C7-C8	-2.38	117.81	122.05
4	B	1409	NAG	O7-C7-C8	-2.38	117.82	122.05
4	B	1404	NAG	C8-C7-N2	2.25	119.85	116.12
4	A	1404	NAG	C8-C7-N2	2.22	119.80	116.12
4	B	1403	NAG	O7-C7-C8	-2.21	118.13	122.05
4	C	1403	NAG	O7-C7-C8	-2.20	118.14	122.05
4	C	1404	NAG	C8-C7-N2	2.19	119.75	116.12
4	C	1407	NAG	O7-C7-C8	-2.15	118.22	122.05
4	A	1407	NAG	O7-C7-C8	-2.15	118.23	122.05
4	A	1403	NAG	O7-C7-C8	-2.14	118.24	122.05
4	B	1407	NAG	O7-C7-C8	-2.13	118.27	122.05
4	B	1406	NAG	O7-C7-C8	-2.11	118.31	122.05
4	A	1406	NAG	O7-C7-C8	-2.10	118.32	122.05
4	C	1406	NAG	O7-C7-C8	-2.09	118.33	122.05

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1405	NAG	O5-C5-C6-O6
4	B	1405	NAG	O5-C5-C6-O6
4	C	1405	NAG	O5-C5-C6-O6
4	A	1409	NAG	O5-C5-C6-O6
4	B	1409	NAG	O5-C5-C6-O6
4	C	1409	NAG	O5-C5-C6-O6
4	A	1408	NAG	O5-C5-C6-O6
4	C	1408	NAG	O5-C5-C6-O6
4	A	1401	NAG	O5-C5-C6-O6
4	B	1401	NAG	O5-C5-C6-O6
4	B	1408	NAG	O5-C5-C6-O6
4	C	1401	NAG	O5-C5-C6-O6
4	A	1406	NAG	O5-C5-C6-O6
4	B	1406	NAG	O5-C5-C6-O6
4	C	1406	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-44658. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 248




Y Index: 269




Z Index: 221


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_44658_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 149 nm³; this corresponds to an approximate mass of 134 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.19	3.64	3.26
Unmasked-calculated*	4.17	8.36	4.31

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.17 differs from the reported value 3.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-44658 and PDB model 9BLK. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6960	0.4450
A	0.6990	0.4460
B	0.6980	0.4460
C	0.7000	0.4460
D	0.3080	0.3500
E	0.3210	0.3190
F	0.3080	0.3390
G	0.2860	0.3170
H	0.3330	0.3450
I	0.2860	0.3150

1.0

0.0

<0.0