



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:56 PM UTC

PDB ID : 6BM8 / pdb_00006bm8
Title : Crystal structure of glycoprotein B from Herpes Simplex Virus type I
Authors : Cooper, R.S.; Heldwein, E.E.
Deposited on : 2017-11-13
Resolution : 4.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1243 (4.40-3.80)
Clashscore	190562	1293 (4.40-3.80)
Ramachandran outliers	187476	1206 (4.40-3.80)
Sidechain outliers	187428	1193 (4.40-3.80)
RSRZ outliers	180081	1240 (4.40-3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	833	8% 52% 27% • 20%
2	B	3	33% 33% 33%
3	C	2	50% 50%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5391 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	665	5296	3347	929	996	24	0	0	0

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	3	39	22	2	15	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	2	28	16	2	10	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:  33% 33% 33%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	118.60Å 118.60Å 800.58Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	101.87 – 4.10 101.87 – 4.10	Depositor EDS
% Data completeness (in resolution range)	98.2 (101.87-4.10) 85.8 (101.87-4.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.90 (at 4.01Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575)	Depositor
R, R_{free}	0.269 , 0.285 0.272 , 0.290	Depositor DCC
R_{free} test set	1871 reflections (9.84%)	wwPDB-VP
Wilson B-factor (Å ²)	140.0	Xtriage
Anisotropy	0.146	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 195.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	5391	wwPDB-VP
Average B, all atoms (Å ²)	190.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/5426	0.60	4/7376 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	470	ARG	CG-CD-NE	6.88	127.13	112.00
1	A	774	PRO	N-CA-C	5.22	123.23	112.47
1	A	473	SER	CA-C-N	-5.15	112.88	122.09
1	A	473	SER	C-N-CA	-5.15	112.88	122.09

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5296	0	5108	192	2
2	B	39	0	34	3	0
3	C	28	0	25	0	0
4	A	28	0	26	0	0
All	All	5391	0	5193	192	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 18.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:728:ASN:H	1:A:728:ASN:HD22	1.16	0.92
1:A:385:ARG:HA	1:A:395:PHE:O	1.69	0.92
1:A:115:VAL:HG22	1:A:623:LEU:HB2	1.54	0.88
1:A:387:SER:HA	1:A:393:THR:O	1.74	0.88
1:A:444:ALA:HB3	1:A:448:PHE:O	1.82	0.80
1:A:728:ASN:HD22	1:A:728:ASN:N	1.83	0.77
1:A:404:LEU:HG	1:A:441:TYR:HD2	1.50	0.76
1:A:373:ASP:OD1	1:A:373:ASP:N	2.19	0.73
1:A:436:VAL:HG21	1:A:456:LEU:HD13	1.69	0.73
1:A:386:PHE:HB2	1:A:395:PHE:HB2	1.71	0.73
1:A:175:PHE:CE2	1:A:258:ARG:HA	2.24	0.72
1:A:404:LEU:HD12	1:A:404:LEU:H	1.53	0.72
1:A:172:GLN:HG2	1:A:265:TYR:CE1	2.26	0.70
1:A:188:ASP:OD1	1:A:215:ARG:NH1	2.24	0.69
1:A:464:TYR:C	1:A:464:TYR:CD1	2.72	0.68
1:A:393:THR:HG23	1:A:504:ALA:HB1	1.76	0.68
1:A:464:TYR:C	1:A:464:TYR:HD1	2.02	0.67
1:A:297:MET:HG3	1:A:312:THR:HB	1.77	0.67
1:A:766:GLY:O	1:A:769:SER:OG	2.11	0.67
1:A:443:LEU:HD23	2:B:1:NAG:H81	1.78	0.66
1:A:224:HIS:CD2	1:A:225:ARG:HG2	2.31	0.66
1:A:227:ASP:OD1	1:A:228:HIS:N	2.29	0.66
1:A:325:PHE:HB3	1:A:340:THR:O	1.96	0.65
1:A:771:MET:HE3	1:A:780:VAL:HG21	1.77	0.65
1:A:441:TYR:HA	1:A:450:ILE:O	1.97	0.65
1:A:360:ARG:NE	1:A:411:ASP:OD2	2.27	0.65
1:A:189:ARG:NH1	1:A:293:ASP:OD2	2.30	0.63
1:A:179:TYR:C	1:A:179:TYR:HD1	2.07	0.62
1:A:580:ASN:ND2	1:A:608:ASP:OD1	2.27	0.61
1:A:113:PHE:HD2	1:A:581:VAL:HG21	1.63	0.61
1:A:150:PHE:CD1	1:A:368:LYS:HA	2.35	0.60
1:A:181:GLN:HG2	1:A:182:PHE:O	2.00	0.60
1:A:212:LYS:HA	1:A:220:THR:O	2.01	0.60
1:A:319:PHE:HA	1:A:344:LEU:O	2.01	0.60
1:A:211:ALA:O	1:A:221:THR:HA	2.02	0.59
1:A:425:PHE:HD1	1:A:429:TYR:HB2	1.66	0.59
1:A:481:PRO:HG2	1:A:482:PRO:HD3	1.85	0.59
1:A:444:ALA:CB	1:A:448:PHE:O	2.49	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179:TYR:C	1:A:179:TYR:CD1	2.81	0.59
1:A:377:ARG:HH22	1:A:471:GLU:CD	2.12	0.57
1:A:386:PHE:O	1:A:394:THR:HA	2.03	0.57
1:A:398:ASN:HD22	2:B:1:NAG:H83	1.69	0.57
1:A:425:PHE:CD2	1:A:435:LYS:HE3	2.38	0.57
1:A:386:PHE:HD2	1:A:450:ILE:HD13	1.68	0.57
1:A:377:ARG:NH2	1:A:471:GLU:OE2	2.38	0.57
1:A:781:GLY:O	1:A:785:LEU:HG	2.06	0.56
1:A:602:VAL:HG21	1:A:623:LEU:HD22	1.86	0.56
1:A:650:PHE:CD1	1:A:655:TYR:HA	2.41	0.56
1:A:582:ILE:O	1:A:602:VAL:HA	2.06	0.55
1:A:616:GLN:NE2	1:A:629:ALA:HB3	2.21	0.55
1:A:726:ASP:OD2	1:A:729:ALA:N	2.38	0.55
1:A:540:ASN:O	1:A:543:ARG:HG2	2.07	0.55
1:A:181:GLN:NE2	1:A:183:MET:SD	2.81	0.54
1:A:536:LEU:O	1:A:540:ASN:HB2	2.07	0.54
1:A:444:ALA:HB3	1:A:448:PHE:HB2	1.89	0.54
1:A:540:ASN:HA	1:A:543:ARG:HG2	1.90	0.54
1:A:471:GLU:HA	1:A:474:ARG:HG3	1.91	0.53
1:A:589:ILE:HG21	1:A:592:ARG:HG2	1.89	0.53
1:A:437:GLY:HA2	1:A:468:HIS:CE1	2.43	0.53
1:A:127:PHE:HE2	1:A:543:ARG:HE	1.56	0.53
1:A:108:ASN:OD1	1:A:108:ASN:N	2.41	0.53
1:A:329:ASP:OD1	1:A:330:LEU:N	2.41	0.53
1:A:616:GLN:HE22	1:A:629:ALA:HB3	1.73	0.53
1:A:113:PHE:CD1	1:A:621:ASN:HB3	2.44	0.53
1:A:163:MET:HG2	1:A:352:VAL:HG12	1.90	0.53
1:A:151:LYS:HD3	1:A:369:TRP:CD1	2.44	0.52
1:A:581:VAL:HA	1:A:604:PHE:HA	1.90	0.52
1:A:188:ASP:OD1	1:A:189:ARG:N	2.42	0.52
1:A:510:TYR:O	1:A:514:GLN:HB2	2.10	0.52
1:A:166:LYS:HA	1:A:270:ASN:O	2.10	0.51
1:A:328:ARG:HG2	1:A:333:LYS:HD3	1.92	0.51
1:A:776:GLY:O	1:A:780:VAL:HG23	2.10	0.51
1:A:510:TYR:O	1:A:514:GLN:CB	2.59	0.51
1:A:306:GLY:HA2	1:A:308:HIS:CE1	2.46	0.51
1:A:788:LEU:O	1:A:792:PHE:HD2	1.93	0.51
1:A:175:PHE:HE2	1:A:259:VAL:H	1.56	0.51
1:A:397:THR:HG22	1:A:444:ALA:HA	1.93	0.51
1:A:728:ASN:N	1:A:728:ASN:ND2	2.52	0.51
1:A:387:SER:HB3	1:A:394:THR:HG22	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:ARG:NH1	1:A:229:GLU:OE2	2.44	0.50
1:A:166:LYS:HG3	1:A:192:VAL:HG22	1.93	0.50
1:A:649:TYR:O	1:A:656:SER:HB3	2.11	0.50
1:A:637:HIS:HB3	1:A:652:GLU:HA	1.93	0.49
1:A:151:LYS:HZ3	1:A:369:TRP:CD1	2.29	0.49
1:A:616:GLN:HB2	1:A:627:ARG:HG2	1.93	0.49
1:A:404:LEU:HG	1:A:441:TYR:CD2	2.38	0.49
1:A:502:GLU:O	1:A:506:LEU:HG	2.13	0.49
1:A:149:VAL:HG22	1:A:450:ILE:HG12	1.93	0.49
1:A:166:LYS:NZ	1:A:210:THR:O	2.43	0.48
1:A:181:GLN:HG2	1:A:182:PHE:N	2.26	0.48
1:A:375:MET:SD	1:A:386:PHE:HB3	2.54	0.48
1:A:377:ARG:HG3	1:A:386:PHE:HE1	1.78	0.48
1:A:129:GLN:HB3	1:A:130:PRO:HD2	1.95	0.48
1:A:107:GLU:HG2	1:A:658:GLN:OE1	2.13	0.48
1:A:384:PHE:HB2	1:A:397:THR:OG1	2.13	0.48
1:A:543:ARG:HH21	1:A:568:MET:HE3	1.78	0.48
1:A:247:TRP:CD2	1:A:330:LEU:HD23	2.49	0.48
1:A:402:TYR:HB2	1:A:443:LEU:HB2	1.95	0.48
1:A:225:ARG:HD2	1:A:254:TYR:CG	2.49	0.48
1:A:567:VAL:HG22	1:A:568:MET:H	1.78	0.48
1:A:149:VAL:HG21	1:A:395:PHE:HE2	1.79	0.48
1:A:352:VAL:HG23	1:A:354:TRP:HZ3	1.78	0.48
1:A:326:TYR:HE2	1:A:339:PRO:HB3	1.79	0.47
1:A:245:ARG:HE	1:A:247:TRP:HH2	1.60	0.47
1:A:428:ARG:HD3	1:A:429:TYR:CD1	2.50	0.47
1:A:448:PHE:HE1	1:A:497:THR:HG23	1.79	0.47
1:A:448:PHE:CE1	1:A:497:THR:HG23	2.49	0.47
1:A:386:PHE:CD2	1:A:450:ILE:HD13	2.50	0.47
1:A:771:MET:HE3	1:A:780:VAL:CG2	2.42	0.46
1:A:515:ARG:O	1:A:519:ASP:HB2	2.16	0.46
1:A:464:TYR:O	1:A:465:VAL:C	2.58	0.46
1:A:561:ALA:HA	1:A:569:ALA:O	2.16	0.46
1:A:425:PHE:CE1	1:A:430:ASN:HA	2.51	0.46
1:A:464:TYR:HD1	1:A:465:VAL:N	2.14	0.46
1:A:116:CYS:SG	1:A:560:SER:HB2	2.56	0.46
1:A:197:VAL:HA	1:A:201:ILE:HB	1.98	0.46
1:A:444:ALA:HB2	1:A:450:ILE:CD1	2.46	0.46
1:A:789:ALA:HB1	1:A:793:PHE:HE2	1.81	0.46
1:A:113:PHE:CD2	1:A:581:VAL:HG21	2.48	0.45
1:A:492:VAL:HG12	1:A:493:GLU:H	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:408:ASP:OD1	1:A:409:LEU:HD13	2.15	0.45
1:A:459:THR:HB	1:A:460:LEU:HD23	1.98	0.45
1:A:492:VAL:HG12	1:A:493:GLU:N	2.31	0.45
1:A:503:PHE:O	1:A:507:GLN:HB2	2.17	0.45
1:A:401:GLU:OE2	1:A:440:GLN:HG2	2.17	0.45
1:A:176:GLY:HA3	1:A:179:TYR:CE1	2.52	0.45
1:A:581:VAL:HG22	1:A:604:PHE:HB3	1.99	0.45
1:A:303:TYR:N	1:A:321:GLN:OE1	2.49	0.44
1:A:127:PHE:HE2	1:A:543:ARG:NE	2.15	0.44
1:A:150:PHE:CE2	1:A:413:ILE:HA	2.52	0.44
1:A:115:VAL:HG23	1:A:576:VAL:HG21	1.99	0.44
1:A:150:PHE:HE2	1:A:413:ILE:HA	1.81	0.44
1:A:114:TYR:O	1:A:622:GLU:HA	2.17	0.44
1:A:297:MET:HE2	1:A:312:THR:OG1	2.16	0.44
1:A:175:PHE:HD2	1:A:259:VAL:O	2.01	0.43
1:A:471:GLU:O	1:A:474:ARG:HG3	2.17	0.43
1:A:564:LEU:O	1:A:567:VAL:HG12	2.17	0.43
1:A:109:THR:HG22	1:A:578:ALA:HB3	1.99	0.43
1:A:173:VAL:CG1	1:A:175:PHE:HE1	2.31	0.43
1:A:503:PHE:O	1:A:507:GLN:CB	2.67	0.43
1:A:104:ILE:O	1:A:582:ILE:HA	2.18	0.43
1:A:164:TYR:HD1	1:A:273:VAL:HG22	1.84	0.43
1:A:198:ILE:O	1:A:202:ASN:HB3	2.18	0.43
1:A:247:TRP:CE3	1:A:330:LEU:HD23	2.53	0.43
1:A:365:THR:C	1:A:366:MET:HE2	2.43	0.43
1:A:328:ARG:CD	1:A:333:LYS:HD3	2.48	0.43
1:A:513:ILE:O	1:A:517:VAL:HG22	2.18	0.43
1:A:604:PHE:CD1	1:A:623:LEU:HD13	2.54	0.43
1:A:433:HIS:HA	1:A:457:SER:HA	1.99	0.43
1:A:392:SER:O	1:A:505:ARG:HD3	2.19	0.42
1:A:465:VAL:O	1:A:466:ARG:C	2.62	0.42
1:A:150:PHE:HE2	1:A:413:ILE:HG23	1.84	0.42
1:A:317:ASP:N	1:A:317:ASP:OD1	2.48	0.42
1:A:400:THR:HB	1:A:476:PRO:HD3	2.01	0.42
1:A:170:VAL:HA	1:A:266:GLY:O	2.19	0.42
1:A:181:GLN:HG2	1:A:182:PHE:C	2.44	0.42
1:A:394:THR:HG23	1:A:508:PHE:HD1	1.84	0.42
1:A:398:ASN:ND2	2:B:1:NAG:H83	2.34	0.42
1:A:150:PHE:CE2	1:A:413:ILE:HG23	2.55	0.42
1:A:591:SER:O	1:A:593:PRO:HD3	2.19	0.42
1:A:162:THR:HA	1:A:275:GLU:HA	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:LEU:HD21	1:A:467:GLU:HG3	2.01	0.42
1:A:287:PHE:CD1	1:A:299:PRO:HG3	2.55	0.42
1:A:589:ILE:HG22	1:A:592:ARG:H	1.84	0.42
1:A:234:LEU:HD23	1:A:249:THR:HG23	2.01	0.42
1:A:404:LEU:O	1:A:407:VAL:HB	2.19	0.42
1:A:143:THR:O	1:A:452:TYR:OH	2.38	0.41
1:A:181:GLN:CG	1:A:182:PHE:N	2.82	0.41
1:A:255:ASN:HA	1:A:256:PRO:HD3	1.90	0.41
1:A:328:ARG:NH2	1:A:335:ARG:HB3	2.34	0.41
1:A:479:PRO:O	1:A:482:PRO:HD2	2.19	0.41
1:A:587:MET:SD	1:A:650:PHE:HD2	2.43	0.41
1:A:701:ASP:HB3	1:A:704:GLU:HG2	2.02	0.41
1:A:282:TYR:CD1	1:A:283:PRO:HA	2.56	0.41
1:A:475:LYS:HE2	1:A:475:LYS:HB3	1.56	0.41
1:A:583:VAL:HG23	1:A:643:PHE:CZ	2.54	0.41
1:A:615:GLY:C	1:A:627:ARG:HE	2.29	0.41
1:A:467:GLU:O	1:A:471:GLU:HG2	2.20	0.41
1:A:650:PHE:CE1	1:A:655:TYR:HA	2.56	0.41
1:A:173:VAL:HG12	1:A:175:PHE:HE1	1.86	0.41
1:A:329:ASP:O	1:A:333:LYS:HA	2.21	0.40
1:A:373:ASP:HB3	1:A:424:ILE:HG21	2.03	0.40
1:A:588:ARG:HG2	1:A:596:CYS:CB	2.51	0.40
1:A:756:ILE:O	1:A:760:VAL:HG23	2.21	0.40
1:A:215:ARG:HA	1:A:215:ARG:HD2	1.90	0.40
1:A:329:ASP:HB3	1:A:333:LYS:H	1.86	0.40
1:A:378:SER:O	1:A:384:PHE:HA	2.22	0.40
1:A:501:ILE:O	1:A:501:ILE:HG13	2.20	0.40
1:A:582:ILE:HB	1:A:603:SER:HB2	2.04	0.40
1:A:711:LEU:C	1:A:713:ASP:H	2.30	0.40
1:A:151:LYS:O	1:A:366:MET:HA	2.22	0.40
1:A:152:GLU:HB3	1:A:497:THR:HB	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:ARG:NH2	1:A:696:ASP:O[3_655]	2.11	0.09
1:A:318:ARG:NH2	1:A:720:ASP:OD1[2_545]	2.13	0.07

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	659/833 (79%)	609 (92%)	48 (7%)	2 (0%)	36 70

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	774	PRO
1	A	130	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	567/700 (81%)	552 (97%)	15 (3%)	40 61

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	103	ASP
1	A	108	ASN
1	A	110	ASP
1	A	179	TYR
1	A	312	THR
1	A	373	ASP
1	A	404	LEU
1	A	409	LEU
1	A	460	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	464	TYR
1	A	475	LYS
1	A	673	LEU
1	A	723	ILE
1	A	728	ASN
1	A	774	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	472	GLN
1	A	728	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.24	0	17,19,21	0.85	1 (5%)
2	NAG	B	2	2	14,14,15	1.30	2 (14%)	17,19,21	1.78	5 (29%)
2	BMA	B	3	2	11,11,12	0.52	0	15,15,17	0.70	0
3	NAG	C	1	3,1	14,14,15	0.29	0	17,19,21	0.46	0
3	NAG	C	2	3	14,14,15	0.55	0	17,19,21	1.05	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	B	2	2	-	5/6/23/26	0/1/1/1
2	BMA	B	3	2	-	0/2/19/22	0/1/1/1
3	NAG	C	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	NAG	O5-C1	-3.89	1.37	1.43
2	B	2	NAG	C1-C2	2.10	1.55	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C2-N2-C7	4.56	129.01	122.90
2	B	2	NAG	C4-C3-C2	3.60	116.29	111.02
3	C	2	NAG	C1-O5-C5	2.83	115.98	112.19
3	C	2	NAG	C3-C4-C5	2.48	114.73	110.23
2	B	2	NAG	C3-C4-C5	2.30	114.41	110.23
2	B	2	NAG	C1-C2-N2	2.30	114.05	110.43
2	B	2	NAG	C1-O5-C5	-2.27	109.14	112.19
2	B	1	NAG	C1-O5-C5	2.10	115.00	112.19

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	NAG	C4-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
2	B	1	NAG	C8-C7-N2-C2
2	B	1	NAG	O7-C7-N2-C2
2	B	2	NAG	C8-C7-N2-C2
2	B	2	NAG	O7-C7-N2-C2
3	C	1	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	1	NAG	O7-C7-N2-C2
3	C	2	NAG	C8-C7-N2-C2
3	C	2	NAG	O7-C7-N2-C2
2	B	2	NAG	C1-C2-N2-C7


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1001	1	14,14,15	0.55	0	17,19,21	0.51	0
4	NAG	A	1005	1	14,14,15	0.50	0	17,19,21	1.00	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1001	1	-	4/6/23/26	0/1/1/1
4	NAG	A	1005	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1005	NAG	C1-O5-C5	2.68	115.77	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1005	NAG	O5-C5-C6-O6
4	A	1005	NAG	C4-C5-C6-O6
4	A	1001	NAG	O5-C5-C6-O6
4	A	1001	NAG	C8-C7-N2-C2
4	A	1001	NAG	O7-C7-N2-C2
4	A	1001	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	665/833 (79%)	0.80	68 (10%) 12 15	120, 187, 271, 303	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	314	TYR	5.2
1	A	769	SER	4.4
1	A	712	HIS	4.4
1	A	313	SER	4.2
1	A	102	ARG	4.2
1	A	490	ALA	4.1
1	A	714	LEU	4.1
1	A	262	PHE	4.1
1	A	754	MET	4.1
1	A	260	GLU	4.0
1	A	261	ALA	3.9
1	A	717	ALA	3.8
1	A	713	ASP	3.5
1	A	689	TYR	3.5
1	A	774	PRO	3.4
1	A	480	THR	3.2
1	A	405	SER	3.1
1	A	311	HIS	3.1
1	A	150	PHE	3.1
1	A	638	ARG	3.1
1	A	309	THR	3.1
1	A	585	ASN	3.1
1	A	771	MET	3.1
1	A	772	SER	3.0
1	A	441	TYR	3.0
1	A	212	LYS	3.0
1	A	292	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	413	ILE	2.9
1	A	154	ILE	2.9
1	A	791	ALA	2.9
1	A	502	GLU	2.8
1	A	590	SER	2.8
1	A	177	HIS	2.7
1	A	241	THR	2.7
1	A	482	PRO	2.7
1	A	756	ILE	2.7
1	A	586	SER	2.7
1	A	795	PHE	2.7
1	A	466	ARG	2.6
1	A	711	LEU	2.6
1	A	716	PHE	2.6
1	A	118	PRO	2.6
1	A	718	ASP	2.5
1	A	226	ASP	2.5
1	A	501	ILE	2.4
1	A	233	GLU	2.4
1	A	448	PHE	2.4
1	A	770	PHE	2.3
1	A	584	GLN	2.3
1	A	193	PRO	2.3
1	A	449	LEU	2.3
1	A	700	LEU	2.3
1	A	672	ASP	2.3
1	A	709	ASN	2.2
1	A	417	ALA	2.2
1	A	753	VAL	2.2
1	A	470	ARG	2.2
1	A	491	SER	2.2
1	A	500	SER	2.1
1	A	263	HIS	2.1
1	A	379	GLU	2.1
1	A	477	PRO	2.1
1	A	120	THR	2.0
1	A	134	PRO	2.0
1	A	107	GLU	2.0
1	A	294	PHE	2.0
1	A	402	TYR	2.0
1	A	330	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	C	2	14/15	0.21	0.20	202,213,223,228	0
2	BMA	B	3	11/12	0.37	0.14	237,253,260,261	0
2	NAG	B	2	14/15	0.59	0.14	240,251,260,264	0
3	NAG	C	1	14/15	0.62	0.15	176,193,205,210	0
2	NAG	B	1	14/15	0.91	0.12	196,207,233,241	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	1001	14/15	0.62	0.23	212,238,244,245	0
4	NAG	A	1005	14/15	0.73	0.17	218,232,240,243	0

6.5 Other polymers [i](#)

There are no such residues in this entry.