



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:58 PM UTC

PDB ID : 6BMH / pdb_00006bmh
Title : Crystal structure of MHC-I like protein
Authors : Khandokar, Y.B.; Le Nours, J.; Rossjohn, J.
Deposited on : 2017-11-14
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	10% 78% 21% .
1	C	276	17% 79% 20% .
1	E	276	9% 81% 17% ..
1	G	276	7% 86% 12% ..
2	B	99	3% 83% 16% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	99	% 86% 11% ..
2	F	99	% 89% 8% ..
2	H	99	% 84% 15% .
3	I	2	50% 50%
3	J	2	100%
3	K	2	100%
3	L	2	50% 50%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12392 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Antigen-presenting glycoprotein CD1d2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	273	Total	C	N	O	S	7	2	0
			2138	1367	364	396	11			
1	C	273	Total	C	N	O	S	29	1	0
			2107	1349	358	389	11			
1	E	273	Total	C	N	O	S	11	2	0
			2146	1374	370	391	11			
1	G	273	Total	C	N	O	S	15	1	0
			2150	1375	368	396	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	46	ILE	THR	conflict	UNP P11610
C	46	ILE	THR	conflict	UNP P11610
E	46	ILE	THR	conflict	UNP P11610
G	46	ILE	THR	conflict	UNP P11610

- Molecule 2 is a protein called Beta-2-microglobulin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	98	Total	C	N	O	S	1	1	0
			800	512	137	144	7			
2	D	98	Total	C	N	O	S	0	0	0
			781	497	131	146	7			
2	F	98	Total	C	N	O	S	0	0	0
			805	515	137	146	7			
2	H	98	Total	C	N	O	S	0	0	0
			801	512	136	146	7			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	L	2	Total	C	N	O	0	0	0
			28	16	2	10			


- Molecule 4 is N-[(2S,3S,4R)-1-(alpha-D-galactopyranosyloxy)-3,4-dihydroxyoctadecan-2-yl]undecanamide (CCD ID: F61) (formula: C₃₅H₆₉NO₉).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			45	35	1	9		
4	C	1	Total	C	N	O	0	0
			45	35	1	9		
4	E	1	Total	C	N	O	0	0
			45	35	1	9		
4	G	1	Total	C	N	O	0	0
			45	35	1	9		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:

C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	E	1	Total	C	N	O	0	0
			14	8	1	5		
5	G	1	Total	C	N	O	0	0
			14	8	1	5		
5	G	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	35	Total	O	0	0
			35	35		
6	B	32	Total	O	0	0
			32	32		
6	C	56	Total	O	0	0
			56	56		
6	D	29	Total	O	0	0
			29	29		
6	E	37	Total	O	0	0
			37	37		
6	F	33	Total	O	0	0
			33	33		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	40	Total	O	0	0
			40	40		
6	H	39	Total	O	0	0
			39	39		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Antigen-presenting glycoprotein CD1d2



• Molecule 1: Antigen-presenting glycoprotein CD1d2




• Molecule 1: Antigen-presenting glycoprotein CD1d2





- Molecule 1: Antigen-presenting glycoprotein CD1d2

Chain G: 7% 86% 12% ..



- Molecule 2: Beta-2-microglobulin

Chain B: 3% 83% 16% .



- Molecule 2: Beta-2-microglobulin

Chain D: % 86% 11% ..




- Molecule 2: Beta-2-microglobulin

Chain F: % 89% 8% ..



- Molecule 2: Beta-2-microglobulin

Chain H: % 84% 15% .



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	105.95Å 74.23Å 117.59Å 90.00° 102.94° 90.00°	Depositor
Resolution (Å)	45.93 – 2.30 45.93 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (45.93-2.30) 99.7 (45.93-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.230 , 0.280 0.231 , 0.281	Depositor DCC
R_{free} test set	4002 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	36.2	Xtriage
Anisotropy	0.539	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12392	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 63.27 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.9236e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, F61

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/2204	0.43	0/3007
1	C	0.32	0/2172	0.48	1/2967 (0.0%)
1	E	0.21	0/2211	0.43	0/3012
1	G	0.26	0/2215	0.41	0/3016
2	B	0.21	0/830	0.38	0/1130
2	D	0.39	0/807	0.48	0/1104
2	F	0.18	0/831	0.38	0/1128
2	H	0.18	0/827	0.40	0/1124
All	All	0.26	0/12097	0.43	1/16488 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	167	THR	N-CA-C	5.55	117.02	110.97

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2138	0	1993	39	0
1	C	2107	0	1954	37	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2146	0	2028	35	0
1	G	2150	0	2036	22	0
2	B	800	0	760	10	0
2	D	781	0	713	12	0
2	F	805	0	779	6	0
2	H	801	0	768	12	0
3	I	28	0	25	1	0
3	J	28	0	25	0	0
3	K	28	0	25	0	0
3	L	28	0	25	1	0
4	A	45	0	0	1	0
4	C	45	0	0	1	0
4	E	45	0	0	1	0
4	G	45	0	0	1	0
5	A	14	0	13	0	0
5	C	14	0	13	0	0
5	E	14	0	13	0	0
5	G	29	0	27	0	0
6	A	35	0	0	3	0
6	B	32	0	0	3	0
6	C	56	0	0	2	0
6	D	29	0	0	1	0
6	E	37	0	0	0	0
6	F	33	0	0	1	0
6	G	40	0	0	3	0
6	H	39	0	0	0	0
All	All	12392	0	11197	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:80:ASP:OD1	4:G:301:F61:O4	1.61	1.17
1:G:79:ARG:NH2	6:G:401:HOH:O	1.77	1.13
1:E:80:ASP:OD2	4:E:301:F61:O4	1.84	0.95
1:E:196:VAL:HG11	2:F:99:MET:HG2	1.58	0.85
1:A:80:ASP:OD2	4:A:301:F61:O4	1.97	0.82
1:A:88:MET:HE1	1:A:149:VAL:HG21	1.62	0.80
1:C:221:MET:SD	1:C:232:THR:HG21	2.24	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:221:MET:HE2	1:E:228:GLU:HB3	1.70	0.73
1:A:40:TRP:HB2	1:A:47:ILE:HD13	1.71	0.72
1:G:87:MET:HE1	1:G:149:VAL:HG21	1.72	0.70
1:G:75:VAL:O	1:G:79:ARG:HG2	1.92	0.70
1:E:21:ILE:HD12	1:E:94:TYR:CE2	2.27	0.70
1:C:186:GLN:NE2	1:C:268:SER:OG	2.26	0.69
1:A:221:MET:HE2	1:A:228:GLU:HB3	1.74	0.69
1:A:57:LYS:HD3	1:A:177:GLU:OE2	1.92	0.69
2:D:73:THR:HG22	2:D:75:THR:H	1.58	0.68
6:G:402:HOH:O	3:L:1:NAG:O7	2.10	0.67
1:G:221:MET:HE2	1:G:228:GLU:HB3	1.75	0.67
1:E:264:ARG:NH1	1:E:274:ASP:OD1	2.28	0.67
1:A:187:GLU:OE1	1:A:244:THR:HG22	1.95	0.67
1:A:48:SER:OG	6:A:401:HOH:O	2.13	0.66
1:E:62:GLN:HE21	2:H:74:GLU:HG2	1.61	0.66
1:C:172:ALA:HA	1:C:175:LEU:HB2	1.77	0.65
1:G:241:ALA:O	6:G:403:HOH:O	2.15	0.65
2:D:2:GLN:N	6:D:101:HOH:O	2.30	0.65
1:E:223:MET:HE1	1:E:228:GLU:HG2	1.78	0.65
1:A:85:VAL:HG11	1:A:96:ILE:HD11	1.78	0.64
1:C:224:ARG:NH1	6:C:404:HOH:O	2.30	0.63
2:F:73:THR:HG22	2:F:75:THR:H	1.63	0.62
2:F:83:LYS:HG2	2:F:90:PRO:HG3	1.79	0.62
1:A:187:GLU:OE1	1:A:244:THR:CG2	2.49	0.60
2:F:12:ARG:NH2	6:F:101:HOH:O	2.24	0.60
2:B:2:GLN:N	6:B:103:HOH:O	2.32	0.60
1:A:202:GLY:O	1:A:255:ALA:N	2.33	0.60
1:C:18:PHE:HB2	1:C:96:ILE:HB	1.84	0.59
2:B:37:ILE:HB	2:B:51:MET:HE1	1.85	0.59
2:B:96:ASP:HB3	2:B:99:MET:HG2	1.85	0.59
1:A:7:ASN:OD1	1:A:107:TYR:HA	2.04	0.58
1:E:182:ASP:OD2	1:E:185:LYS:NZ	2.30	0.58
1:G:78:THR:HB	1:G:79:ARG:HE	1.68	0.58
1:E:240:ASN:HB2	1:E:244:THR:HG22	1.86	0.58
1:G:106:MET:HE1	1:G:173:ARG:HG2	1.86	0.58
2:H:7:ILE:HD12	2:H:91:LYS:HD2	1.85	0.58
1:A:47:ILE:HB	1:A:67:GLN:HE21	1.69	0.57
1:C:78:THR:O	1:C:82:GLN:HG3	2.05	0.56
6:A:402:HOH:O	3:I:2:NAG:O4	2.18	0.56
1:G:203:HIS:NE2	1:G:252:ASP:OD1	2.39	0.55
1:C:202:GLY:O	1:C:255:ALA:N	2.37	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:189:PRO:HB3	1:E:213:PHE:HB3	1.89	0.55
1:E:212:GLY:HA2	1:E:244:THR:HG21	1.89	0.55
1:A:69:MET:HE1	1:A:163:LEU:HD21	1.88	0.54
1:A:262:ALA:HB2	1:A:278:TYR:CD2	2.42	0.54
1:C:186:GLN:HE22	1:C:268:SER:CB	2.20	0.54
1:E:84:LEU:O	1:E:88:MET:HG2	2.07	0.54
1:C:216:LYS:HD3	1:C:245:TRP:CE2	2.43	0.54
1:E:140:PRO:HB2	1:E:142:TRP:CD1	2.43	0.54
1:A:216:LYS:HD3	1:A:245:TRP:CE2	2.43	0.54
1:A:21:ILE:HA	1:A:94:TYR:CZ	2.43	0.53
1:C:219:TRP:CZ2	1:C:221:MET:HG3	2.44	0.53
1:C:221:MET:HE2	1:C:228:GLU:HB3	1.91	0.53
2:H:73:THR:HG23	2:H:75:THR:H	1.74	0.53
1:C:100:LEU:HD21	1:C:118:VAL:HG22	1.91	0.53
1:G:127:ARG:HD2	1:G:134:GLN:HB2	1.90	0.52
1:A:86:LYS:HA	1:A:93:ASP:CG	2.35	0.52
1:C:141:SER:HB2	2:H:48:LYS:HD2	1.91	0.52
1:C:254:GLU:O	1:C:257:GLU:HG3	2.10	0.52
1:A:11:ARG:NH1	6:A:403:HOH:O	2.31	0.51
2:D:73:THR:CG2	2:D:74:GLU:N	2.73	0.51
1:E:62:GLN:HE22	2:H:73:THR:HG23	1.74	0.51
1:C:11:ARG:NH2	1:C:33:GLY:O	2.29	0.51
1:A:128:PHE:HB2	1:A:133:TRP:CZ3	2.46	0.51
1:A:265:VAL:HB	1:A:275:ILE:HB	1.93	0.51
1:A:47:ILE:HB	1:A:67:GLN:NE2	2.25	0.51
1:E:221:MET:HB3	1:E:223:MET:HE3	1.92	0.51
2:H:73:THR:HG22	2:H:76:ASP:HB2	1.92	0.51
2:B:73:THR:HG22	2:B:75:THR:H	1.76	0.51
1:A:123:LYS:NZ	1:A:138:GLY:O	2.45	0.50
1:A:9:THR:HG22	1:A:11:ARG:HG3	1.92	0.50
1:E:21:ILE:HD12	1:E:94:TYR:CD2	2.46	0.50
1:A:18:PHE:HB2	1:A:96:ILE:HB	1.93	0.50
1:A:219:TRP:HB3	1:A:266:LYS:HB2	1.92	0.50
1:C:46:ILE:HD11	1:C:67:GLN:CD	2.36	0.50
1:C:8:TYR:CE1	1:C:183:LEU:HD23	2.46	0.50
1:G:18:PHE:HB2	1:G:96:ILE:HB	1.94	0.50
1:A:61:GLN:O	1:A:65:LYS:HG3	2.13	0.49
1:C:157:SER:O	1:C:161:GLN:HG3	2.13	0.49
2:B:5:PRO:HB3	2:B:30:PHE:HB3	1.95	0.48
1:E:219:TRP:CH2	1:E:221:MET:HB2	2.48	0.48
1:E:105:GLU:HG2	1:E:107:TYR:CZ	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:219:TRP:HH2	1:C:223:MET:HE2	1.78	0.48
1:E:157:SER:O	1:E:161:GLN:HG3	2.13	0.48
1:E:185:LYS:HD3	1:E:187:GLU:OE2	2.13	0.48
1:G:219:TRP:HB3	1:G:266:LYS:HB2	1.95	0.48
1:G:193:LEU:CD1	1:G:277:LEU:HD22	2.44	0.47
1:E:106:MET:HE1	1:E:173:ARG:HD2	1.96	0.47
1:G:20:ASN:HA	1:G:94:TYR:CG	2.49	0.47
1:A:69:MET:CE	1:A:163:LEU:HD11	2.45	0.47
1:A:87:MET:HG2	1:A:88:MET:HG2	1.97	0.46
1:A:154:GLN:HA	1:A:157:SER:HB3	1.97	0.46
1:C:30:ILE:HB	1:C:38:HIS:HB2	1.97	0.46
1:C:100:LEU:CD2	1:C:118:VAL:HG22	2.46	0.46
1:E:88:MET:SD	1:E:145:LEU:HD22	2.55	0.46
1:C:85:VAL:HG11	1:C:96:ILE:HD11	1.97	0.46
2:D:73:THR:CG2	2:D:75:THR:H	2.25	0.46
2:D:5:PRO:HB3	2:D:30:PHE:HB3	1.97	0.46
1:E:264:ARG:NE	1:E:276:ILE:HD11	2.31	0.46
1:E:62:GLN:HE22	2:H:73:THR:CG2	2.29	0.46
1:C:67:GLN:O	1:C:71:GLN:HG3	2.15	0.46
1:G:168:TRP:HB2	1:G:169:PRO:HD3	1.98	0.46
1:A:57:LYS:HE2	1:A:174:GLY:CA	2.47	0.45
2:D:73:THR:HG22	2:D:76:ASP:H	1.80	0.45
1:E:67:GLN:O	1:E:71:GLN:HG3	2.17	0.44
2:H:83:LYS:HG2	2:H:90:PRO:HB3	2.00	0.44
1:C:79:ARG:NH2	6:C:405:HOH:O	2.40	0.44
1:C:191:ALA:HA	1:C:209:HIS:O	2.17	0.44
1:E:120:PHE:CE2	1:E:142:TRP:HZ2	2.36	0.44
1:A:21:ILE:HA	1:A:94:TYR:OH	2.17	0.44
1:A:214:TYR:CG	1:A:215:PRO:HA	2.52	0.44
1:C:214:TYR:CG	1:C:215:PRO:HA	2.53	0.44
2:D:38:GLN:OE1	2:D:45:LYS:HE3	2.17	0.44
1:C:234:ARG:NH2	1:C:237:PHE:CE1	2.86	0.44
1:C:186:GLN:OE1	1:C:269:SER:HA	2.18	0.43
2:B:73:THR:HG22	2:B:74:GLU:N	2.34	0.43
1:E:89:SER:HA	1:E:90:PRO:HA	1.59	0.43
1:G:20:ASN:HA	1:G:94:TYR:CB	2.48	0.43
1:G:207:VAL:HG12	1:G:250:THR:HG22	2.00	0.43
2:B:23:LEU:HB2	2:B:70:PHE:CD1	2.53	0.43
1:A:276:ILE:HD12	1:G:259:ALA:HB3	2.01	0.43
1:G:180:LYS:HE2	1:G:184:GLU:CD	2.44	0.43
1:E:219:TRP:CE3	1:E:266:LYS:HD2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:189:PRO:HB3	1:G:213:PHE:HB3	2.00	0.43
2:B:40:LEU:HD23	2:B:45:LYS:HA	2.01	0.43
2:D:73:THR:HG23	2:D:74:GLU:N	2.34	0.43
1:C:80:ASP:OD2	4:C:301:F61:O4	2.37	0.43
1:C:209:HIS:HE1	2:D:99:MET:O	2.02	0.43
1:E:180:LYS:HB3	1:E:180:LYS:HE3	1.62	0.43
1:C:221:MET:HE3	1:C:221:MET:HB3	1.90	0.42
1:A:19:ALA:O	1:A:94:TYR:HB3	2.19	0.42
2:B:98:ASP:OD2	6:B:101:HOH:O	2.21	0.42
1:E:160:VAL:O	1:E:164:LEU:HD22	2.20	0.42
1:G:193:LEU:HG	1:G:277:LEU:HD22	2.00	0.42
2:H:79:ALA:HB2	2:H:94:TYR:CD2	2.54	0.42
1:A:46:ILE:HG13	1:A:67:GLN:NE2	2.35	0.42
2:F:7:ILE:HB	2:F:93:VAL:HG11	2.01	0.42
2:F:40:LEU:HD23	2:F:45:LYS:HA	2.01	0.42
1:E:65:LYS:HA	1:E:65:LYS:HD2	1.64	0.42
1:C:84:LEU:HD12	1:C:88:MET:HE1	2.02	0.42
1:C:175:LEU:HD23	1:C:175:LEU:HA	1.87	0.41
1:E:58:LEU:HD21	2:H:74:GLU:OE2	2.20	0.41
1:C:127:ARG:HG2	1:C:128:PHE:N	2.36	0.41
2:D:73:THR:HG23	2:D:74:GLU:H	1.84	0.41
1:A:46:ILE:HD12	1:A:46:ILE:HA	1.80	0.41
1:A:86:LYS:HA	1:A:93:ASP:OD2	2.21	0.41
1:A:188:LYS:HA	1:A:269:SER:OG	2.21	0.41
1:C:192:TRP:CE3	2:D:14:PRO:HG3	2.55	0.41
1:A:8:TYR:CE1	1:A:183:LEU:HD22	2.55	0.41
1:E:224:ARG:HB2	1:E:227:GLN:HG2	2.02	0.41
1:C:46:ILE:HD12	1:C:46:ILE:HA	1.75	0.40
2:D:7:ILE:HB	2:D:93:VAL:HG11	2.03	0.40
1:E:124:TYR:CZ	1:E:136:VAL:HG11	2.55	0.40
2:B:31:HIS:NE2	6:B:105:HOH:O	2.37	0.40
1:G:192:TRP:CE3	2:H:14:PRO:HG3	2.56	0.40
1:E:224:ARG:HE	1:E:229:GLN:NE2	2.20	0.40
2:H:72:PRO:HB3	2:H:95:TRP:CH2	2.57	0.40
1:C:200:ALA:HB3	1:C:203:HIS:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/276 (99%)	268 (98%)	5 (2%)	0	100	100
1	C	272/276 (99%)	262 (96%)	10 (4%)	0	100	100
1	E	273/276 (99%)	264 (97%)	9 (3%)	0	100	100
1	G	272/276 (99%)	263 (97%)	9 (3%)	0	100	100
2	B	97/99 (98%)	96 (99%)	1 (1%)	0	100	100
2	D	96/99 (97%)	96 (100%)	0	0	100	100
2	F	96/99 (97%)	95 (99%)	1 (1%)	0	100	100
2	H	96/99 (97%)	96 (100%)	0	0	100	100
All	All	1475/1500 (98%)	1440 (98%)	35 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/240 (92%)	219 (99%)	3 (1%)	59	76
1	C	216/240 (90%)	211 (98%)	5 (2%)	44	63
1	E	223/240 (93%)	218 (98%)	5 (2%)	45	65
1	G	226/240 (94%)	221 (98%)	5 (2%)	45	65
2	B	89/93 (96%)	89 (100%)	0	100	100
2	D	85/93 (91%)	83 (98%)	2 (2%)	43	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	F	91/93 (98%)	89 (98%)	2 (2%)	45 65
2	H	90/93 (97%)	89 (99%)	1 (1%)	65 81
All	All	1242/1332 (93%)	1219 (98%)	23 (2%)	50 69

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	181	SER
1	A	182	ASP
1	A	198	SER
1	C	28	SER
1	C	43	ASP
1	C	84	LEU
1	C	150	LEU
1	C	168	TRP
2	D	73	THR
2	D	93	VAL
1	E	21	ILE
1	E	57	LYS
1	E	164	LEU
1	E	244	THR
1	E	258	GLU
2	F	12	ARG
2	F	93	VAL
1	G	79	ARG
1	G	88	MET
1	G	89	SER
1	G	127	ARG
1	G	168	TRP
2	H	93	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	67	GLN
1	A	71	GLN
1	A	186	GLN
1	C	67	GLN
1	C	186	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	205	GLN
2	D	34	HIS
2	D	38	GLN
2	D	67	HIS
1	E	62	GLN
1	E	229	GLN
2	F	8	GLN
2	F	38	GLN
1	G	67	GLN
1	G	117	HIS
1	G	227	GLN
1	G	229	GLN
2	H	38	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	I	1	1,3	14,14,15	0.24	0	17,19,21	0.55	0
3	NAG	I	2	3	14,14,15	0.21	0	17,19,21	0.42	0
3	NAG	J	1	1,3	14,14,15	0.25	0	17,19,21	0.43	0
3	NAG	J	2	3	14,14,15	0.25	0	17,19,21	0.57	0
3	NAG	K	1	3	14,14,15	0.26	0	17,19,21	0.56	0
3	NAG	K	2	3	14,14,15	0.17	0	17,19,21	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	L	1	1,3	14,14,15	0.29	0	17,19,21	0.37	0
3	NAG	L	2	3	14,14,15	0.20	0	17,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	1/6/23/26	0/1/1/1
3	NAG	K	1	3	-	2/6/23/26	0/1/1/1
3	NAG	K	2	3	-	2/6/23/26	0/1/1/1
3	NAG	L	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	L	2	NAG	O5-C5-C6-O6
3	K	2	NAG	C4-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
3	L	2	NAG	C4-C5-C6-O6
3	K	1	NAG	O5-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
3	L	1	NAG	C4-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	L	1	NAG	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	1	NAG	1	0
3	I	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	F61	E	301	-	45,45,45	1.54	7 (15%)	51,54,54	1.68	13 (25%)
5	NAG	A	302	1	14,14,15	0.33	0	17,19,21	0.49	0
4	F61	C	301	-	45,45,45	1.61	6 (13%)	51,54,54	1.27	5 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	F61	G	301	-	45,45,45	1.51	7 (15%)	51,54,54	1.77	12 (23%)
4	F61	A	301	-	45,45,45	1.50	7 (15%)	51,54,54	1.28	5 (9%)
5	NAG	G	302	1	14,14,15	0.23	0	17,19,21	0.44	0
5	NAG	C	302	1	14,14,15	0.41	0	17,19,21	0.44	0
5	NAG	E	302	1	14,14,15	0.35	0	17,19,21	0.40	0
5	NAG	G	305	-	15,15,15	1.76	3 (20%)	21,21,21	2.39	7 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	F61	E	301	-	-	13/43/63/63	0/1/1/1
5	NAG	A	302	1	-	2/6/23/26	0/1/1/1
4	F61	C	301	-	-	4/43/63/63	0/1/1/1
4	F61	G	301	-	-	20/43/63/63	0/1/1/1
4	F61	A	301	-	-	11/43/63/63	0/1/1/1
5	NAG	G	302	1	-	0/6/23/26	0/1/1/1
5	NAG	C	302	1	-	0/6/23/26	0/1/1/1
5	NAG	E	302	1	-	2/6/23/26	0/1/1/1
5	NAG	G	305	-	-	1/6/26/26	0/1/1/1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	301	F61	CAA-N2	7.32	1.49	1.34
4	G	301	F61	CAA-N2	5.96	1.46	1.34
4	A	301	F61	CAA-N2	5.37	1.45	1.34
4	E	301	F61	CAA-N2	5.36	1.45	1.34
4	E	301	F61	O1A-C1	-4.31	1.36	1.43
4	A	301	F61	O1A-C1	-4.18	1.36	1.43
4	A	301	F61	OAA-CAA	-4.07	1.15	1.23
4	E	301	F61	OAA-CAA	-3.92	1.15	1.23
4	G	301	F61	OAA-CAA	-3.79	1.15	1.23
5	G	305	NAG	C7-N2	3.73	1.46	1.34
4	G	301	F61	O1A-C1	-3.37	1.37	1.43
4	C	301	F61	CAB-CAA	3.14	1.57	1.51
4	C	301	F61	O1A-C1	-2.92	1.38	1.43
5	G	305	NAG	O5-C1	2.88	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	305	NAG	C2-N2	2.80	1.50	1.45
4	A	301	F61	O1A-C1A	-2.64	1.35	1.40
4	C	301	F61	O6A-C1A	2.61	1.48	1.41
4	E	301	F61	O1A-C1A	-2.51	1.36	1.40
4	E	301	F61	O4-C4	-2.50	1.38	1.43
4	G	301	F61	O1A-C1A	-2.47	1.36	1.40
4	E	301	F61	O6A-C1A	2.35	1.47	1.41
4	G	301	F61	O4-C4	-2.32	1.38	1.43
4	A	301	F61	C2A-C3A	-2.29	1.46	1.52
4	G	301	F61	C2A-C3A	-2.29	1.46	1.52
4	C	301	F61	OAA-CAA	-2.21	1.18	1.23
4	A	301	F61	O6A-C1A	2.13	1.47	1.41
4	A	301	F61	O4-C4	-2.12	1.38	1.43
4	G	301	F61	C3-C2	-2.03	1.50	1.53
4	C	301	F61	O1A-C1A	-2.01	1.36	1.40
4	E	301	F61	C3A-C4A	-2.01	1.47	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	305	NAG	O5-C5-C4	5.39	119.40	109.70
4	G	301	F61	C1-C2-N2	-4.87	102.73	109.66
5	G	305	NAG	C4-C3-C2	4.75	117.33	110.40
5	G	305	NAG	O5-C1-C2	4.52	114.06	109.52
4	G	301	F61	C1-C2-C3	-3.92	105.01	112.71
5	G	305	NAG	C3-C4-C5	3.84	117.19	110.23
4	G	301	F61	CAB-CAA-N2	3.66	122.32	115.86
4	E	301	F61	C1-C2-N2	-3.57	104.58	109.66
4	E	301	F61	C6-C5-C4	-3.46	108.44	114.11
4	G	301	F61	C6-C5-C4	-3.27	108.75	114.11
4	E	301	F61	O6A-C5M-C6A	3.24	114.48	106.44
5	G	305	NAG	O5-C5-C6	3.21	114.39	106.44
4	E	301	F61	C2A-C3A-C4A	3.06	116.21	110.83
4	G	301	F61	O4-C4-C3	-3.01	102.21	109.25
4	C	301	F61	C6-C5-C4	-2.96	109.26	114.11
4	G	301	F61	O5A-C6A-C5M	-2.95	101.28	111.33
4	E	301	F61	C5-C4-C3	-2.85	109.44	113.97
4	G	301	F61	C8-C7-C6	-2.78	100.32	114.37
4	E	301	F61	C1-O1A-C1A	2.69	119.56	113.80
4	E	301	F61	CAB-CAA-N2	2.68	120.58	115.86
4	A	301	F61	CAB-CAA-N2	2.50	120.27	115.86
4	E	301	F61	C2-N2-CAA	-2.49	119.24	123.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	301	F61	C1-C2-C3	-2.48	107.83	112.71
4	G	301	F61	OAA-CAA-N2	-2.38	118.92	122.95
4	G	301	F61	O6A-C1A-C2A	-2.35	105.54	110.37
5	G	305	NAG	C1-C2-N2	-2.32	108.03	110.73
4	E	301	F61	CAD-CAC-CAB	-2.31	104.66	113.13
4	C	301	F61	CAB-CAA-N2	2.28	119.89	115.86
4	G	301	F61	O2A-C2A-C3A	-2.27	105.02	110.38
4	E	301	F61	O3A-C3A-C2A	-2.23	105.11	110.38
5	G	305	NAG	C8-C7-N2	2.23	119.82	116.12
4	A	301	F61	CAC-CAB-CAA	-2.18	107.14	113.19
4	A	301	F61	C6-C5-C4	-2.18	110.54	114.11
4	C	301	F61	OAA-CAA-N2	-2.14	119.32	122.95
4	A	301	F61	OAA-CAA-N2	-2.13	119.35	122.95
4	C	301	F61	C2-N2-CAA	-2.10	119.90	123.40
4	G	301	F61	O1A-C1A-C2A	2.10	111.46	108.27
4	E	301	F61	C1A-O6A-C5M	-2.09	109.64	113.72
4	G	301	F61	C8-C9-C10	-2.06	103.94	114.37
4	E	301	F61	C7-C6-C5	-2.02	106.02	113.62
4	A	301	F61	C8-C9-C10	-2.01	104.23	114.37
4	E	301	F61	OAA-CAA-N2	-2.00	119.56	122.95

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	301	F61	C2-C3-C4-C5
4	G	301	F61	O3-C3-C4-C5
4	G	301	F61	O3-C3-C4-O4
4	A	301	F61	CAA-CAB-CAC-CAD
5	A	302	NAG	O5-C5-C6-O6
5	A	302	NAG	C4-C5-C6-O6
5	G	305	NAG	C4-C5-C6-O6
4	G	301	F61	C2-C3-C4-O4
4	C	301	F61	O6A-C5M-C6A-O5A
4	A	301	F61	C13-C14-C15-C16
4	E	301	F61	C6-C7-C8-C9
4	A	301	F61	C6-C7-C8-C9
4	G	301	F61	CAF-CAG-CAH-CAI
4	E	301	F61	CAA-CAB-CAC-CAD
4	E	301	F61	C12-C13-C14-C15
4	G	301	F61	C7-C8-C9-C10
4	G	301	F61	CAD-CAE-CAF-CAG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	G	301	F61	C13-C14-C15-C16
4	A	301	F61	CAF-CAG-CAH-CAI
4	C	301	F61	C9-C10-C11-C12
4	E	301	F61	CAF-CAG-CAH-CAI
4	E	301	F61	C11-C12-C13-C14
4	C	301	F61	C6-C7-C8-C9
4	G	301	F61	C9-C10-C11-C12
4	G	301	F61	C11-C10-C9-C8
4	E	301	F61	CAG-CAH-CAI-CAJ
5	E	302	NAG	C4-C5-C6-O6
4	A	301	F61	CAB-CAC-CAD-CAE
4	A	301	F61	CAC-CAD-CAE-CAF
5	E	302	NAG	O5-C5-C6-O6
4	G	301	F61	CAC-CAD-CAE-CAF
4	E	301	F61	C11-C10-C9-C8
4	E	301	F61	CAC-CAD-CAE-CAF
4	G	301	F61	CAE-CAF-CAG-CAH
4	G	301	F61	O6A-C5M-C6A-O5A
4	G	301	F61	C10-C11-C12-C13
4	A	301	F61	C11-C12-C13-C14
4	A	301	F61	O6A-C1A-O1A-C1
4	C	301	F61	CAB-CAC-CAD-CAE
4	G	301	F61	C6-C7-C8-C9
4	E	301	F61	C9-C10-C11-C12
4	A	301	F61	CAG-CAH-CAI-CAJ
4	A	301	F61	C11-C10-C9-C8
4	E	301	F61	CAD-CAE-CAF-CAG
4	G	301	F61	C4A-C5M-C6A-O5A
4	G	301	F61	OAA-CAA-CAB-CAC
4	E	301	F61	C2A-C1A-O1A-C1
4	G	301	F61	C12-C13-C14-C15
4	E	301	F61	O6A-C1A-O1A-C1
4	G	301	F61	N2-CAA-CAB-CAC
4	G	301	F61	O6A-C1A-O1A-C1
4	A	301	F61	CAD-CAE-CAF-CAG
4	E	301	F61	C15-C16-C17-C18

There are no ring outliers.

4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	301	F61	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	301	F61	1	0
4	G	301	F61	1	0
4	A	301	F61	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	272/276 (98%)	0.73	27 (9%) 13 14	19, 39, 67, 92	5 (1%)
1	C	268/276 (97%)	1.01	48 (17%) 3 4	20, 43, 71, 100	2 (0%)
1	E	271/276 (98%)	0.74	26 (9%) 13 15	17, 40, 64, 80	4 (1%)
1	G	270/276 (97%)	0.62	18 (6%) 24 26	20, 39, 62, 85	2 (0%)
2	B	98/99 (98%)	0.25	3 (3%) 51 53	17, 33, 47, 53	2 (2%)
2	D	98/99 (98%)	0.33	1 (1%) 79 80	25, 38, 52, 56	0
2	F	98/99 (98%)	0.24	1 (1%) 79 80	21, 34, 52, 58	0
2	H	98/99 (98%)	0.07	1 (1%) 79 80	22, 32, 48, 57	0
All	All	1473/1500 (98%)	0.63	125 (8%) 16 18	17, 38, 64, 100	15 (1%)

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	202	GLY	5.4
1	A	109	GLY	5.0
1	G	198	SER	4.8
1	A	200	ALA	4.6
1	G	110	ASN	4.5
1	A	111	ALA	4.4
1	E	271	GLY	4.4
1	C	107	TYR	4.3
1	C	199	SER	4.1
1	E	199	SER	4.1
1	A	93	ASP	4.0
1	E	202	GLY	4.0
1	C	201	HIS	4.0
1	E	89	SER	4.0
1	C	271	GLY	3.8
1	C	259	ALA	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	254	GLU	3.6
1	C	47	ILE	3.5
1	G	92	GLU	3.5
1	A	199	SER	3.5
1	C	180	LYS	3.4
1	A	23	TRP	3.4
1	C	202	GLY	3.4
1	G	91	LYS	3.4
1	A	226	ASP	3.4
1	C	172	ALA	3.3
1	C	183	LEU	3.3
1	G	90	PRO	3.3
1	A	94	TYR	3.3
1	A	21	ILE	3.2
1	A	181	SER	3.1
1	C	21	ILE	3.1
1	C	200	ALA	3.0
1	A	201	HIS	3.0
2	D	99	MET	3.0
1	A	227	GLN	3.0
1	A	107	TYR	3.0
1	C	112	SER	3.0
1	E	90	PRO	2.9
1	C	198	SER	2.9
1	E	254	GLU	2.9
1	C	260	GLY	2.8
1	C	224	ARG	2.8
1	G	108	PRO	2.8
1	C	70	PHE	2.8
1	E	46	ILE	2.8
1	C	226	ASP	2.7
1	G	137	LEU	2.7
2	H	99	MET	2.7
1	C	8	TYR	2.7
1	A	47	ILE	2.7
2	B	74	GLU	2.7
1	A	255	ALA	2.6
1	E	255	ALA	2.6
1	A	254	GLU	2.6
1	C	214	TYR	2.6
1	C	23	TRP	2.6
1	C	185	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	197	PRO	2.6
1	C	22	SER	2.6
1	A	56	GLY	2.5
1	G	203	HIS	2.5
1	C	94	TYR	2.5
1	A	252	ASP	2.5
1	G	111	ALA	2.5
1	C	203	HIS	2.5
1	G	79	ARG	2.5
1	G	204	LEU	2.5
1	A	108	PRO	2.5
1	A	22	SER	2.5
1	E	84	LEU	2.5
1	E	43	ASP	2.5
1	C	19	ALA	2.5
1	A	20	ASN	2.4
1	G	256	GLY	2.4
1	C	46	ILE	2.4
1	E	138	GLY	2.4
1	C	181	SER	2.4
1	C	219	TRP	2.4
1	C	186	GLN	2.4
1	A	271	GLY	2.4
1	C	178	ALA	2.4
2	B	75	THR	2.4
1	E	47	ILE	2.4
1	E	83	GLU	2.3
2	F	88	ALA	2.3
1	C	24	SER	2.3
1	C	166	ASP	2.3
1	C	279	TRP	2.3
1	C	197	PRO	2.3
1	E	223	MET	2.2
1	C	184	GLU	2.2
1	A	19	ALA	2.2
1	C	35	LEU	2.2
1	G	277	LEU	2.2
1	E	259	ALA	2.2
1	C	204	LEU	2.2
1	E	79	ARG	2.2
1	C	34	ASP	2.2
1	E	108	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	225	GLY	2.2
1	C	227	GLN	2.2
1	E	61	GLN	2.2
1	E	204	LEU	2.1
1	G	145	LEU	2.1
1	C	218	VAL	2.1
2	B	34[A]	HIS	2.1
1	E	59	SER	2.1
1	C	106	MET	2.1
1	C	179	GLY	2.1
1	A	59	SER	2.1
1	E	45	ALA	2.1
1	C	252	ASP	2.1
1	E	230	GLN	2.1
1	G	93	ASP	2.1
1	C	278	TYR	2.1
1	C	256	GLY	2.1
1	E	69	MET	2.0
1	E	111	ALA	2.0
1	C	261	LEU	2.0
1	A	202	GLY	2.0
1	E	260	GLY	2.0
1	E	272	GLY	2.0
1	A	92	GLU	2.0
1	G	113	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	L	2	14/15	0.58	0.18	53,66,77,80	0
3	NAG	J	2	14/15	0.59	0.24	48,66,73,83	0
3	NAG	I	2	14/15	0.79	0.14	43,51,62,62	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	L	1	14/15	0.80	0.12	31,45,54,61	0
3	NAG	K	2	14/15	0.80	0.13	45,52,58,58	0
3	NAG	I	1	14/15	0.81	0.13	30,37,50,51	0
3	NAG	K	1	14/15	0.84	0.12	23,38,46,52	0
3	NAG	J	1	14/15	0.88	0.11	27,38,47,50	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	C	302	14/15	0.74	0.14	51,60,66,66	0
5	NAG	G	305	15/15	0.76	0.14	42,57,62,63	0
4	F61	G	301	45/45	0.83	0.15	34,50,64,70	0
5	NAG	A	302	14/15	0.83	0.13	44,49,52,55	0
5	NAG	G	302	14/15	0.85	0.11	32,42,48,49	0
4	F61	C	301	45/45	0.86	0.14	29,44,54,55	0
5	NAG	E	302	14/15	0.86	0.11	35,40,55,57	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	F61	E	301	45/45	0.87	0.13	32,47,56,59	0
4	F61	A	301	45/45	0.90	0.11	35,45,53,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around F61 G 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around F61 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around F61 E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around F61 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.