



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:40 PM UTC

PDB ID : 3BNY / pdb_00003bny
Title : Crystal structure of aristolochene synthase complexed with 2-fluorofarnesyl diphosphate (2F-FPP)
Authors : Shishova, E.Y.; Christianson, D.W.
Deposited on : 2007-12-14
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	
1	B	320	
1	C	320	
1	D	320	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FPF	C	402	-	-	X	-
4	BME	C	1270	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 10204 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aristolochene synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	294	Total	C	N	O	S	0	0	0
			2385	1525	402	443	15			
1	B	296	Total	C	N	O	S	0	0	0
			2400	1535	404	446	15			
1	C	293	Total	C	N	O	S	0	0	0
			2375	1518	401	441	15			
1	D	297	Total	C	N	O	S	0	0	0
			2407	1538	406	448	15			

- Molecule 2 is (2Z,6E)-2-fluoro-3,7,11-trimethyldodeca-2,6,10-trien-1-yl trihydrogen diphosphate (CCD ID: FPF) (formula: C₁₅H₂₇FO₇P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	F	O	P	0
			25	15	1	7	2	0
2	B	1	Total	C	F	O	P	0
			25	15	1	7	2	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	F	O	P	0	0
			25	15	1	7	2		
2	D	1	Total	C	F	O	P	0	0
			25	15	1	7	2		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		

- Molecule 4 is BETA-MERCAPTOETHANOL (CCD ID: BME) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	C	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	Mg	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	135	Total 135	O 135	0	0
6	B	116	Total 116	O 116	0	0
6	C	122	Total 122	O 122	0	0
6	D	150	Total 150	O 150	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aristolochene synthase




- Molecule 1: Aristolochene synthase




- Molecule 1: Aristolochene synthase





● Molecule 1: Aristolochene synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.65Å 147.86Å 83.95Å 90.00° 97.84° 90.00°	Depositor
Resolution (Å)	22.33 – 1.89 22.33 – 1.90	Depositor EDS
% Data completeness (in resolution range)	(Not available) (22.33-1.89) 88.7 (22.33-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.51 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.224 , 0.264 0.215 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	23.7	Xtriage
Anisotropy	0.319	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.45 , 57.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10204	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, BME, FPF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	0/2438	0.92	2/3299 (0.1%)
1	B	0.65	0/2453	0.94	4/3320 (0.1%)
1	C	0.67	2/2427 (0.1%)	0.95	7/3283 (0.2%)
1	D	0.66	0/2460	1.02	10/3328 (0.3%)
All	All	0.66	2/9778 (0.0%)	0.96	23/13230 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	201	LEU	C-N	-6.52	1.25	1.34
1	C	164	ARG	N-CA	-6.07	1.37	1.46

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	201	LEU	N-CA-C	-10.37	99.13	112.93
1	D	98	PHE	N-CA-C	-8.65	101.67	113.18
1	D	160	ARG	CA-C-N	8.10	133.90	122.72
1	D	160	ARG	C-N-CA	8.10	133.90	122.72
1	B	316	SER	N-CA-C	7.75	122.07	109.59
1	D	159	ASP	CA-C-N	7.49	135.85	121.54
1	D	159	ASP	C-N-CA	7.49	135.85	121.54
1	D	50	LYS	N-CA-C	-7.01	103.69	111.82
1	C	100	GLU	CA-C-N	6.80	127.49	119.94
1	C	100	GLU	C-N-CA	6.80	127.49	119.94
1	B	315	TYR	CA-C-N	-6.78	113.10	122.93
1	B	315	TYR	C-N-CA	-6.78	113.10	122.93
1	D	63	VAL	CB-CA-C	-6.49	103.67	111.97
1	D	92	LEU	N-CA-C	5.44	117.29	111.36
1	C	283	ALA	N-CA-C	5.42	119.15	112.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	163	ALA	N-CA-C	5.32	117.73	110.24
1	D	161	THR	N-CA-C	5.29	117.86	109.24
1	C	162	ARG	CA-C-N	5.26	128.32	120.90
1	C	162	ARG	C-N-CA	5.26	128.32	120.90
1	A	266	MET	N-CA-C	-5.18	105.63	111.28
1	A	174	TYR	N-CA-C	-5.16	105.56	111.14
1	D	159	ASP	CA-C-O	5.04	127.72	120.51
1	B	301	GLN	N-CA-C	-5.01	105.90	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2385	0	2358	43	0
1	B	2400	0	2376	86	0
1	C	2375	0	2346	55	0
1	D	2407	0	2382	61	0
2	A	25	0	24	6	0
2	B	25	0	24	8	0
2	C	25	0	24	9	0
2	D	25	0	22	6	0
3	B	1	0	0	0	0
4	B	4	0	6	2	0
4	C	4	0	5	4	0
4	D	4	0	5	1	0
5	D	1	0	0	0	0
6	A	135	0	0	3	0
6	B	116	0	0	2	0
6	C	122	0	0	0	0
6	D	150	0	0	2	0
All	All	10204	0	9572	253	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (253) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:25:CYS:SG	4:C:1270:BME:S2	2.29	1.30
1:D:25:CYS:SG	4:D:1272:BME:S2	2.32	1.25
1:A:96:MET:HE3	1:A:100:GLU:HG2	1.17	1.14
2:C:402:FPP:H1A	2:C:402:FPP:O3B	1.47	1.14
1:C:66:LEU:HG	4:C:1270:BME:H12	1.26	1.13
1:B:52:ARG:HG3	1:B:52:ARG:HH11	1.01	1.11
1:B:240:ILE:HD13	1:B:241:LEU:N	1.65	1.09
1:D:159:ASP:OD1	1:D:160:ARG:N	1.87	1.07
1:B:96:MET:HB2	1:B:100:GLU:HG3	1.42	1.02
1:B:160:ARG:HG3	1:B:160:ARG:HH11	1.26	1.01
1:D:223:SER:O	1:D:227:GLU:HG3	1.63	0.98
1:B:52:ARG:HH11	1:B:52:ARG:CG	1.77	0.98
1:C:200:GLU:HB3	1:C:291:LEU:HD11	1.44	0.97
1:D:313:LEU:HD12	1:D:317:VAL:HG23	1.50	0.93
1:C:184:LEU:HD11	2:C:402:FPP:H10B	1.51	0.93
1:A:203:ARG:HD3	1:A:286:LEU:HB3	1.50	0.92
2:C:402:FPP:O3B	2:C:402:FPP:C1	2.17	0.92
1:B:52:ARG:HG3	1:B:52:ARG:NH1	1.84	0.92
1:B:87:PHE:CD2	2:B:401:FPP:H14B	2.05	0.92
1:B:229:TYR:O	1:B:230:THR:HB	1.70	0.92
1:B:25:CYS:SG	4:B:1271:BME:S2	2.47	0.92
1:B:77:HIS:HD2	1:B:81:ARG:HE	1.14	0.90
1:C:77:HIS:HD2	1:C:81:ARG:HE	1.17	0.90
1:B:26:HIS:HD2	1:B:28:LEU:H	1.22	0.88
1:A:96:MET:HE3	1:A:100:GLU:CG	2.04	0.86
1:D:131:LEU:HG	1:D:135:MET:CE	2.05	0.85
1:A:48:ASN:ND2	1:A:50:LYS:HB3	1.92	0.85
1:C:229:TYR:HD2	1:C:230:THR:N	1.76	0.84
1:D:159:ASP:CG	1:D:160:ARG:H	1.56	0.84
1:A:96:MET:CE	1:A:100:GLU:HG2	2.04	0.83
1:B:228:LEU:O	1:B:228:LEU:CD2	2.27	0.82
2:A:400:FPP:H9A	2:A:400:FPP:H15B	1.61	0.82
1:B:77:HIS:CD2	1:B:81:ARG:HE	1.97	0.81
1:B:313:LEU:O	1:B:316:SER:HB2	1.81	0.81
1:B:240:ILE:HD13	1:B:241:LEU:H	1.45	0.80
1:C:97:SER:OG	1:C:100:GLU:HG3	1.83	0.78
1:B:160:ARG:HG3	1:B:160:ARG:NH1	1.96	0.78
2:C:402:FPP:P2	2:C:402:FPP:H1	2.24	0.78
1:C:189:ARG:HD2	1:C:196:LEU:HD13	1.65	0.76
1:A:96:MET:HE2	1:A:101:GLY:HA2	1.67	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:PHE:HB3	1:A:135:MET:HE3	1.67	0.75
1:B:26:HIS:CD2	1:B:28:LEU:H	2.04	0.74
1:C:315:TYR:HE2	2:C:402:FPF:O2B	1.70	0.74
1:D:159:ASP:OD1	1:D:160:ARG:CA	2.36	0.73
1:D:131:LEU:HG	1:D:135:MET:HE2	1.69	0.73
1:B:229:TYR:O	1:B:230:THR:CB	2.37	0.73
1:C:184:LEU:CD1	2:C:402:FPF:H10B	2.19	0.73
1:C:315:TYR:CE2	2:C:402:FPF:O2B	2.43	0.72
1:B:228:LEU:O	1:B:228:LEU:HD23	1.90	0.70
2:C:402:FPF:C1	2:C:402:FPF:P2	2.78	0.70
1:D:123:PRO:O	1:D:127:ILE:HG12	1.92	0.70
1:D:131:LEU:CG	1:D:135:MET:HE2	2.22	0.70
1:B:96:MET:HB2	1:B:100:GLU:CG	2.22	0.69
1:D:160:ARG:HA	1:D:160:ARG:NE	2.08	0.68
1:D:153:PHE:CZ	2:D:403:FPF:H11	2.29	0.68
1:D:131:LEU:CD1	1:D:135:MET:HE2	2.24	0.67
1:B:228:LEU:O	1:B:228:LEU:HD22	1.93	0.67
1:C:288:THR:HG22	1:C:291:LEU:HB2	1.77	0.67
1:D:112:SER:O	1:D:136:ARG:NH2	2.25	0.67
1:D:241:LEU:N	1:D:241:LEU:HD23	2.10	0.67
1:C:162:ARG:O	1:C:162:ARG:CG	2.43	0.66
1:C:196:LEU:N	1:C:196:LEU:HD12	2.10	0.66
1:B:52:ARG:CG	1:B:52:ARG:NH1	2.46	0.65
1:D:159:ASP:CG	1:D:160:ARG:N	2.27	0.65
1:C:200:GLU:O	1:C:291:LEU:HD21	1.97	0.64
1:D:313:LEU:HD12	1:D:317:VAL:CG2	2.27	0.63
1:B:181:LYS:HE3	1:B:215:LEU:HB3	1.80	0.63
2:D:403:FPF:F	2:D:403:FPF:H10A	1.89	0.63
1:D:131:LEU:HD11	1:D:135:MET:HE2	1.81	0.62
1:B:87:PHE:HA	2:B:401:FPF:C14	2.29	0.62
1:C:162:ARG:O	1:C:162:ARG:HG3	1.99	0.61
1:D:21:PHE:CE2	1:D:271:GLU:HG2	2.36	0.61
1:C:145:GLU:OE1	1:C:145:GLU:O	2.18	0.60
1:B:178:ASP:O	1:B:182:GLU:HG3	2.01	0.60
1:C:136:ARG:HG2	1:C:140:ARG:CD	2.32	0.60
1:C:136:ARG:HG2	1:C:140:ARG:HD2	1.83	0.60
1:D:131:LEU:HG	1:D:135:MET:HE3	1.84	0.60
1:B:155:ARG:HD3	1:D:202:GLN:CG	2.32	0.60
1:A:135:MET:HE2	1:A:190:PHE:CE2	2.38	0.59
1:C:222:TYR:CZ	1:C:310:GLN:HG2	2.38	0.59
2:B:401:FPF:H4B	2:B:401:FPF:H15A	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:48:ASN:ND2	1:D:50:LYS:HB3	2.17	0.59
1:B:41:LEU:HD22	1:B:52:ARG:HD3	1.84	0.58
1:B:184:LEU:HD11	2:B:401:FPF:H10B	1.85	0.58
1:D:202:GLN:O	1:D:205:ARG:HG3	2.03	0.58
1:C:288:THR:HG23	1:C:291:LEU:H	1.67	0.58
1:D:39:TYR:CE2	1:D:127:ILE:HD12	2.38	0.58
1:D:311:THR:O	1:D:317:VAL:HG21	2.03	0.57
1:C:196:LEU:HD12	1:C:196:LEU:H	1.69	0.57
1:B:72:LEU:HD12	1:B:75:ARG:HD3	1.86	0.57
1:D:158:THR:O	1:D:158:THR:OG1	2.23	0.56
1:B:135:MET:HE1	1:B:146:ILE:HD11	1.87	0.56
1:D:141:GLU:O	1:D:145:GLU:HG3	2.05	0.56
1:B:87:PHE:HA	2:B:401:FPF:H14B	1.88	0.56
1:C:25:CYS:SG	4:C:1270:BME:C2	2.94	0.56
1:C:306:GLU:O	1:C:310:GLN:HG3	2.05	0.56
1:B:241:LEU:HD23	1:B:246:GLN:CD	2.31	0.56
1:B:240:ILE:HD13	1:B:240:ILE:C	2.31	0.55
1:C:77:HIS:CD2	1:C:81:ARG:HE	2.10	0.55
1:A:96:MET:CE	1:A:101:GLY:HA2	2.36	0.55
1:B:229:TYR:HD1	1:B:230:THR:HB	1.65	0.55
1:C:25:CYS:HB2	4:C:1270:BME:H11	1.89	0.55
1:D:159:ASP:OD1	1:D:160:ARG:HA	2.07	0.55
1:B:97:SER:OG	1:B:100:GLU:HG2	2.07	0.55
1:B:120:ARG:NH2	1:B:130:ASP:OD1	2.40	0.54
1:C:229:TYR:HD2	1:C:230:THR:H	1.54	0.54
1:A:44:TRP:HB3	1:A:46:PHE:CE1	2.43	0.54
1:A:96:MET:HE1	1:A:104:TYR:HB2	1.89	0.54
1:C:200:GLU:HB3	1:C:291:LEU:CD1	2.29	0.54
1:B:166:MET:HE2	1:B:170:GLY:C	2.31	0.54
1:D:77:HIS:O	1:D:81:ARG:HG3	2.07	0.54
1:A:135:MET:HE2	1:A:190:PHE:CZ	2.42	0.54
1:A:49:GLU:OE2	1:A:53:LYS:HG3	2.08	0.54
1:D:97:SER:HB2	1:D:100:GLU:H	1.73	0.53
1:A:96:MET:HE2	1:A:101:GLY:CA	2.38	0.53
1:C:136:ARG:CG	1:C:140:ARG:HD2	2.38	0.53
1:B:229:TYR:CD1	1:B:230:THR:HB	2.44	0.53
1:A:31:GLU:OE1	1:A:31:GLU:N	2.38	0.53
1:D:160:ARG:HA	1:D:160:ARG:HE	1.72	0.53
1:A:77:HIS:HD2	1:A:81:ARG:HE	1.56	0.52
1:B:164:ARG:NH2	1:B:166:MET:HE1	2.25	0.52
1:B:155:ARG:HD3	1:D:202:GLN:HG2	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:22:GLN:NE2	1:D:23:PRO:O	2.43	0.52
1:A:181:LYS:HZ2	1:A:219:ASN:HD21	1.58	0.52
1:C:229:TYR:CD2	1:C:230:THR:N	2.66	0.52
1:A:229:TYR:C	1:A:229:TYR:CD2	2.88	0.52
1:D:95:TYR:N	1:D:95:TYR:CD2	2.78	0.52
1:A:153:PHE:CZ	2:A:400:FPF:H11A	2.43	0.51
1:A:280:ARG:HG2	6:A:506:HOH:O	2.10	0.51
1:D:95:TYR:N	1:D:95:TYR:HD2	2.08	0.51
1:A:98:PHE:CE2	1:A:160:ARG:HG2	2.45	0.51
1:C:141:GLU:CD	1:C:195:LYS:HZ1	2.18	0.51
1:D:202:GLN:OE1	1:D:205:ARG:HD2	2.11	0.51
1:B:87:PHE:CD2	2:B:401:FPF:C14	2.88	0.51
1:B:176:GLU:OE1	1:B:213:LYS:HD2	2.10	0.51
1:A:22:GLN:NE2	6:A:425:HOH:O	2.44	0.50
1:A:281:LEU:HD23	1:A:286:LEU:HB2	1.92	0.50
1:A:48:ASN:HD21	1:A:50:LYS:HB3	1.70	0.50
1:B:135:MET:CE	1:B:146:ILE:HD11	2.42	0.50
1:C:145:GLU:O	1:C:145:GLU:CD	2.54	0.50
1:A:46:PHE:HB2	1:A:52:ARG:NH1	2.26	0.50
1:B:113:ARG:NH1	6:B:1345:HOH:O	2.45	0.50
1:B:171:TYR:OH	1:B:175:ARG:NH1	2.45	0.50
2:C:402:FPF:O3B	2:C:402:FPF:O1A	2.30	0.49
1:D:30:GLU:O	1:D:34:LYS:HG2	2.12	0.49
1:D:48:ASN:HD22	1:D:50:LYS:HB3	1.78	0.49
1:C:288:THR:CG2	1:C:291:LEU:H	2.25	0.49
1:B:98:PHE:CE1	1:B:160:ARG:NH1	2.81	0.49
1:C:96:MET:HE1	1:C:104:TYR:HB2	1.95	0.49
1:B:46:PHE:HB2	1:B:52:ARG:NH1	2.27	0.49
1:B:87:PHE:CG	2:B:401:FPF:H14B	2.47	0.48
1:A:153:PHE:CZ	2:A:400:FPF:C11	2.96	0.48
1:C:133:GLU:OE2	1:C:136:ARG:NH2	2.45	0.48
1:B:230:THR:HG22	1:B:230:THR:O	2.13	0.48
2:A:400:FPF:H9A	2:A:400:FPF:C15	2.37	0.48
1:A:28:LEU:O	1:A:32:VAL:HG23	2.14	0.48
1:B:44:TRP:HB3	1:B:46:PHE:CE1	2.49	0.48
1:B:135:MET:HE3	1:B:190:PHE:CE2	2.49	0.48
1:C:33:SER:O	1:C:37:ASP:HB2	2.13	0.47
1:B:160:ARG:NH1	1:B:160:ARG:CG	2.70	0.47
1:D:261:ARG:HG3	6:D:1339:HOH:O	2.14	0.47
1:A:181:LYS:NZ	1:A:219:ASN:HD21	2.12	0.47
1:B:203:ARG:HH11	1:B:286:LEU:HD22	1.78	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:203:ARG:HD2	1:C:203:ARG:O	2.15	0.47
1:C:109:ILE:HB	1:C:110:PRO:HD3	1.97	0.47
1:B:148:GLU:HB2	1:B:149:PRO:HD3	1.97	0.47
1:B:171:TYR:OH	1:B:175:ARG:CZ	2.63	0.47
1:B:181:LYS:CE	1:B:215:LEU:HB3	2.44	0.47
1:D:119:ASP:OD2	1:D:119:ASP:C	2.57	0.47
1:C:102:SER:O	1:C:106:GLU:HB2	2.15	0.47
1:B:176:GLU:CG	1:B:213:LYS:HD2	2.45	0.47
1:B:218:VAL:HG11	1:B:306:GLU:HA	1.97	0.47
1:A:48:ASN:ND2	1:A:51:ALA:H	2.13	0.47
1:B:135:MET:HE1	1:B:146:ILE:CD1	2.45	0.46
1:C:118:PRO:HD3	1:C:129:TYR:CG	2.50	0.46
1:C:229:TYR:CD2	1:C:229:TYR:C	2.93	0.46
1:A:153:PHE:CZ	2:A:400:FPF:C12	2.98	0.46
1:D:120:ARG:NH2	1:D:130:ASP:OD1	2.48	0.46
1:D:228:LEU:O	1:D:231:SER:HB3	2.16	0.46
1:D:24:LEU:HD22	1:D:300:TYR:CE2	2.51	0.46
1:B:136:ARG:HG2	1:B:140:ARG:HD3	1.98	0.46
1:B:204:VAL:HG12	1:B:207:ILE:HD12	1.98	0.46
1:D:314:ARG:NH2	2:D:403:FPF:O3B	2.44	0.45
1:B:26:HIS:HE1	1:B:71:ALA:O	2.00	0.45
1:C:200:GLU:HA	1:C:203:ARG:HB3	1.98	0.45
1:A:153:PHE:CE1	2:A:400:FPF:C11	2.99	0.45
1:C:196:LEU:HD23	1:C:291:LEU:HD23	1.97	0.45
1:A:146:ILE:C	1:A:149:PRO:HD2	2.42	0.45
1:A:135:MET:CE	1:A:190:PHE:CE2	3.00	0.45
1:C:200:GLU:OE1	1:C:203:ARG:HG2	2.16	0.45
1:C:284:GLU:HG3	1:C:285:GLY:H	1.82	0.45
1:D:63:VAL:HG13	1:D:308:TRP:CG	2.52	0.45
1:B:77:HIS:HD2	1:B:81:ARG:NE	1.96	0.44
1:A:96:MET:HE1	1:A:104:TYR:CB	2.47	0.44
1:A:229:TYR:C	1:A:229:TYR:HD2	2.23	0.44
1:B:166:MET:HE2	1:B:170:GLY:HA3	1.99	0.44
1:C:196:LEU:N	1:C:196:LEU:CD1	2.81	0.44
1:B:175:ARG:HD3	1:B:175:ARG:HA	1.79	0.44
1:B:241:LEU:HB3	1:B:246:GLN:NE2	2.33	0.44
1:A:102:SER:O	1:A:106:GLU:HB2	2.17	0.44
1:B:240:ILE:CD1	1:B:241:LEU:N	2.57	0.44
1:C:201:LEU:C	1:C:203:ARG:N	2.72	0.44
1:B:200:GLU:HB3	1:B:291:LEU:HD21	1.99	0.43
1:B:313:LEU:O	1:B:316:SER:CB	2.60	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:91:ASP:O	1:D:94:GLU:HB3	2.18	0.43
1:C:49:GLU:O	1:C:52:ARG:HB2	2.19	0.43
1:C:313:LEU:HA	1:C:313:LEU:HD23	1.85	0.43
1:B:47:PRO:HB2	1:B:48:ASN:H	1.60	0.43
1:C:201:LEU:O	1:C:202:GLN:C	2.59	0.43
1:A:277:LEU:HD22	6:A:519:HOH:O	2.18	0.43
1:B:172:LEU:O	1:B:176:GLU:HG3	2.19	0.43
1:D:105:ASN:HD22	1:D:105:ASN:HA	1.65	0.43
1:D:241:LEU:N	1:D:241:LEU:CD2	2.81	0.42
1:B:266:MET:HE3	1:B:266:MET:HB2	1.87	0.42
1:B:118:PRO:HD3	1:B:129:TYR:CD1	2.54	0.42
1:B:152:LEU:HD12	1:B:152:LEU:HA	1.85	0.42
1:D:102:SER:O	1:D:106:GLU:HB2	2.19	0.42
1:A:120:ARG:NH2	1:A:130:ASP:OD1	2.50	0.42
1:C:135:MET:CE	1:C:146:ILE:HD11	2.50	0.42
1:D:96:MET:O	1:D:97:SER:O	2.38	0.42
1:A:109:ILE:HB	1:A:110:PRO:HD3	2.01	0.42
1:D:198:PRO:HG2	6:D:1365:HOH:O	2.20	0.42
1:A:48:ASN:HD22	1:A:50:LYS:HB3	1.82	0.42
1:B:89:ILE:HG21	1:B:105:ASN:HD21	1.85	0.42
1:B:203:ARG:HD3	1:B:286:LEU:HB3	2.02	0.42
2:D:403:FPP:H10A	2:D:403:FPP:H6	1.64	0.42
1:D:76:ILE:HD12	1:D:76:ILE:O	2.19	0.42
1:B:95:TYR:N	1:B:95:TYR:CD1	2.88	0.41
1:D:109:ILE:HB	1:D:110:PRO:HD3	2.02	0.41
1:A:301:GLN:HE21	1:A:301:GLN:HB3	1.66	0.41
1:B:203:ARG:CD	1:B:286:LEU:HB3	2.51	0.41
1:C:98:PHE:H	1:C:98:PHE:HD1	1.67	0.41
1:B:132:TRP:HB3	1:B:136:ARG:NH2	2.36	0.41
1:B:274:HIS:O	1:B:278:VAL:HG23	2.21	0.41
1:C:119:ASP:C	1:C:121:SER:H	2.29	0.41
1:C:228:LEU:O	1:C:229:TYR:HB3	2.20	0.41
1:B:205:ARG:HG2	1:B:206:GLU:N	2.35	0.41
1:D:39:TYR:HE2	1:D:127:ILE:HD12	1.84	0.41
1:D:172:LEU:HB3	1:D:213:LYS:HD3	2.02	0.41
1:B:25:CYS:CB	4:B:1271:BME:S2	3.09	0.41
1:B:75:ARG:HD2	6:B:1336:HOH:O	2.20	0.41
1:D:87:PHE:CE2	2:D:403:FPP:C14	3.04	0.41
1:B:313:LEU:C	1:B:316:SER:HB2	2.43	0.40
1:A:26:HIS:HA	1:A:27:PRO:HD3	1.94	0.40
1:C:24:LEU:HD23	1:C:24:LEU:HA	1.96	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:99:GLU:HG3	1:D:100:GLU:N	2.36	0.40
1:D:153:PHE:CZ	2:D:403:FPF:C11	3.02	0.40
1:A:159:ASP:OD1	1:A:159:ASP:C	2.65	0.40
1:B:241:LEU:HD12	1:B:241:LEU:HA	1.93	0.40
1:D:24:LEU:HD22	1:D:300:TYR:CZ	2.56	0.40
1:B:184:LEU:CD1	2:B:401:FPF:H10B	2.50	0.40
1:D:77:HIS:CE1	1:D:78:PHE:CE2	3.10	0.40
1:D:222:TYR:CZ	1:D:310:GLN:HB3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/320 (91%)	285 (98%)	5 (2%)	0	100	100
1	B	292/320 (91%)	281 (96%)	7 (2%)	4 (1%)	9	3
1	C	287/320 (90%)	273 (95%)	12 (4%)	2 (1%)	18	10
1	D	293/320 (92%)	283 (97%)	5 (2%)	5 (2%)	7	2
All	All	1162/1280 (91%)	1122 (97%)	29 (2%)	11 (1%)	14	6

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	47	PRO
1	C	229	TYR
1	D	97	SER
1	D	47	PRO
1	D	159	ASP
1	D	160	ARG
1	B	120	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	241	LEU
1	B	242	CYS
1	C	14	LEU
1	D	316	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	259/279 (93%)	247 (95%)	12 (5%)	24	16
1	B	261/279 (94%)	244 (94%)	17 (6%)	15	8
1	C	258/279 (92%)	246 (95%)	12 (5%)	23	15
1	D	262/279 (94%)	243 (93%)	19 (7%)	13	6
All	All	1040/1116 (93%)	980 (94%)	60 (6%)	18	10

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	152	LEU
1	A	159	ASP
1	A	166	MET
1	A	168	LEU
1	A	196	LEU
1	A	228	LEU
1	A	229	TYR
1	A	243	THR
1	A	264	PHE
1	A	280	ARG
1	A	281	LEU
1	B	14	LEU
1	B	52	ARG
1	B	66	LEU
1	B	131	LEU
1	B	141	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	145	GLU
1	B	168	LEU
1	B	196	LEU
1	B	205	ARG
1	B	215	LEU
1	B	228	LEU
1	B	229	TYR
1	B	240	ILE
1	B	243	THR
1	B	264	PHE
1	B	313	LEU
1	B	316	SER
1	C	22	GLN
1	C	66	LEU
1	C	82	LEU
1	C	136	ARG
1	C	152	LEU
1	C	162	ARG
1	C	164	ARG
1	C	229	TYR
1	C	230	THR
1	C	243	THR
1	C	264	PHE
1	C	282	SER
1	D	22	GLN
1	D	48	ASN
1	D	63	VAL
1	D	70	LYS
1	D	92	LEU
1	D	95	TYR
1	D	98	PHE
1	D	100	GLU
1	D	120	ARG
1	D	149	PRO
1	D	160	ARG
1	D	182	GLU
1	D	196	LEU
1	D	202	GLN
1	D	241	LEU
1	D	243	THR
1	D	261	ARG
1	D	264	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	317	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	42	GLN
1	A	48	ASN
1	A	219	ASN
1	A	250	GLN
1	A	301	GLN
1	B	26	HIS
1	B	77	HIS
1	B	105	ASN
1	B	138	HIS
1	B	219	ASN
1	B	246	GLN
1	B	305	ASN
1	C	45	ASN
1	C	77	HIS
1	C	157	GLN
1	C	202	GLN
1	C	275	GLN
1	C	305	ASN
1	D	22	GLN
1	D	43	HIS
1	D	48	ASN
1	D	105	ASN
1	D	210	ASN
1	D	246	GLN
1	D	275	GLN
1	D	305	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FPF	D	403	5	22,24,24	5.27	9 (40%)	26,33,33	3.61	9 (34%)
4	BME	B	1271	-	3,3,3	0.23	0	2,2,2	0.52	0
2	FPF	A	400	-	22,24,24	1.36	2 (9%)	26,33,33	1.87	7 (26%)
4	BME	C	1270	-	3,3,3	0.28	0	2,2,2	0.47	0
2	FPF	C	402	-	22,24,24	3.35	2 (9%)	26,33,33	1.86	6 (23%)
2	FPF	B	401	-	22,24,24	7.57	2 (9%)	26,33,33	4.76	6 (23%)
4	BME	D	1272	-	3,3,3	0.35	0	2,2,2	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FPF	D	403	5	-	8/22/28/28	-
4	BME	B	1271	-	-	0/1/1/1	-
2	FPF	A	400	-	-	3/22/28/28	-
4	BME	C	1270	-	-	0/1/1/1	-
2	FPF	C	402	-	-	2/22/28/28	-
2	FPF	B	401	-	-	5/22/28/28	-
4	BME	D	1272	-	-	0/1/1/1	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	FPF	O1-C1	-35.08	1.08	1.43
2	C	402	FPF	O1-C1	14.77	1.58	1.43
2	D	403	FPF	C4-C3	-13.89	1.28	1.50
2	D	403	FPF	C3-C2	11.47	1.45	1.32
2	D	403	FPF	C1-C2	-10.53	1.31	1.48
2	D	403	FPF	C15-C13	7.26	1.69	1.50
2	D	403	FPF	C5-C6	-6.05	1.33	1.53
2	D	403	FPF	C6-C7	-5.97	1.32	1.50
2	A	400	FPF	C5-C6	3.56	1.65	1.53
2	B	401	FPF	P2-O3B	3.54	1.61	1.50
2	A	400	FPF	P2-O3B	3.52	1.61	1.50
2	D	403	FPF	P2-O3B	3.51	1.61	1.50
2	C	402	FPF	P2-O3B	3.51	1.61	1.50
2	D	403	FPF	C10-C8	-3.49	1.42	1.50
2	D	403	FPF	C11-C12	-2.33	1.43	1.50

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	FPF	O1-C1-C2	23.19	152.35	110.64
2	D	403	FPF	O1-C1-C2	9.24	127.27	110.64
2	D	403	FPF	C15-C13-C14	8.20	133.47	114.59
2	D	403	FPF	C6-C5-C3	6.58	134.94	113.18
2	D	403	FPF	C6-C7-C8	-6.50	112.74	127.62
2	C	402	FPF	O1-C1-C2	-6.29	99.33	110.64
2	A	400	FPF	C5-C6-C7	6.03	141.85	112.02
2	D	403	FPF	C11-C9-C8	5.88	132.67	113.19
2	D	403	FPF	C14-C13-C12	-5.30	106.75	122.66
2	C	402	FPF	C6-C7-C8	-3.34	119.98	127.62
2	B	401	FPF	C6-C7-C8	-3.33	120.01	127.62
2	A	400	FPF	C6-C7-C8	-3.31	120.05	127.62
2	D	403	FPF	C9-C11-C12	-3.25	95.96	112.02
2	D	403	FPF	C10-C8-C7	-2.88	116.24	123.63
2	C	402	FPF	C10-C8-C9	2.74	119.98	115.23
2	B	401	FPF	C10-C8-C9	2.72	119.96	115.23
2	A	400	FPF	C10-C8-C9	2.72	119.95	115.23
2	B	401	FPF	C15-C13-C14	2.37	120.04	114.59
2	A	400	FPF	C6-C5-C3	-2.36	105.36	113.18
2	A	400	FPF	C15-C13-C14	2.36	120.03	114.59
2	C	402	FPF	C15-C13-C14	2.35	119.99	114.59
2	B	401	FPF	C11-C12-C13	-2.31	119.93	127.64
2	A	400	FPF	C11-C12-C13	-2.31	119.93	127.64
2	C	402	FPF	C11-C12-C13	-2.31	119.94	127.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	403	FPF	C9-C8-C7	2.21	126.13	121.17
2	B	401	FPF	C4-C3-C5	2.16	119.98	115.33
2	C	402	FPF	C4-C3-C5	2.16	119.98	115.33
2	A	400	FPF	C4-C3-C5	2.15	119.97	115.33

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	400	FPF	C1-O1-P1-O1A
2	B	401	FPF	C1-O1-P1-O2A
2	B	401	FPF	C1-O1-P1-O3A
2	D	403	FPF	C1-O1-P1-O1A
2	D	403	FPF	C1-O1-P1-O3A
2	D	403	FPF	C2-C3-C5-C6
2	D	403	FPF	P1-O3A-P2-O2B
2	B	401	FPF	C12-C11-C9-C8
2	D	403	FPF	C4-C3-C5-C6
2	D	403	FPF	P2-O3A-P1-O1
2	B	401	FPF	C2-C3-C5-C6
2	C	402	FPF	C1-O1-P1-O1A
2	D	403	FPF	C1-O1-P1-O2A
2	B	401	FPF	C4-C3-C5-C6
2	A	400	FPF	C9-C11-C12-C13
2	D	403	FPF	P1-O3A-P2-O1B
2	A	400	FPF	C10-C8-C9-C11
2	C	402	FPF	P2-O3A-P1-O2A


There are no ring outliers.


7 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	403	FPF	6	0
4	B	1271	BME	2	0
2	A	400	FPF	6	0
4	C	1270	BME	4	0
2	C	402	FPF	9	0
2	B	401	FPF	8	0
4	D	1272	BME	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	294/320 (91%)	0.67	37 (12%)	8 8	14, 27, 51, 63	0
1	B	296/320 (92%)	0.81	32 (10%)	11 11	15, 30, 50, 67	0
1	C	293/320 (91%)	0.79	42 (14%)	6 6	16, 29, 57, 70	0
1	D	297/320 (92%)	0.56	32 (10%)	11 11	12, 26, 58, 72	0
All	All	1180/1280 (92%)	0.71	143 (12%)	8 9	12, 28, 54, 72	0

All (143) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	229	TYR	6.8
1	C	284	GLU	6.8
1	A	229	TYR	6.5
1	B	317	VAL	6.4
1	C	229	TYR	6.2
1	C	283	ALA	5.5
1	A	98	PHE	5.4
1	D	317	VAL	5.2
1	D	229	TYR	5.1
1	A	51	ALA	5.0
1	B	13	SER	4.8
1	B	240	ILE	4.8
1	A	228	LEU	4.8
1	D	161	THR	4.7
1	C	161	THR	4.6
1	B	230	THR	4.5
1	A	159	ASP	4.5
1	C	230	THR	4.2
1	A	241	LEU	4.2
1	C	159	ASP	4.2
1	D	95	TYR	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	158	THR	4.1
1	C	285	GLY	4.0
1	A	95	TYR	4.0
1	B	42	GLN	3.9
1	C	163	ALA	3.9
1	B	51	ALA	3.8
1	C	103	ALA	3.8
1	C	282	SER	3.8
1	D	230	THR	3.8
1	B	228	LEU	3.7
1	B	160	ARG	3.7
1	C	280	ARG	3.7
1	A	317	VAL	3.7
1	D	98	PHE	3.6
1	A	283	ALA	3.5
1	B	161	THR	3.5
1	B	98	PHE	3.5
1	A	160	ARG	3.4
1	C	199	SER	3.4
1	D	13	SER	3.4
1	C	160	ARG	3.4
1	A	42	GLN	3.3
1	D	160	ARG	3.3
1	C	288	THR	3.3
1	A	52	ARG	3.3
1	A	13	SER	3.3
1	C	200	GLU	3.2
1	C	317	VAL	3.2
1	A	92	LEU	3.2
1	C	95	TYR	3.2
1	D	99	GLU	3.2
1	C	48	ASN	3.2
1	C	162	ARG	3.2
1	B	15	GLU	3.2
1	A	48	ASN	3.1
1	C	98	PHE	3.1
1	C	99	GLU	3.1
1	C	198	PRO	3.1
1	D	51	ALA	3.1
1	B	95	TYR	3.1
1	D	159	ASP	3.0
1	A	161	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	47	PRO	3.0
1	C	165	PRO	3.0
1	D	163	ALA	3.0
1	A	47	PRO	3.0
1	B	241	LEU	2.9
1	A	29	VAL	2.9
1	D	316	SER	2.9
1	D	33	SER	2.9
1	B	205	ARG	2.9
1	D	165	PRO	2.9
1	D	231	SER	2.9
1	B	35	GLU	2.9
1	D	52	ARG	2.9
1	D	94	GLU	2.9
1	A	46	PHE	2.8
1	B	316	SER	2.7
1	D	45	ASN	2.7
1	D	47	PRO	2.7
1	A	122	ILE	2.7
1	A	162	ARG	2.7
1	C	201	LEU	2.6
1	D	48	ASN	2.6
1	D	56	VAL	2.6
1	B	39	TYR	2.6
1	A	53	LYS	2.6
1	D	49	GLU	2.6
1	C	13	SER	2.6
1	B	36	VAL	2.5
1	C	204	VAL	2.5
1	D	93	LEU	2.5
1	C	197	SER	2.5
1	B	202	GLN	2.5
1	D	100	GLU	2.5
1	C	289	PRO	2.5
1	C	196	LEU	2.5
1	D	53	LYS	2.5
1	B	283	ALA	2.4
1	A	96	MET	2.4
1	C	102	SER	2.4
1	C	279	ALA	2.4
1	A	56	VAL	2.4
1	A	41	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	50	LYS	2.4
1	B	99	GLU	2.4
1	C	93	LEU	2.3
1	C	137	ALA	2.3
1	B	41	LEU	2.3
1	D	92	LEU	2.3
1	D	232	LYS	2.3
1	A	156	ALA	2.2
1	C	158	THR	2.2
1	D	97	SER	2.2
1	B	163	ALA	2.2
1	C	96	MET	2.2
1	A	14	LEU	2.2
1	A	121	SER	2.2
1	A	163	ALA	2.2
1	A	129	TYR	2.2
1	B	33	SER	2.2
1	C	241	LEU	2.2
1	B	45	ASN	2.1
1	C	42	GLN	2.1
1	D	157	GLN	2.1
1	D	241	LEU	2.1
1	C	141	GLU	2.1
1	B	48	ASN	2.1
1	A	38	GLY	2.1
1	B	225	GLU	2.1
1	A	281	LEU	2.1
1	A	91	ASP	2.1
1	C	291	LEU	2.1
1	A	49	GLU	2.0
1	B	158	THR	2.0
1	A	110	PRO	2.0
1	B	165	PRO	2.0
1	A	313	LEU	2.0
1	B	71	ALA	2.0
1	C	164	ARG	2.0
1	C	94	GLU	2.0
1	C	203	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FPF	C	402	25/25	0.67	0.22	42,48,63,64	0
2	FPF	B	401	25/25	0.76	0.17	45,50,65,65	0
2	FPF	A	400	25/25	0.76	0.16	31,37,58,60	0
4	BME	B	1271	4/4	0.76	0.22	44,44,44,47	4
2	FPF	D	403	25/25	0.86	0.15	27,38,46,49	0
4	BME	D	1272	4/4	0.86	0.12	30,30,30,36	0
4	BME	C	1270	4/4	0.87	0.16	29,31,33,39	0
3	CL	B	500	1/1	0.90	0.14	52,52,52,52	0
5	MG	D	701	1/1	0.96	0.07	29,29,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FPF C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FPF B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FPF A 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FPF D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.