



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 10:44 AM EDT

PDB ID : 5BP0 / pdb_00005bp0
Title : X-ray crystal structure of Lymnaea stagnalis acetylcholine binding protein (Ls-AChBP) in complex with 5-Fluoronicotine (TI-4650)
Authors : Bobango, J.; Sankaran, B.; Park, J.F.; Wu, J.; Talley, T.T.
Deposited on : 2015-05-27
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	0% 83% 7% 9%
1	B	218	2% 87% 7% 6%
1	C	218	2% 88% 7% 5%
1	D	218	2% 86% 8% 5%
1	E	218	5% 80% 11% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	218	
1	G	218	
1	H	218	
1	I	218	
1	J	218	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FN1	D	302	-	-	X	-
3	FN1	J	303	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 30290 atoms, of which 14369 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholine-binding protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	199	Total	C	H	N	O	S	0	0	0
			2934	958	1421	251	299	5			
1	B	205	Total	C	H	N	O	S	0	0	0
			3067	997	1482	257	326	5			
1	C	208	Total	C	H	N	O	S	0	0	0
			3004	992	1428	252	327	5			
1	D	207	Total	C	H	N	O	S	0	0	0
			3107	1005	1503	265	329	5			
1	E	202	Total	C	H	N	O	S	0	0	0
			2940	966	1403	254	312	5			
1	F	193	Total	C	H	N	O	S	0	0	0
			2708	900	1293	235	277	3			
1	G	201	Total	C	H	N	O	S	0	0	0
			2980	972	1438	254	311	5			
1	H	201	Total	C	H	N	O	S	0	0	0
			3090	991	1508	272	314	5			
1	I	203	Total	C	H	N	O	S	0	0	0
			3021	984	1452	259	321	5			
1	J	203	Total	C	H	N	O	S	0	0	0
			2816	939	1329	243	300	5			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	ASP	-	expression tag	UNP P58154
A	-6	TYR	-	expression tag	UNP P58154
A	-5	LYS	-	expression tag	UNP P58154
A	-4	ASP	-	expression tag	UNP P58154
A	-3	ASP	-	expression tag	UNP P58154
A	-2	ASP	-	expression tag	UNP P58154
A	-1	ASP	-	expression tag	UNP P58154
A	0	LYS	-	expression tag	UNP P58154
B	-7	ASP	-	expression tag	UNP P58154

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	TYR	-	expression tag	UNP P58154
B	-5	LYS	-	expression tag	UNP P58154
B	-4	ASP	-	expression tag	UNP P58154
B	-3	ASP	-	expression tag	UNP P58154
B	-2	ASP	-	expression tag	UNP P58154
B	-1	ASP	-	expression tag	UNP P58154
B	0	LYS	-	expression tag	UNP P58154
C	-7	ASP	-	expression tag	UNP P58154
C	-6	TYR	-	expression tag	UNP P58154
C	-5	LYS	-	expression tag	UNP P58154
C	-4	ASP	-	expression tag	UNP P58154
C	-3	ASP	-	expression tag	UNP P58154
C	-2	ASP	-	expression tag	UNP P58154
C	-1	ASP	-	expression tag	UNP P58154
C	0	LYS	-	expression tag	UNP P58154
D	-7	ASP	-	expression tag	UNP P58154
D	-6	TYR	-	expression tag	UNP P58154
D	-5	LYS	-	expression tag	UNP P58154
D	-4	ASP	-	expression tag	UNP P58154
D	-3	ASP	-	expression tag	UNP P58154
D	-2	ASP	-	expression tag	UNP P58154
D	-1	ASP	-	expression tag	UNP P58154
D	0	LYS	-	expression tag	UNP P58154
E	-7	ASP	-	expression tag	UNP P58154
E	-6	TYR	-	expression tag	UNP P58154
E	-5	LYS	-	expression tag	UNP P58154
E	-4	ASP	-	expression tag	UNP P58154
E	-3	ASP	-	expression tag	UNP P58154
E	-2	ASP	-	expression tag	UNP P58154
E	-1	ASP	-	expression tag	UNP P58154
E	0	LYS	-	expression tag	UNP P58154
F	-7	ASP	-	expression tag	UNP P58154
F	-6	TYR	-	expression tag	UNP P58154
F	-5	LYS	-	expression tag	UNP P58154
F	-4	ASP	-	expression tag	UNP P58154
F	-3	ASP	-	expression tag	UNP P58154
F	-2	ASP	-	expression tag	UNP P58154
F	-1	ASP	-	expression tag	UNP P58154
F	0	LYS	-	expression tag	UNP P58154
G	-7	ASP	-	expression tag	UNP P58154
G	-6	TYR	-	expression tag	UNP P58154
G	-5	LYS	-	expression tag	UNP P58154

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	-4	ASP	-	expression tag	UNP P58154
G	-3	ASP	-	expression tag	UNP P58154
G	-2	ASP	-	expression tag	UNP P58154
G	-1	ASP	-	expression tag	UNP P58154
G	0	LYS	-	expression tag	UNP P58154
H	-7	ASP	-	expression tag	UNP P58154
H	-6	TYR	-	expression tag	UNP P58154
H	-5	LYS	-	expression tag	UNP P58154
H	-4	ASP	-	expression tag	UNP P58154
H	-3	ASP	-	expression tag	UNP P58154
H	-2	ASP	-	expression tag	UNP P58154
H	-1	ASP	-	expression tag	UNP P58154
H	0	LYS	-	expression tag	UNP P58154
I	-7	ASP	-	expression tag	UNP P58154
I	-6	TYR	-	expression tag	UNP P58154
I	-5	LYS	-	expression tag	UNP P58154
I	-4	ASP	-	expression tag	UNP P58154
I	-3	ASP	-	expression tag	UNP P58154
I	-2	ASP	-	expression tag	UNP P58154
I	-1	ASP	-	expression tag	UNP P58154
I	0	LYS	-	expression tag	UNP P58154
J	-7	ASP	-	expression tag	UNP P58154
J	-6	TYR	-	expression tag	UNP P58154
J	-5	LYS	-	expression tag	UNP P58154
J	-4	ASP	-	expression tag	UNP P58154
J	-3	ASP	-	expression tag	UNP P58154
J	-2	ASP	-	expression tag	UNP P58154
J	-1	ASP	-	expression tag	UNP P58154
J	0	LYS	-	expression tag	UNP P58154

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		
2	J	1	Total	O	P	0	0
			5	4	1		
2	J	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 5-fluoronicotine (CCD ID: FN1) (formula: C₁₀H₁₃FN₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	B	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	C	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	D	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	E	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	F	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	H	1	Total	C	F	H	N	0	0
			27	10	1	14	2		
3	J	1	Total	C	F	H	N	0	0
			27	10	1	14	2		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	26	Total	O	0	0
			26	26		
5	B	46	Total	O	0	0
			46	46		
5	C	43	Total	O	0	0
			43	43		
5	D	46	Total	O	0	0
			46	46		
5	E	28	Total	O	0	0
			28	28		
5	F	16	Total	O	0	0
			16	16		
5	G	29	Total	O	0	0
			29	29		
5	H	32	Total	O	0	0
			32	32		
5	I	37	Total	O	0	0
			37	37		
5	J	26	Total	O	0	0
			26	26		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetylcholine-binding protein




- Molecule 1: Acetylcholine-binding protein




- Molecule 1: Acetylcholine-binding protein



- Molecule 1: Acetylcholine-binding protein





- Molecule 1: Acetylcholine-binding protein








- Molecule 1: Acetylcholine-binding protein




- Molecule 1: Acetylcholine-binding protein




- Molecule 1: Acetylcholine-binding protein




- Molecule 1: Acetylcholine-binding protein



- Molecule 1: Acetylcholine-binding protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.47Å 129.04Å 122.43Å 90.00° 106.28° 90.00°	Depositor
Resolution (Å)	55.16 – 2.40 55.16 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.5 (55.16-2.40) 99.5 (55.16-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.40Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.198 , 0.248 0.205 , 0.251	Depositor DCC
R_{free} test set	4793 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtriage
Anisotropy	0.417	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 40.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	30290	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FN1, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/1547	0.82	2/2122 (0.1%)
1	B	0.64	0/1620	0.81	1/2221 (0.0%)
1	C	0.63	0/1612	0.82	0/2217
1	D	0.61	0/1639	0.83	0/2247
1	E	0.80	0/1572	0.92	5/2158 (0.2%)
1	F	0.57	0/1447	0.82	1/1990 (0.1%)
1	G	0.81	0/1577	0.91	4/2162 (0.2%)
1	H	0.56	0/1616	0.81	0/2208
1	I	0.58	0/1604	0.85	3/2199 (0.1%)
1	J	0.61	0/1522	0.84	0/2099
All	All	0.65	0/15756	0.84	16/21623 (0.1%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	152	VAL	CA-C-N	6.86	141.90	122.21
1	I	152	VAL	C-N-CA	6.86	141.90	122.21
1	G	13	THR	N-CA-C	6.74	118.71	111.36
1	G	25	ARG	N-CA-C	6.53	119.08	110.08
1	G	14	SER	N-CA-C	5.66	118.66	110.28
1	E	16	PRO	N-CA-C	5.62	121.14	113.84
1	F	23	ARG	CB-CA-C	-5.53	110.18	116.54
1	A	25	ARG	CA-C-N	-5.47	114.62	120.03
1	A	25	ARG	C-N-CA	-5.47	114.62	120.03
1	E	25	ARG	CA-C-N	-5.47	114.95	120.31
1	E	25	ARG	C-N-CA	-5.47	114.95	120.31
1	B	174	LEU	N-CA-C	-5.44	106.32	113.12
1	G	37	ASN	N-CA-C	5.30	116.46	108.46
1	I	170	ARG	N-CA-C	-5.12	107.03	113.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	70	SER	CA-C-N	5.12	125.40	119.93
1	E	70	SER	C-N-CA	5.12	125.40	119.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1513	1421	1419	12	0
1	B	1585	1482	1480	9	0
1	C	1576	1428	1424	9	1
1	D	1604	1503	1503	13	0
1	E	1537	1403	1408	21	0
1	F	1415	1293	1290	22	0
1	G	1542	1438	1438	28	0
1	H	1582	1508	1505	20	0
1	I	1569	1452	1456	14	1
1	J	1487	1329	1326	28	0
2	A	5	0	0	0	0
2	B	10	0	0	1	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	G	5	0	0	0	0
2	H	10	0	0	0	0
2	J	10	0	0	0	0
3	A	13	14	13	0	0
3	B	13	14	13	1	0
3	C	13	14	13	0	0
3	D	13	14	13	6	0
3	E	13	14	13	4	0
3	F	13	14	13	3	0
3	H	13	14	13	0	0
3	J	13	14	13	6	0
4	A	14	0	13	0	0
4	C	14	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	26	0	0	0	0
5	B	46	0	0	0	0
5	C	43	0	0	1	0
5	D	46	0	0	0	0
5	E	28	0	0	0	0
5	F	16	0	0	0	0
5	G	29	0	0	0	0
5	H	32	0	0	0	0
5	I	37	0	0	0	0
5	J	26	0	0	3	0
All	All	15921	14369	14379	154	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3:ARG:NH1	2:B:301:PO4:O2	2.21	0.74
1:J:46:ASN:OD1	1:J:125:VAL:HG22	1.89	0.72
1:E:152:VAL:HG12	1:E:195:VAL:HG23	1.73	0.71
1:F:41:VAL:HG13	1:F:125:VAL:HG21	1.71	0.71
1:I:161:ASP:OD2	1:I:178:GLN:NE2	2.23	0.70
1:G:24:ASP:O	1:H:-2:ASP:OD2	2.13	0.67
1:G:139:LYS:NZ	1:G:185:TYR:OH	2.27	0.67
1:E:152:VAL:CG1	1:E:195:VAL:HG23	2.27	0.65
1:J:113:TYR:OH	5:J:401:HOH:O	2.03	0.65
1:D:192:TYR:CZ	3:D:302:FN1:H102	2.32	0.64
1:J:183:VAL:HG23	1:J:194:ASP:OD1	1.99	0.63
1:C:186:SER:OG	1:D:160:ASP:OD2	2.16	0.62
1:F:94:LYS:HE2	1:G:96:GLU:HG3	1.80	0.62
1:H:41:VAL:HG13	1:H:125:VAL:HG21	1.82	0.62
1:G:152:VAL:CG1	1:G:195:VAL:HG23	2.29	0.62
1:J:183:VAL:HG12	1:J:185:TYR:CE1	2.34	0.62
1:I:32:SER:HA	1:I:178:GLN:HE22	1.65	0.61
1:A:131:GLU:O	1:A:202:ARG:NH1	2.35	0.60
1:J:174:LEU:HD13	1:J:201:PHE:HA	1.84	0.60
1:J:169:SER:O	1:J:204:LYS:NZ	2.33	0.58
1:J:143:TRP:CH2	3:J:303:FN1:H82	2.38	0.58
1:G:42:ASN:CG	1:G:45:THR:HG22	2.28	0.58
1:F:124:ASP:HB2	1:G:168:TYR:CE1	2.40	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:41:VAL:CG1	1:H:125:VAL:HG21	2.34	0.57
1:G:152:VAL:HG12	1:G:195:VAL:HG23	1.86	0.56
1:F:30:SER:OG	1:F:57:THR:OG1	2.24	0.56
1:F:114:MET:HE3	3:J:303:FN1:H71	1.87	0.56
1:H:42:ASN:HB3	1:H:45:THR:HG22	1.88	0.56
1:A:118:ARG:NH1	1:E:92:ILE:O	2.37	0.55
1:F:114:MET:HE3	3:J:303:FN1:C7	2.37	0.55
1:B:19:ILE:HG13	1:B:21:THR:HG23	1.88	0.55
1:J:48:VAL:HG12	1:J:50:VAL:HG13	1.89	0.55
1:A:170:ARG:NH1	1:E:44:ILE:CG2	2.70	0.54
1:H:125:VAL:HA	1:H:134:ALA:HB1	1.90	0.54
1:I:34:LYS:HB2	1:I:53:TRP:HB2	1.90	0.54
1:E:187:CYS:SG	1:E:188:CYS:N	2.81	0.54
1:F:173:ILE:HD12	1:F:199:LEU:HD11	1.89	0.53
1:B:88:ALA:HB3	1:B:91:ALA:HB2	1.90	0.53
1:C:101:GLN:OE1	1:C:113:TYR:OH	2.25	0.53
1:A:124:ASP:HB2	1:B:168:TYR:CE1	2.45	0.52
1:F:94:LYS:HE2	1:G:96:GLU:CG	2.40	0.52
1:J:33:LEU:HD11	1:J:140:ILE:HD11	1.92	0.51
1:J:166:SER:OG	5:J:402:HOH:O	2.18	0.51
1:A:125:VAL:O	1:A:128:VAL:HG23	2.09	0.51
1:D:187:CYS:SG	1:D:188:CYS:N	2.83	0.51
1:E:143:TRP:CZ3	3:E:301:FN1:H82	2.45	0.51
1:E:48:VAL:HG12	1:E:50:VAL:HG13	1.91	0.51
1:J:178:GLN:HG2	1:J:197:VAL:HG22	1.91	0.51
3:D:302:FN1:H71	1:E:114:MET:CE	2.41	0.51
1:C:152:VAL:CG1	1:C:195:VAL:HG23	2.41	0.51
1:A:186:SER:OG	1:B:157:GLU:OE2	2.29	0.50
1:C:48:VAL:HG12	1:C:50:VAL:HG13	1.93	0.50
1:F:145:HIS:HB2	1:F:150:ILE:HD12	1.92	0.50
1:F:34:LYS:HB3	1:F:164:TYR:CD2	2.47	0.50
1:B:152:VAL:HG12	1:B:195:VAL:HG23	1.93	0.49
1:E:188:CYS:SG	3:E:301:FN1:H3	2.52	0.49
1:E:125:VAL:O	1:E:128:VAL:HG23	2.11	0.49
1:F:41:VAL:CG1	1:F:125:VAL:HG21	2.40	0.49
1:G:125:VAL:O	1:G:125:VAL:HG12	2.12	0.48
1:D:143:TRP:CZ3	3:D:302:FN1:H82	2.49	0.48
1:F:24:ASP:HA	1:G:-2:ASP:HB2	1.95	0.48
1:H:94:LYS:HE3	1:I:96:GLU:HG3	1.96	0.47
1:J:130:THR:HG22	1:J:132:SER:H	1.79	0.47
3:F:301:FN1:C7	1:G:114:MET:SD	3.02	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:43:GLU:HA	1:F:125:VAL:CG1	2.45	0.47
1:E:55:GLN:HA	1:E:114:MET:HG3	1.96	0.47
1:G:20:PRO:HA	1:H:0:LYS:HD2	1.95	0.47
1:B:33:LEU:HD21	1:B:140:ILE:HD12	1.96	0.47
1:D:158:ASN:HD21	1:D:178:GLN:HB2	1.80	0.47
1:E:192:TYR:CE1	3:E:301:FN1:H103	2.50	0.47
1:B:185:TYR:C	1:B:187:CYS:N	2.73	0.47
1:H:57:THR:CG2	1:H:112:LEU:HD12	2.45	0.47
1:I:192:TYR:CD1	1:I:192:TYR:N	2.83	0.47
1:C:145:HIS:HB2	1:C:150:ILE:HD12	1.96	0.47
1:D:192:TYR:CE1	3:D:302:FN1:C10	2.98	0.46
3:F:301:FN1:H71	1:G:114:MET:SD	2.56	0.46
1:G:89:TYR:HB2	1:G:139:LYS:HG3	1.97	0.46
1:J:192:TYR:CE2	3:J:303:FN1:H102	2.51	0.46
1:D:152:VAL:HG23	1:D:195:VAL:HG23	1.98	0.46
1:G:41:VAL:HG22	1:G:48:VAL:HG23	1.97	0.46
1:J:192:TYR:CZ	3:J:303:FN1:H102	2.51	0.46
1:C:70:SER:HB2	1:C:71:PRO:HD2	1.96	0.46
1:G:143:TRP:CE2	1:H:99:THR:HG21	2.51	0.46
1:H:-3:ASP:O	1:H:3:ARG:NH1	2.47	0.46
1:D:122:SER:OG	1:E:37:ASN:ND2	2.49	0.46
1:J:174:LEU:HD12	1:J:174:LEU:N	2.30	0.46
1:A:170:ARG:HH11	1:E:44:ILE:HG22	1.80	0.46
1:F:17:ASP:OD2	1:G:11:ARG:NH2	2.43	0.45
1:H:42:ASN:CG	1:H:45:THR:HG22	2.42	0.45
1:H:121:PHE:CD1	1:H:138:ILE:HD12	2.51	0.45
1:C:152:VAL:HG12	1:C:195:VAL:HG23	1.98	0.45
1:E:152:VAL:HG12	1:E:195:VAL:CG2	2.43	0.45
1:J:152:VAL:HG21	1:J:194:ASP:HA	1.99	0.45
1:I:55:GLN:HG3	1:I:114:MET:HE2	1.98	0.45
1:J:101:GLN:NE2	5:J:401:HOH:O	2.21	0.45
1:F:181:ASN:OD1	1:F:182:SER:N	2.49	0.45
1:F:114:MET:HE1	1:J:187:CYS:SG	2.57	0.44
1:I:94:LYS:HE3	1:J:96:GLU:HG2	1.98	0.44
1:I:49:ASP:OD2	1:I:118:ARG:NH2	2.49	0.44
1:F:131:GLU:O	1:F:202:ARG:NH1	2.50	0.44
1:H:125:VAL:O	1:H:125:VAL:HG22	2.17	0.44
1:D:183:VAL:HG11	1:D:185:TYR:CZ	2.53	0.44
1:E:70:SER:HB2	1:E:71:PRO:HD2	1.99	0.44
1:F:165:PHE:CE1	1:F:173:ILE:HD11	2.53	0.44
1:G:70:SER:HB2	1:G:71:PRO:HD2	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:143:TRP:CZ3	3:J:303:FN1:H82	2.53	0.44
1:D:88:ALA:HA	1:D:139:LYS:O	2.17	0.44
1:I:55:GLN:HA	1:I:114:MET:HG3	2.00	0.44
1:A:114:MET:CE	3:E:301:FN1:H72	2.49	0.43
1:G:13:THR:HG21	1:G:62:THR:O	2.18	0.43
1:G:55:GLN:HB2	1:G:114:MET:HE2	2.00	0.43
1:H:51:VAL:HA	1:H:117:ILE:O	2.18	0.43
1:G:42:ASN:HB3	1:G:45:THR:HG22	1.99	0.43
1:G:173:ILE:HG21	1:G:176:VAL:HG23	2.00	0.43
1:H:43:GLU:HA	1:H:125:VAL:HG13	2.00	0.43
1:C:17:ASP:OD2	1:D:11:ARG:NH2	2.37	0.43
1:H:124:ASP:HB2	1:I:168:TYR:CE1	2.53	0.43
1:J:152:VAL:HG22	1:J:193:GLU:CB	2.48	0.43
1:J:99:THR:HG23	1:J:116:SER:HB3	2.00	0.43
1:I:185:TYR:HD2	1:J:164:TYR:HE1	1.67	0.42
1:F:70:SER:HB2	1:F:71:PRO:HD2	2.01	0.42
1:G:167:GLN:O	1:G:204:LYS:NZ	2.52	0.42
1:E:176:VAL:HA	1:E:198:SER:O	2.20	0.42
1:I:145:HIS:HB3	1:I:150:ILE:HG13	2.01	0.42
3:D:302:FN1:C7	1:E:114:MET:CE	2.98	0.42
1:J:43:GLU:HA	1:J:125:VAL:HG21	2.02	0.42
1:E:172:GLU:OE1	1:E:202:ARG:NE	2.53	0.41
1:A:143:TRP:CE2	1:B:99:THR:HG21	2.55	0.41
1:F:38:ILE:HD12	1:F:165:PHE:CZ	2.55	0.41
1:H:57:THR:HG22	1:H:112:LEU:HD12	2.02	0.41
1:F:133:GLY:HA2	1:F:202:ARG:HB3	2.03	0.41
1:G:139:LYS:HA	1:G:195:VAL:O	2.20	0.41
1:I:161:ASP:HB2	1:I:176:VAL:HG11	2.02	0.41
1:E:135:THR:HG22	1:E:200:ASN:HB2	2.03	0.41
1:A:55:GLN:HA	1:A:114:MET:HG3	2.02	0.41
1:G:165:PHE:CD1	1:G:173:ILE:HD11	2.56	0.41
1:I:32:SER:CA	1:I:178:GLN:HE22	2.33	0.41
1:F:164:TYR:HE1	1:J:185:TYR:HD2	1.67	0.41
3:F:301:FN1:H72	1:G:114:MET:SD	2.60	0.41
1:J:65:TRP:CZ3	1:J:107:SER:HA	2.55	0.41
1:G:192:TYR:N	1:G:192:TYR:CD1	2.89	0.41
1:E:9:ASN:O	1:E:13:THR:HG22	2.21	0.41
1:G:33:LEU:H	1:G:178:GLN:HE22	1.67	0.41
1:J:48:VAL:O	1:J:120:ARG:HA	2.21	0.41
1:A:34:LYS:HB3	1:A:164:TYR:CD2	2.56	0.41
3:B:303:FN1:H5	5:C:430:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:42:ASN:OD1	1:D:44:ILE:HB	2.20	0.41
1:H:183:VAL:HG12	1:H:184:THR:N	2.35	0.41
1:A:85:ASP:OD1	1:A:85:ASP:N	2.52	0.40
1:H:42:ASN:CB	1:H:45:THR:HG22	2.50	0.40
1:J:177:THR:OG1	1:J:198:SER:HB2	2.21	0.40
1:C:110:GLU:OE1	1:C:112:LEU:HD21	2.22	0.40
1:D:192:TYR:CZ	3:D:302:FN1:C10	3.02	0.40
1:H:88:ALA:HA	1:H:139:LYS:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:69:HIS:HE2	1:I:160:ASP:OD2[1_455]	1.54	0.06

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/218 (89%)	194 (100%)	1 (0%)	0	100	100
1	B	201/218 (92%)	199 (99%)	2 (1%)	0	100	100
1	C	204/218 (94%)	202 (99%)	2 (1%)	0	100	100
1	D	205/218 (94%)	201 (98%)	4 (2%)	0	100	100
1	E	198/218 (91%)	195 (98%)	3 (2%)	0	100	100
1	F	187/218 (86%)	183 (98%)	4 (2%)	0	100	100
1	G	197/218 (90%)	192 (98%)	5 (2%)	0	100	100
1	H	197/218 (90%)	193 (98%)	4 (2%)	0	100	100
1	I	199/218 (91%)	194 (98%)	5 (2%)	0	100	100
1	J	199/218 (91%)	197 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1982/2180 (91%)	1950 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	168/204 (82%)	165 (98%)	3 (2%)	51	73
1	B	181/204 (89%)	180 (99%)	1 (1%)	78	89
1	C	175/204 (86%)	172 (98%)	3 (2%)	53	74
1	D	183/204 (90%)	180 (98%)	3 (2%)	55	76
1	E	170/204 (83%)	167 (98%)	3 (2%)	51	73
1	F	148/204 (72%)	145 (98%)	3 (2%)	48	70
1	G	173/204 (85%)	171 (99%)	2 (1%)	63	81
1	H	180/204 (88%)	178 (99%)	2 (1%)	65	82
1	I	178/204 (87%)	172 (97%)	6 (3%)	32	54
1	J	158/204 (78%)	155 (98%)	3 (2%)	50	71
All	All	1714/2040 (84%)	1685 (98%)	29 (2%)	53	74

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ILE
1	A	31	VAL
1	A	128	VAL
1	B	14	SER
1	C	83	VAL
1	C	101	GLN
1	C	182	SER
1	D	83	VAL
1	D	126	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	152	VAL
1	E	176	VAL
1	E	187	CYS
1	E	196	GLU
1	F	15	ARG
1	F	31	VAL
1	F	99	THR
1	G	21	THR
1	G	152	VAL
1	H	83	VAL
1	H	174	LEU
1	I	22	GLN
1	I	31	VAL
1	I	41	VAL
1	I	132	SER
1	I	176	VAL
1	I	188	CYS
1	J	56	THR
1	J	151	SER
1	J	188	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	101	GLN
1	B	9	ASN
1	B	69	HIS
1	B	158	ASN
1	B	200	ASN
1	C	69	HIS
1	C	146	HIS
1	C	200	ASN
1	D	9	ASN
1	D	54	GLN
1	D	146	HIS
1	D	158	ASN
1	E	101	GLN
1	E	146	HIS
1	E	167	GLN
1	F	101	GLN
1	G	37	ASN
1	G	55	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	69	HIS
1	H	200	ASN
1	I	37	ASN
1	I	119	GLN
1	I	178	GLN
1	J	37	ASN
1	J	54	GLN
1	J	119	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FN1	A	302	-	14,14,14	3.36	7 (50%)	18,19,19	1.85	5 (27%)
2	PO4	J	302	-	4,4,4	0.98	0	6,6,6	0.60	0
2	PO4	J	301	-	4,4,4	0.87	0	6,6,6	0.82	0
2	PO4	H	302	-	4,4,4	0.94	0	6,6,6	0.93	0
3	FN1	F	301	-	14,14,14	3.42	7 (50%)	18,19,19	1.91	7 (38%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	D	301	-	4,4,4	1.24	0	6,6,6	0.56	0
2	PO4	H	301	-	4,4,4	0.96	0	6,6,6	0.40	0
2	PO4	C	301	-	4,4,4	1.03	0	6,6,6	0.65	0
2	PO4	B	301	-	4,4,4	0.93	0	6,6,6	0.66	0
2	PO4	B	302	-	4,4,4	1.21	0	6,6,6	0.63	0
3	FN1	H	303	-	14,14,14	3.47	7 (50%)	18,19,19	1.73	3 (16%)
3	FN1	B	303	-	14,14,14	3.52	7 (50%)	18,19,19	1.85	6 (33%)
3	FN1	J	303	-	14,14,14	3.54	7 (50%)	18,19,19	1.73	6 (33%)
2	PO4	G	301	-	4,4,4	1.01	0	6,6,6	0.82	0
3	FN1	D	302	-	14,14,14	3.59	6 (42%)	18,19,19	1.95	6 (33%)
3	FN1	E	301	-	14,14,14	3.37	7 (50%)	18,19,19	1.75	5 (27%)
2	PO4	A	301	-	4,4,4	0.94	0	6,6,6	0.74	0
3	FN1	C	302	-	14,14,14	3.48	7 (50%)	18,19,19	1.71	4 (22%)
4	NAG	A	303	1	14,14,15	0.69	0	17,19,21	1.42	3 (17%)
4	NAG	C	303	1	14,14,15	1.33	1 (7%)	17,19,21	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FN1	A	302	-	-	0/4/14/14	0/2/2/2
3	FN1	D	302	-	-	4/4/14/14	0/2/2/2
3	FN1	E	301	-	-	2/4/14/14	0/2/2/2
3	FN1	H	303	-	-	0/4/14/14	0/2/2/2
3	FN1	B	303	-	-	0/4/14/14	0/2/2/2
3	FN1	J	303	-	-	4/4/14/14	0/2/2/2
3	FN1	F	301	-	-	0/4/14/14	0/2/2/2
3	FN1	C	302	-	-	4/4/14/14	0/2/2/2
4	NAG	A	303	1	-	3/6/23/26	0/1/1/1
4	NAG	C	303	1	-	0/6/23/26	0/1/1/1

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	FN1	C3-C2	7.93	1.50	1.39
3	C	302	FN1	C3-C2	7.60	1.50	1.39
3	J	303	FN1	C3-C2	7.52	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	301	FN1	C3-C2	7.28	1.49	1.39
3	H	303	FN1	C3-C2	7.28	1.49	1.39
3	B	303	FN1	C3-C2	7.06	1.49	1.39
3	F	301	FN1	C3-C2	7.01	1.49	1.39
3	J	303	FN1	C5-C4	6.68	1.51	1.37
3	B	303	FN1	C5-C4	6.31	1.50	1.37
3	B	303	FN1	C1-N1	6.23	1.47	1.34
3	A	302	FN1	C5-C4	6.22	1.50	1.37
3	H	303	FN1	C5-C4	6.20	1.50	1.37
3	E	301	FN1	C5-C4	6.18	1.50	1.37
3	D	302	FN1	C5-C4	6.13	1.50	1.37
3	A	302	FN1	C1-N1	6.06	1.47	1.34
3	C	302	FN1	C5-C4	6.00	1.50	1.37
3	A	302	FN1	C3-C2	5.99	1.48	1.39
3	F	301	FN1	C5-C4	5.88	1.49	1.37
3	D	302	FN1	C1-N1	5.87	1.46	1.34
3	J	303	FN1	C1-N1	5.85	1.46	1.34
3	F	301	FN1	C1-N1	5.85	1.46	1.34
3	H	303	FN1	C1-N1	5.80	1.46	1.34
3	C	302	FN1	C1-N1	5.56	1.46	1.34
3	E	301	FN1	C1-N1	5.47	1.45	1.34
4	C	303	NAG	O5-C1	4.11	1.50	1.43
3	B	303	FN1	C7-C6	-3.59	1.44	1.54
3	D	302	FN1	C10-N2	-3.58	1.39	1.46
3	C	302	FN1	C7-C6	-3.52	1.45	1.54
3	F	301	FN1	C7-C6	-3.52	1.45	1.54
3	F	301	FN1	C3-C4	-3.46	1.32	1.37
3	J	303	FN1	C7-C6	-3.45	1.45	1.54
3	A	302	FN1	C3-C4	-3.45	1.32	1.37
3	A	302	FN1	C7-C6	-3.39	1.45	1.54
3	D	302	FN1	C7-C6	-3.39	1.45	1.54
3	E	301	FN1	C3-C4	-3.31	1.32	1.37
3	H	303	FN1	C7-C6	-3.28	1.45	1.54
3	J	303	FN1	C3-C4	-3.15	1.32	1.37
3	C	302	FN1	C3-C4	-3.06	1.32	1.37
3	H	303	FN1	C3-C4	-3.05	1.32	1.37
3	B	303	FN1	C3-C4	-3.03	1.32	1.37
3	H	303	FN1	C2-C6	-2.98	1.47	1.51
3	A	302	FN1	C2-C6	-2.97	1.47	1.51
3	E	301	FN1	C7-C6	-2.89	1.46	1.54
3	D	302	FN1	C3-C4	-2.88	1.33	1.37
3	B	303	FN1	C2-C6	-2.86	1.47	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	FN1	C2-C6	-2.82	1.47	1.51
3	F	301	FN1	C2-C6	-2.45	1.48	1.51
3	J	303	FN1	C10-N2	-2.41	1.41	1.46
3	B	303	FN1	C10-N2	-2.35	1.41	1.46
3	E	301	FN1	C2-C6	-2.29	1.48	1.51
3	F	301	FN1	C10-N2	-2.27	1.41	1.46
3	C	302	FN1	C10-N2	-2.24	1.42	1.46
3	H	303	FN1	C10-N2	-2.20	1.42	1.46
3	A	302	FN1	C10-N2	-2.19	1.42	1.46
3	J	303	FN1	C2-C6	-2.14	1.48	1.51
3	E	301	FN1	C10-N2	-2.11	1.42	1.46

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302	FN1	C9-N2-C6	3.95	115.97	104.28
3	F	301	FN1	C7-C6-C2	-3.81	106.08	113.69
3	A	302	FN1	C7-C6-C2	-3.80	106.10	113.69
3	B	303	FN1	C7-C6-C2	-3.76	106.17	113.69
3	H	303	FN1	C7-C6-C2	-3.68	106.34	113.69
3	J	303	FN1	C3-C2-C6	-3.38	114.28	120.56
3	E	301	FN1	C9-N2-C6	3.28	113.98	104.28
3	B	303	FN1	C9-N2-C6	3.20	113.76	104.28
3	F	301	FN1	C9-N2-C6	3.16	113.64	104.28
3	D	302	FN1	C10-N2-C9	-3.15	103.18	112.68
3	A	302	FN1	C9-N2-C6	3.10	113.46	104.28
3	D	302	FN1	C10-N2-C6	-3.00	103.84	112.78
3	C	302	FN1	C9-N2-C6	2.99	113.14	104.28
4	A	303	NAG	O5-C1-C2	-2.98	106.68	111.29
3	E	301	FN1	C10-N2-C9	-2.91	103.91	112.68
3	H	303	FN1	C9-N2-C6	2.88	112.81	104.28
3	A	302	FN1	C3-C2-C6	-2.85	115.27	120.56
3	J	303	FN1	C9-N2-C6	2.69	112.25	104.28
3	J	303	FN1	C10-N2-C9	-2.58	104.92	112.68
3	F	301	FN1	C10-N2-C9	-2.57	104.94	112.68
3	E	301	FN1	C3-C2-C6	-2.51	115.89	120.56
3	C	302	FN1	C2-C1-N1	-2.43	120.26	124.05
3	H	303	FN1	C2-C1-N1	-2.42	120.28	124.05
3	E	301	FN1	C10-N2-C6	-2.42	105.58	112.78
3	C	302	FN1	C5-N1-C1	2.38	120.75	117.51
3	D	302	FN1	C8-C7-C6	2.36	110.12	104.24
3	F	301	FN1	C3-C2-C6	-2.35	116.20	120.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302	FN1	C2-C3-C4	2.34	121.27	118.74
3	B	303	FN1	C2-C1-N1	-2.34	120.40	124.05
3	A	302	FN1	C10-N2-C9	-2.31	105.74	112.68
4	A	303	NAG	O3-C3-C2	2.27	114.11	109.40
3	J	303	FN1	C1-C2-C6	2.25	126.24	121.56
3	D	302	FN1	C5-N1-C1	2.22	120.52	117.51
3	F	301	FN1	C2-C1-N1	-2.18	120.66	124.05
3	C	302	FN1	C10-N2-C6	-2.15	106.37	112.78
3	F	301	FN1	C5-N1-C1	2.15	120.43	117.51
3	B	303	FN1	C10-N2-C9	-2.12	106.30	112.68
3	B	303	FN1	C5-N1-C1	2.12	120.39	117.51
3	J	303	FN1	C8-C9-N2	-2.11	97.56	103.56
3	J	303	FN1	C2-C1-N1	-2.11	120.76	124.05
3	F	301	FN1	C8-C7-C6	2.10	109.48	104.24
4	A	303	NAG	O3-C3-C4	-2.10	105.43	110.38
3	B	303	FN1	C3-C2-C6	-2.08	116.70	120.56
3	E	301	FN1	C8-C7-C6	2.08	109.42	104.24
3	A	302	FN1	C1-C2-C6	2.01	125.75	121.56

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	301	FN1	C1-C2-C6-C7
3	J	303	FN1	C1-C2-C6-C7
3	J	303	FN1	C1-C2-C6-N2
4	A	303	NAG	O5-C5-C6-O6
3	E	301	FN1	C3-C2-C6-C7
4	A	303	NAG	C4-C5-C6-O6
3	C	302	FN1	C1-C2-C6-C7
3	D	302	FN1	C1-C2-C6-C7
3	J	303	FN1	C3-C2-C6-N2
3	J	303	FN1	C3-C2-C6-C7
3	C	302	FN1	C1-C2-C6-N2
4	A	303	NAG	C1-C2-N2-C7
3	D	302	FN1	C3-C2-C6-C7
3	C	302	FN1	C3-C2-C6-N2
3	C	302	FN1	C3-C2-C6-C7
3	D	302	FN1	C3-C2-C6-N2
3	D	302	FN1	C1-C2-C6-N2

There are no ring outliers.

6 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	301	FN1	3	0
2	B	301	PO4	1	0
3	B	303	FN1	1	0
3	J	303	FN1	6	0
3	D	302	FN1	6	0
3	E	301	FN1	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	199/218 (91%)	0.11	3 (1%) 72 68	33, 50, 69, 82	0
1	B	205/218 (94%)	-0.05	5 (2%) 59 55	31, 43, 63, 104	0
1	C	208/218 (95%)	0.02	4 (1%) 66 62	30, 45, 67, 92	0
1	D	207/218 (94%)	0.11	5 (2%) 59 55	32, 47, 74, 106	0
1	E	202/218 (92%)	0.31	10 (4%) 34 30	28, 52, 82, 98	0
1	F	193/218 (88%)	0.44	13 (6%) 24 20	39, 55, 76, 93	0
1	G	201/218 (92%)	0.46	13 (6%) 25 21	28, 57, 87, 99	0
1	H	201/218 (92%)	0.42	8 (3%) 42 38	39, 56, 85, 103	0
1	I	203/218 (93%)	0.23	9 (4%) 39 34	34, 50, 80, 112	0
1	J	203/218 (93%)	0.56	18 (8%) 15 12	36, 56, 86, 115	0
All	All	2022/2180 (92%)	0.26	88 (4%) 39 34	28, 51, 80, 115	0

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	154	PRO	6.3
1	C	154	PRO	5.5
1	E	154	PRO	4.9
1	B	187	CYS	4.8
1	B	188	CYS	4.8
1	J	185	TYR	4.6
1	A	154	PRO	4.2
1	E	187	CYS	4.0
1	I	184	THR	4.0
1	G	154	PRO	3.9
1	J	160	ASP	3.7
1	I	159	SER	3.7
1	G	205	GLY	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	205	GLY	3.6
1	F	24	ASP	3.6
1	I	154	PRO	3.4
1	F	154	PRO	3.3
1	A	22	GLN	3.2
1	I	187	CYS	3.2
1	E	25	ARG	3.1
1	I	188	CYS	3.0
1	H	162	SER	3.0
1	F	184	THR	3.0
1	I	185	TYR	3.0
1	H	153	ASP	3.0
1	G	24	ASP	2.9
1	E	188	CYS	2.9
1	J	155	THR	2.9
1	B	189	PRO	2.9
1	F	129	ASP	2.9
1	H	163	GLU	2.8
1	H	-2	ASP	2.8
1	F	22	GLN	2.7
1	G	185	TYR	2.7
1	F	162	SER	2.7
1	E	23	ARG	2.7
1	J	199	LEU	2.7
1	F	191	ALA	2.6
1	E	128	VAL	2.6
1	E	159	SER	2.6
1	D	22	GLN	2.5
1	J	184	THR	2.5
1	B	-1	ASP	2.5
1	F	23	ARG	2.5
1	G	164	TYR	2.5
1	C	153	ASP	2.5
1	J	134	ALA	2.5
1	J	189	PRO	2.4
1	G	190	GLU	2.4
1	G	174	LEU	2.4
1	D	68	SER	2.4
1	I	-2	ASP	2.4
1	I	22	GLN	2.4
1	F	25	ARG	2.4
1	G	23	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	163	GLU	2.4
1	C	161	ASP	2.3
1	J	188	CYS	2.3
1	F	89	TYR	2.3
1	J	41	VAL	2.3
1	J	43	GLU	2.3
1	E	183	VAL	2.3
1	F	183	VAL	2.3
1	J	128	VAL	2.3
1	J	186	SER	2.3
1	G	-2	ASP	2.3
1	J	163	GLU	2.2
1	D	25	ARG	2.2
1	H	-3	ASP	2.2
1	C	23	ARG	2.2
1	J	159	SER	2.2
1	A	131	GLU	2.2
1	J	190	GLU	2.2
1	E	189	PRO	2.2
1	H	127	GLY	2.1
1	E	190	GLU	2.1
1	G	129	ASP	2.1
1	G	162	SER	2.1
1	D	187	CYS	2.1
1	I	186	SER	2.1
1	D	48	VAL	2.1
1	J	200	ASN	2.1
1	G	188	CYS	2.1
1	H	176	VAL	2.0
1	B	24	ASP	2.0
1	J	24	ASP	2.0
1	J	174	LEU	2.0
1	F	153	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FN1	J	303	13/13	0.70	0.18	56,70,82,86	0
4	NAG	A	303	14/15	0.73	0.14	42,53,57,58	0
3	FN1	D	302	13/13	0.83	0.15	48,65,81,81	0
3	FN1	F	301	13/13	0.83	0.16	53,64,76,79	0
4	NAG	C	303	14/15	0.83	0.15	38,42,48,48	0
3	FN1	B	303	13/13	0.84	0.16	46,57,68,71	0
3	FN1	E	301	13/13	0.85	0.13	51,65,80,80	0
3	FN1	H	303	13/13	0.92	0.10	44,57,69,69	0
3	FN1	A	302	13/13	0.92	0.10	37,52,63,71	0
3	FN1	C	302	13/13	0.95	0.08	40,50,61,61	0
2	PO4	J	301	5/5	0.96	0.08	35,41,43,46	0
2	PO4	H	302	5/5	0.97	0.06	36,39,42,42	0
2	PO4	H	301	5/5	0.98	0.05	35,38,48,51	0
2	PO4	A	301	5/5	0.98	0.05	36,37,42,47	0
2	PO4	B	301	5/5	0.98	0.09	41,43,46,49	0
2	PO4	J	302	5/5	0.98	0.05	36,38,45,46	0
2	PO4	B	302	5/5	0.98	0.06	28,30,33,35	0
2	PO4	C	301	5/5	0.98	0.06	36,36,37,37	0
2	PO4	G	301	5/5	0.98	0.06	37,39,44,48	0
2	PO4	D	301	5/5	0.99	0.07	34,35,45,48	0

6.5 Other polymers

There are no such residues in this entry.