



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 02:30 AM UTC

PDB ID : 6BPP / pdb_00006bpp
Title : E. coli MsbA in complex with LPS and inhibitor G092
Authors : Ho, H.; Koth, C.M.; Payandeh, J.
Deposited on : 2017-11-24
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2995 (2.94-2.90)
Clashscore	190562	3213 (2.94-2.90)
Ramachandran outliers	187476	3128 (2.94-2.90)
Sidechain outliers	187428	3130 (2.94-2.90)
RSRZ outliers	180081	2995 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	582	4% 90% 9%
1	B	582	5% 88% 8%
2	C	10	30% 50% 20%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	3PE	A	608	-	-	-	X
6	3PE	B	617	-	X	-	-
6	3PE	B	618	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 8851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lipid A export ATP-binding/permease protein MsbA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	576	Total	C	N	O	S	0	0	0
			4389	2780	757	826	26			
1	B	561	Total	C	N	O	S	0	0	0
			4124	2617	709	773	25			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP Q8FJB1
A	65	VAL	MET	conflict	UNP Q8FJB1
A	84	VAL	ILE	conflict	UNP Q8FJB1
B	1	SER	-	expression tag	UNP Q8FJB1
B	65	VAL	MET	conflict	UNP Q8FJB1
B	84	VAL	ILE	conflict	UNP Q8FJB1

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-3)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-3)-[L-glycero-alpha-D-manno-heptopyranose-(1-7)]L-glycero-alpha-D-manno-heptopyranose-(1-3)-L-glycero-alpha-D-manno-heptopyranose-(1-5)-[3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-4)]3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-6)-2-amino-2-deoxy-beta-D-glucopyranose-(1-6)-2-amino-2-deoxy-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	10	Total	C	N	O	0	0	0
			125	67	2	56			

- Molecule 3 is (2E)-3-{6-[(1S)-1-(3-amino-2,6-dichlorophenyl)ethoxy]-4-cyclopropylquinolin-3-yl}prop-2-enoic acid (CCD ID: E1M) (formula: C₂₃H₂₀Cl₂N₂O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			30	23	2	2	3		
3	B	1	Total	C	Cl	N	O	0	0
			30	23	2	2	3		

- Molecule 4 is 3-HYDROXY-TETRADECANOIC ACID (CCD ID: FTT) (formula: C₁₄H₂₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	14	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	14	2		
4	B	1	Total	C	O	0	0
			16	14	2		
4	B	1	Total	C	O	0	0
			16	14	2		

- Molecule 5 is LAURIC ACID (CCD ID: DAO) (formula: $C_{12}H_{24}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			13	12	1		

- Molecule 6 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O P 10 3 6 1	0	0
6	A	1	Total C N O P 9 3 1 4 1	0	0
6	A	1	Total C O P 10 3 6 1	0	0
6	A	1	Total C 5 5	0	0
6	B	1	Total O P 5 4 1	0	0
6	B	1	Total C 5 5	0	0
6	B	1	Total C N O P 9 3 1 4 1	0	0

- Molecule 7 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	P	0	0
			4	3	1		
7	B	1	Total	O	P	0	0
			4	3	1		

- Molecule 8 is MYRISTIC ACID (CCD ID: MYR) (formula: C₁₄H₂₈O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			15	14	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lipid A export ATP-binding/permease protein MsbA



- Molecule 1: Lipid A export ATP-binding/permease protein MsbA



- Molecule 2: alpha-D-glucopyranose-(1-3)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-3)-[L-glycero-alpha-D-manno-heptopyranose-(1-7)]L-glycero-alpha-D-manno-heptopyranose-(1-3)-L-glycero-alpha-D-manno-heptopyranose-(1-5)-[3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-4)]3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-6)-2-amino-2-deoxy-beta-D-glucopyranose-(1-6)-2-amino-2-deoxy-alpha-D-glucopyranose



PA11	GCS2	KD03	GNH4	GNH5	GLC6	GLC7	GLC8	GNH9	KD010
------	------	------	------	------	------	------	------	------	-------

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	256.29Å 89.79Å 72.51Å 90.00° 91.29° 90.00°	Depositor
Resolution (Å)	38.17 – 2.92 38.17 – 2.92	Depositor EDS
% Data completeness (in resolution range)	91.5 (38.17-2.92) 91.4 (38.17-2.92)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.90Å)	Xtriage
Refinement program	PHENIX (dev_2747: ???)	Depositor
R, R_{free}	0.258 , 0.278 0.263 , 0.274	Depositor DCC
R_{free} test set	1630 reflections (4.53%)	wwPDB-VP
Wilson B-factor (Å ²)	71.9	Xtriage
Anisotropy	0.178	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.038 for -h,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8851	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: E1M, KDO, GMH, MYR, GCS, DAO, GLC, FTT, 3PE, PA1, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/4452	0.42	0/6026
1	B	0.20	0/4182	0.41	0/5679
All	All	0.20	0/8634	0.41	0/11705

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4389	0	4442	40	0
1	B	4124	0	4061	29	0
2	C	125	0	98	1	0
3	A	30	0	0	2	0
3	B	30	0	0	1	0
4	A	32	0	53	11	0
4	B	32	0	53	3	0
5	A	13	0	23	4	0
6	A	34	0	26	0	0
6	B	19	0	16	0	0
7	B	8	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	B	15	0	27	8	0
All	All	8851	0	8799	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:603:DAO:H22	4:B:614:FTT:H62	1.71	0.72
1:A:78:ARG:HH12	4:A:604:FTT:H41	1.62	0.64
1:B:50:PRO:O	1:B:55:GLY:N	2.23	0.64
1:A:44:MET:HE1	8:B:615:MYR:H81	1.83	0.60
1:A:296:ARG:HB3	1:A:297:PRO:HD3	1.83	0.59
1:A:163:TYR:HB3	1:A:283:THR:OG1	2.05	0.57
1:A:288:PHE:HB3	4:A:602:FTT:H141	1.87	0.56
4:A:604:FTT:H121	8:B:615:MYR:H132	1.89	0.55
4:A:604:FTT:H121	8:B:615:MYR:H101	1.91	0.52
4:A:602:FTT:H122	4:B:613:FTT:H143	1.91	0.52
1:A:175:ALA:HB3	1:A:176:PRO:HD3	1.91	0.52
4:A:602:FTT:O3	4:B:613:FTT:H62	2.09	0.52
1:B:499:SER:O	1:B:530:ARG:NH1	2.45	0.50
1:A:288:PHE:CD1	4:A:602:FTT:H141	2.47	0.49
1:A:44:MET:HE2	4:A:604:FTT:H101	1.95	0.48
1:A:64:LEU:HD12	1:B:271:SER:CB	2.43	0.48
1:B:301:LEU:O	1:B:304:VAL:HG12	2.12	0.48
1:A:289:SER:HB3	5:A:603:DAO:H92	1.96	0.48
1:A:109:MET:HE1	1:B:226:GLU:HB2	1.96	0.47
1:A:145:THR:OG1	1:A:304:VAL:HG21	2.13	0.47
1:B:280:THR:O	1:B:284:ILE:HG22	2.15	0.47
1:B:458:TYR:CB	1:B:518:ALA:HB1	2.45	0.46
1:B:507:ALA:HA	1:B:537:HIS:CD2	2.50	0.46
1:A:435:ASN:O	1:A:439:TYR:HA	2.16	0.46
1:A:160:MET:O	1:A:163:TYR:O	2.33	0.46
3:B:601:E1M:O13	3:B:601:E1M:CL12	2.71	0.46
1:B:466:MET:CE	1:B:481:LEU:HD21	2.46	0.46
1:B:263:LEU:HB3	8:B:615:MYR:H111	1.97	0.45
3:A:601:E1M:O13	3:A:601:E1M:CL12	2.71	0.45
1:B:296:ARG:HB3	1:B:297:PRO:HD3	1.96	0.45
1:A:420:ALA:HB2	1:A:499:SER:HB2	1.98	0.45
1:A:339:THR:N	1:A:403:ASP:OD2	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:MET:CE	8:B:615:MYR:H81	2.46	0.44
1:A:63:VAL:O	1:A:68:PRO:HD2	2.17	0.44
1:B:107:HIS:HA	1:B:326:GLN:OE1	2.18	0.44
1:A:49:LYS:HB3	1:A:50:PRO:HD3	2.00	0.44
1:A:67:MET:HG2	1:B:267:LEU:HD21	1.98	0.44
1:A:288:PHE:HB2	5:A:603:DAO:H122	1.99	0.44
1:B:91:TRP:O	1:B:95:LYS:HG2	2.18	0.44
1:B:364:LEU:CD1	1:B:366:ILE:HG13	2.47	0.44
1:A:190:ARG:O	1:A:190:ARG:HG3	2.18	0.43
1:A:30:ALA:HB2	1:A:88:CYS:HB2	2.01	0.43
1:A:17:TRP:O	1:A:20:ILE:N	2.47	0.43
1:B:67:MET:HA	1:B:67:MET:HE2	2.01	0.43
1:B:66:TRP:O	1:B:70:VAL:HB	2.19	0.43
1:A:296:ARG:HB3	1:A:297:PRO:CD	2.49	0.42
1:A:559:ARG:C	1:A:565:LEU:HD21	2.45	0.42
1:B:20:ILE:HG12	1:B:96:VAL:HG11	2.00	0.42
4:A:604:FTT:H142	8:B:615:MYR:H141	2.01	0.42
1:B:366:ILE:HG22	1:B:531:THR:HG23	2.02	0.42
1:A:259:ALA:HB1	3:A:601:E1M:CL10	2.57	0.42
1:A:383:SER:HA	1:A:535:ILE:CD1	2.49	0.42
1:B:312:MET:HA	1:B:312:MET:HE2	2.02	0.42
1:B:502:LEU:HD22	1:B:526:LEU:HG	2.02	0.42
1:A:573:ALA:O	1:A:577:LYS:N	2.51	0.42
1:B:380:SER:OG	1:B:551:VAL:HG22	2.19	0.42
1:A:64:LEU:HG	1:B:268:TYR:CE1	2.55	0.41
1:A:414:SER:O	1:A:418:GLN:HG2	2.21	0.41
1:A:295:MET:HE1	4:A:602:FTT:H61	2.01	0.41
1:A:121:THR:HG21	1:B:211:LEU:HB3	2.03	0.41
1:A:285:THR:HA	5:A:603:DAO:H112	2.02	0.41
1:B:93:SER:O	1:B:97:VAL:HG23	2.20	0.41
1:A:108:MET:HA	1:A:111:MET:HG2	2.02	0.41
2:C:5:GMH:H2	2:C:6:GLC:O5	2.21	0.41
1:B:364:LEU:HD12	1:B:364:LEU:C	2.46	0.41
1:B:421:LEU:HD23	1:B:422:VAL:N	2.36	0.41
1:A:236:ARG:O	1:A:240:GLN:HG2	2.21	0.41
1:A:172:ILE:O	1:A:175:ALA:N	2.54	0.40
1:A:203:VAL:HG22	1:A:233:VAL:HG12	2.03	0.40
1:A:500:PRO:HG2	1:A:501:ILE:HD12	2.02	0.40
4:A:604:FTT:H132	8:B:615:MYR:H142	2.02	0.40
1:A:103:ARG:HE	1:A:322:LEU:HD21	1.87	0.40
1:B:295:MET:HE1	8:B:615:MYR:H62	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466:MET:HE1	1:B:481:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	574/582 (99%)	550 (96%)	24 (4%)	0	100	100
1	B	557/582 (96%)	529 (95%)	28 (5%)	0	100	100
All	All	1131/1164 (97%)	1079 (95%)	52 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	471/496 (95%)	470 (100%)	1 (0%)	87	96
1	B	419/496 (84%)	417 (100%)	2 (0%)	81	93
All	All	890/992 (90%)	887 (100%)	3 (0%)	86	95

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	B	286	VAL
1	B	292	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	GLN
1	A	134	GLN
1	A	316	GLN
1	B	485	GLN
1	B	520	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PA1	C	1	2,7,4	12,12,12	0.75	0	16,17,17	1.77	4 (25%)
2	KDO	C	10	2	15,15,16	0.63	0	17,21,24	1.04	0
2	GCS	C	2	2,7,4	11,11,12	0.46	0	13,15,17	1.97	4 (30%)
2	KDO	C	3	2	15,15,16	0.67	0	17,21,24	1.66	3 (17%)
2	GMH	C	4	2	13,13,14	0.39	0	16,18,20	0.97	0
2	GMH	C	5	2	13,13,14	0.33	0	16,18,20	1.83	4 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	C	6	2	11,11,12	0.51	0	15,15,17	2.12	5 (33%)
2	GLC	C	7	2	11,11,12	0.29	0	15,15,17	1.17	2 (13%)
2	GLC	C	8	2	11,11,12	0.35	0	15,15,17	2.38	3 (20%)
2	GMH	C	9	2	13,13,14	0.42	0	16,18,20	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PA1	C	1	2,7,4	-	1/2/22/22	0/1/1/1
2	KDO	C	10	2	-	4/10/26/30	0/1/1/1
2	GCS	C	2	2,7,4	-	2/2/19/22	0/1/1/1
2	KDO	C	3	2	-	2/10/26/30	0/1/1/1
2	GMH	C	4	2	-	3/6/23/26	0/1/1/1
2	GMH	C	5	2	-	5/6/23/26	0/1/1/1
2	GLC	C	6	2	-	1/2/19/22	0/1/1/1
2	GLC	C	7	2	-	2/2/19/22	0/1/1/1
2	GLC	C	8	2	-	2/2/19/22	0/1/1/1
2	GMH	C	9	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	8	GLC	C1-O5-C5	7.66	122.45	112.19
2	C	5	GMH	C1-O5-C5	5.29	120.15	111.48
2	C	3	KDO	O6-C2-C3	4.70	116.87	110.56
2	C	1	PA1	C1-O5-C5	4.49	122.34	113.65
2	C	6	GLC	C1-C2-C3	4.34	115.97	109.64
2	C	2	GCS	C1-O5-C5	4.23	117.86	112.19
2	C	1	PA1	O5-C5-C4	3.92	116.77	109.70
2	C	6	GLC	C1-O5-C5	3.78	117.25	112.19
2	C	6	GLC	O3-C3-C4	3.64	118.95	110.38
2	C	2	GCS	O5-C5-C6	-3.54	100.77	107.66
2	C	6	GLC	C3-C4-C5	-3.01	104.78	110.23
2	C	5	GMH	C1-C2-C3	2.95	113.94	109.64
2	C	2	GCS	C1-C2-N2	-2.95	106.33	111.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	8	GLC	C1-C2-C3	2.93	113.92	109.64
2	C	3	KDO	O1A-C1-C2	-2.92	116.54	122.85
2	C	8	GLC	C2-C3-C4	-2.81	105.91	110.86
2	C	7	GLC	C1-O5-C5	2.75	115.87	112.19
2	C	7	GLC	C1-C2-C3	2.37	113.09	109.64
2	C	5	GMH	O5-C1-C2	2.36	116.43	110.79
2	C	6	GLC	O5-C1-C2	2.31	116.29	110.79
2	C	1	PA1	C4-C3-C2	-2.28	107.21	110.99
2	C	3	KDO	O1B-C1-C2	2.24	118.52	112.71
2	C	5	GMH	C2-C3-C4	-2.21	106.98	110.86
2	C	1	PA1	C6-C5-C4	-2.07	107.94	113.02
2	C	2	GCS	O6-C6-C5	-2.06	104.33	111.33

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	4	GMH	C4-C5-C6-O6
2	C	4	GMH	O5-C5-C6-O6
2	C	5	GMH	C4-C5-C6-C7
2	C	5	GMH	C4-C5-C6-O6
2	C	5	GMH	O5-C5-C6-C7
2	C	5	GMH	O5-C5-C6-O6
2	C	9	GMH	C4-C5-C6-C7
2	C	9	GMH	C4-C5-C6-O6
2	C	9	GMH	O5-C5-C6-C7
2	C	9	GMH	O5-C5-C6-O6
2	C	10	KDO	C5-C6-C7-O7
2	C	10	KDO	C5-C6-C7-C8
2	C	10	KDO	O6-C6-C7-O7
2	C	10	KDO	O6-C6-C7-C8
2	C	2	GCS	O5-C5-C6-O6
2	C	7	GLC	O5-C5-C6-O6
2	C	7	GLC	C4-C5-C6-O6
2	C	2	GCS	C4-C5-C6-O6
2	C	8	GLC	O5-C5-C6-O6
2	C	1	PA1	O5-C5-C6-O6
2	C	6	GLC	O5-C5-C6-O6
2	C	4	GMH	C4-C5-C6-C7
2	C	8	GLC	C4-C5-C6-O6
2	C	3	KDO	O1A-C1-C2-O6
2	C	3	KDO	O1A-C1-C2-C3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	5	GMH	C5-C6-C7-O7

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	5	GMH	1	0
2	C	6	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	3PE	B	617	-	4,4,50	5.04	2 (50%)	6,6,55	2.99	3 (50%)
7	PO4	B	612	2	0,3,4	-	-	0,3,6	-	-
6	3PE	B	618	-	4,4,50	0.61	0	3,3,55	0.24	0
5	DAO	A	603	4	11,12,13	0.33	0	10,11,13	0.73	0
6	3PE	A	606	-	8,8,50	2.46	3 (37%)	9,10,55	1.72	2 (22%)
6	3PE	A	608	-	4,4,50	0.58	0	3,3,55	0.24	0
4	FTT	B	613	2	14,15,16	0.32	0	15,15,17	1.22	2 (13%)
6	3PE	A	605	-	9,9,50	3.51	1 (11%)	10,12,55	2.52	4 (40%)
4	FTT	A	602	2	14,15,16	0.35	0	15,15,17	1.23	2 (13%)
8	MYR	B	615	4	13,14,15	0.34	0	12,13,15	0.65	0
4	FTT	A	604	2,8	14,15,16	0.35	0	15,15,17	0.98	1 (6%)
4	FTT	B	614	5,2	14,15,16	0.37	0	15,15,17	0.97	1 (6%)
7	PO4	B	616	2	0,3,4	-	-	0,3,6	-	-
6	3PE	A	607	-	9,9,50	2.69	1 (11%)	10,12,55	2.13	4 (40%)
6	3PE	B	619	-	8,8,50	2.68	2 (25%)	9,10,55	1.62	2 (22%)
3	E1M	A	601	-	33,33,33	1.30	2 (6%)	44,48,48	1.61	8 (18%)
3	E1M	B	601	-	33,33,33	1.28	3 (9%)	44,48,48	1.56	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	3PE	B	618	-	-	2/2/2/54	-
5	DAO	A	603	4	-	3/10/10/11	-
6	3PE	A	606	-	-	5/8/8/54	-
6	3PE	A	608	-	-	2/2/2/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FTT	B	613	2	-	5/14/14/15	-
6	3PE	A	605	-	-	6/8/8/54	-
4	FTT	A	602	2	-	7/14/14/15	-
8	MYR	B	615	4	-	8/12/12/13	-
4	FTT	A	604	2,8	-	4/14/14/15	-
4	FTT	B	614	5,2	-	4/14/14/15	-
6	3PE	A	607	-	-	3/8/8/54	-
6	3PE	B	619	-	-	6/8/8/54	-
3	E1M	A	601	-	-	0/17/19/19	0/4/4/4
3	E1M	B	601	-	-	0/17/19/19	0/4/4/4

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	605	3PE	P-O14	9.69	1.80	1.50
6	B	617	3PE	P-O13	8.97	1.80	1.54
6	A	607	3PE	P-O13	7.16	1.81	1.54
6	B	619	3PE	P-O13	6.20	1.83	1.59
6	A	606	3PE	P-O13	5.60	1.81	1.59
3	B	601	E1M	O28-C26	5.01	1.35	1.23
3	A	601	E1M	O28-C26	5.00	1.35	1.23
6	B	617	3PE	P-O11	4.08	1.66	1.54
3	A	601	E1M	O27-C26	-3.27	1.22	1.30
3	B	601	E1M	O27-C26	-3.25	1.22	1.30
6	B	619	3PE	P-O11	2.79	1.68	1.58
6	A	606	3PE	P-O11	2.20	1.66	1.58
6	A	606	3PE	O13-C11	-2.08	1.36	1.44
3	B	601	E1M	C17-N23	-2.04	1.34	1.37

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	605	3PE	O13-P-O12	5.87	129.82	107.80
6	B	617	3PE	O12-P-O14	5.34	129.84	110.95
6	A	607	3PE	O12-P-O14	4.81	129.59	110.83
3	A	601	E1M	C21-C24-C25	-4.24	118.59	126.91
3	A	601	E1M	C22-N23-C17	4.15	121.76	116.96
3	A	601	E1M	C5-C4-C9	3.95	119.36	114.93
6	A	606	3PE	O12-P-O14	3.72	129.77	112.44
3	B	601	E1M	C5-C4-C9	3.70	119.09	114.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	E1M	C1-C2-C4	-3.63	107.93	113.20
6	B	617	3PE	O13-P-O14	-3.58	98.29	110.95
6	A	605	3PE	O13-P-O14	-3.55	97.02	110.83
6	B	619	3PE	O12-P-O14	3.53	128.86	112.44
3	B	601	E1M	C22-N23-C17	3.44	120.94	116.96
3	B	601	E1M	C14-O13-C2	3.39	123.57	118.59
6	B	617	3PE	O13-P-O12	-3.34	97.53	107.91
3	A	601	E1M	C14-O13-C2	3.31	123.44	118.59
4	A	602	FTT	O2-C1-C2	-3.20	116.07	125.38
6	A	605	3PE	O12-P-O14	-3.16	98.53	110.83
6	A	607	3PE	O13-P-O14	-3.04	99.00	110.83
3	B	601	E1M	C21-C24-C25	-2.94	121.14	126.91
4	B	613	FTT	C3-C2-C1	-2.80	107.93	112.70
6	A	607	3PE	O13-P-O12	-2.73	97.56	107.80
3	B	601	E1M	C7-C8-C9	2.69	120.20	116.67
6	A	606	3PE	O13-P-O14	-2.64	98.45	108.94
6	B	619	3PE	O13-P-O14	-2.64	98.46	108.94
3	A	601	E1M	C1-C2-C4	-2.62	109.40	113.20
3	A	601	E1M	C21-C22-N23	-2.55	120.83	124.14
3	B	601	E1M	C21-C20-C18	-2.53	116.96	119.44
4	B	613	FTT	O2-C1-C2	-2.48	118.17	125.38
4	A	602	FTT	C4-C3-C2	-2.34	105.50	113.05
3	A	601	E1M	C4-C9-CL10	-2.32	117.65	120.37
4	B	614	FTT	O2-C1-C2	-2.32	118.64	125.38
6	A	605	3PE	O12-P-O11	2.31	112.70	106.67
3	A	601	E1M	C31-C29-C20	-2.31	115.85	119.59
4	A	604	FTT	O2-C1-C2	-2.31	118.66	125.38
6	A	607	3PE	O11-P-O14	2.00	111.85	106.44

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	613	FTT	C1-C2-C3-O3
4	B	613	FTT	C2-C3-C4-C5
4	B	614	FTT	C1-C2-C3-C4
6	A	605	3PE	C1-O11-P-O12
6	A	605	3PE	O11-C1-C2-O21
6	A	606	3PE	C1-O11-P-O12
6	A	606	3PE	C1-O11-P-O13
6	A	606	3PE	C1-O11-P-O14
6	A	606	3PE	C11-O13-P-O12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	606	3PE	O13-C11-C12-N
6	A	607	3PE	C1-O11-P-O12
6	A	607	3PE	C1-O11-P-O13
6	A	607	3PE	C1-O11-P-O14
6	B	619	3PE	C1-O11-P-O12
6	B	619	3PE	C1-O11-P-O13
6	B	619	3PE	C11-O13-P-O11
6	B	619	3PE	C11-O13-P-O12
6	B	619	3PE	C11-O13-P-O14
8	B	615	MYR	O1-C1-C2-C3
4	B	613	FTT	O3-C3-C4-C5
6	A	605	3PE	O11-C1-C2-C3
6	A	605	3PE	C1-C2-C3-O31
4	A	602	FTT	C7-C8-C9-C10
5	A	603	DAO	C11-C10-C9-C8
4	B	614	FTT	C6-C7-C8-C9
8	B	615	MYR	C2-C3-C4-C5
8	B	615	MYR	C7-C8-C9-C10
4	A	604	FTT	C4-C5-C6-C7
4	A	604	FTT	C10-C11-C12-C13
4	A	602	FTT	C11-C10-C9-C8
6	B	619	3PE	C1-O11-P-O14
6	B	618	3PE	C2E-C2F-C2G-C2H
6	B	618	3PE	C2F-C2G-C2H-C2I
6	A	608	3PE	C2F-C2G-C2H-C2I
4	B	613	FTT	C11-C12-C13-C14
4	B	614	FTT	C7-C8-C9-C10
6	A	608	3PE	C2E-C2F-C2G-C2H
4	B	613	FTT	C7-C8-C9-C10
4	A	602	FTT	O3-C3-C4-C5
4	A	602	FTT	C4-C5-C6-C7
8	B	615	MYR	C10-C11-C12-C13
8	B	615	MYR	C9-C10-C11-C12
5	A	603	DAO	C1-C2-C3-C4
8	B	615	MYR	C1-C2-C3-C4
4	B	614	FTT	C1-C2-C3-O3
6	A	605	3PE	C1-O11-P-O14
8	B	615	MYR	C6-C7-C8-C9
4	A	604	FTT	C3-C4-C5-C6
4	A	602	FTT	C6-C7-C8-C9
4	A	602	FTT	C9-C10-C11-C12
6	A	605	3PE	O21-C2-C3-O31

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	A	602	FTT	C11-C12-C13-C14
4	A	604	FTT	O3-C3-C4-C5
8	B	615	MYR	C5-C6-C7-C8
5	A	603	DAO	C9-C10-C11-C12


There are no ring outliers.


8 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	603	DAO	4	0
4	B	613	FTT	2	0
4	A	602	FTT	5	0
8	B	615	MYR	8	0
4	A	604	FTT	6	0
4	B	614	FTT	1	0
3	A	601	E1M	2	0
3	B	601	E1M	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand 3PE A 607



Ligand 3PE B 619





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	576/582 (98%)	0.32	22 (3%) 44 36	32, 58, 97, 118	0
1	B	561/582 (96%)	0.46	32 (5%) 29 23	38, 71, 113, 128	0
All	All	1137/1164 (97%)	0.39	54 (4%) 36 28	32, 62, 106, 128	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	375	VAL	4.1
1	B	356	VAL	3.9
1	A	479	VAL	3.8
1	A	133	GLU	3.8
1	A	65	VAL	3.7
1	B	388	LEU	3.6
1	B	512	ASP	3.4
1	B	551	VAL	3.3
1	B	550	VAL	3.3
1	B	557	VAL	3.1
1	B	100	MET	3.1
1	B	344	PHE	3.0
1	B	565	LEU	3.0
1	A	128	ILE	3.0
1	B	335	ILE	2.9
1	B	37	ASN	2.9
1	A	480	LEU	2.9
1	B	463	ILE	2.9
1	B	518	ALA	2.8
1	A	511	LEU	2.8
1	A	478	GLY	2.8
1	B	427	HIS	2.8
1	B	376	GLY	2.7
1	B	474	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	450	ILE	2.7
1	A	475	GLY	2.6
1	A	47	LEU	2.6
1	A	120	SER	2.6
1	B	66	TRP	2.6
1	B	511	LEU	2.5
1	A	571	VAL	2.5
1	B	65	VAL	2.4
1	A	485	GLN	2.4
1	A	367	PRO	2.3
1	B	513	THR	2.3
1	B	430	ASN	2.3
1	B	572	TYR	2.3
1	A	561	THR	2.2
1	A	513	THR	2.1
1	B	338	ALA	2.1
1	A	98	MET	2.1
1	B	496	LEU	2.1
1	A	516	GLU	2.1
1	B	74	LEU	2.1
1	B	103	ARG	2.1
1	B	372	VAL	2.1
1	B	510	ALA	2.0
1	A	525	GLU	2.0
1	A	58	LYS	2.0
1	A	210	MET	2.0
1	A	275	VAL	2.0
1	B	421	LEU	2.0
1	B	491	ILE	2.0
1	A	512	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	C	7	11/12	0.50	0.18	151,155,159,159	0
2	GLC	C	6	11/12	0.52	0.12	149,154,156,161	0
2	GMH	C	4	13/14	0.53	0.13	145,153,159,159	0
2	GMH	C	5	13/14	0.53	0.12	140,146,155,155	0
2	PA1	C	1	12/12	0.57	0.17	95,111,122,125	0
2	GLC	C	8	11/12	0.57	0.13	140,143,149,150	0
2	KDO	C	3	15/16	0.61	0.14	145,151,160,166	0
2	KDO	C	10	15/16	0.61	0.16	136,153,160,162	0
2	GCS	C	2	11/12	0.69	0.18	99,113,128,129	0
2	GMH	C	9	13/14	0.72	0.13	126,134,144,145	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	3PE	A	608	5/51	0.33	0.49	45,61,72,81	0
6	3PE	B	618	5/51	0.46	0.50	46,56,59,67	0
7	PO4	B	612	4/5	0.71	0.15	93,107,108,114	0
6	3PE	B	619	9/51	0.73	0.14	67,86,101,111	0
6	3PE	B	617	5/51	0.76	0.13	68,85,106,112	0
6	3PE	A	607	10/51	0.76	0.14	53,67,77,84	0
6	3PE	A	606	9/51	0.78	0.17	64,79,97,154	0
6	3PE	A	605	10/51	0.83	0.12	72,83,91,154	0
7	PO4	B	616	4/5	0.85	0.11	89,107,110,111	0
4	FTT	A	604	16/17	0.87	0.23	59,79,112,116	0
8	MYR	B	615	15/16	0.89	0.24	58,72,103,104	0
4	FTT	B	613	16/17	0.90	0.21	52,72,118,126	0
4	FTT	B	614	16/17	0.91	0.18	64,86,119,119	0
3	E1M	B	601	30/30	0.92	0.09	39,51,63,103	0
4	FTT	A	602	16/17	0.92	0.18	52,70,100,102	0
3	E1M	A	601	30/30	0.92	0.09	27,42,50,61	0
5	DAO	A	603	13/14	0.93	0.15	55,69,88,92	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 3PE A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3PE B 618:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3PE B 619:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3PE B 617:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3PE A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3PE A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 3PE A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around E1M B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around E1M A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.