



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 10:17 AM UTC

PDB ID : 4BR3 / pdb_00004br3
Title : Determination of potential scaffolds for human choline kinase alpha 1 by chemical deconvolution studies
Authors : Sahun-Roncero, M.; Rubio-Ruiz, B.; Conejo-Garcia, A.; Velazquez-Campoy, A.; Entrena, A.; Hurtado-Guerrero, R.
Deposited on : 2013-06-03
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	383	81% 10% 8%
1	B	383	2% 76% 14% 9%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 6147 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHOLINE KINASE ALPHA.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	354	Total	C	N	O	S	0	0	0
			2941	1901	494	530	16			
1	B	349	Total	C	N	O	S	0	3	0
			2920	1891	489	523	17			

- Molecule 2 is 1-((4'-((6-amino-3H-purin-3-yl)methyl)biphenyl-4-yl)methyl)-4-(dimethylamino)pyridinium (CCD ID: U85) (formula: C₂₆H₂₆N₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			33	26	7		
2	B	1	Total	C	N	0	0
			33	26	7		

- Molecule 3 is 3-benzyladenine (CCD ID: A4V) (formula: C₁₂H₁₂N₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			17	12	5		
3	B	1	Total	C	N	0	0
			17	12	5		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	92	Total 92	O 92	0	0
5	B	89	Total 89	O 89	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.74Å 122.25Å 132.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.4 (20.00-2.20) 99.4 (20.00-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 2.21Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.208 , 0.258 0.207 , 0.256	Depositor DCC
R_{free} test set	1189 reflections (2.56%)	wwPDB-VP
Wilson B-factor (Å ²)	34.1	Xtriage
Anisotropy	0.618	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 31.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6147	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: U85, PO4, A4V

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/3017	0.91	3/4063 (0.1%)
1	B	0.70	0/3004	0.96	4/4043 (0.1%)
All	All	0.69	0/6021	0.94	7/8106 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	123	MET	N-CA-C	5.83	118.68	110.23
1	B	305	ASN	N-CA-C	5.75	120.11	113.38
1	A	203	GLY	N-CA-C	5.66	118.23	110.58
1	B	221	LEU	CA-C-N	5.59	125.06	119.24
1	B	221	LEU	C-N-CA	5.59	125.06	119.24
1	A	238	MET	N-CA-C	5.55	118.05	110.55
1	A	437	TYR	N-CA-C	5.25	116.69	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2941	0	2908	23	0
1	B	2920	0	2898	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	33	0	26	5	0
2	B	33	0	26	2	0
3	A	17	0	12	3	0
3	B	17	0	12	0	0
4	B	5	0	0	0	0
5	A	92	0	0	3	0
5	B	89	0	0	7	0
All	All	6147	0	5882	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:ARG:O	1:B:108:GLU:HB3	1.65	0.94
1:A:235:PHE:HB2	1:A:238:MET:HE2	1.56	0.85
1:B:107:ARG:O	1:B:108:GLU:CB	2.34	0.75
1:B:200:PHE:HB2	1:B:201:PRO:CD	2.21	0.71
1:A:124:LEU:HD22	1:A:144:LEU:HD21	1.73	0.71
1:A:216:THR:HG21	1:A:353:ASP:HA	1.72	0.70
1:A:216:THR:HG22	5:A:2035:HOH:O	1.98	0.63
1:B:388:ASN:HB2	5:B:2078:HOH:O	2.01	0.61
1:B:290:ARG:HD3	5:B:2041:HOH:O	2.02	0.59
1:A:213:ARG:NH1	3:A:1459:A4V:H12	2.01	0.59
1:A:387:GLN:HB3	1:A:390:PHE:HB2	1.85	0.58
1:B:230:GLU:HB3	5:B:2025:HOH:O	2.03	0.58
1:A:213:ARG:HH12	3:A:1459:A4V:H12	1.52	0.58
1:A:209:ILE:O	3:A:1459:A4V:H4	2.04	0.56
1:A:371:THR:O	1:A:375:GLN:HG3	2.06	0.56
1:A:382:TYR:CD2	1:A:405:MET:HE1	2.43	0.53
1:A:423:TRP:CZ3	2:A:1458:U85:H10	2.44	0.53
1:B:267:GLU:CD	1:B:267:GLU:H	2.17	0.53
1:A:318:ARG:HD2	1:A:324:GLN:O	2.10	0.52
1:B:107:ARG:HB2	1:B:110:GLU:OE2	2.10	0.52
1:B:353:ASP:O	1:B:362:PHE:HA	2.10	0.52
1:A:148:TYR:CE2	1:A:203:GLY:HA2	2.45	0.52
1:A:350:TRP:CZ3	1:A:370:PRO:HB3	2.46	0.51
1:B:200:PHE:HB2	1:B:201:PRO:HD3	1.92	0.51
1:B:249:LEU:HG	1:B:253:MET:HE2	1.95	0.49
1:A:403:GLU:O	1:A:407:LEU:HD13	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:302:PHE:CZ	1:B:334:SER:HB3	2.48	0.49
2:A:1458:U85:H1	2:A:1458:U85:H9	1.58	0.49
1:B:183:MET:HE1	1:B:331:PHE:HB2	1.96	0.48
1:B:423:TRP:O	1:B:427:GLN:HG2	2.12	0.48
1:A:233:ALA:HB1	1:A:386:PHE:HB2	1.96	0.48
1:B:361:PHE:CE2	1:B:434:GLU:HG2	2.49	0.48
1:A:187:LEU:HD21	1:A:238:MET:HE1	1.96	0.47
1:A:333:TYR:CD2	2:A:1458:U85:H6	2.50	0.47
1:B:200:PHE:HB2	1:B:201:PRO:HD2	1.96	0.46
1:B:303:CYS:SG	1:B:337:ASN:HB3	2.56	0.46
1:B:282:LEU:N	1:B:283:PRO:CD	2.79	0.46
1:B:453:ARG:NH2	5:B:2089:HOH:O	2.48	0.46
2:B:1458:U85:H9	2:B:1458:U85:H1	1.69	0.46
1:B:113:ILE:HA	1:B:126:GLN:O	2.16	0.46
1:A:365:ASN:HB3	1:A:368:LYS:HG2	1.98	0.45
2:B:1458:U85:H7	2:B:1458:U85:H4	1.71	0.45
1:B:373:LYS:HE3	5:B:2026:HOH:O	2.16	0.44
1:B:183:MET:HE2	1:B:183:MET:HB3	1.81	0.43
1:A:367:ARG:HD3	5:A:2077:HOH:O	2.19	0.42
1:A:250:PHE:CZ	1:A:290:ARG:HA	2.54	0.42
2:A:1458:U85:H7	2:A:1458:U85:H4	1.72	0.42
2:A:1458:U85:H15	2:A:1458:U85:H18	1.80	0.41
1:B:250:PHE:CZ	1:B:290:ARG:HA	2.55	0.41
1:A:144:LEU:C	1:A:144:LEU:HD23	2.45	0.41
1:B:223:ASP:HB2	5:B:2022:HOH:O	2.21	0.41
1:B:290:ARG:CD	5:B:2041:HOH:O	2.67	0.41
1:A:89:ARG:NH1	5:A:2003:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	350/383 (91%)	340 (97%)	10 (3%)	0	100	100
1	B	346/383 (90%)	329 (95%)	16 (5%)	1 (0%)	36	42
All	All	696/766 (91%)	669 (96%)	26 (4%)	1 (0%)	48	57

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	108	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/342 (93%)	308 (97%)	10 (3%)	35	48
1	B	317/342 (93%)	291 (92%)	26 (8%)	10	12
All	All	635/684 (93%)	599 (94%)	36 (6%)	18	23

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	ASN
1	A	177	MET
1	A	180	GLU
1	A	213	ARG
1	A	216	THR
1	A	278	LEU
1	A	328	LEU
1	A	363	ARG
1	A	396	GLU
1	A	455	LEU
1	B	89	ARG
1	B	90	ARG
1	B	108	GLU
1	B	109	ASP
1	B	116	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	122	ASN
1	B	132	THR
1	B	142	LYS
1	B	144	LEU
1	B	180	GLU
1	B	209	ILE
1	B	213	ARG
1	B	264	LYS
1	B	267	GLU
1	B	278	LEU
1	B	291	SER
1	B	330	ASP
1	B	331	PHE
1	B	339	ARG
1	B	358	LYS
1	B	366	ILE
1	B	407	LEU
1	B	433	ILE
1	B	454	LYS
1	B	455	LEU
1	B	457	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	82	GLN
1	A	122	ASN
1	B	82	GLN
1	B	112	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	U85	B	1458	-	37,37,37	2.08	9 (24%)	47,52,52	2.83	9 (19%)
3	A4V	B	1459	-	19,19,19	1.81	5 (26%)	21,26,26	2.08	6 (28%)
2	U85	A	1458	-	37,37,37	2.12	9 (24%)	47,52,52	2.77	10 (21%)
4	PO4	B	1460	-	4,4,4	0.77	0	6,6,6	0.61	0
3	A4V	A	1459	-	19,19,19	1.78	5 (26%)	21,26,26	2.24	6 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	U85	B	1458	-	-	0/16/16/16	0/5/5/5
3	A4V	B	1459	-	-	0/4/4/4	0/3/3/3
2	U85	A	1458	-	-	0/16/16/16	0/5/5/5
3	A4V	A	1459	-	-	2/4/4/4	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1458	U85	C26-N7	5.81	1.41	1.30
2	B	1458	U85	C26-N7	5.67	1.40	1.30
2	B	1458	U85	C21-C20	-5.38	1.41	1.51
2	A	1458	U85	C21-C20	-5.37	1.41	1.51
2	A	1458	U85	C26-N3	4.43	1.42	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1458	U85	C24-C25	-4.23	1.34	1.43
3	B	1459	A4V	C12-C11	-4.04	1.41	1.51
2	B	1458	U85	C26-N3	4.03	1.42	1.36
2	A	1458	U85	C24-C25	-3.73	1.35	1.43
3	B	1459	A4V	C4-N4	3.64	1.41	1.32
3	A	1459	A4V	C12-C11	-3.56	1.42	1.51
2	A	1458	U85	C8-C9	-3.51	1.42	1.51
3	A	1459	A4V	C4-N4	3.40	1.40	1.32
2	B	1458	U85	C8-C9	-3.30	1.43	1.51
3	A	1459	A4V	C2-N2	-3.11	1.33	1.39
3	A	1459	A4V	C2-C5	-3.11	1.35	1.38
2	A	1458	U85	C15-C14	-2.99	1.41	1.49
2	A	1458	U85	C5-N2	2.96	1.41	1.34
2	B	1458	U85	C7-N2	2.96	1.41	1.34
2	B	1458	U85	C15-C14	-2.95	1.42	1.49
2	A	1458	U85	C7-N2	2.89	1.41	1.34
3	B	1459	A4V	C2-N2	-2.82	1.33	1.39
3	B	1459	A4V	C2-C5	-2.79	1.35	1.38
2	B	1458	U85	C24-N5	-2.62	1.33	1.39
2	A	1458	U85	C24-N5	-2.50	1.34	1.39
3	B	1459	A4V	C2-C3	-2.45	1.34	1.41
3	A	1459	A4V	C2-C3	-2.28	1.34	1.41
2	B	1458	U85	C5-N2	2.25	1.40	1.34

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1458	U85	C23-N5-C24	9.23	108.71	102.08
2	B	1458	U85	N3-C26-N7	-9.01	117.66	126.45
2	A	1458	U85	N4-C23-N5	-8.77	107.84	117.23
2	B	1458	U85	C23-N5-C24	8.75	108.37	102.08
2	B	1458	U85	N4-C23-N5	-8.68	107.93	117.23
2	A	1458	U85	N3-C26-N7	-8.04	118.60	126.45
2	A	1458	U85	C23-N4-C22	7.40	108.44	101.80
2	B	1458	U85	C23-N4-C22	7.31	108.36	101.80
3	A	1459	A4V	C11-C12-N5	5.31	121.62	112.35
3	B	1459	A4V	C5-N1-C1	4.75	109.53	106.32
2	B	1458	U85	N3-C22-N4	4.53	131.93	127.61
2	A	1458	U85	N3-C22-N4	4.31	131.72	127.61
3	B	1459	A4V	N1-C1-N2	-4.11	107.61	113.87
3	B	1459	A4V	C2-N2-C1	4.07	108.07	103.48
3	A	1459	A4V	C2-N2-C1	4.03	108.03	103.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1458	U85	C24-C22-N4	-3.88	107.53	111.06
3	A	1459	A4V	N1-C1-N2	-3.88	107.96	113.87
3	A	1459	A4V	C5-N1-C1	3.86	108.92	106.32
2	A	1458	U85	C24-C22-N4	-3.62	107.77	111.06
2	B	1458	U85	N6-C25-N7	3.39	121.91	117.00
2	B	1458	U85	C24-C25-N6	-3.14	115.62	121.65
3	B	1459	A4V	C11-C12-N5	3.09	117.75	112.35
3	A	1459	A4V	C5-C2-N2	-3.07	108.39	110.44
3	A	1459	A4V	C2-C3-N3	-3.02	115.80	123.29
2	A	1458	U85	N6-C25-N7	2.82	121.08	117.00
3	B	1459	A4V	C2-C3-N3	-2.81	116.33	123.29
3	B	1459	A4V	C5-C2-N2	-2.67	108.66	110.44
2	A	1458	U85	C24-C25-N6	-2.62	116.62	121.65
2	A	1458	U85	C9-C8-N2	-2.26	104.92	110.48
2	B	1458	U85	C9-C8-N2	-2.04	105.46	110.48
2	A	1458	U85	C6-C3-N1	-2.04	118.93	121.65

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1459	A4V	C11-C12-N5-C5
3	A	1459	A4V	C11-C12-N5-C4


There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1458	U85	2	0
2	A	1458	U85	5	0
3	A	1459	A4V	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	354/383 (92%)	-0.26	5 (1%) 73 71	20, 38, 73, 95	2 (0%)
1	B	349/383 (91%)	-0.12	8 (2%) 61 58	19, 36, 77, 97	5 (1%)
All	All	703/766 (91%)	-0.19	13 (1%) 67 64	19, 37, 76, 97	7 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	235	PHE	3.7
1	A	150	ALA	3.3
1	B	136	LEU	3.2
1	A	120	LEU	3.0
1	B	116	ILE	2.7
1	B	123	MET	2.7
1	B	134	ALA	2.7
1	B	290	ARG	2.5
1	B	124	LEU	2.3
1	A	118	GLY	2.2
1	B	176	ALA	2.2
1	A	119	GLY	2.1
1	B	122	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	A4V	B	1459	17/17	0.82	0.12	44,56,77,77	0
3	A4V	A	1459	17/17	0.86	0.12	57,64,72,73	0
4	PO4	B	1460	5/5	0.90	0.14	51,52,58,60	0
2	U85	A	1458	33/33	0.91	0.11	28,36,86,89	0
2	U85	B	1458	33/33	0.93	0.09	28,48,90,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around U85 B 1458:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.