



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:31 AM UTC

PDB ID : 4BTY / pdb_00004bty
Title : Crystal structure of human vascular adhesion protein-1 in complex with pyridazinone inhibitors
Authors : Bligt-Linden, E.; Pihlavisto, M.; Szatmari, I.; Otwinowski, Z.; Smith, D.J.; Lazar, L.; Fulop, F.; Salminen, T.A.
Deposited on : 2013-06-19
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	737	% 57%31%7% . .
1	B	737	% 58%31%6% . .
2	C	2	50%50%
2	E	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	E	2	X	-	-	-
3	NAG	D	1	X	-	-	-
3	BMA	D	3	-	-	X	-
3	MAN	D	4	X	-	-	-
3	MAN	D	5	X	-	X	-
6	NAG	A	1768	X	-	-	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 11484 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MEMBRANE PRIMARY AMINE OXIDASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	711	Total	C	N	O	S	0	0	0
			5604	3595	968	1021	20			
1	B	707	Total	C	N	O	S	0	0	0
			5567	3574	957	1016	20			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	5	Total	C	N	O	0	0	0
			61	34	2	25			


- Molecule 4 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cu 1 1	0	0
4	B	1	Total Cu 1 1	0	0

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Ca 2 2	0	0
5	B	2	Total Ca 2 2	0	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N O 14 8 1 5	0	0
6	A	1	Total C N O 14 8 1 5	0	0
6	A	1	Total C N O 14 8 1 5	0	0
6	A	1	Total C N O 14 8 1 5	0	0
6	B	1	Total C N O 14 8 1 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is 5-[4-(4-methylpiperazin-1-yl)phenylamino]-2-(4-chlorophenyl)-6-(1H-1,2,4-triazol-5-yl)-3(2H)-pyridazinone (CCD ID: JWF) (formula: C₂₃H₂₃ClN₈O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total 33	C 23	Cl 1	N 8	O 1	0	0
7	B	1	Total 33	C 23	Cl 1	N 8	O 1	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	26	Total O 26 26	0	0
8	B	14	Total O 14 14	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MEMBRANE PRIMARY AMINE OXIDASE



• Molecule 1: MEMBRANE PRIMARY AMINE OXIDASE





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  60%

MAG1
MAG2
MAN3
MAN4
MAN5

4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	226.74Å 226.74Å 218.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.20 – 3.10 49.20 – 3.10	Depositor EDS
% Data completeness (in resolution range)	76.2 (49.20-3.10) 76.2 (49.20-3.10)	Depositor EDS
R_{merge}	0.29	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.184 , 0.246 0.215 , 0.269	Depositor DCC
R_{free} test set	2314 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	88.2	Xtriage
Anisotropy	0.183	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 83.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11484	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, CU, BMA, TPQ, NAG, JWF, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	2/5769 (0.0%)	1.17	40/7867 (0.5%)
1	B	0.89	2/5730 (0.0%)	1.15	30/7815 (0.4%)
All	All	0.89	4/11499 (0.0%)	1.16	70/15682 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	7
All	All	0	9

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	666	ASN	CG-ND2	8.00	1.50	1.33
1	A	312	PRO	CA-C	6.36	1.55	1.51
1	B	592	ASN	CG-ND2	6.36	1.46	1.33
1	B	666	ASN	N-CA	5.53	1.53	1.46

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	214	ALA	CA-C-N	-9.79	109.96	119.85
1	A	214	ALA	C-N-CA	-9.79	109.96	119.85
1	B	203	HIS	N-CA-C	-9.31	101.69	113.23
1	A	133	GLN	CA-C-N	8.71	128.86	119.28
1	A	133	GLN	C-N-CA	8.71	128.86	119.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	374	GLY	N-CA-C	7.46	121.82	110.18
1	A	501	PHE	N-CA-C	7.28	123.03	107.67
1	A	615	LEU	CA-C-N	7.26	127.31	119.90
1	A	615	LEU	C-N-CA	7.26	127.31	119.90
1	B	592	ASN	N-CA-C	-7.16	102.52	111.11
1	A	610	PHE	N-CA-C	-7.10	101.80	110.88
1	A	554	SER	CA-C-N	7.05	126.73	119.82
1	A	554	SER	C-N-CA	7.05	126.73	119.82
1	A	583	THR	CA-C-N	6.80	128.34	119.84
1	A	583	THR	C-N-CA	6.80	128.34	119.84
1	B	261	ILE	CB-CA-C	-6.72	104.45	111.23
1	B	82	GLY	N-CA-C	-6.69	106.09	115.32
1	A	641	GLU	CA-C-N	6.54	128.01	119.84
1	A	641	GLU	C-N-CA	6.54	128.01	119.84
1	B	666	ASN	CB-CG-ND2	6.52	126.18	116.40
1	A	480	HIS	CA-C-N	6.51	127.98	119.84
1	A	480	HIS	C-N-CA	6.51	127.98	119.84
1	B	169	ARG	CA-C-N	-6.47	113.97	120.31
1	B	169	ARG	C-N-CA	-6.47	113.97	120.31
1	B	346	GLY	CA-C-N	6.31	126.28	119.78
1	B	346	GLY	C-N-CA	6.31	126.28	119.78
1	B	373	GLY	N-CA-C	-6.27	101.99	111.14
1	A	346	GLY	CA-C-N	6.26	127.66	119.84
1	A	346	GLY	C-N-CA	6.26	127.66	119.84
1	B	213	THR	N-CA-C	6.22	118.63	109.24
1	A	216	ARG	N-CA-C	-6.22	96.99	107.99
1	B	666	ASN	CA-CB-CG	6.21	118.81	112.60
1	A	615	LEU	N-CA-C	-6.16	102.00	109.57
1	A	317	TYR	CA-C-N	5.97	127.31	119.84
1	A	317	TYR	C-N-CA	5.97	127.31	119.84
1	A	212	THR	N-CA-C	5.84	119.34	109.76
1	B	535	LEU	N-CA-C	5.79	118.46	111.40
1	A	59	LEU	N-CA-C	5.79	123.12	110.80
1	A	294	ASN	N-CA-C	-5.79	102.20	110.59
1	A	95	CYS	N-CA-C	5.76	117.44	107.93
1	A	364	SER	N-CA-C	5.72	117.37	107.93
1	A	592	ASN	N-CA-C	-5.69	104.98	111.07
1	B	337	PHE	N-CA-C	5.59	117.03	108.42
1	A	749	ALA	N-CA-C	-5.51	103.18	110.40
1	B	752	LEU	CA-C-N	5.46	125.72	119.83
1	B	752	LEU	C-N-CA	5.46	125.72	119.83
1	A	249	VAL	CB-CA-C	-5.45	104.16	110.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	200	PHE	N-CA-C	5.44	119.20	112.24
1	B	710	PHE	N-CA-C	-5.43	104.22	112.04
1	B	291	ILE	CA-C-N	5.42	126.61	119.84
1	B	291	ILE	C-N-CA	5.42	126.61	119.84
1	A	532	VAL	CB-CA-C	-5.40	105.40	111.23
1	A	307	PRO	O-C-N	5.38	123.68	121.15
1	B	652	ASP	CA-C-N	5.34	127.50	121.04
1	B	652	ASP	C-N-CA	5.34	127.50	121.04
1	B	312	PRO	CA-C-N	5.32	126.49	119.84
1	B	312	PRO	C-N-CA	5.32	126.49	119.84
1	A	440	LEU	N-CA-C	-5.32	105.56	111.36
1	A	90	ARG	CA-C-N	5.26	126.41	119.84
1	A	90	ARG	C-N-CA	5.26	126.41	119.84
1	B	480	HIS	CA-C-N	5.18	126.31	119.84
1	B	480	HIS	C-N-CA	5.18	126.31	119.84
1	A	307	PRO	CB-CA-C	-5.16	106.32	111.17
1	B	556	GLU	CA-C-N	5.12	130.91	121.70
1	B	556	GLU	C-N-CA	5.12	130.91	121.70
1	A	500	LEU	N-CA-C	5.05	117.02	109.59
1	B	508	GLY	N-CA-C	5.05	117.97	110.60
1	A	714	ASP	CA-C-N	5.04	125.32	119.47
1	A	714	ASP	C-N-CA	5.04	125.32	119.47
1	A	681	GLY	N-CA-C	5.00	118.05	110.75

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	292	PRO	Peptide
1	A	438	LEU	Peptide
1	B	162	GLY	Peptide
1	B	202	LYS	Peptide
1	B	213	THR	Peptide
1	B	214	ALA	Peptide
1	B	480	HIS	Peptide
1	B	742	LEU	Peptide
1	B	761	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5604	0	5335	190	0
1	B	5567	0	5299	195	0
2	C	28	0	25	1	0
2	E	28	0	25	1	0
3	D	61	0	52	9	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	56	0	52	1	0
6	B	28	0	26	4	0
7	A	33	0	23	5	0
7	B	33	0	23	3	0
8	A	26	0	0	2	0
8	B	14	0	0	4	0
All	All	11484	0	10860	370	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (370) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:592:ASN:ND2	6:B:1772:NAG:C1	1.90	1.35
1:B:592:ASN:ND2	6:B:1772:NAG:O5	1.62	1.32
3:D:3:BMA:O4	3:D:5:MAN:H2	1.33	1.25
3:D:3:BMA:C4	3:D:5:MAN:H2	1.79	1.13
1:B:592:ASN:HD22	6:B:1772:NAG:C1	1.59	1.00
1:B:58:GLN:HE21	1:B:58:GLN:HA	1.26	0.99
1:B:592:ASN:HD21	6:B:1772:NAG:C1	1.70	0.96
3:D:3:BMA:C4	3:D:5:MAN:C2	2.48	0.92
1:B:492:THR:HG23	1:B:694:THR:O	1.71	0.90
1:B:749:ALA:HB1	1:B:750:PRO:CD	2.02	0.88
1:A:205:GLY:O	1:A:207:ASN:N	2.10	0.85
1:B:376:SER:O	1:B:380:MET:HG2	1.79	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:749:ALA:HB1	1:B:750:PRO:HD2	1.60	0.82
1:A:389:PHE:CE2	7:A:2000:JWF:HAE	2.20	0.77
1:A:204:ARG:HD3	1:A:206:ARG:N	2.00	0.76
1:B:407:LEU:HD21	1:B:752:LEU:HD22	1.69	0.74
1:B:64:SER:O	1:B:68:LEU:HG	1.89	0.72
1:A:374:GLY:O	1:B:561:ARG:NH2	2.23	0.72
1:A:495:ILE:HD12	1:A:495:ILE:N	2.05	0.72
1:B:556:GLU:HB2	1:B:557:HIS:HB2	1.72	0.71
3:D:3:BMA:H4	3:D:5:MAN:O2	1.90	0.71
3:D:3:BMA:H4	3:D:5:MAN:C2	2.19	0.71
1:B:115:ARG:O	1:B:117:SER:N	2.23	0.71
3:D:3:BMA:O4	3:D:5:MAN:C2	2.28	0.70
1:B:163:PRO:HB3	3:D:1:NAG:H82	1.74	0.70
1:A:265:PHE:HD2	1:A:270:TYR:CE1	2.12	0.68
1:B:400:ARG:NH1	1:B:406:TYR:O	2.26	0.67
1:A:214:ALA:HB2	1:A:382:THR:HG23	1.77	0.66
1:B:319:GLN:O	1:B:320:GLY:O	2.11	0.66
1:A:749:ALA:H	1:B:749:ALA:HB2	1.60	0.66
1:A:58:GLN:O	1:A:60:PHE:N	2.23	0.66
1:A:519:VAL:HG13	1:B:562:LEU:HD23	1.76	0.66
1:B:58:GLN:HA	1:B:58:GLN:NE2	1.98	0.66
1:A:251:HIS:HA	1:A:259:TRP:CD1	2.31	0.66
1:A:204:ARG:HD3	1:A:206:ARG:H	1.60	0.65
1:A:504:THR:OG1	1:A:505:GLY:N	2.30	0.65
1:A:640:GLU:OE1	1:A:640:GLU:N	2.26	0.65
1:B:360:VAL:HG13	1:B:530:LEU:HD23	1.77	0.65
1:A:441:ARG:HA	1:B:492:THR:HG21	1.79	0.65
1:A:214:ALA:CB	1:A:215:PRO:CD	2.76	0.64
1:B:71:VAL:HG13	1:B:143:VAL:HG11	1.80	0.64
1:A:573:GLU:OE2	1:A:666:ASN:HA	1.98	0.63
1:B:561:ARG:HG3	1:B:561:ARG:HH11	1.62	0.63
1:B:381:THR:HG21	8:B:2003:HOH:O	1.97	0.63
1:B:256:PRO:HA	1:B:259:TRP:CE2	2.34	0.63
1:A:695:VAL:HG13	1:B:440:LEU:HG	1.81	0.62
1:B:665:ASN:O	1:B:667:GLU:N	2.32	0.62
1:A:115:ARG:O	1:A:117:SER:N	2.32	0.62
1:A:214:ALA:CB	1:A:215:PRO:HD2	2.30	0.62
1:B:637:ARG:HG2	1:B:637:ARG:HH11	1.63	0.62
1:A:214:ALA:HB1	1:A:215:PRO:CD	2.30	0.61
1:A:735:GLU:CD	1:A:735:GLU:H	2.09	0.61
1:B:59:LEU:H	1:B:59:LEU:HD12	1.65	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:381:THR:CG2	8:B:2003:HOH:O	2.47	0.61
1:A:377:PRO:O	1:A:381:THR:HG22	2.00	0.61
1:B:556:GLU:N	1:B:557:HIS:HB2	2.15	0.61
1:B:343:ALA:HA	1:B:392:GLY:HA3	1.83	0.61
1:A:680:ALA:HB1	1:A:701:VAL:HG13	1.82	0.60
1:B:63:LEU:HB2	1:B:68:LEU:HD21	1.83	0.60
1:B:447:LEU:O	1:B:449:SER:N	2.34	0.60
1:A:588:TYR:HB3	1:A:604:ARG:HA	1.83	0.59
1:B:501:PHE:O	1:B:501:PHE:CD2	2.55	0.59
1:A:585:ARG:HH11	1:A:585:ARG:HG2	1.67	0.59
3:D:3:BMA:C5	3:D:5:MAN:C2	2.80	0.59
1:A:373:GLY:HA3	1:B:562:LEU:HB3	1.85	0.59
1:A:58:GLN:C	1:A:59:LEU:HD23	2.28	0.59
1:A:640:GLU:C	1:A:642:PRO:HD3	2.28	0.58
1:A:477:THR:HG22	1:A:479:PHE:CE1	2.38	0.58
1:B:212:THR:HG22	1:B:213:THR:N	2.17	0.58
1:B:58:GLN:HE21	1:B:58:GLN:CA	2.08	0.57
1:B:587:LEU:C	1:B:587:LEU:HD23	2.29	0.57
1:B:129:PHE:CZ	1:B:169:ARG:HB2	2.39	0.57
1:B:214:ALA:HB1	1:B:215:PRO:HD2	1.86	0.57
1:A:762:HIS:CE1	7:A:2000:JWF:HAA1	2.40	0.57
3:D:3:BMA:C5	3:D:5:MAN:H2	2.35	0.57
1:B:556:GLU:CB	1:B:557:HIS:HB2	2.35	0.57
1:A:585:ARG:HH11	1:A:585:ARG:CG	2.19	0.56
1:A:74:PHE:O	1:A:78:ARG:NH1	2.38	0.56
1:A:632:LEU:HD23	1:A:632:LEU:C	2.30	0.56
1:B:352:VAL:HB	1:B:360:VAL:HG23	1.87	0.56
1:B:251:HIS:HA	1:B:259:TRP:CD1	2.41	0.56
1:B:749:ALA:CB	1:B:750:PRO:CD	2.81	0.56
1:B:696:THR:O	1:B:699:ASN:HB2	2.06	0.56
1:B:212:THR:CG2	1:B:216:ARG:NH2	2.68	0.56
1:A:306:VAL:HG23	1:A:307:PRO:HD2	1.86	0.55
1:B:214:ALA:HB2	1:B:382:THR:HA	1.89	0.55
1:B:201:TYR:O	1:B:202:LYS:O	2.24	0.55
1:A:209:VAL:CG1	1:B:448:TYR:CE2	2.90	0.55
1:B:742:LEU:O	1:B:743:PRO:C	2.50	0.55
1:B:669:ILE:HG22	1:B:674:LEU:HD22	1.88	0.55
1:A:389:PHE:CD2	7:A:2000:JWF:HAE	2.41	0.54
1:B:352:VAL:HB	1:B:360:VAL:CG2	2.37	0.54
1:A:492:THR:OG1	1:A:493:GLY:N	2.34	0.54
1:B:556:GLU:CA	1:B:557:HIS:HB2	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:63:LEU:CB	1:B:68:LEU:HD21	2.38	0.54
1:A:75:LEU:O	1:A:76:THR:C	2.50	0.54
1:B:487:ILE:O	1:B:702:GLY:HA3	2.07	0.54
2:E:1:NAG:O6	2:E:2:NAG:C1	2.56	0.54
1:A:382:THR:C	1:A:383:ARG:HD3	2.33	0.54
1:B:385:VAL:HG12	1:B:385:VAL:O	2.07	0.53
1:B:386:ASP:HB3	1:B:468:LEU:CD1	2.38	0.53
1:A:78:ARG:HH11	1:A:78:ARG:HB2	1.73	0.53
1:A:403:ASP:HB3	1:A:465:MET:HE1	1.90	0.53
1:A:569:LEU:HD12	1:A:569:LEU:N	2.23	0.53
1:A:671:GLY:C	1:A:672:LYS:HD2	2.34	0.53
1:A:369:LEU:HD12	1:A:384:TYR:O	2.09	0.53
1:A:132:ARG:HB2	1:A:132:ARG:CZ	2.39	0.53
1:A:213:THR:HG22	1:A:225:THR:HG23	1.90	0.53
1:B:451:TYR:HA	1:B:726:ARG:HA	1.90	0.53
1:A:245:LEU:HD12	1:A:265:PHE:O	2.09	0.53
1:A:191:ALA:HA	1:A:278:GLU:CG	2.39	0.52
1:B:214:ALA:HB1	1:B:215:PRO:CD	2.39	0.52
1:B:636:GLN:NE2	1:B:668:THR:O	2.42	0.52
1:B:637:ARG:HH11	1:B:637:ARG:CG	2.20	0.52
1:B:735:GLU:OE1	1:B:735:GLU:N	2.42	0.52
1:A:623:ARG:CZ	1:A:623:ARG:HA	2.39	0.52
1:B:58:GLN:OE1	1:B:329:ARG:NH1	2.43	0.52
1:B:349:ILE:HD11	1:B:363:ILE:HB	1.91	0.52
1:A:314:LEU:HD12	8:A:2009:HOH:O	2.10	0.52
1:B:459:VAL:HG11	1:B:478:VAL:CG1	2.40	0.52
1:B:314:LEU:HD12	1:B:315:GLN:N	2.25	0.52
1:B:660:PHE:O	1:B:662:ASP:N	2.43	0.52
1:B:167:HIS:CE1	1:B:221:GLY:HA2	2.45	0.52
1:A:133:GLN:OE1	2:C:1:NAG:O6	2.28	0.51
1:A:183:ILE:HG22	1:A:184:PHE:N	2.25	0.51
1:A:214:ALA:HB3	1:A:215:PRO:HD2	1.92	0.51
1:A:62:ASP:OD1	1:A:348:ARG:NH2	2.42	0.51
1:B:142:VAL:HG23	1:B:155:VAL:CG2	2.40	0.51
1:B:623:ARG:HD3	1:B:659:ASP:OD2	2.10	0.51
1:A:749:ALA:N	1:B:749:ALA:HB2	2.26	0.51
1:A:309:GLY:O	1:A:310:PRO:O	2.28	0.51
1:B:187:GLU:HB3	1:B:274:LEU:CD1	2.40	0.51
1:A:365:LEU:HD21	1:A:391:MET:HE3	1.93	0.51
1:A:400:ARG:NH1	1:A:406:TYR:O	2.42	0.51
1:B:239:PHE:CD1	1:B:470:ASN:HB3	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:478:VAL:HB	1:B:486:GLU:HB3	1.91	0.51
1:B:640:GLU:OE1	1:B:640:GLU:N	2.41	0.51
1:B:602:GLY:O	1:B:710:PHE:HB2	2.10	0.51
1:A:306:VAL:CG2	1:A:307:PRO:HD2	2.41	0.51
1:A:309:GLY:H	1:B:720:ALA:HB1	1.76	0.51
1:B:238:PHE:CD1	1:B:238:PHE:C	2.89	0.50
1:A:465:MET:HG2	1:A:474:VAL:HG22	1.93	0.50
1:B:601:ARG:HA	1:B:709:ASN:O	2.11	0.50
1:A:218:LEU:O	1:A:219:GLN:CB	2.59	0.50
1:A:214:ALA:HB3	1:A:382:THR:HA	1.93	0.50
1:B:94:ASN:HA	1:B:129:PHE:O	2.11	0.50
1:B:497:SER:HB2	1:B:515:THR:HG22	1.94	0.50
1:B:116:GLY:O	1:B:117:SER:C	2.55	0.49
1:A:669:ILE:O	1:A:674:LEU:HD11	2.13	0.49
1:A:204:ARG:NE	1:A:206:ARG:HB3	2.28	0.49
1:A:396:THR:OG1	1:B:442:ARG:NH2	2.44	0.49
1:A:78:ARG:NH1	1:A:78:ARG:HB2	2.27	0.49
1:A:583:THR:HG23	1:A:583:THR:O	2.12	0.49
1:B:556:GLU:N	1:B:557:HIS:CB	2.76	0.49
1:A:297:GLY:O	1:A:298:GLY:C	2.56	0.48
1:A:403:ASP:OD2	1:B:442:ARG:NH1	2.44	0.48
1:B:58:GLN:HG2	1:B:329:ARG:HD3	1.95	0.48
1:B:360:VAL:CG1	1:B:530:LEU:HD23	2.42	0.48
1:A:213:THR:HB	1:A:226:TRP:O	2.11	0.48
1:A:218:LEU:HD12	1:B:557:HIS:ND1	2.28	0.48
1:A:328:SER:O	1:A:338:SER:HA	2.13	0.48
1:A:334:LEU:HD12	1:A:334:LEU:N	2.28	0.48
1:B:224:ALA:HA	1:B:249:VAL:O	2.13	0.48
1:A:95:CYS:O	1:A:128:VAL:HA	2.13	0.48
1:B:328:SER:O	1:B:338:SER:HA	2.13	0.48
1:A:187:GLU:HB3	1:A:274:LEU:HD12	1.96	0.48
1:A:443:HIS:HB2	1:B:493:GLY:HA2	1.95	0.48
1:B:171:VAL:HG23	1:B:216:ARG:NH1	2.29	0.48
1:B:214:ALA:CB	1:B:382:THR:HA	2.43	0.48
1:B:669:ILE:HG22	1:B:674:LEU:CD2	2.43	0.48
1:A:86:ALA:HA	1:A:95:CYS:SG	2.54	0.47
1:A:106:LYS:HG3	1:A:361:TYR:CZ	2.49	0.47
1:B:565:THR:HG22	1:B:565:THR:O	2.15	0.47
1:A:385:VAL:HG12	1:A:385:VAL:O	2.14	0.47
1:A:537:ASN:HA	1:A:590:ALA:O	2.14	0.47
1:A:218:LEU:O	1:A:219:GLN:HB2	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:GLY:HA3	1:B:302:LEU:HD13	1.96	0.47
1:A:480:HIS:NE2	1:A:486:GLU:OE1	2.48	0.47
1:B:62:ASP:OD1	1:B:348:ARG:NH2	2.46	0.47
1:B:344:PHE:HA	1:B:390:GLY:HA2	1.97	0.47
1:B:59:LEU:CD1	1:B:60:PHE:CD2	2.97	0.47
1:B:382:THR:C	1:B:383:ARG:HD3	2.40	0.47
1:A:383:ARG:N	1:A:383:ARG:CD	2.78	0.47
1:B:59:LEU:HD11	1:B:60:PHE:CE2	2.50	0.47
1:B:212:THR:HG23	1:B:216:ARG:HH21	1.80	0.47
1:B:282:GLU:C	1:B:284:GLY:H	2.22	0.47
1:A:282:GLU:C	1:A:284:GLY:H	2.22	0.47
1:A:383:ARG:HE	1:A:621:MET:HE1	1.80	0.47
1:B:256:PRO:HA	1:B:259:TRP:CD2	2.50	0.47
1:A:106:LYS:HB2	1:A:637:ARG:NH2	2.30	0.47
1:A:726:ARG:HB2	1:A:726:ARG:CZ	2.45	0.47
1:B:416:LEU:HD23	1:B:416:LEU:C	2.39	0.47
1:A:745:ALA:O	1:A:746:ALA:HB3	2.15	0.46
1:B:90:ARG:N	1:B:90:ARG:HD2	2.29	0.46
1:B:433:GLU:HA	1:B:459:VAL:O	2.15	0.46
1:A:611:ALA:HA	1:A:681:GLY:O	2.15	0.46
1:B:395:THR:HA	1:B:466:SER:HA	1.97	0.46
1:B:520:HIS:CE1	8:B:2006:HOH:O	2.68	0.46
1:A:735:GLU:CD	1:A:735:GLU:N	2.73	0.46
1:A:194:LEU:HD12	1:A:277:LEU:HG	1.98	0.46
1:A:525:HIS:HB2	1:A:627:TRP:CE3	2.50	0.46
1:A:381:THR:HG23	8:A:2006:HOH:O	2.14	0.46
1:A:495:ILE:N	1:A:495:ILE:CD1	2.73	0.46
1:A:110:LEU:O	1:A:111:ALA:C	2.59	0.46
1:A:341:LEU:HB2	1:A:429:PHE:HZ	1.81	0.46
1:B:556:GLU:H	1:B:557:HIS:CB	2.28	0.46
1:A:214:ALA:HB1	1:A:215:PRO:HD2	1.95	0.46
1:B:233:ILE:HG21	1:B:236:ALA:HB3	1.97	0.46
1:B:447:LEU:HG	1:B:448:TYR:CD2	2.51	0.46
1:A:138:VAL:HB	1:A:164:LEU:HB2	1.98	0.45
1:A:463:ARG:HD3	1:A:465:MET:HE3	1.97	0.45
1:A:638:LYS:HD2	1:A:641:GLU:CD	2.41	0.45
1:A:641:GLU:N	1:A:642:PRO:HD3	2.29	0.45
1:B:74:PHE:CD1	1:B:74:PHE:C	2.94	0.45
1:B:130:PHE:HB2	1:B:137:ASN:O	2.16	0.45
1:B:463:ARG:HD3	1:B:465:MET:HE3	1.97	0.45
1:A:246:GLU:C	1:A:247:LEU:HD12	2.40	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:GLY:C	1:A:151:TYR:CE1	2.94	0.45
1:B:465:MET:HG2	1:B:474:VAL:HG22	1.98	0.45
1:A:389:PHE:CD2	7:A:2000:JWF:CAE	3.00	0.45
1:A:90:ARG:HA	1:A:90:ARG:HH11	1.81	0.45
1:A:182:MET:HA	1:A:186:ARG:HD3	1.98	0.45
1:B:438:LEU:HD23	1:B:439:PRO:HD2	1.98	0.45
1:B:500:LEU:O	1:B:501:PHE:HB3	2.16	0.45
1:A:444:HIS:O	1:B:467:THR:HG21	2.17	0.45
1:B:646:SER:HB3	1:B:658:VAL:HG23	1.99	0.45
1:B:760:PHE:O	1:B:761:SER:C	2.60	0.45
1:A:266:TYR:O	1:A:267:GLN:C	2.60	0.45
1:A:280:GLN:O	1:A:281:PHE:C	2.60	0.45
1:A:208:LEU:C	1:A:209:VAL:HG23	2.41	0.44
1:A:492:THR:HB	1:A:694:THR:O	2.16	0.44
1:A:478:VAL:HB	1:A:486:GLU:HB3	1.98	0.44
1:A:567:LYS:HE2	1:A:568:LEU:N	2.33	0.44
1:B:191:ALA:O	1:B:192:SER:C	2.60	0.44
1:A:583:THR:HA	1:A:584:PRO:HD2	1.54	0.44
1:A:588:TYR:HB2	1:A:603:TYR:O	2.18	0.44
1:B:59:LEU:CD1	1:B:60:PHE:CE2	3.00	0.44
1:B:142:VAL:O	1:B:152:MET:HA	2.17	0.44
1:B:243:VAL:O	1:B:243:VAL:CG1	2.64	0.44
1:A:204:ARG:CD	1:A:205:GLY:H	2.31	0.44
1:A:619:SER:C	1:A:621:MET:H	2.26	0.44
1:A:683:LEU:HD13	1:B:544:MET:HE2	1.98	0.44
1:B:59:LEU:CD1	1:B:59:LEU:C	2.91	0.44
1:B:282:GLU:C	1:B:284:GLY:N	2.75	0.44
1:B:561:ARG:HH11	1:B:561:ARG:CG	2.31	0.44
1:A:294:ASN:OD1	6:A:1768:NAG:H61	2.17	0.44
1:B:306:VAL:HG13	1:B:307:PRO:HD2	1.99	0.44
1:A:389:PHE:HE1	1:A:650:GLN:HE21	1.64	0.44
1:B:187:GLU:HB3	1:B:274:LEU:HD11	1.99	0.44
1:B:532:VAL:HB	1:B:537:ASN:OD1	2.16	0.44
1:A:275:ALA:C	1:A:277:LEU:H	2.25	0.43
1:A:442:ARG:CD	1:B:465:MET:SD	3.07	0.43
1:A:500:LEU:HD21	1:A:510:GLN:HG3	1.99	0.43
1:B:350:PHE:CE1	1:B:362:GLU:HG3	2.53	0.43
1:B:513:GLU:O	1:B:514:HIS:HB2	2.17	0.43
1:B:349:ILE:HD12	1:B:349:ILE:O	2.19	0.43
1:A:73:ARG:O	1:A:74:PHE:C	2.61	0.43
1:A:92:SER:O	1:A:132:ARG:N	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:CYS:SG	1:A:199:CYS:N	2.91	0.43
1:A:567:LYS:HE2	1:A:568:LEU:H	1.83	0.43
1:B:372:TYR:CD2	1:B:520:HIS:HB3	2.53	0.43
1:B:416:LEU:O	1:B:417:LEU:HD23	2.19	0.43
1:A:501:PHE:O	1:A:503:ALA:N	2.51	0.43
1:A:646:SER:O	1:A:648:PHE:N	2.50	0.43
1:B:88:GLN:HA	1:B:174:GLN:HB2	2.00	0.43
1:A:632:LEU:HD23	1:A:632:LEU:O	2.19	0.43
1:B:684:HIS:C	1:B:684:HIS:CD2	2.96	0.43
1:B:212:THR:CG2	1:B:216:ARG:HH21	2.31	0.43
1:B:492:THR:HG22	1:B:493:GLY:N	2.33	0.43
1:B:542:GLU:HA	1:B:565:THR:O	2.17	0.43
1:A:494:TYR:C	1:A:495:ILE:HD12	2.44	0.43
1:A:106:LYS:HG3	1:A:361:TYR:CE1	2.54	0.43
1:A:209:VAL:HG11	1:B:448:TYR:CD2	2.53	0.43
1:A:316:PHE:CD2	1:A:750:PRO:HD3	2.54	0.43
1:A:671:GLY:O	1:A:672:LYS:HD2	2.19	0.43
1:A:755:PHE:CE2	1:A:757:HIS:HB2	2.54	0.43
1:B:487:ILE:N	1:B:487:ILE:HD12	2.34	0.43
1:A:336:THR:HG23	1:A:353:ARG:HB2	2.01	0.43
1:A:445:SER:HB3	1:A:451:TYR:CE2	2.54	0.43
1:B:125:LEU:HD23	1:B:126:ALA:N	2.34	0.43
1:B:217:GLY:HA3	1:B:222:ASP:CB	2.48	0.43
1:B:739:LEU:HD23	1:B:742:LEU:HD11	2.01	0.43
1:A:278:GLU:O	1:A:279:ALA:C	2.62	0.42
1:A:403:ASP:HB3	1:A:465:MET:CE	2.49	0.42
1:A:532:VAL:O	1:A:533:ALA:C	2.62	0.42
1:A:613:GLU:HG3	1:A:614:PRO:CD	2.48	0.42
1:A:650:GLN:OE1	1:A:650:GLN:HA	2.19	0.42
1:A:465:MET:SD	1:B:442:ARG:CD	3.07	0.42
1:A:748:CYS:H	1:B:749:ALA:HB3	1.84	0.42
1:A:459:VAL:HG23	1:A:480:HIS:HA	2.01	0.42
1:A:553:TRP:CZ3	1:B:377:PRO:HB3	2.55	0.42
1:A:559:LEU:HD23	1:A:559:LEU:O	2.18	0.42
1:B:187:GLU:HB3	1:B:274:LEU:HD12	2.01	0.42
1:A:544:MET:HE2	1:B:683:LEU:HD22	2.01	0.42
1:B:405:PRO:HG2	1:B:432:PHE:CD1	2.55	0.42
1:A:500:LEU:CD2	1:A:510:GLN:HG3	2.49	0.42
1:B:389:PHE:CE1	7:B:2000:JWF:HAD	2.54	0.42
1:B:570:GLU:HB3	1:B:571:MET:HE2	2.01	0.42
1:B:659:ASP:C	1:B:659:ASP:OD1	2.62	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:LEU:N	1:A:359:LEU:HD23	2.35	0.42
1:A:585:ARG:CG	1:A:585:ARG:NH1	2.82	0.42
1:B:539:VAL:HG13	1:B:569:LEU:HB2	2.02	0.42
1:A:203:HIS:O	1:A:204:ARG:HB2	2.19	0.42
1:B:187:GLU:HG3	1:B:261:ILE:HD11	2.02	0.42
1:B:271:TYR:CE1	1:B:277:LEU:HD13	2.55	0.42
1:B:411:VAL:HG12	1:B:412:ASP:N	2.34	0.42
1:B:568:LEU:HG	1:B:569:LEU:N	2.34	0.42
1:B:607:MET:HE2	1:B:607:MET:HB2	1.84	0.42
1:B:620:SER:OG	1:B:654:TRP:HD1	2.03	0.42
1:A:212:THR:OG1	1:A:216:ARG:NH2	2.49	0.42
1:A:435:ASN:OD1	1:A:435:ASN:C	2.63	0.42
1:B:188:LEU:N	1:B:189:PRO:CD	2.83	0.42
1:B:404:CYS:O	1:B:405:PRO:C	2.62	0.42
1:B:723:ILE:HD11	1:B:739:LEU:HG	2.01	0.42
7:B:2000:JWF:HAU	7:B:2000:JWF:HAS	1.66	0.42
1:A:220:SER:HB2	1:A:654:TRP:HB2	2.02	0.42
1:A:754:ALA:O	1:A:755:PHE:C	2.63	0.42
1:B:339:PHE:HB3	1:B:349:ILE:HG22	2.01	0.42
1:B:382:THR:O	1:B:383:ARG:HD3	2.19	0.42
1:B:389:PHE:HB3	1:B:394:TYR:CE2	2.54	0.42
1:A:383:ARG:NH2	1:B:560:GLN:O	2.44	0.41
1:A:606:GLN:HB3	1:A:704:PHE:HB2	2.02	0.41
1:B:166:TYR:O	1:B:169:ARG:HD3	2.19	0.41
1:A:386:ASP:HB3	1:A:468:LEU:CD2	2.50	0.41
1:A:445:SER:CB	1:A:451:TYR:CE2	3.03	0.41
1:A:509:ASN:O	1:A:516:LEU:HD12	2.20	0.41
1:A:714:ASP:OD2	1:A:716:SER:OG	2.36	0.41
1:B:177:LEU:HD12	7:B:2000:JWF:CAI	2.50	0.41
1:B:278:GLU:O	1:B:282:GLU:HG3	2.20	0.41
1:A:225:THR:HB	1:A:227:PHE:CE2	2.54	0.41
1:A:383:ARG:HD3	1:A:383:ARG:N	2.35	0.41
1:B:69:THR:HG23	1:B:422:PRO:HG3	2.02	0.41
1:B:750:PRO:HB3	1:B:752:LEU:HD21	2.03	0.41
1:B:366:GLN:HG3	1:B:644:SER:OG	2.21	0.41
1:B:212:THR:HG21	1:B:216:ARG:NH2	2.34	0.41
1:B:460:LEU:HB3	1:B:479:PHE:HB2	2.02	0.41
1:A:73:ARG:O	1:A:76:THR:HB	2.20	0.41
1:A:106:LYS:O	1:A:107:ALA:C	2.63	0.41
1:A:246:GLU:OE1	1:A:376:SER:HB2	2.21	0.41
1:A:696:THR:O	1:A:697:VAL:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:469:LEU:HD23	1:B:469:LEU:HA	1.90	0.41
1:A:188:LEU:HB2	1:A:189:PRO:HD2	2.02	0.41
1:A:549:MET:HE2	1:A:549:MET:HB3	1.87	0.41
1:B:175:GLU:O	1:B:176:TYR:C	2.64	0.41
1:A:308:PRO:HA	1:B:720:ALA:O	2.21	0.41
1:A:359:LEU:HD13	1:A:603:TYR:CZ	2.56	0.41
1:A:476:ASP:O	1:A:477:THR:CB	2.69	0.41
1:A:549:MET:HE1	1:A:561:ARG:NH1	2.36	0.41
1:A:567:LYS:HD3	1:A:567:LYS:C	2.45	0.41
1:A:465:MET:SD	1:B:442:ARG:HD2	2.61	0.41
1:B:211:MET:HA	8:B:2002:HOH:O	2.21	0.41
1:B:436:GLN:HB2	1:B:438:LEU:HB2	2.02	0.41
1:A:71:VAL:HG13	1:A:143:VAL:HG11	2.03	0.40
1:A:144:GLY:O	1:A:151:TYR:CD1	2.74	0.40
1:A:344:PHE:HA	1:A:390:GLY:HA2	2.03	0.40
1:A:695:VAL:CG1	1:B:440:LEU:HG	2.50	0.40
1:B:174:GLN:HA	1:B:174:GLN:NE2	2.35	0.40
1:B:341:LEU:HD12	1:B:347:PRO:N	2.35	0.40
1:A:245:LEU:HG	1:A:247:LEU:CD1	2.52	0.40
1:A:344:PHE:HA	1:A:390:GLY:CA	2.51	0.40
1:A:354:PHE:O	1:A:355:GLN:C	2.65	0.40
1:B:84:VAL:HG21	1:B:93:ASP:HB3	2.03	0.40
1:A:213:THR:HG21	1:A:226:TRP:H	1.87	0.40
1:A:341:LEU:HB2	1:A:429:PHE:CZ	2.56	0.40
7:A:2000:JWF:HAH	7:A:2000:JWF:HAQ2	1.94	0.40
1:B:155:VAL:O	1:B:156:THR:C	2.65	0.40
1:B:260:THR:HG22	1:B:261:ILE:N	2.36	0.40
1:B:325:VAL:HG22	1:B:330:VAL:HG22	2.03	0.40
1:A:476:ASP:O	1:A:477:THR:OG1	2.34	0.40
1:B:125:LEU:HD23	1:B:125:LEU:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	708/737 (96%)	596 (84%)	73 (10%)	39 (6%)	1	9
1	B	704/737 (96%)	593 (84%)	79 (11%)	32 (4%)	2	12
All	All	1412/1474 (96%)	1189 (84%)	152 (11%)	71 (5%)	1	11

All (71) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	59	LEU
1	A	116	GLY
1	A	203	HIS
1	A	204	ARG
1	A	206	ARG
1	A	214	ALA
1	A	219	GLN
1	A	310	PRO
1	A	477	THR
1	A	642	PRO
1	B	116	GLY
1	B	181	GLN
1	B	201	TYR
1	B	202	LYS
1	B	214	ALA
1	B	297	GLY
1	B	320	GLY
1	B	481	PRO
1	B	504	THR
1	B	618	ASN
1	B	622	ALA
1	B	667	GLU
1	B	742	LEU
1	A	81	PRO
1	A	253	ALA
1	A	284	GLY
1	A	298	GLY
1	A	320	GLY
1	A	593	HIS
1	B	133	GLN
1	B	501	PHE
1	B	749	ALA
1	A	283	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	292	PRO
1	A	347	PRO
1	A	502	GLY
1	A	584	PRO
1	B	283	ALA
1	B	448	TYR
1	B	557	HIS
1	B	743	PRO
1	B	761	SER
1	A	55	GLY
1	A	76	THR
1	A	183	ILE
1	A	439	PRO
1	A	504	THR
1	A	623	ARG
1	A	647	VAL
1	A	761	SER
1	B	81	PRO
1	B	132	ARG
1	B	199	CYS
1	B	442	ARG
1	B	555	PRO
1	B	665	ASN
1	A	232	ASN
1	A	280	GLN
1	A	697	VAL
1	A	743	PRO
1	B	405	PRO
1	B	746	ALA
1	A	612	GLY
1	A	742	LEU
1	B	666	ASN
1	A	54	PRO
1	A	80	GLY
1	A	205	GLY
1	B	163	PRO
1	A	145	PRO
1	B	692	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	588/610 (96%)	515 (88%)	73 (12%)	4	19
1	B	584/610 (96%)	518 (89%)	66 (11%)	5	23
All	All	1172/1220 (96%)	1033 (88%)	139 (12%)	5	21

All (139) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	GLN
1	A	62	ASP
1	A	64	SER
1	A	69	THR
1	A	78	ARG
1	A	83	LEU
1	A	84	VAL
1	A	90	ARG
1	A	95	CYS
1	A	102	GLN
1	A	103	LEU
1	A	117	SER
1	A	157	VAL
1	A	174	GLN
1	A	192	SER
1	A	210	THR
1	A	213	THR
1	A	216	ARG
1	A	218	LEU
1	A	229	LEU
1	A	230	TYR
1	A	240	LEU
1	A	254	LEU
1	A	261	ILE
1	A	285	LEU
1	A	290	LEU
1	A	291	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	299	SER
1	A	302	LEU
1	A	303	LYS
1	A	310	PRO
1	A	319	GLN
1	A	334	LEU
1	A	336	THR
1	A	338	SER
1	A	345	SER
1	A	359	LEU
1	A	360	VAL
1	A	376	SER
1	A	383	ARG
1	A	389	PHE
1	A	424	THR
1	A	425	ILE
1	A	464	SER
1	A	489	PHE
1	A	492	THR
1	A	495	ILE
1	A	497	SER
1	A	506	LYS
1	A	510	GLN
1	A	513	GLU
1	A	518	THR
1	A	558	GLN
1	A	559	LEU
1	A	567	LYS
1	A	570	GLU
1	A	573	GLU
1	A	583	THR
1	A	585	ARG
1	A	589	LEU
1	A	621	MET
1	A	623	ARG
1	A	632	LEU
1	A	635	THR
1	A	645	SER
1	A	664	ILE
1	A	701	VAL
1	A	713	GLU
1	A	726	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	735	GLU
1	A	742	LEU
1	A	756	SER
1	A	763	ASN
1	B	58	GLN
1	B	59	LEU
1	B	73	ARG
1	B	88	GLN
1	B	90	ARG
1	B	92	SER
1	B	98	SER
1	B	100	GLU
1	B	114	ASP
1	B	155	VAL
1	B	177	LEU
1	B	182	MET
1	B	192	SER
1	B	198	CYS
1	B	209	VAL
1	B	216	ARG
1	B	218	LEU
1	B	272	ASP
1	B	292	PRO
1	B	319	GLN
1	B	324	SER
1	B	336	THR
1	B	338	SER
1	B	345	SER
1	B	358	ARG
1	B	360	VAL
1	B	380	MET
1	B	383	ARG
1	B	395	THR
1	B	409	THR
1	B	417	LEU
1	B	442	ARG
1	B	449	SER
1	B	458	THR
1	B	461	VAL
1	B	464	SER
1	B	481	PRO
1	B	489	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	515	THR
1	B	518	THR
1	B	527	LYS
1	B	539	VAL
1	B	542	GLU
1	B	557	HIS
1	B	559	LEU
1	B	561	ARG
1	B	573	GLU
1	B	578	LEU
1	B	603	TYR
1	B	607	MET
1	B	608	LEU
1	B	613	GLU
1	B	620	SER
1	B	621	MET
1	B	634	VAL
1	B	635	THR
1	B	636	GLN
1	B	637	ARG
1	B	645	SER
1	B	647	VAL
1	B	666	ASN
1	B	669	ILE
1	B	694	THR
1	B	701	VAL
1	B	714	ASP
1	B	734	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	HIS
1	A	167	HIS
1	A	196	HIS
1	A	197	HIS
1	A	203	HIS
1	A	250	ASN
1	A	326	GLN
1	A	444	HIS
1	A	631	GLN
1	B	88	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	219	GLN
1	B	287	ASN
1	B	366	GLN
1	B	592	ASN
1	B	593	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPQ	B	471	1	13,14,15	1.32	2 (15%)	13,19,21	1.53	2 (15%)
1	TPQ	A	471	1	13,14,15	1.35	3 (23%)	13,19,21	1.45	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	B	471	1	-	2/5/22/24	0/1/1/1
1	TPQ	A	471	1	-	1/5/22/24	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	471	TPQ	C6-C5	-2.54	1.38	1.44
1	A	471	TPQ	C3-C2	-2.25	1.38	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	471	TPQ	C3-C4	2.22	1.40	1.36
1	B	471	TPQ	C3-C2	-2.19	1.39	1.44
1	A	471	TPQ	C6-C1	2.11	1.39	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	471	TPQ	C6-C1-C2	4.38	121.78	118.66
1	A	471	TPQ	C6-C1-C2	3.74	121.32	118.66
1	A	471	TPQ	O5-C5-C4	2.64	123.60	119.43
1	B	471	TPQ	O5-C5-C4	2.24	122.97	119.43

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	471	TPQ	N-CA-CB-C1
1	B	471	TPQ	C-CA-CB-C1
1	A	471	TPQ	N-CA-CB-C1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.58	0	17,19,21	1.39	2 (11%)
2	NAG	C	2	2	14,14,15	0.69	0	17,19,21	1.23	2 (11%)
3	NAG	D	1	1,3	14,14,15	0.70	0	17,19,21	1.99	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	D	2	3	14,14,15	0.51	0	17,19,21	1.70	1 (5%)
3	BMA	D	3	3	11,11,12	1.28	2 (18%)	15,15,17	2.20	6 (40%)
3	MAN	D	4	3	11,11,12	1.63	3 (27%)	15,15,17	1.65	4 (26%)
3	MAN	D	5	3	11,11,12	0.26	0	15,15,17	0.53	0
2	NAG	E	1	2,1	14,14,15	0.82	0	17,19,21	1.61	4 (23%)
2	NAG	E	2	2	14,14,15	0.72	0	17,19,21	2.83	7 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
3	NAG	D	1	1,3	1/1/5/7	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	2/2/19/22	0/1/1/1
3	MAN	D	4	3	1/1/4/5	0/2/19/22	0/1/1/1
3	MAN	D	5	3	1/1/4/5	0/2/19/22	0/1/1/1
2	NAG	E	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	E	2	2	1/1/5/7	0/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	4	MAN	C1-C2	3.30	1.60	1.52
3	D	4	MAN	C2-C3	3.16	1.57	1.52
3	D	3	BMA	O3-C3	2.67	1.49	1.43
3	D	4	MAN	C4-C3	2.36	1.58	1.52
3	D	3	BMA	O6-C6	2.12	1.51	1.42

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	NAG	O5-C1-C2	6.31	121.06	111.29
2	E	2	NAG	C1-O5-C5	5.67	119.78	112.19
3	D	3	BMA	O3-C3-C2	5.44	121.15	110.05
3	D	2	NAG	C1-O5-C5	5.33	119.33	112.19
3	D	1	NAG	O4-C4-C3	-4.49	99.80	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	NAG	C2-N2-C7	4.39	128.79	122.90
2	E	1	NAG	C2-N2-C7	3.88	128.10	122.90
3	D	3	BMA	O2-C2-C1	3.69	117.67	109.22
2	E	2	NAG	O7-C7-C8	-3.47	115.87	122.05
3	D	1	NAG	C3-C4-C5	-3.20	104.43	110.23
2	E	2	NAG	C1-C2-N2	-3.12	105.51	110.43
2	E	1	NAG	O3-C3-C2	3.03	115.70	109.40
3	D	4	MAN	C1-O5-C5	-3.03	108.12	112.19
2	C	2	NAG	C1-O5-C5	3.03	116.24	112.19
2	C	1	NAG	O3-C3-C2	2.80	115.22	109.40
3	D	4	MAN	O5-C5-C6	2.70	112.91	107.66
2	C	1	NAG	C1-O5-C5	2.66	115.75	112.19
3	D	1	NAG	O4-C4-C5	2.60	115.73	109.32
3	D	4	MAN	O2-C2-C1	2.58	115.12	109.22
2	E	1	NAG	C4-C3-C2	-2.55	107.28	111.02
3	D	3	BMA	O5-C5-C6	2.50	112.52	107.66
3	D	3	BMA	C3-C4-C5	2.43	114.64	110.23
2	C	2	NAG	O4-C4-C5	2.43	115.30	109.32
3	D	4	MAN	O4-C4-C3	2.39	116.01	110.38
2	E	2	NAG	O3-C3-C2	2.37	114.33	109.40
3	D	3	BMA	O6-C6-C5	2.28	119.11	111.33
2	E	1	NAG	O4-C4-C5	2.28	114.95	109.32
3	D	1	NAG	O3-C3-C4	-2.27	105.02	110.38
2	E	2	NAG	O7-C7-N2	2.19	125.84	121.98
3	D	1	NAG	C2-N2-C7	-2.08	120.11	122.90
3	D	3	BMA	O3-C3-C4	2.02	115.13	110.38

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	E	2	NAG	C1
3	D	1	NAG	C1
3	D	4	MAN	C1
3	D	5	MAN	C1

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	1	NAG	C3-C2-N2-C7
2	E	1	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	3	BMA	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
3	D	3	BMA	C4-C5-C6-O6


There are no ring outliers.


6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	3	BMA	8	0
2	E	1	NAG	1	0
3	D	1	NAG	1	0
2	E	2	NAG	1	0
3	D	5	MAN	8	0
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	1772	-	14,14,15	0.28	0	17,19,21	0.57	0
6	NAG	A	1768	1	14,14,15	1.02	1 (7%)	17,19,21	2.59	6 (35%)
6	NAG	B	1773	1	14,14,15	1.69	2 (14%)	17,19,21	2.67	4 (23%)
6	NAG	A	1767	1	14,14,15	0.85	0	17,19,21	2.15	7 (41%)
6	NAG	A	1769	1	14,14,15	0.81	0	17,19,21	1.99	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	JWF	B	2000	-	37,37,37	2.66	6 (16%)	49,52,52	2.21	18 (36%)
7	JWF	A	2000	-	37,37,37	2.85	9 (24%)	49,52,52	2.03	18 (36%)
6	NAG	A	1770	1	14,14,15	2.85	4 (28%)	17,19,21	4.10	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1772	-	-	2/6/23/26	0/1/1/1
6	NAG	A	1768	1	1/1/5/7	1/6/23/26	0/1/1/1
6	NAG	B	1773	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1767	1	-	3/6/23/26	0/1/1/1
6	NAG	A	1769	1	-	2/6/23/26	0/1/1/1
7	JWF	B	2000	-	-	2/12/26/26	0/5/5/5
7	JWF	A	2000	-	-	2/12/26/26	0/5/5/5
6	NAG	A	1770	1	-	1/6/23/26	0/1/1/1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2000	JWF	NAS-NAV	-10.17	1.18	1.36
7	B	2000	JWF	CBC-CBB	-9.29	1.33	1.46
6	A	1770	NAG	C1-C2	8.60	1.64	1.52
7	B	2000	JWF	NAS-NAV	-8.44	1.21	1.36
7	A	2000	JWF	CBC-CBB	-7.71	1.36	1.46
7	A	2000	JWF	NBG-NAT	-6.94	1.19	1.38
7	B	2000	JWF	NBG-NAT	-6.38	1.21	1.38
6	B	1773	NAG	C1-C2	4.83	1.58	1.52
6	A	1770	NAG	C2-N2	4.67	1.54	1.46
7	A	2000	JWF	CAZ-NBG	-4.38	1.35	1.43
7	B	2000	JWF	CAZ-NBG	-3.67	1.36	1.43
6	B	1773	NAG	O5-C1	3.41	1.49	1.43
7	A	2000	JWF	CAX-NAU	-3.18	1.35	1.41
7	B	2000	JWF	CAW-CLAC	2.97	1.81	1.74
7	B	2000	JWF	CAX-NAU	-2.87	1.35	1.41
7	A	2000	JWF	CBD-NBG	-2.77	1.34	1.41
7	A	2000	JWF	CAP-NBF	2.70	1.51	1.46
6	A	1770	NAG	C3-C2	2.67	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2000	JWF	CAQ-NBF	2.66	1.51	1.46
6	A	1768	NAG	C2-N2	2.37	1.50	1.46
6	A	1770	NAG	C7-N2	2.07	1.41	1.34
7	A	2000	JWF	CAM-CBD	-2.07	1.38	1.43

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1770	NAG	O5-C1-C2	-9.44	96.69	111.29
6	B	1773	NAG	C1-O5-C5	9.12	124.41	112.19
6	A	1770	NAG	C2-N2-C7	9.00	134.96	122.90
6	A	1768	NAG	C2-N2-C7	6.91	132.16	122.90
6	A	1769	NAG	C1-O5-C5	6.33	120.68	112.19
6	A	1770	NAG	C1-O5-C5	5.67	119.78	112.19
7	B	2000	JWF	CAO-NBE-CAN	5.20	117.81	109.54
7	B	2000	JWF	OAB-CBD-CAM	-4.99	113.30	125.61
7	B	2000	JWF	CAM-CBD-NBG	4.76	120.00	111.90
6	A	1770	NAG	O7-C7-C8	-4.69	113.70	122.05
7	B	2000	JWF	OAB-CBD-NBG	4.66	126.69	119.78
7	A	2000	JWF	NAS-CBB-NAR	-4.40	107.20	110.37
7	A	2000	JWF	CBA-CBC-NAT	-4.33	115.86	125.56
6	A	1768	NAG	O5-C5-C6	4.20	115.84	107.66
7	A	2000	JWF	CBC-NAT-NBG	4.16	127.69	118.85
6	B	1773	NAG	O5-C1-C2	-4.09	104.96	111.29
6	A	1767	NAG	O5-C5-C6	3.91	115.27	107.66
7	A	2000	JWF	CAM-CBD-NBG	3.87	118.49	111.90
6	A	1770	NAG	O7-C7-N2	3.87	128.82	121.98
6	A	1767	NAG	C3-C4-C5	-3.84	103.28	110.23
6	A	1770	NAG	C1-C2-N2	3.73	116.31	110.43
6	A	1770	NAG	O3-C3-C2	3.71	117.11	109.40
6	A	1767	NAG	O4-C4-C5	3.37	117.62	109.32
7	A	2000	JWF	CAZ-NBG-NAT	3.25	119.10	113.58
7	A	2000	JWF	OAB-CBD-CAM	-3.22	117.66	125.61
7	B	2000	JWF	NAS-CBB-NAR	-3.15	108.09	110.37
6	A	1767	NAG	C2-N2-C7	3.14	127.11	122.90
7	A	2000	JWF	CAK-CAE-CAW	3.13	122.39	119.24
7	B	2000	JWF	NAV-CAL-NAR	-2.93	107.05	113.49
6	A	1768	NAG	O7-C7-C8	-2.89	116.90	122.05
7	B	2000	JWF	CBC-NAT-NBG	2.88	124.97	118.85
6	A	1768	NAG	C4-C3-C2	-2.87	106.81	111.02
6	A	1767	NAG	O3-C3-C2	2.84	115.31	109.40
7	B	2000	JWF	CBA-CBC-NAT	-2.80	119.28	125.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2000	JWF	OAB-CBD-NBG	2.74	123.85	119.78
7	B	2000	JWF	CAH-CAY-NBF	2.70	125.14	121.39
7	B	2000	JWF	CAQ-NBF-CAY	2.69	125.44	118.11
6	A	1769	NAG	C2-N2-C7	2.67	126.47	122.90
7	A	2000	JWF	NAV-CAL-NAR	-2.66	107.65	113.49
6	A	1769	NAG	O7-C7-C8	-2.64	117.36	122.05
6	A	1767	NAG	O5-C1-C2	-2.63	107.22	111.29
7	B	2000	JWF	CAM-CBA-CBC	-2.62	116.79	119.81
6	A	1768	NAG	O5-C1-C2	2.59	115.30	111.29
6	B	1773	NAG	C3-C4-C5	-2.56	105.58	110.23
7	B	2000	JWF	CAD-CAW-CLAC	2.55	123.12	119.36
7	B	2000	JWF	CBC-CBB-NAS	2.53	130.87	125.79
7	A	2000	JWF	CAJ-CAZ-NBG	2.48	123.46	119.72
7	A	2000	JWF	CBC-CBB-NAS	2.47	130.74	125.79
7	A	2000	JWF	CAQ-NBF-CAP	2.45	117.07	111.57
6	B	1773	NAG	O5-C5-C6	2.42	112.38	107.66
6	A	1769	NAG	O7-C7-N2	2.41	126.23	121.98
7	A	2000	JWF	CAX-NAU-CBA	-2.37	121.80	127.85
7	B	2000	JWF	CAE-CAW-CAD	-2.30	118.39	121.24
6	A	1767	NAG	C4-C3-C2	-2.24	107.74	111.02
7	A	2000	JWF	CAM-CBA-CBC	-2.23	117.24	119.81
7	A	2000	JWF	CAM-CBA-NAU	-2.17	121.71	125.98
6	A	1768	NAG	O3-C3-C2	2.16	113.90	109.40
7	B	2000	JWF	CAI-CAY-NBF	-2.16	118.39	121.39
7	A	2000	JWF	CAO-NBE-CAN	2.11	112.91	109.54
7	A	2000	JWF	CAP-CAN-NBE	-2.11	107.46	110.86
7	A	2000	JWF	CAD-CAW-CLAC	2.10	122.46	119.36
7	B	2000	JWF	CAP-CAN-NBE	-2.09	107.50	110.86
6	A	1770	NAG	O4-C4-C5	2.09	114.46	109.32
7	B	2000	JWF	CAJ-CAD-CAW	2.08	121.33	119.24
7	B	2000	JWF	CAE-CAK-CAZ	2.05	122.89	120.30
6	A	1770	NAG	C6-C5-C4	2.04	118.03	113.02

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	1768	NAG	C1

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1767	NAG	C3-C2-N2-C7

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
6	A	1768	NAG	C3-C2-N2-C7
6	A	1770	NAG	C3-C2-N2-C7
6	B	1773	NAG	O5-C5-C6-O6
6	B	1773	NAG	C4-C5-C6-O6
6	A	1769	NAG	O5-C5-C6-O6
6	A	1767	NAG	O5-C5-C6-O6
6	A	1769	NAG	C4-C5-C6-O6
6	A	1767	NAG	C4-C5-C6-O6
6	B	1772	NAG	C4-C5-C6-O6
6	B	1772	NAG	O5-C5-C6-O6
7	B	2000	JWF	CAF-CAX-NAU-CBA
7	B	2000	JWF	CAG-CAX-NAU-CBA
7	A	2000	JWF	CAG-CAX-NAU-CBA
7	A	2000	JWF	CAF-CAX-NAU-CBA

There are no ring outliers.

4 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1772	NAG	4	0
6	A	1768	NAG	1	0
7	B	2000	JWF	3	0
7	A	2000	JWF	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	710/737 (96%)	0.13	4 (0%)	85 70	58, 83, 112, 163	0
1	B	706/737 (95%)	0.40	10 (1%)	73 53	63, 84, 115, 180	0
All	All	1416/1474 (96%)	0.26	14 (0%)	79 61	58, 83, 115, 180	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	205	GLY	4.4
1	B	747	ALA	3.5
1	B	184	PHE	2.7
1	A	53	HIS	2.7
1	B	742	LEU	2.6
1	B	481	PRO	2.4
1	B	103	LEU	2.2
1	B	743	PRO	2.2
1	A	54	PRO	2.2
1	B	375	ASN	2.2
1	B	204	ARG	2.1
1	A	746	ALA	2.1
1	B	503	ALA	2.0
1	B	745	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TPQ	A	471	14/15	0.94	0.12	68,74,80,80	0
1	TPQ	B	471	14/15	0.94	0.10	68,76,90,94	0

6.3 Carbohydrates




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MAN	D	5	11/12	0.48	0.15	89,129,154,162	0
3	MAN	D	4	11/12	0.51	0.15	87,119,138,139	0
3	BMA	D	3	11/12	0.65	0.12	113,133,158,163	0
2	NAG	E	2	14/15	0.72	0.15	106,130,141,143	0
2	NAG	C	2	14/15	0.78	0.13	101,123,145,157	0
3	NAG	D	1	14/15	0.84	0.14	74,82,91,94	0
3	NAG	D	2	14/15	0.86	0.14	100,110,119,123	0
2	NAG	E	1	14/15	0.87	0.12	97,105,126,137	0
2	NAG	C	1	14/15	0.95	0.07	78,83,93,101	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	A	1768	14/15	0.25	0.19	121,169,177,179	0
6	NAG	A	1770	14/15	0.58	0.16	114,149,166,170	0
6	NAG	B	1773	14/15	0.60	0.14	118,149,156,156	0
6	NAG	B	1772	14/15	0.72	0.16	98,134,157,157	0
6	NAG	A	1769	14/15	0.73	0.17	127,148,167,183	0
6	NAG	A	1767	14/15	0.84	0.15	93,104,130,130	0
5	CA	A	1764	1/1	0.88	0.10	94,94,94,94	0
5	CA	B	1764	1/1	0.90	0.08	81,81,81,81	0
7	JWF	B	2000	33/33	0.90	0.15	71,78,101,108	0
4	CU	A	1762	1/1	0.92	0.08	85,85,85,85	0
7	JWF	A	2000	33/33	0.93	0.15	71,90,120,127	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CU	B	1762	1/1	0.95	0.07	74,74,74,74	0
5	CA	B	1763	1/1	0.97	0.04	72,72,72,72	0
5	CA	A	1763	1/1	0.99	0.03	71,71,71,71	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around JWF B 2000:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.