



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:35 PM UTC

PDB ID : 5BTL / pdb_00005btl
Title : Crystal structure of a topoisomerase II complex
Authors : Blower, T.R.; Williamson, B.H.; Kerns, R.J.; Berger, J.M.
Deposited on : 2015-06-03
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	503	9% 93% • •
1	C	503	5% 93% • •
2	B	253	9% 92% • •
2	D	253	9% 91% 7% •
3	E	24	54% 71% 17% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	24	
4	F	24	
4	G	24	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	PTR	A	129	-	-	X	-
1	PTR	C	129	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 25993 atoms, of which 12526 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA gyrase subunit A.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
1	A	487	Total	C	H	N	O	P	S	0	1	0
			7691	2388	3853	704	732	1	13			
1	C	487	Total	C	H	N	O	P	S	0	1	0
			7689	2388	3851	704	732	1	13			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	501	ILE	-	expression tag	UNP P9WG47
A	502	GLY	-	expression tag	UNP P9WG47
A	503	SER	-	expression tag	UNP P9WG47
A	504	GLY	-	expression tag	UNP P9WG47
C	501	ILE	-	expression tag	UNP P9WG47
C	502	GLY	-	expression tag	UNP P9WG47
C	503	SER	-	expression tag	UNP P9WG47
C	504	GLY	-	expression tag	UNP P9WG47

- Molecule 2 is a protein called DNA gyrase subunit B.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	245	Total	C	H	N	O	S	0	0	0
			3906	1217	1974	348	360	7			
2	D	247	Total	C	H	N	O	S	0	0	0
			3930	1224	1984	351	364	7			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	423	SER	-	expression tag	UNP P9WG44
B	424	ASN	-	expression tag	UNP P9WG44
B	425	ALA	-	expression tag	UNP P9WG44
D	423	SER	-	expression tag	UNP P9WG44

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	424	ASN	-	expression tag	UNP P9WG44
D	425	ALA	-	expression tag	UNP P9WG44

- Molecule 3 is a DNA chain called DNA substrate 24-mer GGTCATGAATGACTATGCAC GTAA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	21	Total	C	H	N	O	P	0	21	0
			620	196	210	74	120	20			
3	H	21	Total	C	H	N	O	P	0	21	0
			615	196	205	74	120	20			


- Molecule 4 is a DNA chain called DNA substrate 24-mer TTACGTGCATAGTCATTCAT GACC.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	F	21	Total	C	H	N	O	P	0	21	0
			612	196	202	74	120	20			
4	G	21	Total	C	H	N	O	P	0	21	0
			611	196	201	74	120	20			

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Mg	0	0
			1	1		
5	D	1	Total	Mg	0	0
			1	1		
5	E	1	Total	Mg	0	0
			1	1		
5	F	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 1-cyclopropyl-6-fluoro-8-methyl-7-[(4aS,7aS)-octahydro-6H-pyrrolo[3,4-b]pyridin-6-yl]-4-oxo-1,4-dihydroquinoline-3-carboxylic acid (CCD ID: 8MX) (formula: C₂₁H₂₄FN₃O₃).





Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	E	1	Total	C	F	H	N	O	0	0
			51	21	1	23	3	3		
6	H	1	Total	C	F	H	N	O	0	0
			51	21	1	23	3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	95	Total	O	0	0
			95	95		
7	B	32	Total	O	0	0
			32	32		
7	C	38	Total	O	0	0
			38	38		
7	D	28	Total	O	0	0
			28	28		
7	E	7	Total	O	0	0
			7	7		
7	F	6	Total	O	0	0
			6	6		
7	G	1	Total	O	0	0
			1	1		
7	H	6	Total	O	0	0
			6	6		





- Molecule 3: DNA substrate 24-mer GGTCATGAATGACTATGCACGTAA




- Molecule 3: DNA substrate 24-mer GGTCATGAATGACTATGCACGTAA



- Molecule 4: DNA substrate 24-mer TTACGTGCATAGTCATTCATGACC



- Molecule 4: DNA substrate 24-mer TTACGTGCATAGTCATTCATGACC



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	107.94Å 83.05Å 128.74Å 90.00° 108.88° 90.00°	Depositor
Resolution (Å)	49.60 – 2.50 49.60 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.3 (49.60-2.50) 94.4 (49.60-2.50)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 2.51Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.230 , 0.256 0.235 , 0.260	Depositor DCC
R_{free} test set	3551 reflections (4.17%)	wwPDB-VP
Wilson B-factor (Å ²)	50.4	Xtriage
Anisotropy	0.290	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 53.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	25993	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 8MX, PTR, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/3881	0.64	0/5253
1	C	0.30	0/3881	0.64	0/5253
2	B	0.30	0/1960	0.61	0/2634
2	D	0.30	0/1974	0.61	0/2653
3	E	0.19	0/458	0.47	0/704
3	H	0.20	0/458	0.47	0/704
4	F	0.18	0/458	0.45	0/704
4	G	0.18	0/458	0.45	0/704
All	All	0.29	0/13528	0.61	0/18609

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3838	3853	3853	18	0
1	C	3838	3851	3853	20	0
2	B	1932	1974	1973	8	0
2	D	1946	1984	1984	14	0
3	E	410	210	210	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	410	205	205	6	0
4	F	410	202	202	5	0
4	G	410	201	201	8	0
5	B	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
6	E	28	23	0	1	0
6	H	28	23	0	2	0
7	A	95	0	0	1	0
7	B	32	0	0	1	0
7	C	38	0	0	1	0
7	D	28	0	0	0	0
7	E	7	0	0	0	0
7	F	6	0	0	0	0
7	G	1	0	0	0	0
7	H	6	0	0	0	0
All	All	13467	12526	12481	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:129:PTR:O2P	4:G:11[B]:DA:C5'	2.03	1.06
1:A:129:PTR:O3P	3:H:11[B]:DG:C5'	2.17	0.93
1:C:129:PTR:O2P	3:E:11[A]:DG:H4'	1.74	0.86
1:A:129:PTR:O3P	3:H:11[B]:DG:H4'	1.78	0.83
2:D:653:GLY:O	2:D:659:ARG:NH2	2.11	0.83
1:A:129:PTR:O3P	4:F:11[A]:DA:H4'	1.80	0.81
1:A:129:PTR:O3P	3:H:11[B]:DG:C4'	2.29	0.80
1:A:287:ILE:O	1:A:291:VAL:HG23	1.82	0.80
4:G:18[B]:DC:O2	3:H:7[B]:DG:N2	2.15	0.79
1:A:129:PTR:O3P	4:F:11[A]:DA:C5'	2.31	0.78
1:C:129:PTR:O2P	3:E:11[A]:DG:C5'	2.32	0.76
4:G:7[B]:DG:N2	3:H:18[B]:DC:O2	2.19	0.73
1:C:129:PTR:O2P	3:E:11[A]:DG:C4'	2.35	0.73
1:C:129:PTR:O2P	4:G:11[B]:DA:H4'	1.95	0.66
2:D:429:ARG:NH1	2:D:439:PRO:O	2.30	0.65
2:B:429:ARG:NH1	2:B:439:PRO:O	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:TYR:HA	2:B:535:VAL:CG1	2.31	0.60
1:C:129:PTR:O2P	4:G:11[B]:DA:C4'	2.39	0.60
1:C:287:ILE:O	1:C:291:VAL:HG23	2.03	0.59
2:B:508:ALA:O	2:B:523:ARG:NE	2.35	0.59
1:C:262:ASP:OD1	1:C:263:SER:N	2.37	0.58
2:D:659:ARG:NH1	4:G:19[B]:DA:OP1	2.37	0.57
1:C:389:HIS:O	1:C:431:GLN:NE2	2.37	0.57
1:C:68:ARG:NH1	7:C:601:HOH:O	2.38	0.56
1:A:129:PTR:O3P	4:F:11[A]:DA:C4'	2.40	0.55
2:B:446:ARG:NH1	2:B:473:SER:OG	2.41	0.54
2:D:659:ARG:NH1	3:E:19[A]:DA:OP1	2.41	0.54
6:H:101:8MX:C01	6:H:101:8MX:C09	2.86	0.53
2:B:634:ARG:NH2	7:B:801:HOH:O	2.36	0.51
1:C:428:ASP:OD1	1:C:429:GLU:N	2.42	0.50
1:A:428:ASP:OD1	1:A:429:GLU:N	2.43	0.49
1:A:31:TYR:HD1	2:B:535:VAL:HG12	1.78	0.49
1:A:441:ARG:NE	1:C:437:ASP:OD1	2.43	0.48
1:A:51:VAL:HG11	3:E:8[A]:DA:H5'	1.96	0.47
1:A:427:ILE:CG2	1:A:431:GLN:HB2	2.43	0.47
2:B:426:LEU:HD21	2:B:523:ARG:HD2	1.97	0.47
1:A:290:GLN:O	1:A:295:LYS:HB2	2.15	0.46
2:D:446:ARG:NH2	2:D:473:SER:OG	2.49	0.46
2:D:511:THR:HG21	2:D:517:PHE:CE2	2.52	0.45
2:D:497:LEU:O	2:D:503:GLN:NE2	2.49	0.44
4:F:16[A]:DT:C6	4:F:17[A]:DT:H72	2.53	0.44
1:C:31:TYR:HA	2:D:535:VAL:CG1	2.47	0.44
1:A:275:PRO:HG2	1:A:278:VAL:HG21	2.00	0.44
4:G:5[B]:DG:N2	3:H:20[B]:DC:O2	2.51	0.44
1:C:65:ARG:HB3	1:C:66:PRO:HD2	2.00	0.43
1:C:31:TYR:HA	2:D:535:VAL:HG13	2.00	0.43
1:C:60:PHE:HB2	1:C:142:LEU:HD13	2.01	0.43
1:C:31:TYR:HD1	2:D:535:VAL:HG12	1.84	0.43
2:D:643:ALA:O	2:D:646:GLU:HG2	2.18	0.43
6:H:101:8MX:C01	6:H:101:8MX:C23	2.97	0.43
3:E:12[A]:DA:N6	4:F:12[A]:DG:O6	2.53	0.42
6:E:101:8MX:C01	6:E:101:8MX:C23	2.97	0.42
2:B:553:ARG:N	2:B:554:PRO:CD	2.83	0.42
1:C:275:PRO:HG2	1:C:278:VAL:HG21	2.01	0.42
1:A:52:HIS:NE2	4:G:8[B]:DC:OP1	2.49	0.41
2:D:553:ARG:N	2:D:554:PRO:CD	2.83	0.41
1:C:186:ALA:O	1:C:344:ASN:ND2	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:ARG:NH1	7:A:606:HOH:O	2.51	0.41
1:A:424:LEU:HG	1:A:425:LEU:HG	2.03	0.41
1:C:34:SER:OG	2:D:535:VAL:HG11	2.20	0.41
2:D:627:ASP:HB3	2:D:630:VAL:HG22	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	485/503 (96%)	469 (97%)	16 (3%)	0	100	100
1	C	485/503 (96%)	468 (96%)	17 (4%)	0	100	100
2	B	241/253 (95%)	233 (97%)	8 (3%)	0	100	100
2	D	243/253 (96%)	235 (97%)	8 (3%)	0	100	100
All	All	1454/1512 (96%)	1405 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	407/420 (97%)	407 (100%)	0	100	100
1	C	407/420 (97%)	407 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	205/211 (97%)	205 (100%)	0	100	100
2	D	207/211 (98%)	207 (100%)	0	100	100
All	All	1226/1262 (97%)	1226 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	GLN
1	A	207	ASN
1	A	449	GLN
2	B	514	HIS
1	C	207	ASN
1	C	238	GLN
1	C	277	GLN
1	C	329	ASN
1	C	490	HIS
2	D	525	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PTR	A	129	1	15,16,17	1.21	0	17,22,24	0.85	0
1	PTR	C	129	1	15,16,17	0.89	0	17,22,24	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	129	1	-	0/10/11/13	0/1/1/1
1	PTR	C	129	1	-	0/10/11/13	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	129	PTR	6	0
1	C	129	PTR	6	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	8MX	E	101	5	32,32,32	5.07	12 (37%)	41,49,49	2.49	17 (41%)
6	8MX	H	101	5	32,32,32	5.18	10 (31%)	41,49,49	3.08	20 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	8MX	E	101	5	-	4/12/33/33	1/5/5/5
6	8MX	H	101	5	-	2/12/33/33	0/5/5/5

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	H	101	8MX	C16-C15	-20.08	1.19	1.52
6	E	101	8MX	C16-C15	-17.60	1.23	1.52
6	H	101	8MX	C09-C10	-16.55	1.29	1.53
6	E	101	8MX	C09-C10	-15.83	1.30	1.53
6	E	101	8MX	C16-N08	9.83	1.61	1.46
6	E	101	8MX	C10-C15	8.44	1.67	1.53
6	H	101	8MX	C16-N08	7.94	1.58	1.46
6	H	101	8MX	C10-C15	6.41	1.64	1.53
6	E	101	8MX	C12-C13	3.93	1.68	1.49
6	H	101	8MX	C12-C13	3.44	1.65	1.49
6	E	101	8MX	C04-C18	-3.05	1.42	1.48
6	H	101	8MX	C03-C02	3.02	1.46	1.40
6	E	101	8MX	C03-C02	2.97	1.46	1.40
6	H	101	8MX	C04-C18	-2.96	1.42	1.48
6	H	101	8MX	C12-C11	-2.82	1.46	1.53
6	E	101	8MX	C15-N14	2.73	1.51	1.47
6	E	101	8MX	C09-N08	2.69	1.50	1.46
6	E	101	8MX	C12-C11	-2.31	1.47	1.53
6	E	101	8MX	C07-N08	2.27	1.47	1.40
6	E	101	8MX	C20-C18	-2.16	1.39	1.44
6	H	101	8MX	C20-C18	-2.14	1.39	1.44
6	H	101	8MX	C07-N08	2.03	1.46	1.40

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	101	8MX	C13-N14-C15	-9.05	105.97	111.62
6	E	101	8MX	C24-C23-N22	8.53	132.36	118.87
6	H	101	8MX	C24-C23-N22	8.51	132.33	118.87
6	H	101	8MX	C16-N08-C09	-6.95	101.55	111.64
6	E	101	8MX	C23-N22-C21	-5.68	111.41	119.74
6	H	101	8MX	C23-N22-C21	-5.56	111.58	119.74
6	H	101	8MX	C09-N08-C07	-4.97	115.62	123.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	101	8MX	C09-N08-C07	-3.98	117.16	123.36
6	E	101	8MX	C03-N22-C21	3.92	123.00	119.82
6	H	101	8MX	C03-N22-C21	3.68	122.80	119.82
6	E	101	8MX	C25-C23-N22	3.08	123.74	118.87
6	H	101	8MX	C03-N22-C23	3.07	125.57	122.35
6	E	101	8MX	C03-N22-C23	3.07	125.56	122.35
6	E	101	8MX	C04-C03-N22	-2.98	115.32	119.00
6	H	101	8MX	C04-C03-N22	-2.98	115.32	119.00
6	H	101	8MX	C01-C02-C07	-2.96	115.42	121.20
6	H	101	8MX	C16-N08-C07	-2.91	118.83	123.36
6	H	101	8MX	F17-C06-C07	2.81	122.91	118.28
6	H	101	8MX	C25-C23-N22	2.78	123.26	118.87
6	E	101	8MX	C13-N14-C15	-2.66	109.96	111.62
6	E	101	8MX	C01-C02-C07	-2.55	116.22	121.20
6	E	101	8MX	C16-N08-C09	-2.53	107.96	111.64
6	E	101	8MX	C09-C10-C15	2.44	108.20	103.97
6	E	101	8MX	C06-C07-N08	-2.39	115.19	121.93
6	E	101	8MX	C04-C18-C20	2.36	118.62	115.64
6	H	101	8MX	C12-C11-C10	2.34	116.06	111.89
6	E	101	8MX	C16-N08-C07	-2.29	119.80	123.36
6	E	101	8MX	C20-C21-N22	-2.25	121.72	124.42
6	H	101	8MX	C04-C03-C02	-2.21	118.06	120.78
6	H	101	8MX	C04-C18-C20	2.20	118.41	115.64
6	H	101	8MX	O27-C26-C20	2.19	120.83	115.69
6	H	101	8MX	C20-C21-N22	-2.18	121.81	124.42
6	E	101	8MX	C05-C04-C18	-2.16	116.32	119.94
6	H	101	8MX	C05-C04-C18	-2.15	116.34	119.94
6	H	101	8MX	O28-C26-C20	-2.11	118.30	122.67
6	H	101	8MX	C05-C06-C07	-2.11	120.21	123.34
6	E	101	8MX	O27-C26-C20	2.06	120.51	115.69

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	E	101	8MX	C06-C07-N08-C16
6	H	101	8MX	C02-C07-N08-C16
6	E	101	8MX	C06-C07-N08-C09
6	H	101	8MX	C06-C07-N08-C09
6	E	101	8MX	C18-C20-C26-O27
6	E	101	8MX	C21-C20-C26-O27


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	E	101	8MX	C10-C11-C12-C13-C15-N14

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	E	101	8MX	1	0
6	H	101	8MX	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	486/503 (96%)	0.65	47 (9%) 13 11	28, 62, 117, 183	1 (0%)
1	C	486/503 (96%)	0.59	27 (5%) 30 26	31, 64, 115, 166	1 (0%)
2	B	245/253 (96%)	0.77	22 (8%) 15 13	46, 71, 108, 145	0
2	D	247/253 (97%)	0.73	24 (9%) 13 11	48, 67, 103, 162	0
3	E	21/24 (87%)	1.99	13 (61%) 0 0	34, 56, 92, 110	21 (100%)
3	H	21/24 (87%)	0.91	4 (19%) 3 2	14, 30, 69, 96	21 (100%)
4	F	21/24 (87%)	2.18	14 (66%) 0 0	31, 52, 94, 111	21 (100%)
4	G	21/24 (87%)	0.86	2 (9%) 14 12	17, 30, 84, 91	21 (100%)
All	All	1548/1608 (96%)	0.71	153 (9%) 13 11	14, 66, 114, 183	86 (5%)

All (153) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	675	VAL	5.2
2	B	425	ALA	4.8
2	B	426	LEU	4.6
2	D	426	LEU	4.6
2	D	601	ILE	4.6
2	D	431	SER	4.5
1	A	406	ALA	4.3
2	D	437	GLY	4.2
1	A	414	VAL	4.2
1	A	265	GLY	4.2
1	A	297	ALA	4.1
2	D	425	ALA	4.0
2	B	430	LYS	4.0
1	A	413	THR	4.0
2	D	675	VAL	3.9
3	E	11[A]	DG	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	8[A]	DA	3.8
1	A	412	GLU	3.8
3	H	3[B]	DT	3.8
2	B	601	ILE	3.7
2	D	424	ASN	3.6
2	D	605	ASP	3.6
4	G	23[B]	DC	3.6
1	C	293	ASP	3.6
1	C	442	ARG	3.6
1	A	410	ALA	3.5
2	B	605	ASP	3.4
1	A	296	LEU	3.4
2	D	602	ASN	3.4
4	F	12[A]	DG	3.4
1	A	501	ILE	3.3
1	A	446	LEU	3.3
2	B	602	ASN	3.2
1	C	291	VAL	3.2
1	A	264	ARG	3.1
2	D	609	ARG	3.1
1	C	296	LEU	3.1
2	B	606	GLY	3.1
1	C	15	ILE	3.1
1	C	297	ALA	3.1
1	A	387	ARG	3.1
2	B	437	GLY	3.0
1	A	407	LEU	3.0
2	B	609	ARG	3.0
3	E	13[A]	DC	3.0
1	A	292	ARG	2.9
4	F	22[A]	DA	2.9
1	A	15	ILE	2.9
1	C	294	GLY	2.9
4	F	6[A]	DT	2.9
1	C	501	ILE	2.8
3	E	22[A]	DT	2.8
1	A	263	SER	2.8
2	B	604	GLU	2.8
3	E	12[A]	DA	2.8
4	F	20[A]	DT	2.8
3	E	3[A]	DT	2.7
1	A	246	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	267	THR	2.7
3	E	23[A]	DA	2.7
4	F	5[A]	DG	2.7
2	B	674	ASP	2.7
1	A	430	ILE	2.7
3	H	12[B]	DA	2.7
1	A	295	LYS	2.6
2	D	493	ILE	2.6
3	E	6[A]	DT	2.6
2	B	498	LYS	2.6
1	C	267	THR	2.6
4	F	21[A]	DG	2.6
1	A	298	GLY	2.6
3	H	22[B]	DT	2.6
1	C	413	THR	2.6
1	A	291	VAL	2.5
4	G	8[B]	DC	2.5
2	D	430	LYS	2.5
2	D	511	THR	2.5
1	A	409	ARG	2.5
4	F	8[A]	DC	2.5
1	A	261	GLU	2.5
1	A	259	VAL	2.5
1	C	404	VAL	2.5
1	A	438	MET	2.5
4	F	23[A]	DC	2.5
1	A	122	ASP	2.5
4	F	11[A]	DA	2.5
2	D	604	GLU	2.4
1	A	408	ILE	2.4
4	F	3[A]	DA	2.4
1	A	441	ARG	2.4
1	C	500	ALA	2.4
1	C	118	SER	2.4
1	A	16	GLU	2.4
3	H	11[B]	DG	2.4
2	D	533	ALA	2.4
1	A	262	ASP	2.4
2	B	481	LEU	2.4
3	E	4[A]	DC	2.4
4	F	19[A]	DA	2.4
2	B	448	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	401	LEU	2.4
2	D	510	GLY	2.3
1	C	292	ARG	2.3
2	B	427	VAL	2.3
3	E	7[A]	DG	2.3
1	A	403	GLU	2.3
1	A	442	ARG	2.3
2	B	523	ARG	2.3
4	F	17[A]	DT	2.3
2	B	673	LEU	2.3
2	D	427	VAL	2.3
3	E	14[A]	DT	2.3
2	B	493	ILE	2.3
2	D	475	PHE	2.3
3	E	5[A]	DA	2.3
1	A	266	ARG	2.3
1	A	427	ILE	2.3
1	C	407	LEU	2.3
1	C	427	ILE	2.3
1	C	248	ARG	2.3
2	D	483	GLY	2.2
1	A	411	SER	2.2
1	A	436	LEU	2.2
1	A	500	ALA	2.2
2	B	664	THR	2.2
1	C	412	GLU	2.2
1	A	388	ALA	2.2
4	F	7[A]	DG	2.2
1	A	293	ASP	2.2
1	C	410	ALA	2.2
2	D	606	GLY	2.2
2	B	429	ARG	2.2
1	C	438	MET	2.1
1	A	302	ILE	2.1
1	C	16	GLU	2.1
2	D	646	GLU	2.1
2	D	674	ASP	2.1
1	A	294	GLY	2.1
1	A	248	ARG	2.1
2	D	512	GLY	2.1
1	A	452	ILE	2.1
2	B	607	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	404	VAL	2.1
4	F	15[A]	DA	2.1
1	C	264	ARG	2.1
1	A	34	SER	2.1
3	E	21[A]	DG	2.1
1	C	406	ALA	2.0
2	D	603	LYS	2.0
1	C	26	ARG	2.0
1	C	414	VAL	2.0
1	C	123	PRO	2.0
1	C	34	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	C	129	16/17	0.92	0.13	48,52,67,78	0
1	PTR	A	129	16/17	0.95	0.09	45,50,70,72	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	8MX	E	101	28/28	0.85	0.14	41,50,65,66	0
6	8MX	H	101	28/28	0.90	0.11	39,47,56,56	0
5	MG	E	102	1/1	0.92	0.10	65,65,65,65	0
5	MG	D	701	1/1	0.97	0.05	40,40,40,40	0
5	MG	F	101	1/1	0.97	0.07	47,47,47,47	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MG	B	701	1/1	0.98	0.04	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 8MX H 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.