



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:59 AM UTC

PDB ID : 7BT5 / pdb_00007bt5
Title : Crystal structure of plasmodium LysRS complexing with an antitumor compound
Authors : Zhou, J.; Wang, J.; Fang, P.
Deposited on : 2020-03-31
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	516	5% 78% 15% 7%
1	B	516	6% 79% 15% • 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7885 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lysine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	482	Total	C	N	O	S	0	0	0
			3841	2482	635	707	17			
1	B	485	Total	C	N	O	S	0	0	0
			3811	2464	630	700	17			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	76	MET	-	initiating methionine	UNP W7F9C1
A	584	GLY	-	expression tag	UNP W7F9C1
A	585	GLY	-	expression tag	UNP W7F9C1
A	586	HIS	-	expression tag	UNP W7F9C1
A	587	HIS	-	expression tag	UNP W7F9C1
A	588	HIS	-	expression tag	UNP W7F9C1
A	589	HIS	-	expression tag	UNP W7F9C1
A	590	HIS	-	expression tag	UNP W7F9C1
A	591	HIS	-	expression tag	UNP W7F9C1
B	76	MET	-	initiating methionine	UNP W7F9C1
B	584	GLY	-	expression tag	UNP W7F9C1
B	585	GLY	-	expression tag	UNP W7F9C1
B	586	HIS	-	expression tag	UNP W7F9C1
B	587	HIS	-	expression tag	UNP W7F9C1
B	588	HIS	-	expression tag	UNP W7F9C1
B	589	HIS	-	expression tag	UNP W7F9C1
B	590	HIS	-	expression tag	UNP W7F9C1
B	591	HIS	-	expression tag	UNP W7F9C1

- Molecule 2 is LYSINE (CCD ID: LYS) (formula: C₆H₁₅N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			9	6	2	1		
2	B	1	Total	C	N	O	0	0
			9	6	2	1		

- Molecule 3 is N4-[2-methoxy-4-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]phenyl]-N2-(2-prop an-2-ylsulfonylphenyl)-1,3,5-triazine-2,4-diamine (CCD ID: F6O) (formula: C₂₉H₄₀N₈O₃S) (labeled as "Ligand of Interest" by depositor).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	S	0	0
			41	29	8	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	65	Total	O	0	0
			65	65		
4	B	68	Total	O	0	0
			68	68		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lysine-tRNA ligase



• Molecule 1: Lysine-tRNA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	97.75Å 166.40Å 70.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.49 50.00 – 2.49	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-2.49) 99.9 (50.00-2.49)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 2.48Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.213 , 0.237 0.216 , 0.243	Depositor DCC
R_{free} test set	2006 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	55.1	Xtriage
Anisotropy	0.365	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7885	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: F6O

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.25	0/3937	0.39	0/5339
1	B	0.22	0/3907	0.43	2/5305 (0.0%)
All	All	0.23	0/7844	0.41	2/10644 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	218	LEU	N-CA-C	5.73	117.61	111.36
1	B	434	GLU	CA-CB-CG	5.43	124.96	114.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	417	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3841	0	3685	51	0
1	B	3811	0	3629	45	0
2	A	9	0	12	0	0
2	B	9	0	12	2	0
3	A	41	0	0	0	0
3	B	41	0	0	0	0
4	A	65	0	0	5	0
4	B	68	0	0	0	0
All	All	7885	0	7338	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:ARG:HG2	1:A:153:ASP:HB2	1.52	0.89
1:A:460:LYS:CB	4:A:760:HOH:O	2.26	0.82
1:A:432:ILE:HG23	1:A:437:ILE:HB	1.72	0.71
1:B:227:LEU:HD11	1:B:243:ILE:HD12	1.75	0.69
1:B:152:PHE:HB2	1:B:163:VAL:HB	1.75	0.68
1:A:459:ASN:HA	1:A:462:ASN:HD21	1.58	0.67
1:A:418:PRO:HG2	1:A:421:SER:HB3	1.77	0.67
1:B:430:ASN:O	1:B:434:GLU:HB3	1.97	0.64
1:A:461:TYR:C	1:A:462:ASN:HD22	2.07	0.63
1:A:121:ASP:N	4:A:702:HOH:O	2.24	0.63
1:A:382:LYS:HG3	1:A:497:CYS:SG	2.39	0.63
1:B:472:PRO:HD2	1:B:475:MET:HE2	1.83	0.61
1:A:150:ARG:NH2	1:A:178:ALA:HA	2.15	0.61
1:A:327:LYS:NZ	1:A:341:GLU:OE2	2.30	0.60
1:B:284:GLY:H	1:B:305:ILE:HD13	1.67	0.60
1:A:121:ASP:CA	4:A:702:HOH:O	2.50	0.60
1:B:144:ALA:O	1:B:147:GLN:NE2	2.35	0.60
1:A:353:ASP:HB3	1:B:105:LYS:HD3	1.82	0.59
1:B:143:SER:HB3	1:B:151:PHE:HB2	1.86	0.58
1:B:407:ILE:HG13	1:B:457:ILE:HD11	1.84	0.58
1:A:153:ASP:OD1	1:A:160:LYS:HD3	2.05	0.57
1:B:410:VAL:HG21	1:B:456:PHE:HB3	1.87	0.56
1:B:218:LEU:N	1:B:218:LEU:HD23	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:413:THR:HG21	1:A:431:ILE:HD11	1.90	0.52
1:A:353:ASP:HA	1:A:506:THR:HG22	1.91	0.52
1:A:502:LEU:HD11	1:A:553:LEU:HD11	1.92	0.52
1:B:147:GLN:HG2	1:B:149:LEU:H	1.75	0.51
1:B:441:ASN:HD22	1:B:447:LYS:HB3	1.75	0.51
2:B:601:LYS:N	2:B:601:LYS:CD	2.73	0.51
1:A:192:ILE:HG23	1:A:208:PRO:HB3	1.91	0.51
1:A:339:ASN:HB2	1:A:570:ILE:HD13	1.92	0.51
1:A:121:ASP:CB	4:A:702:HOH:O	2.59	0.50
1:A:353:ASP:OD2	1:A:483:ARG:NH2	2.45	0.49
1:B:441:ASN:ND2	1:B:447:LYS:HB3	2.27	0.49
1:A:282:ALA:HB3	1:A:302:TYR:HB2	1.94	0.49
1:A:491:ARG:HA	1:A:505:TYR:HB3	1.93	0.49
1:A:287:ALA:HB3	1:A:330:ARG:HD3	1.96	0.48
1:A:580:ARG:CZ	1:B:299:LEU:HD11	2.43	0.48
1:A:234:TYR:HB3	1:A:577:PRO:HG2	1.94	0.48
1:B:508:LEU:HD21	1:B:514:GLN:HB2	1.95	0.48
1:A:272:GLU:HB2	1:A:323:TYR:CZ	2.48	0.47
1:B:287:ALA:HB1	1:B:332:GLU:HG2	1.97	0.47
1:B:482:HIS:CE1	1:B:485:LYS:HG3	2.50	0.47
1:B:495:PHE:CZ	1:B:500:GLU:HG3	2.48	0.47
1:A:150:ARG:HH12	1:A:182:ASP:CG	2.23	0.47
1:A:429:ILE:O	1:A:433:LYS:HG2	2.15	0.47
1:B:281:ILE:HG21	1:B:536:ASP:N	2.31	0.46
1:A:278:MET:HE1	1:B:290:PHE:CE1	2.50	0.46
2:B:601:LYS:HA	2:B:601:LYS:HD2	1.76	0.46
1:A:288:ARG:HD3	1:A:332:GLU:OE1	2.16	0.46
1:B:231:GLU:O	1:B:235:ARG:HG3	2.16	0.46
1:B:334:ILE:HG12	1:B:340:PRO:HD3	1.97	0.45
1:B:118:LYS:HG2	1:B:119:TYR:CZ	2.51	0.45
1:B:436:LYS:C	1:B:438:GLU:H	2.23	0.45
1:A:198:LYS:HG2	1:A:204:LEU:HA	1.98	0.45
1:A:275:THR:HG23	1:A:276:PRO:HD2	1.99	0.45
1:A:468:ILE:HD12	1:A:495:PHE:CE1	2.52	0.45
1:B:223:MET:O	1:B:226:GLY:N	2.50	0.44
1:A:275:THR:HB	1:A:324:GLU:OE1	2.17	0.44
1:A:87:ARG:HA	1:A:90:PHE:HB3	2.00	0.44
1:B:115:PHE:CE1	1:B:196:PRO:HB3	2.52	0.44
1:A:235:ARG:HG2	1:A:579:MET:SD	2.58	0.44
1:A:109:THR:OG1	1:A:134:ASN:N	2.39	0.44
1:A:449:LEU:HD13	1:A:472:PRO:HG2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:390:ILE:HD11	1:B:497:CYS:SG	2.58	0.43
1:B:339:ASN:HB2	1:B:570:ILE:HD13	2.00	0.43
1:B:491:ARG:HA	1:B:505:TYR:HB3	2.00	0.43
1:B:192:ILE:HG23	1:B:208:PRO:HB3	1.99	0.43
1:A:305:ILE:O	1:A:330:ARG:NH2	2.52	0.43
1:B:451:GLN:O	1:B:451:GLN:HG3	2.18	0.43
1:B:277:MET:HE3	1:B:329:PHE:CE1	2.54	0.43
1:B:562:MET:HE2	1:B:562:MET:HB3	1.85	0.42
1:A:402:SER:HB3	1:A:405:GLU:HG2	2.01	0.42
1:A:357:LEU:HD13	1:A:504:ALA:HB1	2.01	0.42
1:B:182:ASP:O	1:B:185:ARG:NH1	2.50	0.42
1:B:230:THR:HG22	1:B:231:GLU:H	1.84	0.42
1:B:280:LEU:HG	1:B:301:LEU:HD22	2.01	0.42
1:B:297:LEU:O	1:B:299:LEU:HD13	2.19	0.42
1:B:442:PRO:HA	1:B:443:PRO:HD3	1.81	0.42
1:A:181:TYR:OH	4:A:701:HOH:O	2.21	0.42
1:A:414:ILE:O	1:A:427:LYS:NZ	2.34	0.41
1:A:164:LEU:O	1:A:208:PRO:HD2	2.19	0.41
1:A:408:GLU:HB2	1:A:413:THR:O	2.20	0.41
1:B:277:MET:HA	1:B:304:ARG:HD3	2.02	0.41
1:B:495:PHE:CE2	1:B:500:GLU:HG3	2.55	0.41
1:A:579:MET:HB3	1:A:579:MET:HE2	1.74	0.41
1:B:435:HIS:O	1:B:436:LYS:C	2.64	0.41
1:A:166:ASN:HB3	1:A:169:PHE:CD2	2.56	0.41
1:A:104:HIS:ND1	1:B:480:LYS:HD3	2.36	0.41
1:A:290:PHE:CD2	1:A:329:PHE:HB3	2.56	0.40
1:A:411:THR:OG1	1:A:413:THR:OG1	2.35	0.40
1:A:442:PRO:HA	1:A:443:PRO:HD3	1.95	0.40
1:B:470:GLU:HA	1:B:489:THR:O	2.21	0.40
1:B:270:PHE:HA	1:B:321:LYS:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	474/516 (92%)	468 (99%)	6 (1%)	0	100	100
1	B	479/516 (93%)	460 (96%)	17 (4%)	2 (0%)	30	49
All	All	953/1032 (92%)	928 (97%)	23 (2%)	2 (0%)	43	63

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	418	PRO
1	B	437	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	407/464 (88%)	405 (100%)	2 (0%)	81	92
1	B	396/464 (85%)	393 (99%)	3 (1%)	73	88
All	All	803/928 (86%)	798 (99%)	5 (1%)	76	91

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	437	ILE
1	A	439	LEU
1	B	220	MET
1	B	223	MET
1	B	248	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	124	ASN
1	A	371	HIS
1	A	435	HIS
1	A	462	ASN
1	A	473	GLN
1	B	147	GLN
1	B	355	ASN
1	B	367	GLN
1	B	387	ASN
1	B	473	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	F6O	A	602	-	45,45,45	1.89	4 (8%)	58,64,64	3.38	16 (27%)
3	F6O	B	602	-	45,45,45	1.86	4 (8%)	58,64,64	3.29	13 (22%)
2	LYS	A	601	-	7,8,9	0.53	0	3,8,10	0.54	0
2	LYS	B	601	-	7,8,9	0.60	0	3,8,10	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	F6O	A	602	-	-	14/30/50/50	0/5/5/5
3	F6O	B	602	-	-	14/30/50/50	0/5/5/5
2	LYS	A	601	-	-	3/6/7/9	-
2	LYS	B	601	-	-	4/6/7/9	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	F6O	C7-S4	-7.96	1.60	1.78
3	B	602	F6O	C7-S4	-7.91	1.60	1.78
3	A	602	F6O	C2-S4	-6.37	1.67	1.79
3	B	602	F6O	C2-S4	-6.27	1.67	1.79
3	A	602	F6O	C12-C7	5.44	1.49	1.40
3	B	602	F6O	C12-C7	5.30	1.49	1.40
3	A	602	F6O	C21-C26	4.16	1.49	1.40
3	B	602	F6O	C21-C26	4.05	1.48	1.40

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	F6O	C16-N17-C18	11.02	120.31	113.27
3	B	602	F6O	O6-S4-O5	-11.00	108.77	118.72
3	A	602	F6O	O6-S4-O5	-10.83	108.92	118.72
3	B	602	F6O	C16-N15-C14	10.79	120.17	113.27
3	A	602	F6O	C16-N15-C14	10.78	120.16	113.27
3	B	602	F6O	C16-N17-C18	10.60	120.04	113.27
3	A	602	F6O	N17-C18-N19	-8.27	118.42	126.42
3	A	602	F6O	N15-C14-N19	-8.08	118.61	126.42
3	B	602	F6O	N15-C14-N19	-7.85	118.83	126.42
3	B	602	F6O	N17-C18-N19	-7.79	118.89	126.42
3	B	602	F6O	N17-C16-N15	-5.08	120.89	128.58
3	A	602	F6O	N17-C16-N15	-5.07	120.91	128.58
3	A	602	F6O	C31-C30-N29	-4.89	99.84	110.92
3	A	602	F6O	C18-N19-C14	4.30	121.56	113.85
3	B	602	F6O	O27-C26-C21	4.08	119.90	114.81
3	B	602	F6O	C18-N19-C14	4.07	121.14	113.85
3	A	602	F6O	C33-C34-N29	-4.00	101.84	110.92
3	A	602	F6O	O27-C26-C21	4.00	119.79	114.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	F6O	C34-N29-C30	3.90	120.34	111.57
3	B	602	F6O	C33-C34-N29	-3.34	103.36	110.92
3	B	602	F6O	C7-C12-N13	-3.24	118.51	121.50
3	B	602	F6O	C7-S4-C2	2.95	112.22	105.70
3	A	602	F6O	C7-S4-C2	2.94	112.20	105.70
3	A	602	F6O	C7-C12-N13	-2.59	119.11	121.50
3	A	602	F6O	C31-C32-N35	-2.27	106.84	112.66
3	B	602	F6O	C31-C30-N29	-2.18	105.97	110.92
3	A	602	F6O	C23-C24-N29	-2.16	118.39	121.39
3	A	602	F6O	C34-C33-C32	2.14	114.70	110.78
3	A	602	F6O	C34-N29-C30	2.12	116.34	111.57

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	F6O	C1-C2-S4-C7
3	A	602	F6O	C1-C2-S4-O5
3	A	602	F6O	C1-C2-S4-O6
3	A	602	F6O	C3-C2-S4-C7
3	A	602	F6O	C3-C2-S4-O5
3	A	602	F6O	C3-C2-S4-O6
3	A	602	F6O	C31-C32-N35-C40
3	B	602	F6O	C1-C2-S4-C7
3	B	602	F6O	C1-C2-S4-O5
3	B	602	F6O	C1-C2-S4-O6
3	B	602	F6O	C3-C2-S4-C7
3	B	602	F6O	C3-C2-S4-O5
3	B	602	F6O	C3-C2-S4-O6
3	B	602	F6O	C31-C32-N35-C36
3	B	602	F6O	C33-C32-N35-C40
3	B	602	F6O	N19-C18-N20-C21
2	B	601	LYS	CA-CB-CG-CD
3	A	602	F6O	C31-C32-N35-C36
3	A	602	F6O	C33-C32-N35-C40
3	B	602	F6O	C31-C32-N35-C40
3	B	602	F6O	C33-C32-N35-C36
3	B	602	F6O	N17-C18-N20-C21
3	B	602	F6O	N19-C14-N13-C12
2	B	601	LYS	CE-CD-CG-CB
3	A	602	F6O	C33-C32-N35-C36
3	B	602	F6O	N15-C14-N13-C12

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	601	LYS	CA-CB-CG-CD
3	A	602	F6O	N19-C14-N13-C12
2	A	601	LYS	CG-CD-CE-NZ
3	A	602	F6O	N19-C18-N20-C21
2	B	601	LYS	CG-CD-CE-NZ
3	A	602	F6O	N15-C14-N13-C12
2	A	601	LYS	CE-CD-CG-CB
3	A	602	F6O	N17-C18-N20-C21
2	B	601	LYS	N-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	LYS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	482/516 (93%)	0.50	26 (5%) 31 27	38, 65, 105, 142	0
1	B	485/516 (93%)	0.56	31 (6%) 25 22	36, 64, 117, 153	0
All	All	967/1032 (93%)	0.53	57 (5%) 28 24	36, 65, 114, 153	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	354	TYR	6.5
1	A	282	ALA	6.3
1	B	442	PRO	4.9
1	B	227	LEU	4.7
1	B	286	ASN	4.7
1	A	286	ASN	4.5
1	A	144	ALA	4.0
1	B	79	ASP	3.9
1	A	417	GLN	3.8
1	B	78	VAL	3.8
1	B	354	TYR	3.7
1	A	230	THR	3.6
1	A	416	GLU	3.5
1	A	79	ASP	3.4
1	A	78	VAL	3.4
1	A	518	PHE	3.3
1	B	481	TYR	3.3
1	B	439	LEU	3.3
1	A	461	TYR	3.2
1	B	417	GLN	3.2
1	B	435	HIS	3.2
1	B	284	GLY	3.1
1	B	230	THR	3.1
1	A	147	GLN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	461	TYR	3.0
1	A	581	PRO	3.0
1	A	462	ASN	3.0
1	B	580	ARG	2.9
1	A	227	LEU	2.9
1	A	418	PRO	2.9
1	B	416	GLU	2.8
1	A	579	MET	2.8
1	A	153	ASP	2.7
1	A	415	LEU	2.6
1	B	440	PRO	2.6
1	B	581	PRO	2.6
1	B	437	ILE	2.6
1	B	282	ALA	2.6
1	B	144	ALA	2.5
1	A	135	ILE	2.5
1	B	512	PHE	2.5
1	A	228	LYS	2.4
1	B	280	LEU	2.4
1	B	518	PHE	2.4
1	B	424	THR	2.4
1	B	281	ILE	2.3
1	A	423	GLU	2.3
1	B	422	ASN	2.2
1	A	131	THR	2.2
1	A	536	ASP	2.2
1	A	121	ASP	2.2
1	B	415	LEU	2.1
1	A	229	ASP	2.1
1	B	419	PHE	2.0
1	B	285	ALA	2.0
1	B	228	LYS	2.0
1	B	536	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LYS	A	601	9/10	0.88	0.21	77,83,92,93	0
2	LYS	B	601	9/10	0.91	0.18	81,84,88,91	0
3	F6O	A	602	41/41	0.94	0.11	48,53,81,83	0
3	F6O	B	602	41/41	0.95	0.10	42,51,86,88	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around F6O A 602:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around F6O B 602:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.