



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 28, 2026 – 08:46 PM UTC

PDB ID : 8BTS / pdb_00008bts
Title : Nitrogenase MoFe protein from *A. vinelandii* alpha double mutant C45A/L158C
Authors : Wagner, T.; Maslac, N.
Deposited on : 2022-11-29
Resolution : 3.03 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3685 (3.08-3.00)
Clashscore	190562	4007 (3.08-3.00)
Ramachandran outliers	187476	3834 (3.08-3.00)
Sidechain outliers	187428	3836 (3.08-3.00)
RSRZ outliers	180081	3684 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	
1	C	500	
1	H	500	
1	J	500	
2	B	523	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	523	 94%6%
2	I	523	 %93%7%
2	L	523	 93%7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	SO4	D	704	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 32158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase protein alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	477	Total	C	N	O	S	0	0	0
			3787	2407	647	708	25			
1	C	477	Total	C	N	O	S	0	0	0
			3787	2407	647	708	25			
1	H	477	Total	C	N	O	S	0	0	0
			3787	2407	647	708	25			
1	J	477	Total	C	N	O	S	0	0	0
			3787	2407	647	708	25			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP C1DGZ7
A	-6	THR	-	expression tag	UNP C1DGZ7
A	-5	HIS	-	expression tag	UNP C1DGZ7
A	-4	HIS	-	expression tag	UNP C1DGZ7
A	-3	HIS	-	expression tag	UNP C1DGZ7
A	-2	HIS	-	expression tag	UNP C1DGZ7
A	-1	HIS	-	expression tag	UNP C1DGZ7
A	0	HIS	-	expression tag	UNP C1DGZ7
A	1	HIS	-	expression tag	UNP C1DGZ7
A	2	HIS	-	expression tag	UNP C1DGZ7
A	45	ALA	CYS	engineered mutation	UNP C1DGZ7
A	158	CYS	LEU	engineered mutation	UNP C1DGZ7
C	-7	MET	-	initiating methionine	UNP C1DGZ7
C	-6	THR	-	expression tag	UNP C1DGZ7
C	-5	HIS	-	expression tag	UNP C1DGZ7
C	-4	HIS	-	expression tag	UNP C1DGZ7
C	-3	HIS	-	expression tag	UNP C1DGZ7
C	-2	HIS	-	expression tag	UNP C1DGZ7
C	-1	HIS	-	expression tag	UNP C1DGZ7
C	0	HIS	-	expression tag	UNP C1DGZ7
C	1	HIS	-	expression tag	UNP C1DGZ7

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	2	HIS	-	expression tag	UNP C1DGZ7
C	45	ALA	CYS	engineered mutation	UNP C1DGZ7
C	158	CYS	LEU	engineered mutation	UNP C1DGZ7
H	-7	MET	-	initiating methionine	UNP C1DGZ7
H	-6	THR	-	expression tag	UNP C1DGZ7
H	-5	HIS	-	expression tag	UNP C1DGZ7
H	-4	HIS	-	expression tag	UNP C1DGZ7
H	-3	HIS	-	expression tag	UNP C1DGZ7
H	-2	HIS	-	expression tag	UNP C1DGZ7
H	-1	HIS	-	expression tag	UNP C1DGZ7
H	0	HIS	-	expression tag	UNP C1DGZ7
H	1	HIS	-	expression tag	UNP C1DGZ7
H	2	HIS	-	expression tag	UNP C1DGZ7
H	45	ALA	CYS	engineered mutation	UNP C1DGZ7
H	158	CYS	LEU	engineered mutation	UNP C1DGZ7
J	-7	MET	-	initiating methionine	UNP C1DGZ7
J	-6	THR	-	expression tag	UNP C1DGZ7
J	-5	HIS	-	expression tag	UNP C1DGZ7
J	-4	HIS	-	expression tag	UNP C1DGZ7
J	-3	HIS	-	expression tag	UNP C1DGZ7
J	-2	HIS	-	expression tag	UNP C1DGZ7
J	-1	HIS	-	expression tag	UNP C1DGZ7
J	0	HIS	-	expression tag	UNP C1DGZ7
J	1	HIS	-	expression tag	UNP C1DGZ7
J	2	HIS	-	expression tag	UNP C1DGZ7
J	45	ALA	CYS	engineered mutation	UNP C1DGZ7
J	158	CYS	LEU	engineered mutation	UNP C1DGZ7

- Molecule 2 is a protein called Nitrogenase molybdenum-iron protein beta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	522	Total	C	N	O	S	0	0	0
			4174	2666	705	775	28			
2	D	522	Total	C	N	O	S	0	0	0
			4174	2666	705	775	28			
2	I	522	Total	C	N	O	S	0	0	0
			4174	2666	705	775	28			
2	L	522	Total	C	N	O	S	0	0	0
			4174	2666	705	775	28			

- Molecule 3 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (CCD ID: HCA) (formula: C₇H₁₀O₇) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			14	7	7		
3	C	1	Total	C	O	0	0
			14	7	7		
3	H	1	Total	C	O	0	0
			14	7	7		
3	J	1	Total	C	O	0	0
			14	7	7		

- Molecule 4 is iron-sulfur-molybdenum cluster with interstitial carbon (CCD ID: ICS) (formula: CFe₇MoS₉) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	Fe	Mo	S	
			18	1	7	1	9	
4	C	1	Total	C	Fe	Mo	S	
			18	1	7	1	9	
4	H	1	Total	C	Fe	Mo	S	
			18	1	7	1	9	
4	J	1	Total	C	Fe	Mo	S	
			18	1	7	1	9	

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O		
			6	3	3	0	0
5	A	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O		
			6	3	3	0	0
5	B	1	Total	C	O		
			6	3	3	0	0
5	C	1	Total	C	O		
			6	3	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	J	1	Total	C	O	0	0
			6	3	3		
5	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	H	1	Total	O	S	0	0
			5	4	1		
6	I	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	J	1	Total	O	S	0	0
			5	4	1		
6	L	1	Total	O	S	0	0
			5	4	1		
6	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is FE(8)-S(7) CLUSTER, OXIDIZED (CCD ID: 1CL) (formula: Fe_8S_7) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			15	8	7		
7	D	1	Total	Fe	S	0	0
			15	8	7		
7	I	1	Total	Fe	S	0	0
			15	8	7		
7	L	1	Total	Fe	S	0	0
			15	8	7		

- Molecule 8 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Fe	0	0
			1	1		
8	D	1	Total	Fe	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	I	1	Total 1	Fe 1	0	0
8	L	1	Total 1	Fe 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase protein alpha chain




- Molecule 1: Nitrogenase protein alpha chain



- Molecule 1: Nitrogenase protein alpha chain




- Molecule 1: Nitrogenase protein alpha chain





- Molecule 2: Nitrogenase molybdenum-iron protein beta chain

Chain B: 94% 6%



- Molecule 2: Nitrogenase molybdenum-iron protein beta chain

Chain D: 94% 6%



- Molecule 2: Nitrogenase molybdenum-iron protein beta chain

Chain I: 93% 7%



- Molecule 2: Nitrogenase molybdenum-iron protein beta chain

Chain L: 93% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	148.39Å 73.44Å 211.25Å 90.00° 104.76° 90.00°	Depositor
Resolution (Å)	95.50 – 3.03 95.50 – 3.03	Depositor EDS
% Data completeness (in resolution range)	46.2 (95.50-3.03) 46.2 (95.50-3.03)	Depositor EDS
R_{merge}	0.30	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.20.1-4487, BUSTER 2.10.4	Depositor
R, R_{free}	0.204 , 0.223 0.204 , 0.221	Depositor DCC
R_{free} test set	1947 reflections (2.25%)	wwPDB-VP
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.315	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 26.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	32158	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HCA, GOL, ICS, 1CL, FE, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.18	0/3875	0.38	0/5225
1	C	0.15	0/3875	0.36	0/5225
1	H	0.15	0/3875	0.35	0/5225
1	J	0.19	0/3875	0.39	0/5225
2	B	0.18	0/4280	0.36	0/5786
2	D	0.16	0/4280	0.35	0/5786
2	I	0.14	0/4280	0.33	0/5786
2	L	0.15	0/4280	0.34	0/5786
All	All	0.16	0/32620	0.35	0/44044

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3787	0	3725	15	0
1	C	3787	0	3725	19	0
1	H	3787	0	3725	12	0
1	J	3787	0	3725	25	0
2	B	4174	0	4087	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	4174	0	4089	24	0
2	I	4174	0	4087	20	0
2	L	4174	0	4088	20	0
3	A	14	0	6	2	0
3	C	14	0	7	1	0
3	H	14	0	7	1	0
3	J	14	0	6	2	0
4	A	18	0	0	1	0
4	C	18	0	0	0	0
4	H	18	0	0	0	0
4	J	18	0	0	1	0
5	A	12	0	16	0	0
5	B	30	0	40	0	0
5	C	6	0	8	2	0
5	D	12	0	16	1	0
5	J	6	0	8	0	0
5	L	6	0	8	0	0
6	A	5	0	0	0	0
6	B	10	0	0	0	0
6	C	5	0	0	0	0
6	D	5	0	0	2	0
6	H	5	0	0	0	0
6	I	5	0	0	0	0
6	J	5	0	0	0	0
6	L	10	0	0	0	0
7	B	15	0	0	0	0
7	D	15	0	0	2	0
7	I	15	0	0	0	0
7	L	15	0	0	1	0
8	B	1	0	0	0	0
8	D	1	0	0	0	0
8	I	1	0	0	0	0
8	L	1	0	0	0	0
All	All	32158	0	31373	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 147 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:213:MET:HE1	2:I:285:PRO:HB3	1.88	0.55
1:A:433:LYS:NZ	2:B:263:THR:O	2.35	0.53
2:D:188:SER:OG	7:D:701:1CL:S2B	2.62	0.53
1:J:85:PRO:HB2	7:L:701:1CL:S2B	2.48	0.53
1:A:442:HIS:CG	3:A:601:HCA:H52	2.44	0.53

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	475/500 (95%)	452 (95%)	22 (5%)	1 (0%)	43	73
1	C	475/500 (95%)	453 (95%)	21 (4%)	1 (0%)	43	73
1	H	475/500 (95%)	455 (96%)	19 (4%)	1 (0%)	43	73
1	J	475/500 (95%)	455 (96%)	19 (4%)	1 (0%)	43	73
2	B	520/523 (99%)	507 (98%)	12 (2%)	1 (0%)	43	73
2	D	520/523 (99%)	507 (98%)	13 (2%)	0	100	100
2	I	520/523 (99%)	507 (98%)	13 (2%)	0	100	100
2	L	520/523 (99%)	508 (98%)	11 (2%)	1 (0%)	43	73
All	All	3980/4092 (97%)	3844 (97%)	130 (3%)	6 (0%)	43	73

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	255	SER
2	B	255	SER
1	C	355	ILE
1	H	355	ILE
1	J	355	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/422 (96%)	405 (100%)	1 (0%)	87	90
1	C	406/422 (96%)	406 (100%)	0	100	100
1	H	406/422 (96%)	406 (100%)	0	100	100
1	J	406/422 (96%)	405 (100%)	1 (0%)	87	90
2	B	454/455 (100%)	454 (100%)	0	100	100
2	D	454/455 (100%)	454 (100%)	0	100	100
2	I	454/455 (100%)	454 (100%)	0	100	100
2	L	454/455 (100%)	454 (100%)	0	100	100
All	All	3440/3508 (98%)	3438 (100%)	2 (0%)	88	91

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	476	GLN
1	J	214	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 21 such sidechains are listed below:

Mol	Chain	Res	Type
2	I	294	GLN
2	L	18	GLN
2	L	513	GLN
2	L	163	ASN
1	J	29	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 4 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	1CL	I	701	1,2	0,22,22	-	-	-		
4	ICS	J	602	1	6,30,30	1.64	1 (16%)	-		
7	1CL	B	701	1,2	0,22,22	-	-	-		
4	ICS	C	602	1	6,30,30	1.49	1 (16%)	-		
5	GOL	B	706	-	5,5,5	0.09	0	5,5,5	0.31	0
5	GOL	B	703	-	5,5,5	0.09	0	5,5,5	0.31	0
6	SO4	B	708	-	4,4,4	0.35	0	6,6,6	0.07	0
5	GOL	C	603	-	5,5,5	0.88	0	5,5,5	0.98	0
5	GOL	B	702	-	5,5,5	0.95	0	5,5,5	0.96	0
6	SO4	A	605	-	4,4,4	0.24	0	6,6,6	0.13	0
6	SO4	C	604	-	4,4,4	0.24	0	6,6,6	0.15	0
6	SO4	B	707	-	4,4,4	0.24	0	6,6,6	0.08	0
7	1CL	L	701	1,2	0,22,22	-	-	-		
4	ICS	A	602	1	6,30,30	1.66	1 (16%)	-		
3	HCA	C	601	-	13,13,13	1.23	1 (7%)	15,18,18	1.39	3 (20%)
6	SO4	L	704	-	4,4,4	0.24	0	6,6,6	0.13	0
5	GOL	A	604	-	5,5,5	0.89	0	5,5,5	0.96	0
5	GOL	D	703	-	5,5,5	0.09	0	5,5,5	0.32	0
3	HCA	J	601	-	13,13,13	1.01	0	15,18,18	1.69	3 (20%)
4	ICS	H	602	1	6,30,30	1.49	1 (16%)	-		
5	GOL	A	603	-	5,5,5	0.94	0	5,5,5	1.08	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	L	702	-	5,5,5	0.99	0	5,5,5	0.97	0
6	SO4	L	703	-	4,4,4	0.25	0	6,6,6	0.14	0
6	SO4	D	704	-	4,4,4	0.35	0	6,6,6	0.07	0
5	GOL	B	705	-	5,5,5	0.09	0	5,5,5	0.31	0
3	HCA	A	601	-	13,13,13	0.99	0	15,18,18	1.68	3 (20%)
3	HCA	H	601	-	13,13,13	1.03	0	15,18,18	1.44	1 (6%)
6	SO4	H	603	-	4,4,4	0.24	0	6,6,6	0.10	0
5	GOL	J	603	-	5,5,5	1.14	0	5,5,5	0.86	0
7	1CL	D	701	1,2	0,22,22	-	-	-	-	-
6	SO4	J	604	-	4,4,4	0.25	0	6,6,6	0.09	0
5	GOL	B	704	-	5,5,5	0.07	0	5,5,5	0.32	0
6	SO4	I	702	-	4,4,4	0.24	0	6,6,6	0.12	0
5	GOL	D	702	-	5,5,5	0.07	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	1CL	I	701	1,2	-	-	0/10/8/8
7	1CL	B	701	1,2	-	-	0/10/8/8
5	GOL	B	706	-	-	2/4/4/4	-
5	GOL	B	703	-	-	0/4/4/4	-
5	GOL	C	603	-	-	0/4/4/4	-
5	GOL	B	702	-	-	2/4/4/4	-
7	1CL	L	701	1,2	-	-	0/10/8/8
3	HCA	C	601	-	-	6/17/17/17	-
5	GOL	A	604	-	-	2/4/4/4	-
5	GOL	D	703	-	-	0/4/4/4	-
3	HCA	J	601	-	-	10/17/17/17	-
5	GOL	A	603	-	-	1/4/4/4	-
5	GOL	L	702	-	-	4/4/4/4	-
5	GOL	B	705	-	-	0/4/4/4	-
3	HCA	A	601	-	-	8/17/17/17	-
3	HCA	H	601	-	-	6/17/17/17	-
5	GOL	J	603	-	-	2/4/4/4	-
7	1CL	D	701	1,2	-	-	0/10/8/8
5	GOL	B	704	-	-	4/4/4/4	-
5	GOL	D	702	-	-	2/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	602	ICS	S2B-FE6	-3.04	2.17	2.24
4	C	602	ICS	S2B-FE6	-2.71	2.18	2.24
4	J	602	ICS	S2B-FE6	-2.71	2.18	2.24
4	H	602	ICS	S2B-FE6	-2.70	2.18	2.24
3	C	601	HCA	C3-C7	2.16	1.55	1.53

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	601	HCA	O6-C7-C3	4.18	121.16	113.14
3	A	601	HCA	O6-C7-C3	4.14	121.07	113.14
3	H	601	HCA	O6-C7-C3	3.50	119.86	113.14
3	C	601	HCA	O7-C3-C4	-2.81	104.39	108.88
3	A	601	HCA	O4-C6-C5	2.43	121.69	114.00

There are no chirality outliers.

5 of 49 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	601	HCA	C1-C2-C3-C4
3	C	601	HCA	C1-C2-C3-C7
3	H	601	HCA	C2-C3-C4-C5
3	H	601	HCA	O7-C3-C4-C5
5	A	604	GOL	O1-C1-C2-C3

There are no ring outliers.


11 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	J	602	ICS	1	0
5	C	603	GOL	2	0
7	L	701	1CL	1	0
4	A	602	ICS	1	0
3	C	601	HCA	1	0
3	J	601	HCA	2	0
6	D	704	SO4	2	0
3	A	601	HCA	2	0
3	H	601	HCA	1	0
7	D	701	1CL	2	0
5	D	702	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand ICS J 602





Ligand 1CL B 701














Ligand ICS H 602




Bond lengths




Bond angles





Torsions



Rings







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	477/500 (95%)	-0.24	0 100 100	10, 20, 35, 55	0
1	C	477/500 (95%)	0.33	9 (1%) 66 42	27, 48, 74, 88	0
1	H	477/500 (95%)	0.38	9 (1%) 66 42	28, 51, 90, 103	0
1	J	477/500 (95%)	-0.25	0 100 100	9, 24, 41, 56	0
2	B	522/523 (99%)	-0.33	1 (0%) 91 83	9, 20, 34, 40	0
2	D	522/523 (99%)	0.04	2 (0%) 88 76	12, 38, 68, 78	0
2	I	522/523 (99%)	0.26	3 (0%) 85 69	14, 45, 78, 87	0
2	L	522/523 (99%)	-0.28	0 100 100	10, 22, 40, 49	0
All	All	3996/4092 (97%)	-0.02	24 (0%) 85 69	9, 31, 69, 103	0

The worst 5 of 24 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	38	ALA	3.6
2	D	424	GLY	3.6
1	H	36	ASP	2.9
1	C	37	PRO	2.9
1	H	69	GLY	2.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	I	702	5/5	0.55	0.15	79,79,79,79	0
6	SO4	L	704	5/5	0.55	0.20	89,89,89,89	0
5	GOL	A	603	6/6	0.68	0.18	28,28,28,28	0
5	GOL	L	702	6/6	0.68	0.18	24,24,24,24	0
5	GOL	C	603	6/6	0.69	0.17	55,55,55,55	0
5	GOL	B	705	6/6	0.70	0.13	20,20,20,20	0
6	SO4	B	707	5/5	0.74	0.20	72,72,72,72	0
5	GOL	B	706	6/6	0.79	0.14	20,20,20,20	0
6	SO4	C	604	5/5	0.79	0.12	66,66,66,66	0
6	SO4	H	603	5/5	0.82	0.10	60,60,60,60	0
3	HCA	H	601	14/14	0.83	0.12	51,51,51,51	0
6	SO4	L	703	5/5	0.87	0.11	58,58,58,58	0
5	GOL	J	603	6/6	0.88	0.10	26,26,26,26	0
5	GOL	D	702	6/6	0.88	0.14	20,20,20,20	0
5	GOL	B	702	6/6	0.89	0.09	25,25,25,25	0
3	HCA	C	601	14/14	0.89	0.18	36,36,36,36	0
6	SO4	B	708	5/5	0.89	0.18	30,30,30,30	0
5	GOL	A	604	6/6	0.89	0.11	13,13,13,13	0
8	FE	L	705	1/1	0.89	0.12	77,77,77,77	0
8	FE	D	705	1/1	0.90	0.10	59,59,59,59	0
5	GOL	B	704	6/6	0.91	0.10	24,24,24,24	0
6	SO4	D	704	5/5	0.91	0.25	30,30,30,30	0
3	HCA	J	601	14/14	0.92	0.14	16,16,16,16	0
5	GOL	B	703	6/6	0.93	0.13	31,31,31,31	0
6	SO4	A	605	5/5	0.93	0.07	41,41,41,41	0
5	GOL	D	703	6/6	0.94	0.09	20,20,20,20	0
8	FE	B	709	1/1	0.94	0.05	54,54,54,54	0
7	1CL	I	701	15/15	0.95	0.07	73,74,74,74	0
8	FE	I	703	1/1	0.95	0.12	53,53,53,53	0
6	SO4	J	604	5/5	0.95	0.06	65,65,65,65	0
3	HCA	A	601	14/14	0.96	0.10	10,10,11,11	0
7	1CL	D	701	15/15	0.97	0.06	61,61,62,62	0
4	ICS	H	602	18/18	0.97	0.05	61,62,62,62	0
4	ICS	C	602	18/18	0.98	0.05	56,56,56,56	0
7	1CL	B	701	15/15	0.99	0.05	17,18,18,18	0
4	ICS	A	602	18/18	0.99	0.05	12,12,12,12	0
4	ICS	J	602	18/18	0.99	0.06	15,15,15,15	0

Continued on next page...

Continued from previous page...



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	1CL	L	701	15/15	0.99	0.04	16,16,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HCA C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HCA J 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1CL I 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HCA A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1CL D 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS H 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1CL B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ICS J 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 1CL L 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.