



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:16 AM UTC

PDB ID : 3BUK / pdb_00003buk
Title : Crystal Structure of the Neurotrophin-3 and p75NTR Symmetrical Complex
Authors : Jiang, T.; Gong, Y.; Cao, P.; Yu, H.J.
Deposited on : 2008-01-02
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	119	 64% 24% 6% 7%
1	B	119	 61% 26% 5% • 7%
2	C	167	 62% 25% 7% • 5%
2	D	167	 65% 23% 7% • 5%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4251 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neurotrophin-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	111	Total	C	N	O	S	0	0	0
			881	542	165	168	6			
1	B	111	Total	C	N	O	S	0	0	0
			881	542	165	168	6			

- Molecule 2 is a protein called Tumor necrosis factor receptor superfamily member 16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	159	Total	C	N	O	S	0	0	0
			1159	689	188	257	25			
2	D	159	Total	C	N	O	S	0	0	0
			1159	689	188	257	25			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	42	SER	ASN	engineered mutation	UNP P07174
C	162	HIS	-	expression tag	UNP P07174
C	163	HIS	-	expression tag	UNP P07174
C	164	HIS	-	expression tag	UNP P07174
C	165	HIS	-	expression tag	UNP P07174
C	166	HIS	-	expression tag	UNP P07174
C	167	HIS	-	expression tag	UNP P07174
D	42	SER	ASN	engineered mutation	UNP P07174
D	162	HIS	-	expression tag	UNP P07174
D	163	HIS	-	expression tag	UNP P07174
D	164	HIS	-	expression tag	UNP P07174
D	165	HIS	-	expression tag	UNP P07174
D	166	HIS	-	expression tag	UNP P07174
D	167	HIS	-	expression tag	UNP P07174

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:

C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	35	Total	O	0	0
			35	35		
4	B	38	Total	O	0	0
			38	38		
4	C	38	Total	O	0	0
			38	38		
4	D	32	Total	O	0	0
			32	32		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neurotrophin-3




- Molecule 1: Neurotrophin-3



- Molecule 2: Tumor necrosis factor receptor superfamily member 16



- Molecule 2: Tumor necrosis factor receptor superfamily member 16



H93	C94	E95	F108	D112	K113	E129	D134	E143	D144	T145	E146	R147	Q148	L149	R150	E151	C160	E161	HIS	HIS	HIS	HIS	HIS	HIS
-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	125.80Å 125.80Å 133.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.60 50.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.2 (50.00-2.60) 96.2 (50.00-2.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.224 , 0.288 0.223 , 0.284	Depositor DCC
R_{free} test set	1194 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	44.5	Xtriage
Anisotropy	0.119	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 25.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.479 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4251	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.85	0/898	1.09	4/1213 (0.3%)
1	B	0.86	0/898	1.10	5/1213 (0.4%)
2	C	0.87	0/1179	1.17	7/1609 (0.4%)
2	D	0.88	0/1179	1.22	10/1609 (0.6%)
All	All	0.87	0/4154	1.15	26/5644 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
2	C	0	1
2	D	0	1
All	All	0	4

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	93	HIS	N-CA-C	9.47	116.55	108.78
2	D	42	SER	CA-C-N	-7.98	114.92	122.66
2	D	42	SER	C-N-CA	-7.98	114.92	122.66
1	B	95	LYS	N-CA-C	7.06	123.00	113.97
2	C	31	ALA	N-CA-C	-6.56	103.96	112.68
1	A	95	LYS	N-CA-C	6.43	122.61	114.31
2	D	112	ASP	CA-CB-CG	6.23	118.83	112.60
2	C	160	CYS	N-CA-C	6.06	118.39	109.24
1	B	65	ASN	N-CA-C	6.00	117.91	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	113	LYS	N-CA-C	-5.98	106.23	112.93
2	D	93	HIS	CA-C-O	5.91	121.36	117.94
2	C	10	THR	N-CA-C	5.85	123.25	110.80
2	D	160	CYS	N-CA-C	5.82	118.69	109.50
1	A	65	ASN	N-CA-C	5.80	120.35	113.28
2	C	53	GLU	CA-C-N	-5.41	114.68	120.03
2	C	53	GLU	C-N-CA	-5.41	114.68	120.03
2	C	142	CYS	N-CA-C	5.25	116.96	108.41
1	B	40	GLU	N-CA-C	5.21	116.20	108.86
1	B	45	ASN	N-CA-C	5.20	121.87	110.80
2	D	134	ASP	CA-C-N	-5.17	115.44	120.98
2	D	134	ASP	C-N-CA	-5.17	115.44	120.98
1	B	46	SER	N-CA-C	-5.16	101.59	109.64
2	D	113	LYS	N-CA-C	-5.09	106.47	113.30
1	A	95	LYS	CA-C-N	-5.09	116.21	123.03
1	A	95	LYS	C-N-CA	-5.09	116.21	123.03
2	D	10	THR	N-CA-C	5.05	121.56	110.80

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	44	GLY	Peptide
1	B	45	ASN	Peptide
2	C	9	TYR	Peptide
2	D	9	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	881	0	849	21	0
1	B	881	0	849	24	0
2	C	1159	0	1005	46	0
2	D	1159	0	1005	41	0
3	C	14	0	13	0	0
3	D	14	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	35	0	0	4	0
4	B	38	0	0	3	0
4	C	38	0	0	2	0
4	D	32	0	0	1	0
All	All	4251	0	3734	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:44:THR:HG23	2:C:55:CYS:HB3	1.39	0.99
1:B:7:HIS:CE1	2:C:108:PHE:HA	1.98	0.98
1:B:43:THR:HG23	1:B:44:GLY:H	1.31	0.91
1:B:7:HIS:HE1	2:C:108:PHE:HA	1.35	0.89
2:D:21:LEU:HD22	2:D:21:LEU:H	1.37	0.87
2:C:40:LEU:HB3	2:C:43:VAL:HG22	1.55	0.87
1:A:50:GLN:HE22	1:A:89:LEU:H	1.24	0.85
1:B:50:GLN:HE22	1:B:89:LEU:H	1.23	0.84
1:B:43:THR:HG23	1:B:44:GLY:N	1.90	0.84
2:C:39:CYS:HB3	2:C:44:THR:HG22	1.61	0.82
2:C:80:ARG:HG3	2:C:80:ARG:HH11	1.43	0.82
1:B:67:CYS:HB2	1:B:70:ILE:HD13	1.61	0.80
2:D:44:THR:HG23	2:D:55:CYS:HB3	1.63	0.80
2:C:149:LEU:HG	2:C:150:ARG:N	1.97	0.79
2:C:44:THR:CG2	2:C:55:CYS:HB3	2.14	0.78
2:C:80:ARG:HH11	2:C:80:ARG:CG	1.98	0.77
2:D:149:LEU:HG	2:D:150:ARG:H	1.51	0.75
2:D:64:LEU:HD12	2:D:93:HIS:HD2	1.54	0.72
2:C:33:GLN:HG2	2:C:34:THR:H	1.56	0.70
1:B:43:THR:CG2	1:B:44:GLY:N	2.56	0.69
2:C:20:ASN:HB3	4:C:193:HOH:O	1.92	0.68
2:D:72:VAL:HG22	2:D:73:GLU:H	1.60	0.66
2:D:40:LEU:H	2:D:44:THR:HG22	1.59	0.66
2:C:149:LEU:HG	2:C:150:ARG:H	1.58	0.65
2:C:89:GLU:OE1	2:C:113:LYS:HD3	1.96	0.65
2:D:21:LEU:H	2:D:21:LEU:CD2	2.09	0.65
2:C:89:GLU:C	2:C:91:THR:H	2.05	0.64
2:D:64:LEU:HD12	2:D:93:HIS:CD2	2.33	0.64
2:D:39:CYS:HB3	2:D:44:THR:HG22	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:TYR:CE1	1:B:103:ARG:HG2	2.34	0.63
2:D:149:LEU:HG	2:D:150:ARG:N	2.13	0.62
2:D:8:LEU:O	2:D:10:THR:HG23	1.99	0.62
1:A:43:THR:CG2	1:A:44:GLY:N	2.62	0.61
2:C:9:TYR:CD2	2:C:15:CYS:HB2	2.35	0.61
2:C:27:GLN:HB2	2:C:35:VAL:HG23	1.84	0.60
1:B:7:HIS:CE1	2:C:109:SER:H	2.20	0.59
1:B:44:GLY:O	1:B:45:ASN:HB2	2.02	0.59
2:D:39:CYS:HB3	2:D:44:THR:CG2	2.32	0.59
2:D:148:GLN:HB3	2:D:160:CYS:SG	2.43	0.59
2:D:29:CYS:N	2:D:34:THR:HG22	2.18	0.58
1:A:62:PRO:HD2	1:A:66:GLY:O	2.03	0.58
2:D:72:VAL:HG22	2:D:73:GLU:N	2.16	0.58
2:C:39:CYS:CB	2:C:44:THR:HG22	2.33	0.58
2:D:11:HIS:CE1	4:D:169:HOH:O	2.56	0.57
2:D:19:CYS:SG	2:D:25:VAL:HG12	2.46	0.56
2:D:59:THR:HG1	2:D:76:ASP:CG	2.14	0.56
2:D:40:LEU:N	2:D:44:THR:HG22	2.22	0.55
2:C:89:GLU:O	2:C:91:THR:N	2.40	0.54
1:A:8:ARG:HB3	2:D:108:PHE:CE2	2.42	0.54
1:B:7:HIS:HE1	2:C:108:PHE:CA	2.15	0.54
2:C:27:GLN:OE1	2:C:35:VAL:HG21	2.07	0.54
1:B:87:ARG:HD2	1:B:99:TRP:HB3	1.89	0.54
2:C:72:VAL:HG22	2:C:73:GLU:N	2.23	0.54
2:C:9:TYR:HD2	2:C:15:CYS:HB2	1.72	0.53
1:A:63:VAL:O	1:A:64:LYS:C	2.51	0.53
1:B:65:ASN:ND2	1:B:72:ASP:OD2	2.41	0.52
2:D:9:TYR:CD2	2:D:15:CYS:HB2	2.44	0.52
1:A:9:GLY:HA2	4:A:124:HOH:O	2.10	0.52
1:B:62:PRO:HD2	1:B:66:GLY:O	2.09	0.52
2:D:143:GLU:CG	2:D:146:GLU:OE1	2.58	0.52
2:D:72:VAL:CG2	2:D:73:GLU:H	2.22	0.51
2:D:21:LEU:HD22	2:D:21:LEU:N	2.18	0.51
1:A:65:ASN:ND2	1:A:72:ASP:OD2	2.43	0.51
1:B:9:GLY:HA2	4:B:137:HOH:O	2.09	0.51
2:C:80:ARG:HD2	2:C:81:CYS:O	2.11	0.51
2:C:80:ARG:CG	2:C:80:ARG:NH1	2.66	0.50
2:C:11:HIS:CE1	4:C:171:HOH:O	2.64	0.50
2:C:39:CYS:HB3	2:C:44:THR:CG2	2.39	0.49
2:D:44:THR:CG2	2:D:55:CYS:HB3	2.39	0.49
2:C:88:ASP:OD1	2:C:88:ASP:C	2.54	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:72:VAL:HG22	2:C:73:GLU:H	1.77	0.48
1:A:87:ARG:HG2	1:A:101:TRP:CE2	2.49	0.48
1:B:50:GLN:HE22	1:B:89:LEU:N	2.03	0.48
2:D:143:GLU:HG2	2:D:146:GLU:OE1	2.14	0.48
1:A:43:THR:HG22	1:A:44:GLY:N	2.28	0.48
1:B:24:LYS:NZ	1:B:54:GLU:OE2	2.41	0.47
1:A:104:ILE:HG22	4:A:132:HOH:O	2.15	0.47
1:B:24:LYS:HE3	1:B:24:LYS:HB2	1.69	0.47
1:A:43:THR:HG23	1:A:44:GLY:H	1.79	0.47
1:B:7:HIS:HD2	1:B:10:GLU:O	1.98	0.47
1:A:13:VAL:HA	1:A:68:ARG:HB3	1.97	0.46
1:A:55:THR:CG2	4:B:143:HOH:O	2.62	0.46
1:B:90:THR:O	1:B:97:VAL:HA	2.16	0.46
1:A:43:THR:HG21	4:A:149:HOH:O	2.14	0.46
2:C:68:SER:HB3	2:C:80:ARG:HG2	1.98	0.46
2:D:40:LEU:HB3	2:D:43:VAL:HG22	1.98	0.46
2:D:90:GLU:O	2:D:90:GLU:HG3	2.16	0.46
2:C:89:GLU:C	2:C:91:THR:N	2.74	0.45
1:A:65:ASN:HD22	1:A:72:ASP:CG	2.25	0.45
2:C:102:VAL:CG1	2:C:155:TRP:HB2	2.47	0.45
2:D:72:VAL:CG2	2:D:73:GLU:N	2.80	0.45
2:C:59:THR:HB	2:C:76:ASP:OD1	2.16	0.44
1:A:8:ARG:HB3	2:D:108:PHE:CD2	2.52	0.44
2:C:148:GLN:HB3	2:C:160:CYS:SG	2.57	0.44
2:D:40:LEU:HD13	2:D:43:VAL:HG13	1.98	0.44
2:D:83:TYR:CD2	2:D:83:TYR:N	2.85	0.44
2:C:160:CYS:O	2:C:161:GLU:HB2	2.17	0.44
2:D:67:MET:HE3	2:D:67:MET:HB2	1.75	0.44
2:C:69:ALA:HA	2:C:70:PRO:HD3	1.82	0.44
2:C:148:GLN:CB	2:C:160:CYS:SG	3.06	0.44
2:C:27:GLN:HB2	2:C:35:VAL:CG2	2.47	0.43
2:C:149:LEU:CG	2:C:150:ARG:N	2.75	0.43
2:C:80:ARG:HG3	2:C:80:ARG:NH1	2.22	0.43
2:D:8:LEU:HG	2:D:29:CYS:HB3	2.00	0.42
2:D:29:CYS:SG	2:D:34:THR:HG23	2.58	0.42
1:A:17:GLU:OE1	1:A:58:LYS:HG2	2.19	0.42
1:B:85:TYR:HA	1:B:102:ILE:O	2.20	0.42
1:A:87:ARG:HD2	1:A:99:TRP:HB3	2.02	0.42
1:A:43:THR:HB	1:A:46:SER:O	2.20	0.42
2:D:80:ARG:HH11	2:D:80:ARG:HG3	1.84	0.42
1:A:55:THR:HG22	4:B:143:HOH:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:33:GLN:HG2	2:C:34:THR:N	2.31	0.41
2:D:8:LEU:HA	2:D:16:CYS:SG	2.59	0.41
1:A:61:ARG:HG3	4:A:134:HOH:O	2.20	0.41
2:C:44:THR:CG2	2:C:55:CYS:CB	2.93	0.41
2:D:40:LEU:H	2:D:44:THR:CG2	2.29	0.41
1:B:63:VAL:O	1:B:64:LYS:C	2.63	0.41
2:C:8:LEU:HG	2:C:29:CYS:HB3	2.01	0.41
2:D:40:LEU:HD13	2:D:43:VAL:CG1	2.51	0.41
2:C:29:CYS:N	2:C:34:THR:HG22	2.36	0.41
2:D:22:GLY:HA2	2:D:73:GLU:O	2.20	0.41
1:B:73:LYS:HZ3	2:C:143:GLU:CD	2.29	0.40
1:B:85:TYR:HE1	1:B:103:ARG:HG2	1.81	0.40
2:C:40:LEU:H	2:C:44:THR:HG22	1.86	0.40
2:D:83:TYR:H	2:D:83:TYR:HD2	1.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	109/119 (92%)	100 (92%)	7 (6%)	2 (2%)	6	14
1	B	109/119 (92%)	99 (91%)	7 (6%)	3 (3%)	4	6
2	C	157/167 (94%)	132 (84%)	21 (13%)	4 (2%)	4	8
2	D	157/167 (94%)	131 (83%)	23 (15%)	3 (2%)	6	13
All	All	532/572 (93%)	462 (87%)	58 (11%)	12 (2%)	5	9

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	15	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	144	ASP
1	A	64	LYS
1	B	45	ASN
1	B	64	LYS
2	C	90	GLU
2	D	5	SER
2	D	15	CYS
1	A	71	ASP
2	C	144	ASP
2	C	11	HIS
1	B	44	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	98/106 (92%)	83 (85%)	15 (15%)	3	5
1	B	98/106 (92%)	84 (86%)	14 (14%)	3	6
2	C	135/144 (94%)	114 (84%)	21 (16%)	2	4
2	D	135/144 (94%)	114 (84%)	21 (16%)	2	4
All	All	466/500 (93%)	395 (85%)	71 (15%)	3	5

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	GLU
1	A	43	THR
1	A	48	VAL
1	A	49	LYS
1	A	55	THR
1	A	59	GLU
1	A	61	ARG
1	A	63	VAL
1	A	73	LYS
1	A	78	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	84	THR
1	A	86	VAL
1	A	87	ARG
1	A	94	ASN
1	A	106	THR
1	B	7	HIS
1	B	42	LYS
1	B	43	THR
1	B	48	VAL
1	B	49	LYS
1	B	55	THR
1	B	58	LYS
1	B	59	GLU
1	B	61	ARG
1	B	73	LYS
1	B	78	GLN
1	B	84	THR
1	B	87	ARG
1	B	96	LEU
2	C	5	SER
2	C	6	THR
2	C	9	TYR
2	C	15	CYS
2	C	21	LEU
2	C	25	VAL
2	C	29	CYS
2	C	40	LEU
2	C	43	VAL
2	C	44	THR
2	C	48	VAL
2	C	60	GLU
2	C	62	LEU
2	C	80	ARG
2	C	81	CYS
2	C	123	GLU
2	C	129	GLU
2	C	143	GLU
2	C	145	THR
2	C	146	GLU
2	C	149	LEU
2	D	5	SER
2	D	6	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	8	LEU
2	D	9	TYR
2	D	15	CYS
2	D	21	LEU
2	D	25	VAL
2	D	33	GLN
2	D	40	LEU
2	D	43	VAL
2	D	44	THR
2	D	48	VAL
2	D	52	THR
2	D	60	GLU
2	D	62	LEU
2	D	81	CYS
2	D	83	TYR
2	D	95	GLU
2	D	129	GLU
2	D	145	THR
2	D	151	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	GLN
1	A	65	ASN
1	B	7	HIS
1	B	50	GLN
1	B	65	ASN
2	C	11	HIS
2	C	20	ASN
2	C	33	GLN
2	C	111	GLN
2	C	132	HIS
2	C	148	GLN
2	D	11	HIS
2	D	93	HIS
2	D	132	HIS
2	D	148	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	D	168	2	14,14,15	0.65	1 (7%)	17,19,21	1.44	3 (17%)
3	NAG	C	168	2	14,14,15	0.79	1 (7%)	17,19,21	1.70	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	168	2	-	5/6/23/26	0/1/1/1
3	NAG	C	168	2	-	3/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	168	NAG	C1-C2	2.53	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	168	NAG	C1-C2	2.02	1.55	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	168	NAG	C1-O5-C5	5.06	118.97	112.19
3	D	168	NAG	C1-O5-C5	3.72	117.17	112.19
3	C	168	NAG	O5-C1-C2	2.74	115.53	111.29
3	D	168	NAG	O5-C1-C2	2.33	114.89	111.29
3	D	168	NAG	C4-C3-C2	-2.22	107.76	111.02
3	C	168	NAG	O4-C4-C5	2.02	114.31	109.32
3	C	168	NAG	C3-C4-C5	-2.02	106.57	110.23

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	168	NAG	C8-C7-N2-C2
3	C	168	NAG	O7-C7-N2-C2
3	D	168	NAG	O7-C7-N2-C2
3	D	168	NAG	C8-C7-N2-C2
3	D	168	NAG	C4-C5-C6-O6
3	D	168	NAG	O5-C5-C6-O6
3	C	168	NAG	C3-C2-N2-C7
3	D	168	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	111/119 (93%)	-1.53	0 100 100	21, 37, 59, 83	0
1	B	111/119 (93%)	-1.56	0 100 100	21, 37, 60, 81	0
2	C	159/167 (95%)	-1.46	0 100 100	22, 43, 96, 100	0
2	D	159/167 (95%)	-1.45	0 100 100	21, 43, 97, 100	0
All	All	540/572 (94%)	-1.49	0 100 100	21, 40, 83, 100	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	D	168	14/15	0.95	0.06	88,91,92,93	0
3	NAG	C	168	14/15	0.97	0.06	86,89,89,90	0

6.5 Other polymers [i](#)

There are no such residues in this entry.