



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:05 AM UTC

PDB ID : 6BUY / pdb_00006buy
Title : Crystal structure of porcine aminopeptidase-N with Glycine
Authors : Chen, L.; Lin, Y.-L.; Li, F.
Deposited on : 2017-12-11
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	902	4% 87% 11%
2	B	3	67% 33%
2	C	3	33% 67%
2	F	3	67% 33%
3	D	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	2	 100%
3	G	2	 100%
3	H	2	 100%
3	I	2	 50% 50%
3	J	2	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GLY	A	1024	-	X	-	-
6	SO4	A	1025	-	X	-	-
6	SO4	A	1026	-	X	-	-
6	SO4	A	1032	-	X	-	-
6	SO4	A	1033	-	X	-	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 8551 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aminopeptidase N.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	902	Total	C	N	O	S	0	0	0
			7241	4622	1210	1379	30			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	107	PHE	LEU	conflict	UNP P15145
A	964	SER	-	expression tag	UNP P15145

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			42	24	3	15			
2	C	3	Total	C	N	O	0	0	0
			42	24	3	15			
2	F	3	Total	C	N	O	0	0	0
			42	24	3	15			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	J	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is GLYCINE (CCD ID: GLY) (formula: $C_2H_5NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			5	2	1	2		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Zn	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	932	Total	O	0	0
			932	932		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aminopeptidase N



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	260.61Å 62.73Å 81.64Å 90.00° 100.26° 90.00°	Depositor
Resolution (Å)	128.22 – 2.10 128.22 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (128.22-2.10) 99.8 (128.22-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.11 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.197 , 0.248 0.202 , 0.253	Depositor DCC
R_{free} test set	3817 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	33.9	Xtriage
Anisotropy	0.121	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8551	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, SO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.17	10/7429 (0.1%)	0.91	5/10124 (0.0%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	245	PRO	CA-C	6.24	1.55	1.51
1	A	705	MET	C-O	-5.82	1.16	1.24
1	A	111	GLU	CD-OE2	5.80	1.36	1.25
1	A	670	MET	C-O	-5.66	1.16	1.24
1	A	512	LEU	CA-C	5.40	1.59	1.52
1	A	897	ASN	CG-OD1	5.31	1.33	1.23
1	A	610	LYS	C-N	-5.29	1.25	1.33
1	A	506	ASN	CA-C	5.21	1.59	1.52
1	A	201	VAL	C-O	-5.06	1.18	1.24
1	A	254	ALA	C-O	-5.01	1.18	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	921	ASN	N-CA-C	-8.11	100.71	110.44
1	A	779	ASP	CA-C-N	5.42	125.50	119.32
1	A	779	ASP	C-N-CA	5.42	125.50	119.32
1	A	637	ARG	NE-CZ-NH2	5.21	123.89	119.20
1	A	245	PRO	O-C-N	5.15	123.68	121.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7241	0	6994	104	0
2	B	42	0	37	3	0
2	C	42	0	37	1	0
2	F	42	0	37	1	0
3	D	28	0	25	0	0
3	E	28	0	25	0	0
3	G	28	0	25	0	0
3	H	28	0	25	0	0
3	I	28	0	25	3	0
3	J	28	0	25	1	0
4	A	28	0	26	0	0
5	A	5	0	2	2	0
6	A	50	0	0	2	1
7	A	1	0	0	0	0
8	A	932	0	0	23	4
All	All	8551	0	7283	114	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:820:ASN:HB3	8:A:1617:HOH:O	1.41	1.19
1:A:556:ASN:HD22	3:I:1:NAG:H83	1.23	1.03
1:A:380:VAL:HG13	8:A:1187:HOH:O	1.63	0.98
1:A:779:ASP:OD2	8:A:1101:HOH:O	1.88	0.92
1:A:69:ARG:NH1	6:A:1034:SO4:O2	2.01	0.92
1:A:176:GLU:OE1	8:A:1102:HOH:O	1.93	0.85
1:A:892:SER:O	1:A:893:PHE:HB2	1.77	0.84
1:A:108:LEU:HD12	1:A:109:CYS:N	1.94	0.83
1:A:883:LYS:HD3	1:A:883:LYS:C	2.05	0.81
1:A:92:ASN:O	1:A:93:ALA:HB3	1.80	0.81
6:A:1026:SO4:O2	8:A:1103:HOH:O	1.99	0.80
1:A:415:LEU:HD22	1:A:427:LYS:HE3	1.61	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:924:ASP:O	1:A:925:VAL:HG22	1.82	0.79
8:A:1105:HOH:O	3:I:1:NAG:C6	2.30	0.79
1:A:896:SER:HB2	8:A:1177:HOH:O	1.83	0.78
1:A:884:LEU:HD22	1:A:925:VAL:O	1.85	0.76
1:A:552:THR:HB	1:A:611:THR:HG22	1.69	0.73
1:A:92:ASN:O	1:A:93:ALA:CB	2.36	0.73
1:A:556:ASN:HD22	3:I:1:NAG:C8	2.00	0.72
1:A:883:LYS:C	1:A:883:LYS:CD	2.60	0.70
1:A:887:ASP:O	1:A:892:SER:O	2.09	0.70
1:A:92:ASN:HB3	8:A:1175:HOH:O	1.92	0.68
1:A:371:ILE:HG13	1:A:744:LEU:CD1	2.24	0.67
1:A:735:LYS:O	1:A:738:THR:OG1	2.13	0.67
1:A:900:GLN:NE2	1:A:904:ARG:HG3	2.09	0.67
1:A:637:ARG:NH2	1:A:640:GLN:HE22	1.94	0.66
1:A:923:MET:O	1:A:924:ASP:HB2	1.96	0.65
1:A:112:PRO:HD3	1:A:167:PRO:HG3	1.79	0.65
1:A:892:SER:O	1:A:893:PHE:CB	2.46	0.64
1:A:883:LYS:HD3	1:A:883:LYS:O	1.97	0.63
1:A:603:GLN:HB3	8:A:1581:HOH:O	2.00	0.61
8:A:1433:HOH:O	3:J:2:NAG:H82	2.00	0.61
1:A:371:ILE:HG13	1:A:744:LEU:HD12	1.82	0.60
1:A:371:ILE:CG1	1:A:744:LEU:HD12	2.32	0.60
1:A:108:LEU:HD12	1:A:108:LEU:C	2.28	0.58
1:A:883:LYS:O	1:A:883:LYS:CG	2.51	0.58
1:A:283:GLN:OE1	8:A:1107:HOH:O	2.17	0.58
1:A:106:ARG:HG2	1:A:170:MET:HE2	1.86	0.57
1:A:881:TRP:O	1:A:883:LYS:N	2.25	0.57
1:A:884:LEU:CD2	1:A:925:VAL:O	2.51	0.56
1:A:881:TRP:C	1:A:883:LYS:H	2.14	0.56
2:C:2:NAG:H62	2:C:3:NAG:O5	2.05	0.56
1:A:754:ILE:HD13	1:A:789:LEU:HD13	1.88	0.55
1:A:894:SER:OG	1:A:897:ASN:ND2	2.41	0.54
1:A:892:SER:OG	1:A:893:PHE:N	2.40	0.54
1:A:552:THR:HB	1:A:611:THR:CG2	2.37	0.54
1:A:202:LEU:C	1:A:202:LEU:HD12	2.33	0.54
1:A:787:PRO:HA	1:A:790:ARG:HD2	1.89	0.53
5:A:1024:GLY:HA3	8:A:1607:HOH:O	2.08	0.53
2:B:3:NAG:O7	2:B:3:NAG:C3	2.56	0.53
1:A:172:GLU:OE1	8:A:1109:HOH:O	2.19	0.53
1:A:395:THR:O	1:A:506:ASN:HA	2.08	0.53
1:A:208:GLN:HE21	1:A:209:SER:HA	1.74	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:563:LEU:HD11	1:A:570:VAL:CG2	2.38	0.53
1:A:134:LEU:HD13	1:A:142:VAL:CG2	2.39	0.53
1:A:900:GLN:NE2	8:A:1111:HOH:O	2.20	0.53
1:A:927:PHE:HD2	1:A:931:THR:HG23	1.74	0.52
5:A:1024:GLY:CA	8:A:1607:HOH:O	2.58	0.51
1:A:919:LYS:C	1:A:921:ASN:H	2.19	0.51
1:A:637:ARG:CD	1:A:640:GLN:OE1	2.59	0.50
8:A:1940:HOH:O	2:B:3:NAG:H82	2.10	0.50
1:A:933:ALA:HA	1:A:936:GLN:OE1	2.12	0.50
2:B:3:NAG:O7	2:B:3:NAG:H3	2.11	0.50
8:A:1110:HOH:O	2:F:2:NAG:O7	2.19	0.50
1:A:587:ILE:HG22	1:A:618:LEU:HB3	1.94	0.50
1:A:884:LEU:HD12	1:A:895:PHE:CZ	2.47	0.49
1:A:108:LEU:HD12	1:A:109:CYS:O	2.12	0.49
1:A:448:HIS:HE1	1:A:468:ASP:OD2	1.94	0.49
1:A:373:ASN:ND2	8:A:1128:HOH:O	2.39	0.49
1:A:883:LYS:O	1:A:883:LYS:HG2	2.13	0.49
1:A:415:LEU:CD2	1:A:427:LYS:HE3	2.36	0.48
1:A:883:LYS:HE3	1:A:893:PHE:HE2	1.79	0.48
1:A:900:GLN:HE22	1:A:904:ARG:HG3	1.79	0.48
1:A:637:ARG:HD3	1:A:640:GLN:OE1	2.14	0.48
1:A:108:LEU:CD1	1:A:109:CYS:N	2.72	0.47
1:A:896:SER:OG	1:A:933:ALA:HB2	2.14	0.47
1:A:754:ILE:HG22	1:A:792:THR:HG21	1.96	0.47
1:A:904:ARG:HD2	8:A:1111:HOH:O	2.15	0.47
1:A:451:THR:HG23	1:A:540:THR:HB	1.97	0.47
1:A:108:LEU:HD13	1:A:169:HIS:O	2.15	0.46
1:A:881:TRP:C	1:A:883:LYS:N	2.72	0.46
1:A:106:ARG:HG2	1:A:170:MET:CE	2.45	0.46
1:A:883:LYS:CD	1:A:883:LYS:O	2.60	0.46
1:A:888:TYR:HE1	1:A:929:SER:HB3	1.79	0.46
1:A:820:ASN:CB	8:A:1617:HOH:O	2.23	0.46
1:A:779:ASP:OD1	8:A:1112:HOH:O	2.21	0.46
1:A:963:SER:O	1:A:964:SER:HB3	2.16	0.46
1:A:351:ASN:HB2	1:A:354:LEU:O	2.16	0.45
1:A:919:LYS:NZ	1:A:935:GLU:OE1	2.40	0.45
1:A:611:THR:HG21	8:A:1291:HOH:O	2.16	0.45
1:A:724:GLU:HB3	1:A:725:PRO:HD3	1.99	0.45
1:A:949:LYS:HB2	1:A:949:LYS:HE3	1.46	0.45
1:A:552:THR:CB	1:A:611:THR:HG22	2.44	0.45
1:A:924:ASP:C	1:A:926:GLY:H	2.24	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:LEU:HD12	1:A:109:CYS:C	2.42	0.45
1:A:481:MET:HE1	1:A:539:TRP:CD2	2.53	0.44
1:A:853:LYS:C	1:A:855:ASP:H	2.26	0.43
1:A:371:ILE:HG12	1:A:744:LEU:HD12	2.00	0.42
1:A:806:TRP:CE2	1:A:829:LEU:HD22	2.54	0.42
1:A:603:GLN:HB3	1:A:603:GLN:HE21	1.55	0.42
1:A:108:LEU:C	1:A:108:LEU:CD1	2.93	0.42
1:A:637:ARG:NH2	1:A:678:ASP:OD2	2.53	0.42
1:A:65:LYS:HB3	1:A:67:TRP:CE2	2.54	0.42
1:A:371:ILE:HG23	1:A:748:TYR:HE1	1.83	0.42
1:A:954:VAL:HG23	8:A:1449:HOH:O	2.20	0.42
1:A:387:HIS:HA	1:A:390:PHE:O	2.20	0.42
1:A:448:HIS:CE1	1:A:468:ASP:OD2	2.72	0.41
1:A:637:ARG:HD3	1:A:637:ARG:HA	1.74	0.41
1:A:565:ASP:O	1:A:568:SER:HB2	2.20	0.41
1:A:170:MET:HE2	1:A:170:MET:HB3	1.97	0.41
1:A:652:VAL:HA	1:A:655:ARG:HG3	2.02	0.41
1:A:208:GLN:HA	1:A:209:SER:HA	1.82	0.41
1:A:208:GLN:HE21	1:A:209:SER:CA	2.32	0.41
1:A:294:LEU:HD21	1:A:296:ARG:CZ	2.52	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:1697:HOH:O	8:A:2032:HOH:O[4_557]	1.26	0.94
8:A:1874:HOH:O	8:A:2031:HOH:O[4_557]	1.41	0.79
6:A:1029:SO4:O1	8:A:1352:HOH:O[2_556]	2.10	0.10
8:A:1641:HOH:O	8:A:1949:HOH:O[2_556]	2.12	0.08

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	900/902 (100%)	873 (97%)	21 (2%)	6 (1%)	18 15

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	93	ALA
1	A	882	LYS
1	A	892	SER
1	A	893	PHE
1	A	923	MET
1	A	925	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	797/797 (100%)	771 (97%)	26 (3%)	33 37

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	108	LEU
1	A	134	LEU
1	A	176	GLU
1	A	247	LYS
1	A	277	TYR
1	A	290	GLN
1	A	513	TRP
1	A	568	SER
1	A	603	GLN
1	A	613	SER
1	A	614	ASP
1	A	637	ARG
1	A	644	GLN
1	A	723	VAL
1	A	738	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	775	GLN
1	A	883	LYS
1	A	886	GLN
1	A	887	ASP
1	A	896	SER
1	A	904	ARG
1	A	921	ASN
1	A	923	MET
1	A	925	VAL
1	A	932	ARG
1	A	949	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	208	GLN
1	A	448	HIS
1	A	500	HIS
1	A	593	GLN
1	A	603	GLN
1	A	669	HIS
1	A	728	GLN
1	A	800	GLN
1	A	803	GLN
1	A	812	GLN
1	A	814	GLN
1	A	897	ASN
1	A	913	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

21 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2,1	14,14,15	1.05	2 (14%)	17,19,21	1.07	1 (5%)
2	NAG	B	2	2	14,14,15	1.12	1 (7%)	17,19,21	1.56	3 (17%)
2	NAG	B	3	2	14,14,15	1.17	1 (7%)	17,19,21	1.62	3 (17%)
2	NAG	C	1	2,1	14,14,15	0.68	0	17,19,21	1.37	2 (11%)
2	NAG	C	2	2	14,14,15	1.19	2 (14%)	17,19,21	2.08	6 (35%)
2	NAG	C	3	2	14,14,15	1.30	1 (7%)	17,19,21	1.46	3 (17%)
3	NAG	D	1	3,1	14,14,15	0.93	0	17,19,21	1.14	1 (5%)
3	NAG	D	2	3	14,14,15	0.98	0	17,19,21	1.53	3 (17%)
3	NAG	E	1	3,1	14,14,15	0.78	0	17,19,21	1.07	1 (5%)
3	NAG	E	2	3	14,14,15	0.81	0	17,19,21	1.51	3 (17%)
2	NAG	F	1	2,1	14,14,15	0.62	0	17,19,21	1.40	2 (11%)
2	NAG	F	2	2	14,14,15	0.95	0	17,19,21	1.69	5 (29%)
2	NAG	F	3	2	14,14,15	1.52	1 (7%)	17,19,21	1.58	4 (23%)
3	NAG	G	1	3,1	14,14,15	1.27	2 (14%)	17,19,21	0.96	0
3	NAG	G	2	3	14,14,15	0.97	1 (7%)	17,19,21	1.21	1 (5%)
3	NAG	H	1	3,1	14,14,15	1.03	1 (7%)	17,19,21	1.23	1 (5%)
3	NAG	H	2	3	14,14,15	0.75	0	17,19,21	2.17	5 (29%)
3	NAG	I	1	3,1	14,14,15	1.21	1 (7%)	17,19,21	1.62	6 (35%)
3	NAG	I	2	3	14,14,15	1.24	1 (7%)	17,19,21	1.31	2 (11%)
3	NAG	J	1	3,1	14,14,15	0.73	0	17,19,21	1.22	1 (5%)
3	NAG	J	2	3	14,14,15	1.42	2 (14%)	17,19,21	1.72	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	4/6/23/26	0/1/1/1
2	NAG	B	3	2	-	3/6/23/26	0/1/1/1
2	NAG	C	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	NAG	C	3	2	-	2/6/23/26	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	NAG	E	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	3	2	-	3/6/23/26	0/1/1/1
3	NAG	G	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	NAG	H	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	4/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	3/6/23/26	0/1/1/1
3	NAG	J	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	3	NAG	O7-C7	3.85	1.31	1.23
3	I	1	NAG	C8-C7	3.35	1.57	1.50
3	J	2	NAG	O5-C5	3.21	1.49	1.43
3	G	1	NAG	O5-C1	3.04	1.48	1.43
2	C	3	NAG	O7-C7	2.84	1.29	1.23
2	B	2	NAG	O5-C5	2.70	1.48	1.43
3	I	2	NAG	O5-C5	2.70	1.48	1.43
3	H	1	NAG	C2-N2	-2.65	1.41	1.46
2	C	2	NAG	O4-C4	2.64	1.49	1.43
2	B	3	NAG	O4-C4	2.60	1.49	1.43
2	C	2	NAG	O7-C7	2.39	1.28	1.23
2	B	1	NAG	O5-C5	-2.35	1.38	1.43
3	J	2	NAG	O3-C3	2.27	1.48	1.43
2	B	1	NAG	C2-N2	-2.24	1.42	1.46
3	G	2	NAG	O7-C7	2.24	1.28	1.23
3	G	1	NAG	O6-C6	2.19	1.51	1.42

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	C4-C3-C2	4.82	118.08	111.02
3	H	2	NAG	C2-N2-C7	-4.41	116.99	122.90
2	B	3	NAG	C4-C3-C2	4.40	117.47	111.02
3	J	2	NAG	O5-C1-C2	-4.14	104.89	111.29
3	H	2	NAG	O5-C5-C6	4.07	115.58	107.66
2	C	1	NAG	O5-C1-C2	-4.01	105.09	111.29
3	H	2	NAG	O7-C7-C8	-3.91	115.10	122.05
2	B	2	NAG	C4-C3-C2	3.70	116.45	111.02
3	D	2	NAG	O5-C1-C2	-3.67	105.62	111.29
2	F	2	NAG	C4-C3-C2	3.59	116.28	111.02
2	F	1	NAG	C2-N2-C7	-3.51	118.19	122.90
3	E	1	NAG	O4-C4-C3	-3.43	102.29	110.38
3	J	1	NAG	O7-C7-C8	-3.38	116.03	122.05
2	C	2	NAG	O4-C4-C3	-3.19	102.87	110.38
3	H	2	NAG	C1-O5-C5	-3.15	107.96	112.19
2	C	3	NAG	C4-C3-C2	3.12	115.58	111.02
2	B	1	NAG	C1-O5-C5	3.00	116.21	112.19
3	E	2	NAG	C2-N2-C7	-2.97	118.92	122.90
2	C	3	NAG	C1-C2-N2	-2.95	105.78	110.43
3	I	1	NAG	O7-C7-N2	-2.95	116.77	121.98
3	J	2	NAG	C1-C2-N2	2.91	115.02	110.43
2	F	3	NAG	C4-C3-C2	-2.78	106.95	111.02
2	B	3	NAG	O3-C3-C2	-2.70	103.80	109.40
2	B	2	NAG	O4-C4-C3	-2.69	104.04	110.38
2	B	3	NAG	O5-C5-C4	-2.69	104.29	110.83
2	F	3	NAG	C1-C2-N2	-2.66	106.24	110.43
2	F	2	NAG	C1-O5-C5	-2.66	108.62	112.19
2	C	1	NAG	C2-N2-C7	2.63	126.42	122.90
3	H	1	NAG	O5-C1-C2	-2.62	107.23	111.29
2	F	3	NAG	C8-C7-N2	-2.61	111.79	116.12
3	I	1	NAG	C1-O5-C5	2.61	115.68	112.19
3	I	1	NAG	C6-C5-C4	-2.57	106.72	113.02
2	F	3	NAG	C2-N2-C7	2.56	126.33	122.90
2	C	2	NAG	O3-C3-C4	-2.56	104.35	110.38
2	C	2	NAG	C3-C4-C5	2.51	114.78	110.23
3	I	1	NAG	O5-C1-C2	-2.51	107.41	111.29
2	F	1	NAG	O5-C1-C2	-2.49	107.44	111.29
2	F	2	NAG	O4-C4-C5	-2.48	103.23	109.32
3	E	2	NAG	O5-C1-C2	-2.45	107.51	111.29
2	F	2	NAG	C1-C2-N2	-2.42	106.62	110.43
3	D	2	NAG	C1-O5-C5	-2.39	108.98	112.19
3	I	1	NAG	O3-C3-C2	-2.36	104.50	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	2	NAG	O5-C1-C2	-2.36	107.64	111.29
2	C	3	NAG	C3-C4-C5	2.33	114.46	110.23
3	J	2	NAG	C3-C4-C5	2.32	114.44	110.23
2	C	2	NAG	O5-C1-C2	-2.31	107.72	111.29
3	I	2	NAG	O5-C1-C2	-2.30	107.74	111.29
3	G	2	NAG	C4-C3-C2	-2.30	107.65	111.02
3	H	2	NAG	C8-C7-N2	2.28	119.90	116.12
3	D	1	NAG	O5-C5-C6	2.23	112.00	107.66
2	B	2	NAG	C1-O5-C5	-2.15	109.30	112.19
3	E	2	NAG	C1-C2-N2	2.15	113.82	110.43
3	D	2	NAG	O4-C4-C3	-2.13	105.36	110.38
2	C	2	NAG	O6-C6-C5	-2.10	104.17	111.33
3	J	2	NAG	O4-C4-C3	-2.10	105.43	110.38
3	I	1	NAG	C8-C7-N2	2.09	119.58	116.12
3	I	2	NAG	C4-C3-C2	-2.02	108.06	111.02

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	3	NAG	C3-C2-N2-C7
2	F	3	NAG	C3-C2-N2-C7
2	F	3	NAG	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
2	C	3	NAG	O5-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
2	F	3	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
2	C	3	NAG	C4-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
2	B	2	NAG	C8-C7-N2-C2
2	B	2	NAG	O7-C7-N2-C2
3	H	2	NAG	C8-C7-N2-C2
3	H	2	NAG	O7-C7-N2-C2
3	I	1	NAG	C8-C7-N2-C2
3	I	1	NAG	O7-C7-N2-C2
3	I	2	NAG	C8-C7-N2-C2
3	I	2	NAG	O7-C7-N2-C2
3	H	2	NAG	C4-C5-C6-O6
2	B	3	NAG	O5-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6
3	H	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	3	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
3	E	1	NAG	C1-C2-N2-C7
3	D	2	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6


There are no ring outliers.


6 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	NAG	1	0
2	B	3	NAG	3	0
2	F	2	NAG	1	0
2	C	3	NAG	1	0
3	I	1	NAG	3	0
3	J	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 1 is monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	A	1030	-	4,4,4	1.47	1 (25%)	6,6,6	0.64	0
5	GLY	A	1024	-	4,4,4	2.15	2 (50%)	3,4,4	1.31	0
6	SO4	A	1025	-	4,4,4	2.64	2 (50%)	6,6,6	3.30	4 (66%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	1023	1	14,14,15	1.25	1 (7%)	17,19,21	1.45	3 (17%)
6	SO4	A	1028	-	4,4,4	2.78	3 (75%)	6,6,6	1.35	0
6	SO4	A	1026	-	4,4,4	1.93	2 (50%)	6,6,6	2.22	3 (50%)
6	SO4	A	1034	-	4,4,4	2.11	2 (50%)	6,6,6	1.01	0
6	SO4	A	1032	-	4,4,4	2.40	3 (75%)	6,6,6	1.34	1 (16%)
6	SO4	A	1027	-	4,4,4	2.52	3 (75%)	6,6,6	1.26	0
6	SO4	A	1033	-	4,4,4	2.28	3 (75%)	6,6,6	1.70	2 (33%)
6	SO4	A	1029	-	4,4,4	1.87	1 (25%)	6,6,6	0.81	0
4	NAG	A	1020	1	14,14,15	1.29	1 (7%)	17,19,21	1.46	3 (17%)
6	SO4	A	1031	-	4,4,4	2.45	2 (50%)	6,6,6	1.67	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GLY	A	1024	-	-	2/2/2/2	-
4	NAG	A	1020	1	-	3/6/23/26	0/1/1/1
4	NAG	A	1023	1	-	1/6/23/26	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1025	SO4	O2-S	4.57	1.72	1.44
6	A	1028	SO4	O1-S	4.17	1.69	1.44
6	A	1031	SO4	O2-S	3.57	1.66	1.44
6	A	1027	SO4	O2-S	3.49	1.65	1.44
6	A	1032	SO4	O1-S	3.39	1.65	1.44
5	A	1024	GLY	OXT-C	-3.32	1.19	1.30
6	A	1033	SO4	O1-S	3.26	1.64	1.44
4	A	1020	NAG	O5-C1	2.83	1.48	1.43
6	A	1029	SO4	O1-S	2.68	1.60	1.44
6	A	1031	SO4	O1-S	2.68	1.60	1.44
6	A	1028	SO4	O2-S	2.66	1.60	1.44
6	A	1028	SO4	O4-S	2.51	1.68	1.48
6	A	1026	SO4	O1-S	2.50	1.59	1.44
6	A	1027	SO4	O4-S	2.37	1.67	1.48
6	A	1034	SO4	O2-S	2.36	1.58	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1032	SO4	O4-S	2.31	1.67	1.48
6	A	1030	SO4	O2-S	2.29	1.58	1.44
6	A	1025	SO4	O4-S	2.28	1.66	1.48
6	A	1027	SO4	O1-S	2.27	1.58	1.44
6	A	1026	SO4	O2-S	2.24	1.58	1.44
6	A	1034	SO4	O1-S	2.24	1.58	1.44
6	A	1033	SO4	O2-S	2.23	1.58	1.44
5	A	1024	GLY	O-C	2.23	1.29	1.22
4	A	1023	NAG	C1-C2	2.06	1.55	1.52
6	A	1032	SO4	O2-S	2.03	1.56	1.44
6	A	1033	SO4	O4-S	2.01	1.64	1.48

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1025	SO4	O4-S-O2	-4.98	83.53	109.56
6	A	1025	SO4	O4-S-O3	4.66	134.21	108.54
4	A	1020	NAG	C1-O5-C5	-3.41	107.62	112.19
6	A	1025	SO4	O3-S-O1	-3.32	92.20	109.56
6	A	1031	SO4	O4-S-O2	3.28	126.70	109.56
6	A	1026	SO4	O3-S-O2	3.22	126.40	109.56
4	A	1023	NAG	O5-C1-C2	-3.21	106.33	111.29
4	A	1020	NAG	C4-C3-C2	-3.02	106.59	111.02
6	A	1026	SO4	O4-S-O1	3.00	125.23	109.56
4	A	1023	NAG	O5-C5-C4	-2.60	104.50	110.83
6	A	1026	SO4	O3-S-O1	-2.51	96.44	109.56
6	A	1025	SO4	O2-S-O1	2.36	125.69	109.06
6	A	1033	SO4	O3-S-O1	-2.35	97.28	109.56
4	A	1023	NAG	C1-C2-N2	-2.14	107.05	110.43
6	A	1033	SO4	O4-S-O1	2.11	120.60	109.56
6	A	1032	SO4	O2-S-O1	2.08	123.68	109.06
4	A	1020	NAG	C2-N2-C7	2.00	125.58	122.90

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1024	GLY	O-C-CA-N
4	A	1020	NAG	O5-C5-C6-O6
4	A	1020	NAG	C4-C5-C6-O6
4	A	1020	NAG	C3-C2-N2-C7
5	A	1024	GLY	OXT-C-CA-N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	1023	NAG	O5-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1024	GLY	2	0
6	A	1026	SO4	1	0
6	A	1034	SO4	1	0
6	A	1029	SO4	0	1

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	902/902 (100%)	0.17	36 (3%)	42 44	24, 32, 41, 45	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	889	GLY	8.6
1	A	888	TYR	7.5
1	A	890	GLY	6.0
1	A	893	PHE	5.7
1	A	885	PHE	5.6
1	A	891	GLY	5.4
1	A	892	SER	4.9
1	A	927	PHE	4.6
1	A	928	GLY	4.1
1	A	63	GLN	4.1
1	A	925	VAL	4.0
1	A	895	PHE	4.0
1	A	881	TRP	3.7
1	A	926	GLY	3.7
1	A	930	GLY	3.4
1	A	918	PHE	3.2
1	A	933	ALA	3.2
1	A	197	ASN	3.2
1	A	922	ASN	2.9
1	A	923	MET	2.8
1	A	924	ASP	2.8
1	A	93	ALA	2.7
1	A	567	GLU	2.6
1	A	589	ASN	2.5
1	A	934	LEU	2.5
1	A	820	ASN	2.4
1	A	897	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	886	GLN	2.4
1	A	929	SER	2.4
1	A	742	GLU	2.3
1	A	900	GLN	2.3
1	A	894	SER	2.3
1	A	884	LEU	2.3
1	A	196	GLY	2.2
1	A	931	THR	2.1
1	A	882	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	C	3	14/15	0.47	0.18	33,35,39,41	0
2	NAG	F	3	14/15	0.55	0.17	32,35,39,39	0
3	NAG	I	2	14/15	0.66	0.13	32,34,38,40	0
3	NAG	G	2	14/15	0.69	0.14	31,34,40,41	0
2	NAG	B	3	14/15	0.69	0.13	33,34,39,40	0
2	NAG	F	2	14/15	0.70	0.14	30,34,37,37	0
3	NAG	E	2	14/15	0.70	0.14	31,34,40,41	0
2	NAG	C	2	14/15	0.71	0.12	32,34,39,39	0
3	NAG	G	1	14/15	0.72	0.13	32,35,36,36	0
3	NAG	I	1	14/15	0.78	0.11	31,34,38,42	0
3	NAG	H	2	14/15	0.78	0.13	31,33,37,39	0
2	NAG	F	1	14/15	0.83	0.11	30,33,34,35	0
3	NAG	J	2	14/15	0.83	0.12	33,35,37,40	0
2	NAG	B	2	14/15	0.85	0.10	31,34,38,38	0
3	NAG	E	1	14/15	0.86	0.09	31,33,38,38	0
3	NAG	D	2	14/15	0.87	0.10	31,32,35,38	0
2	NAG	C	1	14/15	0.89	0.09	30,32,35,37	0
3	NAG	J	1	14/15	0.91	0.08	31,33,37,38	0
3	NAG	H	1	14/15	0.92	0.09	28,31,32,33	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	D	1	14/15	0.94	0.07	28,31,33,33	0
2	NAG	B	1	14/15	0.96	0.06	28,31,32,32	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	1020	14/15	0.52	0.15	33,35,40,41	0
4	NAG	A	1023	14/15	0.69	0.13	31,34,41,42	0
6	SO4	A	1028	5/5	0.77	0.30	34,36,37,39	0
6	SO4	A	1027	5/5	0.78	0.33	34,37,39,40	0
5	GLY	A	1024	5/5	0.83	0.17	29,30,34,36	0
6	SO4	A	1025	5/5	0.83	0.27	30,32,35,38	0
6	SO4	A	1032	5/5	0.83	0.39	33,38,38,38	0
6	SO4	A	1034	5/5	0.83	0.32	36,37,38,40	0
6	SO4	A	1033	5/5	0.84	0.33	32,32,39,41	0
6	SO4	A	1031	5/5	0.87	0.31	33,34,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	SO4	A	1026	5/5	0.92	0.41	30,35,36,37	0
6	SO4	A	1029	5/5	0.95	0.23	35,36,38,38	0
6	SO4	A	1030	5/5	0.96	0.21	33,33,35,36	0
7	ZN	A	1035	1/1	1.00	0.03	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.