



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:38 AM UTC

PDB ID : 6BVL / pdb_00006bvl
Title : Ras:SOS:Ras in complex with a small molecule activator
Authors : Phan, J.; Abbott, J.; Fesik, S.W.
Deposited on : 2017-12-13
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	167	3% 92% 7%
2	B	482	3% 91% 7%
3	C	167	10% 87% 11%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 8057 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTPase HRAS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	166	Total	C	N	O	S	0	10	0
			1401	866	243	284	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP P01112
A	64	ALA	TYR	engineered mutation	UNP P01112

- Molecule 2 is a protein called Son of sevenless homolog 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	469	Total	C	N	O	S	0	19	0
			4058	2590	705	750	13			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	565	GLY	-	expression tag	UNP Q07889

- Molecule 3 is a protein called GTPase HRas.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	167	Total	C	N	O	S	0	3	0
			1351	840	233	271	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	GLY	-	expression tag	UNP P01112

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (CCD ID:

GNP) (formula: C₁₀H₁₇N₆O₁₃P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			32	10	6	13	3		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is N-{1-[(5-chloro-1H-indol-3-yl)methyl]piperidin-4-yl}-5-methyl-L-tryptophana
mide (CCD ID: EBY) (formula: C₂₆H₃₀ClN₅O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	Cl	N	O	
			33	26	1	5	1	
							0	0

- Molecule 7 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O		
			3	1	2		
						0	0
7	B	1	Total	C	O		
			3	1	2		
						0	0
7	B	1	Total	C	O		
			3	1	2		
						0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	C	1	Total	C	O	0	0
			3	1	2		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	C	1	Total	Na	0	0
			1	1		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	191	Total	O	0	0
			191	191		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	737	Total 737	O 737	0	0
10	C	222	Total 222	O 222	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GTPase HRAS

Chain A: 




• Molecule 2: Son of sevenless homolog 1

Chain B: 



• Molecule 3: GTPase HRas

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	184.21Å 184.21Å 179.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.10 – 1.75 32.10 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (32.10-1.75) 99.9 (32.10-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 1.75Å)	Xtriage
Refinement program	PHENIX (1.12rc1_2801: ???)	Depositor
R, R_{free}	0.157 , 0.171 0.163 , 0.176	Depositor DCC
R_{free} test set	7733 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	18.3	Xtriage
Anisotropy	0.150	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for l,-k,h 0.005 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8057	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, FMT, GOL, EBY, CSO, GNP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/1411	0.47	0/1900
2	B	0.34	2/4151 (0.0%)	0.46	0/5607
3	C	0.30	0/1370	0.52	0/1846
All	All	0.32	2/6932 (0.0%)	0.47	0/9353

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	959[A]	SER	C-O	-5.37	1.17	1.24
2	B	959[B]	SER	C-O	-5.37	1.17	1.24

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	25	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1401	0	1357	8	0
2	B	4058	0	4054	21	0
3	C	1351	0	1320	17	0
4	A	32	0	13	0	0
5	A	1	0	0	0	0
6	B	33	0	0	0	0
7	B	15	0	5	1	0
7	C	3	0	1	0	0
8	B	12	0	16	1	0
9	C	1	0	0	0	0
10	A	191	0	0	3	1
10	B	737	0	0	9	4
10	C	222	0	0	11	2
All	All	8057	0	6766	46	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:772:GLU:OE2	10:B:2103:HOH:O	1.85	0.95
2:B:621:PRO:O	10:B:2101:HOH:O	1.84	0.94
2:B:905:HIS:ND1	10:B:2106:HOH:O	2.12	0.82
2:B:620:ASP:OD1	10:B:2104:HOH:O	1.99	0.78
2:B:895[B]:SER:OG	10:B:2105:HOH:O	2.06	0.74
1:A:86[B]:ASN:ND2	10:A:302:HOH:O	2.21	0.72
1:A:129:GLN:OE1	10:A:301:HOH:O	2.08	0.70
3:C:85:ASN:HD22	3:C:121:ALA:HB3	1.63	0.63
3:C:70:GLN:NE2	10:C:305:HOH:O	2.31	0.62
2:B:988[B]:LYS:NZ	10:B:2110:HOH:O	2.34	0.61
3:C:39:SER:HA	10:C:302:HOH:O	2.04	0.56
3:C:68:ARG:NH1	10:C:310:HOH:O	2.39	0.56
3:C:117[A]:LYS:NZ	10:C:309:HOH:O	2.39	0.54
3:C:27:HIS:N	10:C:311:HOH:O	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:131:GLN:OE1	10:C:301:HOH:O	2.18	0.54
2:B:735:LYS:O	2:B:739[A]:ARG:HG3	2.08	0.54
3:C:21:ILE:O	3:C:25:GLN:HB2	2.08	0.53
2:B:616:HIS:ND1	7:B:2005:FMT:O2	2.41	0.52
2:B:687[B]:LEU:HG	2:B:726:MET:HE1	1.91	0.52
2:B:623:PHE:HE1	2:B:958:PHE:CZ	2.28	0.52
2:B:828:THR:HG23	2:B:873:GLU:HG2	1.92	0.52
2:B:645:ILE:O	2:B:649[B]:GLU:HG2	2.10	0.51
2:B:587:ILE:HD11	2:B:950:ARG:HG3	1.95	0.48
3:C:68:ARG:NH2	10:C:313:HOH:O	2.47	0.48
2:B:843:GLU:OE1	2:B:1012[A]:LYS:NZ	2.43	0.47
2:B:905:HIS:CE1	10:B:2106:HOH:O	2.61	0.46
3:C:40:TYR:HB3	10:C:402:HOH:O	2.16	0.45
3:C:38:ASP:N	3:C:38:ASP:OD1	2.48	0.45
2:B:912:TYR:CG	2:B:932:ILE:HD11	2.51	0.45
2:B:1019[B]:ARG:NH1	10:B:2131:HOH:O	2.50	0.45
3:C:27:HIS:CE1	3:C:149:ARG:HD3	2.52	0.45
3:C:24:ILE:HG21	3:C:39:SER:O	2.16	0.45
1:A:1:MET:HG2	1:A:51:CSO:HA	1.98	0.45
1:A:79[B]:LEU:HG	1:A:114:VAL:HG21	1.99	0.45
2:B:807:SER:HA	2:B:809:TRP:CZ3	2.52	0.44
3:C:122:ALA:HA	10:C:395:HOH:O	2.17	0.44
3:C:38:ASP:O	10:C:302:HOH:O	2.21	0.44
2:B:861:VAL:HG13	8:B:2008:GOL:H31	2.00	0.43
2:B:823[B]:LYS:HE2	10:B:2460:HOH:O	2.17	0.43
2:B:772:GLU:H	2:B:772:GLU:CD	2.26	0.43
1:A:148:THR:O	1:A:149:ARG:HB2	2.19	0.42
1:A:2:THR:O	1:A:51:CSO:HB3	2.19	0.41
3:C:166:HIS:HD2	10:C:453:HOH:O	2.03	0.41
1:A:158:THR:O	1:A:162[A]:GLU:HG3	2.21	0.40
1:A:61:GLN:HG2	10:A:380:HOH:O	2.21	0.40
3:C:24:ILE:HD13	3:C:42:LYS:HB2	2.03	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:B:2191:HOH:O	10:C:448:HOH:O[3_555]	1.88	0.32
10:B:2554:HOH:O	10:B:2642:HOH:O[5_556]	1.94	0.26
10:B:2395:HOH:O	10:C:315:HOH:O[3_555]	2.11	0.09
10:A:440:HOH:O	10:B:2341:HOH:O[16_555]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	173/167 (104%)	170 (98%)	3 (2%)	0	100	100
2	B	483/482 (100%)	478 (99%)	5 (1%)	0	100	100
3	C	168/167 (101%)	162 (96%)	5 (3%)	1 (1%)	21	8
All	All	824/816 (101%)	810 (98%)	13 (2%)	1 (0%)	48	34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	26	ASN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	152/142 (107%)	152 (100%)	0	100	100
2	B	457/447 (102%)	454 (99%)	3 (1%)	76	67
3	C	147/144 (102%)	141 (96%)	6 (4%)	27	6
All	All	756/733 (103%)	747 (99%)	9 (1%)	65	47

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	753	THR
2	B	756	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	930	PHE
3	C	27	HIS
3	C	31	GLU
3	C	36	ILE
3	C	38	ASP
3	C	127[A]	SER
3	C	127[B]	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	GLN
2	B	866	ASN
2	B	951	HIS
3	C	61	GLN
3	C	85	ASN
3	C	95	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSO	A	51	1	3,6,7	1.01	0	1,6,8	1.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	51	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	51	CSO	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	FMT	B	2006	-	2,2,2	0.73	0	1,1,1	0.25	0
7	FMT	B	2004	-	2,2,2	0.71	0	1,1,1	0.24	0
4	GNP	A	201	5	34,34,34	1.32	5 (14%)	47,54,54	0.83	3 (6%)
7	FMT	B	2003	-	2,2,2	0.73	0	1,1,1	0.22	0
7	FMT	B	2002	-	2,2,2	0.74	0	1,1,1	0.22	0
7	FMT	B	2005	-	2,2,2	0.62	0	1,1,1	0.29	0
7	FMT	C	201	-	2,2,2	0.63	0	1,1,1	0.01	0
8	GOL	B	2007	-	5,5,5	0.84	0	5,5,5	0.98	0
8	GOL	B	2008	-	5,5,5	0.96	0	5,5,5	1.06	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	EBY	B	2001	-	37,37,37	1.31	5 (13%)	51,53,53	0.94	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EBY	B	2001	-	-	0/16/26/26	0/5/5/5
4	GNP	A	201	5	-	4/18/38/38	0/3/3/3
8	GOL	B	2007	-	-	0/4/4/4	-
8	GOL	B	2008	-	-	2/4/4/4	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	201	GNP	PB-O3A	-3.73	1.54	1.59
4	A	201	GNP	PG-O1G	3.37	1.51	1.46
4	A	201	GNP	PB-O2B	-3.05	1.48	1.56
6	B	2001	EBY	C9-N2	2.84	1.40	1.34
4	A	201	GNP	PG-O3G	-2.61	1.49	1.56
4	A	201	GNP	PA-O3A	-2.54	1.56	1.59
6	B	2001	EBY	C15-N4	2.54	1.41	1.37
6	B	2001	EBY	C5-N	2.23	1.40	1.37
6	B	2001	EBY	C18-C19	2.16	1.42	1.38
6	B	2001	EBY	C4-N	2.04	1.41	1.37

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	201	GNP	O2B-PB-O1B	3.21	116.75	109.87
4	A	201	GNP	O1G-PG-N3B	-2.75	107.73	111.77
4	A	201	GNP	O1B-PB-N3B	-2.57	107.98	111.77
6	B	2001	EBY	C18-C19-C20	2.46	124.75	121.53
6	B	2001	EBY	C23-C10-C11	-2.18	107.04	110.80
8	B	2008	GOL	C3-C2-C1	-2.03	104.35	111.80

There are no chirality outliers.

All (6) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	A	201	GNP	PB-N3B-PG-O1G
4	A	201	GNP	PG-N3B-PB-O1B
8	B	2008	GOL	C1-C2-C3-O3
8	B	2008	GOL	O2-C2-C3-O3
4	A	201	GNP	PA-O3A-PB-O1B
4	A	201	GNP	PG-N3B-PB-O3A

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	2005	FMT	1	0
8	B	2008	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	165/167 (98%)	-0.23	5 (3%)	52	61	7, 19, 40, 56	10 (6%)
2	B	469/482 (97%)	-0.29	16 (3%)	48	56	6, 18, 40, 69	19 (4%)
3	C	167/167 (100%)	0.09	17 (10%)	12	16	8, 20, 52, 86	3 (1%)
All	All	801/816 (98%)	-0.20	38 (4%)	36	44	6, 18, 42, 86	32 (3%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	27	HIS	9.9
3	C	29	VAL	7.7
3	C	26	ASN	6.8
2	B	743	ALA	5.8
3	C	31	GLU	5.0
3	C	30	ASP	4.5
2	B	751	ASN	4.3
3	C	38	ASP	4.2
3	C	120	LEU	3.8
3	C	24	ILE	3.7
3	C	25	GLN	3.7
2	B	597	GLY	3.6
3	C	0	GLY	3.6
2	B	755	GLN	3.6
2	B	590	GLU	3.3
3	C	36	ILE	3.3
3	C	37	GLU	3.2
3	C	39	SER	3.2
3	C	28	PHE	3.1
2	B	1045	PRO	2.9
1	A	165	GLN	2.8
2	B	573	ASP	2.8
3	C	121	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	95[A]	GLN	2.7
2	B	723	GLY	2.7
2	B	565	GLY	2.6
2	B	742	ILE	2.4
2	B	752	ILE	2.4
3	C	32	TYR	2.3
2	B	574	VAL	2.3
1	A	121	ALA	2.3
1	A	122	ALA	2.3
2	B	716	GLU	2.1
3	C	118	CYS	2.1
1	A	108	ASP	2.0
2	B	724	LYS	2.0
2	B	660[A]	ARG	2.0
2	B	1046	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSO	A	51	7/8	0.96	0.10	16,18,31,37	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	FMT	C	201	3/3	0.85	0.17	26,26,32,35	0
7	FMT	B	2006	3/3	0.86	0.16	69,69,69,69	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EBY	B	2001	33/33	0.87	0.15	29,46,66,67	0
8	GOL	B	2007	6/6	0.89	0.14	22,37,45,49	0
8	GOL	B	2008	6/6	0.89	0.14	24,44,50,52	0
7	FMT	B	2003	3/3	0.91	0.14	46,46,50,54	0
7	FMT	B	2002	3/3	0.95	0.11	45,45,45,49	0
7	FMT	B	2004	3/3	0.95	0.14	30,30,31,34	0
7	FMT	B	2005	3/3	0.97	0.11	20,20,21,29	0
9	NA	C	202	1/1	0.98	0.05	31,31,31,31	0
4	GNP	A	201	32/32	0.99	0.04	13,15,19,23	0
5	MG	A	202	1/1	1.00	0.02	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around EBY B 2001:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.