



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 11:53 AM EDT

PDB ID : 5BWM / pdb_00005bwm
Title : The complex structure of C3cer exoenzyme and GDP bound RhoA (NADH-bound state)
Authors : Toda, A.; Tsurumura, T.; Yoshida, T.; Tsuge, H.
Deposited on : 2015-06-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	179	
2	B	219	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	EDO	B	303	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 3210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transforming protein RhoA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	177	1401	884	238	269	10	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	ASN	PHE	engineered mutation	UNP P61586

- Molecule 2 is a protein called ADP-ribosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	205	1673	1062	287	319	5	0	0	0

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (CCD ID: NAI) (formula: $C_{21}H_{29}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	30	Total	O	0	0
			30	30		
7	B	25	Total	O	0	0
			25	25		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transforming protein RhoA



• Molecule 2: ADP-ribosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	50.48Å 50.48Å 136.67Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.56 – 2.50 45.56 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.5 (45.56-2.50) 99.6 (45.56-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.21 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.209 , 0.246 0.209 , 0.241	Depositor DCC
R_{free} test set	665 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	63.1	Xtriage
Anisotropy	0.469	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for -h,-k,l 0.079 for h,-h-k,-l 0.049 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3210	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, EDO, NAI, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.57	0/1428	1.15	9/1932 (0.5%)
2	B	1.40	0/1704	1.17	14/2283 (0.6%)
All	All	1.48	0/3132	1.16	23/4215 (0.5%)

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	99	TRP	N-CA-C	8.41	120.53	111.36
2	B	177	LEU	N-CA-C	7.44	119.18	111.14
1	A	18	LYS	N-CA-C	7.38	119.11	111.14
2	B	185	GLU	N-CA-C	7.08	120.76	110.28
2	B	207	THR	N-CA-C	-6.41	99.67	109.41
2	B	96	TYR	N-CA-C	5.82	118.70	109.50
1	A	108	PRO	N-CA-C	5.80	122.39	113.75
1	A	35	VAL	N-CA-C	5.72	113.54	107.76
2	B	206	ASN	CB-CA-C	-5.72	101.82	110.06
1	A	95	ILE	O-C-N	5.64	124.03	120.42
2	B	152	ALA	N-CA-C	5.62	117.40	111.28
2	B	111	SER	N-CA-C	-5.54	106.37	113.01
2	B	108	TYR	N-CA-C	5.48	118.49	109.72
2	B	66	ASP	N-CA-C	5.40	117.92	111.71
2	B	20	THR	N-CA-C	5.29	117.13	111.36
1	A	74	TYR	CA-C-N	-5.21	114.59	119.90
1	A	74	TYR	C-N-CA	-5.21	114.59	119.90
2	B	67	SER	N-CA-C	5.18	116.61	111.07
1	A	30	PHE	CA-C-N	-5.17	114.41	119.99
1	A	30	PHE	C-N-CA	-5.17	114.41	119.99
2	B	207	THR	N-CA-CB	5.16	119.64	111.43
2	B	68	ASP	CA-C-N	-5.03	113.59	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	68	ASP	C-N-CA	-5.03	113.59	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1401	0	1394	73	1
2	B	1673	0	1686	135	1
3	A	28	0	12	3	0
4	A	1	0	0	0	0
5	B	44	0	27	3	0
6	B	8	0	12	8	0
7	A	30	0	0	1	0
7	B	25	0	0	1	0
All	All	3210	0	3131	207	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:158:MET:CE	2:B:213:LYS:HE3	1.65	1.26
2:B:158:MET:HE2	2:B:213:LYS:HE3	1.27	1.09
2:B:17:LYS:O	2:B:93:ILE:HD12	1.57	1.05
2:B:22:LYS:HD2	2:B:184:TYR:OH	1.58	1.02
2:B:107:GLU:OE1	2:B:107:GLU:N	1.92	1.02
2:B:45:ARG:HD2	2:B:175:ASP:O	1.64	0.95
2:B:90:ASN:OD1	2:B:91:ASP:N	1.99	0.95
2:B:158:MET:HE1	2:B:213:LYS:HE3	1.44	0.95
2:B:78:LEU:HD23	2:B:140:TYR:CZ	2.02	0.94
2:B:205:ASN:O	2:B:206:ASN:HB2	1.69	0.92
2:B:65:LEU:HD12	2:B:65:LEU:H	1.32	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:34:ASN:OD1	2:B:35:LYS:NZ	2.07	0.86
2:B:22:LYS:CD	2:B:184:TYR:OH	2.23	0.85
1:A:126:HIS:CD2	1:A:130:GLU:HG2	2.13	0.83
2:B:52:ARG:N	2:B:53:PRO:HD2	1.91	0.83
2:B:158:MET:CE	2:B:213:LYS:CE	2.56	0.82
2:B:97:ARG:HG3	2:B:97:ARG:HH11	1.42	0.82
2:B:37:SER:N	2:B:40:GLU:OE1	2.13	0.81
2:B:25:ALA:HB2	2:B:146:LEU:HD13	1.62	0.80
2:B:45:ARG:NH1	2:B:175:ASP:OD1	2.15	0.80
2:B:100:ASP:O	2:B:103:ILE:HG22	1.81	0.80
2:B:124:LYS:O	2:B:128:LYS:HG3	1.81	0.80
2:B:158:MET:HE2	2:B:213:LYS:CE	2.09	0.79
1:A:113:ILE:CD1	1:A:174:ALA:HA	2.12	0.79
2:B:209:LYS:HE3	7:B:418:HOH:O	1.81	0.78
2:B:183:GLN:HB2	6:B:303:EDO:C1	2.16	0.76
2:B:25:ALA:HB1	2:B:145:ILE:HD11	1.68	0.75
2:B:40:GLU:OE2	2:B:84:ARG:HD2	1.86	0.75
2:B:65:LEU:HD12	2:B:65:LEU:N	2.02	0.74
2:B:17:LYS:HD2	2:B:18:LEU:N	2.03	0.73
2:B:72:LYS:O	2:B:76:GLU:HG3	1.88	0.73
1:A:126:HIS:NE2	1:A:130:GLU:HG2	2.02	0.73
1:A:107:CYS:HB3	1:A:110:VAL:HG21	1.71	0.72
1:A:95:ILE:HB	1:A:96:PRO:HD3	1.71	0.72
2:B:17:LYS:HD2	2:B:18:LEU:H	1.55	0.71
1:A:8:LEU:C	1:A:8:LEU:HD23	2.16	0.70
1:A:85:SER:OG	1:A:118:LYS:HD2	1.91	0.70
2:B:16:TYR:CD2	2:B:92:ASN:HB3	2.27	0.70
1:A:47:GLU:HG2	1:A:51:LYS:O	1.92	0.70
1:A:95:ILE:N	1:A:96:PRO:HD2	2.08	0.69
1:A:95:ILE:HB	1:A:96:PRO:CD	2.23	0.68
2:B:172:MET:O	6:B:303:EDO:H21	1.94	0.67
1:A:134:MET:O	1:A:135:LYS:HB2	1.92	0.67
2:B:205:ASN:O	2:B:206:ASN:CB	2.39	0.67
2:B:97:ARG:HG3	2:B:97:ARG:NH1	2.10	0.67
1:A:113:ILE:HD12	1:A:174:ALA:HA	1.76	0.66
2:B:107:GLU:H	2:B:107:GLU:CD	2.00	0.66
2:B:68:ASP:OD1	2:B:70:THR:HG22	1.96	0.66
2:B:174:SER:HB2	2:B:176:ASP:OD1	1.96	0.65
2:B:78:LEU:CD2	2:B:140:TYR:CE2	2.78	0.65
2:B:39:GLU:H	2:B:39:GLU:CD	2.04	0.64
1:A:129:ARG:O	1:A:132:ALA:HB3	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:158:MET:HE1	2:B:213:LYS:CE	2.24	0.64
2:B:183:GLN:HB2	6:B:303:EDO:H11	1.78	0.64
2:B:17:LYS:O	2:B:93:ILE:CD1	2.41	0.64
2:B:96:TYR:CE1	2:B:160:GLU:HB2	2.33	0.64
1:A:67:ASP:OD1	1:A:70:ARG:NH1	2.26	0.64
2:B:71:MET:O	2:B:74:LYS:HB2	1.97	0.63
1:A:107:CYS:HB3	1:A:110:VAL:CG2	2.29	0.63
1:A:29:GLN:HA	1:A:29:GLN:OE1	1.99	0.63
2:B:52:ARG:HH11	2:B:52:ARG:HG2	1.64	0.63
2:B:78:LEU:CD2	2:B:140:TYR:CZ	2.80	0.63
2:B:122:LYS:O	2:B:126:ILE:HG13	1.99	0.62
2:B:52:ARG:N	2:B:53:PRO:CD	2.60	0.62
2:B:168:HIS:O	2:B:189:PRO:HD3	1.99	0.62
2:B:52:ARG:O	2:B:56:GLU:HB2	1.99	0.61
2:B:176:ASP:OD1	2:B:176:ASP:N	2.27	0.61
2:B:71:MET:O	2:B:74:LYS:N	2.33	0.61
2:B:92:ASN:OD1	2:B:165:SER:N	2.33	0.61
2:B:122:LYS:O	2:B:125:GLU:HG3	2.01	0.61
1:A:100:THR:HB	1:A:101:PRO:HD3	1.83	0.61
1:A:7:LYS:HE3	1:A:58:TRP:CE2	2.35	0.60
2:B:185:GLU:H	6:B:303:EDO:H22	1.66	0.60
2:B:45:ARG:HG3	2:B:177:LEU:C	2.28	0.58
2:B:190:ARG:O	2:B:191:ASN:HB2	2.02	0.58
1:A:41:ASN:HD21	5:B:301:NAI:H1D	1.68	0.58
2:B:65:LEU:H	2:B:65:LEU:CD1	2.11	0.58
1:A:26:SER:HB3	1:A:42:TYR:CE2	2.37	0.58
2:B:36:TRP:HA	2:B:40:GLU:OE1	2.03	0.58
2:B:36:TRP:HB3	2:B:40:GLU:HB3	1.84	0.58
1:A:4:ILE:HD12	1:A:4:ILE:N	2.19	0.57
2:B:44:ILE:HG22	2:B:172:MET:HE3	1.86	0.57
2:B:78:LEU:HD21	2:B:140:TYR:CE2	2.40	0.56
1:A:130:GLU:OE1	1:A:133:LYS:HE3	2.06	0.56
2:B:25:ALA:CB	2:B:145:ILE:HD11	2.34	0.56
2:B:40:GLU:OE2	2:B:84:ARG:CD	2.52	0.56
1:A:130:GLU:OE1	1:A:130:GLU:HA	2.06	0.56
1:A:119:LYS:HD3	1:A:158:GLU:HB3	1.89	0.55
2:B:78:LEU:HD23	2:B:140:TYR:CE2	2.37	0.55
2:B:44:ILE:CG2	2:B:172:MET:HE3	2.37	0.54
2:B:111:SER:C	2:B:113:ILE:N	2.65	0.54
1:A:48:VAL:HA	7:A:324:HOH:O	2.08	0.54
2:B:78:LEU:HD23	2:B:140:TYR:OH	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:74:LYS:HE3	2:B:74:LYS:HA	1.89	0.54
1:A:122:ARG:NH2	1:A:141:PRO:HD3	2.23	0.53
1:A:4:ILE:HD12	1:A:4:ILE:H	1.73	0.53
2:B:88:LYS:HG3	2:B:168:HIS:CE1	2.43	0.53
2:B:183:GLN:HB2	6:B:303:EDO:C2	2.38	0.53
1:A:126:HIS:CD2	1:A:130:GLU:OE2	2.62	0.53
2:B:36:TRP:HB3	2:B:40:GLU:CB	2.38	0.53
2:B:68:ASP:OD1	2:B:71:MET:N	2.42	0.52
1:A:47:GLU:OE2	1:A:50:GLY:HA2	2.08	0.52
1:A:126:HIS:CD2	1:A:126:HIS:C	2.86	0.52
2:B:87:ALA:O	2:B:168:HIS:ND1	2.43	0.52
2:B:96:TYR:HE1	2:B:160:GLU:HB2	1.74	0.52
1:A:86:ILE:HA	1:A:139:VAL:HG22	1.92	0.52
2:B:18:LEU:HD12	2:B:19:CYS:N	2.25	0.52
2:B:138:PHE:O	2:B:190:ARG:HB2	2.08	0.52
2:B:180:TYR:O	6:B:303:EDO:H12	2.09	0.52
2:B:44:ILE:O	2:B:48:THR:HG23	2.09	0.52
2:B:76:GLU:O	2:B:80:LYS:HG3	2.09	0.51
2:B:97:ARG:NH2	5:B:301:NAI:O2A	2.39	0.51
2:B:121:GLU:O	2:B:125:GLU:HG2	2.10	0.51
1:A:33:VAL:HG12	1:A:33:VAL:O	2.11	0.51
1:A:49:ASP:OD1	1:A:49:ASP:N	2.44	0.51
1:A:79:VAL:HG22	1:A:80:ILE:N	2.25	0.51
1:A:126:HIS:CD2	1:A:130:GLU:CG	2.92	0.51
1:A:7:LYS:NZ	1:A:75:PRO:O	2.42	0.50
1:A:41:ASN:ND2	5:B:301:NAI:H1D	2.26	0.50
1:A:45:ASP:C	1:A:46:ILE:HG13	2.37	0.50
2:B:34:ASN:CG	2:B:35:LYS:HZ2	2.08	0.50
2:B:34:ASN:HA	2:B:36:TRP:CZ3	2.47	0.50
1:A:86:ILE:HA	1:A:139:VAL:CG2	2.41	0.49
2:B:74:LYS:HA	2:B:74:LYS:CE	2.41	0.49
2:B:52:ARG:H	2:B:53:PRO:HD2	1.72	0.49
2:B:96:TYR:OH	2:B:160:GLU:OE1	2.16	0.49
2:B:183:GLN:HG3	6:B:303:EDO:H12	1.94	0.49
2:B:39:GLU:CD	2:B:39:GLU:N	2.70	0.49
1:A:9:VAL:HG23	1:A:77:THR:HG23	1.94	0.49
2:B:135:THR:HG22	2:B:136:THR:N	2.26	0.49
2:B:97:ARG:NH1	2:B:97:ARG:CG	2.73	0.48
2:B:114:LYS:O	2:B:117:LYS:HG2	2.14	0.48
2:B:36:TRP:CA	2:B:40:GLU:OE1	2.61	0.48
1:A:126:HIS:HD2	1:A:126:HIS:O	1.97	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:52:ARG:HB3	2:B:53:PRO:CD	2.42	0.48
2:B:111:SER:O	2:B:112:ILE:C	2.55	0.48
1:A:141:PRO:O	1:A:145:ARG:HG3	2.14	0.48
1:A:122:ARG:NH2	1:A:141:PRO:CD	2.77	0.48
1:A:118:LYS:NZ	3:A:201:GDP:O4'	2.27	0.48
1:A:68:ARG:NH2	2:B:148:ASP:OD2	2.47	0.47
1:A:70:ARG:HB3	1:A:71:PRO:HD3	1.95	0.47
2:B:79:ASP:O	2:B:83:ASN:HB2	2.14	0.47
1:A:47:GLU:HG2	1:A:51:LYS:C	2.38	0.47
1:A:154:PHE:C	1:A:154:PHE:CD1	2.92	0.47
2:B:37:SER:O	2:B:40:GLU:HB2	2.13	0.47
1:A:95:ILE:N	1:A:96:PRO:CD	2.74	0.47
1:A:6:LYS:NZ	1:A:178:ALA:O	2.45	0.47
2:B:111:SER:O	2:B:113:ILE:N	2.48	0.47
1:A:19:THR:HG23	1:A:39:PHE:HB2	1.96	0.47
1:A:120:ASP:OD2	1:A:160:SER:OG	2.24	0.47
2:B:34:ASN:O	2:B:41:LYS:NZ	2.47	0.47
2:B:52:ARG:HG2	2:B:52:ARG:NH1	2.27	0.47
2:B:52:ARG:HB3	2:B:53:PRO:HD3	1.96	0.47
1:A:93:GLU:O	1:A:96:PRO:HD2	2.15	0.46
1:A:30:PHE:CD1	1:A:162:LYS:HA	2.49	0.46
2:B:95:VAL:HG23	2:B:161:PHE:HB2	1.98	0.46
2:B:111:SER:OG	2:B:114:LYS:HE3	2.16	0.46
2:B:37:SER:N	2:B:40:GLU:HB2	2.30	0.46
2:B:76:GLU:O	2:B:80:LYS:HE3	2.16	0.46
1:A:47:GLU:HA	1:A:51:LYS:O	2.16	0.46
1:A:157:MET:SD	1:A:173:MET:HE3	2.56	0.45
2:B:98:GLY:C	2:B:155:ARG:HD2	2.42	0.45
1:A:135:LYS:HA	1:A:135:LYS:HD2	1.69	0.45
1:A:163:THR:C	1:A:164:LYS:CG	2.89	0.45
2:B:60:MET:HA	2:B:60:MET:HE2	1.98	0.45
2:B:88:LYS:CG	2:B:168:HIS:CE1	2.99	0.45
1:A:93:GLU:O	1:A:96:PRO:HG2	2.16	0.45
2:B:61:HIS:CD2	2:B:61:HIS:N	2.84	0.45
2:B:33:PHE:O	2:B:36:TRP:CZ3	2.70	0.44
2:B:171:TYR:CD1	2:B:185:GLU:O	2.70	0.44
2:B:17:LYS:HD2	2:B:18:LEU:O	2.17	0.44
2:B:103:ILE:O	2:B:103:ILE:HG13	2.18	0.44
2:B:21:ASN:OD1	2:B:24:GLU:HG3	2.17	0.43
2:B:34:ASN:CG	2:B:35:LYS:NZ	2.73	0.43
2:B:120:ARG:NH1	2:B:201:ILE:HD13	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:142:SER:C	2:B:143:THR:CG2	2.90	0.43
2:B:22:LYS:HD3	2:B:184:TYR:OH	2.10	0.43
1:A:79:VAL:CG2	1:A:80:ILE:N	2.81	0.43
2:B:16:TYR:HA	2:B:92:ASN:O	2.19	0.43
1:A:47:GLU:OE2	1:A:50:GLY:CA	2.66	0.43
1:A:122:ARG:HH12	1:A:158:GLU:CD	2.27	0.43
2:B:40:GLU:O	2:B:44:ILE:HG13	2.19	0.43
1:A:118:LYS:HG2	3:A:201:GDP:C6	2.54	0.42
2:B:17:LYS:N	2:B:92:ASN:O	2.47	0.42
2:B:155:ARG:O	2:B:211:GLN:NE2	2.50	0.42
1:A:14:GLY:O	1:A:15:ALA:HB3	2.20	0.42
1:A:142:GLU:O	1:A:146:ASP:HB2	2.19	0.42
2:B:180:TYR:N	2:B:181:PRO:HD3	2.35	0.42
1:A:71:PRO:HA	1:A:74:TYR:CD2	2.55	0.42
1:A:82:MET:HG2	1:A:95:ILE:HD12	2.02	0.42
2:B:116:GLY:O	2:B:210:GLU:HG3	2.20	0.42
2:B:183:GLN:CG	6:B:303:EDO:H12	2.50	0.42
1:A:157:MET:HE2	1:A:169:GLU:HB3	2.01	0.42
2:B:25:ALA:HA	2:B:145:ILE:CD1	2.50	0.42
2:B:71:MET:HE3	2:B:74:LYS:HB2	2.02	0.42
2:B:146:LEU:HD12	2:B:146:LEU:HA	1.69	0.42
2:B:57:PHE:CE1	2:B:61:HIS:ND1	2.88	0.41
2:B:16:TYR:CE1	2:B:162:LYS:HD3	2.55	0.41
1:A:9:VAL:HG23	1:A:77:THR:CG2	2.51	0.41
2:B:37:SER:H	2:B:40:GLU:CD	2.17	0.41
1:A:27:LYS:O	1:A:28:ASP:C	2.64	0.41
1:A:104:LYS:O	1:A:108:PRO:HG3	2.21	0.41
2:B:34:ASN:HD21	2:B:35:LYS:HZ1	1.69	0.41
2:B:73:LYS:O	2:B:77:SER:CB	2.69	0.41
2:B:84:ARG:HE	2:B:84:ARG:HB3	1.56	0.41
1:A:118:LYS:HG2	3:A:201:GDP:C5	2.56	0.40
1:A:93:GLU:C	1:A:96:PRO:HD2	2.46	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:ARG:NH2	2:B:131:GLN:O[3_555]	2.11	0.09

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	175/179 (98%)	164 (94%)	11 (6%)	0	100	100
2	B	203/219 (93%)	197 (97%)	6 (3%)	0	100	100
All	All	378/398 (95%)	361 (96%)	17 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	155/156 (99%)	137 (88%)	18 (12%)	5	11
2	B	179/192 (93%)	148 (83%)	31 (17%)	2	4
All	All	334/348 (96%)	285 (85%)	49 (15%)	3	6

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ASP
1	A	32	GLU
1	A	37	THR
1	A	40	GLU
1	A	47	GLU
1	A	49	ASP
1	A	51	LYS
1	A	75	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	80	ILE
1	A	97	GLU
1	A	128	ARG
1	A	130	GLU
1	A	134	MET
1	A	136	GLN
1	A	137	GLU
1	A	164	LYS
1	A	168	ARG
1	A	173	MET
2	B	15	LYS
2	B	17	LYS
2	B	18	LEU
2	B	22	LYS
2	B	39	GLU
2	B	41	LYS
2	B	45	ARG
2	B	65	LEU
2	B	70	THR
2	B	71	MET
2	B	74	LYS
2	B	75	ILE
2	B	85	LYS
2	B	86	GLU
2	B	88	LYS
2	B	89	VAL
2	B	91	ASP
2	B	103	ILE
2	B	107	GLU
2	B	112	ILE
2	B	114	LYS
2	B	119	ASP
2	B	121	GLU
2	B	125	GLU
2	B	145	ILE
2	B	174	SER
2	B	176	ASP
2	B	193	VAL
2	B	207	THR
2	B	209	LYS
2	B	210	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	126	HIS
2	B	61	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	B	302	-	3,3,3	0.36	0	2,2,2	0.46	0
6	EDO	B	303	-	3,3,3	0.51	0	2,2,2	0.54	0
3	GDP	A	201	4	29,30,30	1.16	2 (6%)	45,47,47	1.78	7 (15%)
5	NAI	B	301	-	47,48,48	1.35	6 (12%)	64,73,73	1.61	11 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	302	-	-	1/1/1/1	-
6	EDO	B	303	-	-	1/1/1/1	-
3	GDP	A	201	4	-	1/16/32/32	0/3/3/3
5	NAI	B	301	-	-	12/29/72/72	0/5/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	301	NAI	C5A-C4A	4.93	1.47	1.39
3	A	201	GDP	C5-C4	3.10	1.47	1.38
5	B	301	NAI	C5A-C6A	2.87	1.49	1.41
5	B	301	NAI	PN-O3	2.80	1.62	1.59
5	B	301	NAI	C4A-N9A	-2.44	1.32	1.37
5	B	301	NAI	C8A-N7A	2.42	1.36	1.31
5	B	301	NAI	C5A-N7A	-2.30	1.34	1.39
3	A	201	GDP	C6-N1	-2.16	1.34	1.38

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	301	NAI	C5A-C4A-N3A	-5.34	119.36	126.72
3	A	201	GDP	C5-C4-N3	-5.03	120.38	128.39
3	A	201	GDP	C2-N3-C4	4.96	120.85	112.30
5	B	301	NAI	N3A-C4A-N9A	4.12	134.17	127.17
5	B	301	NAI	C4A-C5A-N7A	-4.05	105.95	110.58
3	A	201	GDP	N9-C4-N3	3.84	133.63	125.95
5	B	301	NAI	N3A-C2A-N1A	-3.60	123.13	128.58
3	A	201	GDP	C6-C5-N7	3.60	136.84	130.29
5	B	301	NAI	C2A-N3A-C4A	3.59	120.61	111.83
5	B	301	NAI	C4A-N9A-C8A	3.33	109.23	105.74
3	A	201	GDP	O3B-PB-O2B	2.96	118.92	107.80
5	B	301	NAI	C5A-N7A-C8A	2.86	107.94	103.45
5	B	301	NAI	N9A-C8A-N7A	-2.48	110.42	113.94
5	B	301	NAI	C6A-C5A-N7A	2.48	136.87	132.09
3	A	201	GDP	C4-C5-N7	-2.31	107.01	110.67
5	B	301	NAI	C2A-N1A-C6A	2.30	122.51	118.73
3	A	201	GDP	C2'-C3'-C4'	2.26	106.97	102.61
5	B	301	NAI	C2B-C1B-N9A	-2.03	108.25	113.30

There are no chirality outliers.

All (15) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	B	301	NAI	C5B-O5B-PA-O1A
5	B	301	NAI	C5B-O5B-PA-O3
5	B	301	NAI	C5D-O5D-PN-O2N
5	B	301	NAI	C2N-C3N-C7N-N7N
5	B	301	NAI	O4D-C1D-N1N-C6N
6	B	303	EDO	O1-C1-C2-O2
5	B	301	NAI	C4D-C5D-O5D-PN
5	B	301	NAI	C3D-C4D-C5D-O5D
5	B	301	NAI	O4D-C4D-C5D-O5D
3	A	201	GDP	PA-O3A-PB-O3B
5	B	301	NAI	C5B-O5B-PA-O2A
5	B	301	NAI	C5D-O5D-PN-O3
6	B	302	EDO	O1-C1-C2-O2
5	B	301	NAI	C2D-C1D-N1N-C2N
5	B	301	NAI	C2B-C1B-N9A-C8A

There are no ring outliers.

3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	303	EDO	8	0
3	A	201	GDP	3	0
5	B	301	NAI	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	177/179 (98%)	-0.20	1 (0%) 85 83	46, 69, 96, 111	0
2	B	205/219 (93%)	-0.08	1 (0%) 87 85	50, 77, 111, 129	0
All	All	382/398 (95%)	-0.14	2 (0%) 87 85	46, 74, 106, 129	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	16	TYR	2.6
1	A	86	ILE	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	EDO	B	303	4/4	0.85	0.12	68,73,77,77	0
6	EDO	B	302	4/4	0.90	0.09	70,72,74,81	0
5	NAI	B	301	44/44	0.92	0.09	63,76,99,102	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GDP	A	201	28/28	0.94	0.08	44,56,65,71	0
4	MG	A	202	1/1	0.97	0.05	54,54,54,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.