



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:47 AM UTC

PDB ID : 1BX2 / pdb_00001bx2
Title : CRYSTAL STRUCTURE OF HLA-DR2 (DRA*0101,DRB1*1501) COM-
PLEXED WITH A PEPTIDE FROM HUMAN MYELIN BASIC PROTEIN
Authors : Smith, K.J.; Pyrdol, J.; Gauthier, L.; Wiley, D.C.; Wucherpennig, K.
Deposited on : 1998-10-12
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	180	60% 33% 7%
1	D	180	64% 32% .
2	B	191	53% 35% 12%
2	E	191	59% 34% 6% ..
3	C	15	40% 33% 13% 7% 7%
3	F	15	47% 27% 7% 13% 7%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6282 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (HLA-DR2).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	180	Total	C	N	O	S	0	0	0
			1451	941	234	272	4			
1	D	180	Total	C	N	O	S	0	0	0
			1467	949	238	275	5			


- Molecule 2 is a protein called PROTEIN (HLA-DR2).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	191	Total	C	N	O	S	0	0	0
			1543	976	277	284	6			
2	E	189	Total	C	N	O	S	0	0	0
			1514	960	270	278	6			

- Molecule 3 is a protein called PROTEIN (HLA-DR2).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	14	Total	C	N	O	0	0	0
			112	75	18	19			
3	F	14	Total	C	N	O	0	0	0
			119	79	22	18			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	11	Total	O	0	0
			11	11		
5	B	8	Total	O	0	0
			8	8		
5	D	15	Total	O	0	0
			15	15		
5	E	12	Total	O	0	0
			12	12		
5	F	2	Total	O	0	0
			2	2		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: PROTEIN (HLA-DR2)



- Molecule 1: PROTEIN (HLA-DR2)




- Molecule 2: PROTEIN (HLA-DR2)




- Molecule 2: PROTEIN (HLA-DR2)





● Molecule 3: PROTEIN (HLA-DR2)



● Molecule 3: PROTEIN (HLA-DR2)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	95.40 Å 95.40 Å 295.22 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60	Depositor
% Data completeness (in resolution range)	87.9 (20.00-2.60)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.238 , 0.266	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6282	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	1/1496 (0.1%)	0.94	5/2045 (0.2%)
1	D	0.50	0/1512	0.93	9/2064 (0.4%)
2	B	0.51	0/1585	0.97	8/2156 (0.4%)
2	E	0.54	0/1556	1.01	14/2120 (0.7%)
3	C	0.86	0/116	1.50	3/160 (1.9%)
3	F	0.72	0/123	1.46	4/166 (2.4%)
All	All	0.53	1/6388 (0.0%)	0.99	43/8711 (0.5%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	118	ASN	CA-CB	-5.63	1.45	1.53

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	96	VAL	N-CA-C	9.20	128.47	109.34
3	F	88	VAL	N-CA-C	7.69	119.69	108.53
2	E	122	PHE	N-CA-C	7.29	121.16	110.59
2	B	104	SER	N-CA-C	-7.20	98.82	110.20
2	E	164	VAL	CA-C-N	7.18	127.58	119.83
2	E	164	VAL	C-N-CA	7.18	127.58	119.83
3	F	86	ASN	CA-C-N	-7.12	112.62	119.89
3	F	86	ASN	C-N-CA	-7.12	112.62	119.89
3	C	88	VAL	N-CA-C	6.97	118.64	108.53
2	B	108	PRO	N-CA-CB	6.81	109.76	103.15
1	D	31	ILE	N-CA-C	-6.76	105.16	111.45
2	E	108	PRO	N-CA-CB	6.57	110.28	103.38
2	E	104	SER	N-CA-C	-6.42	99.84	110.17
2	E	88	SER	N-CA-C	6.32	118.17	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	120	SER	N-CA-C	6.27	118.70	109.24
1	A	110	ASP	N-CA-C	5.90	119.18	109.85
2	E	96	GLN	N-CA-C	5.89	117.31	109.83
2	E	116	VAL	N-CA-C	5.85	116.72	108.36
1	D	145	PHE	N-CA-C	5.77	118.63	109.81
2	E	36	GLU	N-CA-C	-5.72	101.38	109.96
2	E	99	VAL	N-CA-C	5.61	116.84	109.21
1	D	97	VAL	N-CA-C	5.53	116.54	108.58
2	B	116	VAL	N-CA-C	5.44	116.14	108.36
3	F	99	ARG	N-CA-C	5.38	126.06	111.00
2	B	120	SER	N-CA-C	5.20	117.58	109.52
2	E	8	LEU	N-CA-C	5.19	117.35	108.90
1	A	145	PHE	N-CA-C	5.18	117.73	109.81
2	E	65	LYS	N-CA-C	5.17	116.91	111.28
1	D	110	ASP	N-CA-C	5.16	118.00	109.85
3	C	86	ASN	N-CA-C	-5.15	98.44	109.81
1	D	86	PRO	N-CA-C	5.13	116.06	110.58
1	A	86	PRO	CA-C-N	5.09	125.09	120.21
1	A	86	PRO	C-N-CA	5.09	125.09	120.21
2	B	8	LEU	N-CA-C	5.08	117.19	108.90
1	D	86	PRO	CA-C-N	5.08	125.06	120.03
1	D	86	PRO	C-N-CA	5.08	125.06	120.03
1	A	118	ASN	OD1-CG-ND2	5.08	127.67	122.60
1	D	158	GLU	N-CA-C	5.07	119.47	113.28
2	E	164	VAL	N-CA-C	-5.06	97.95	108.88
2	B	96	GLN	CA-C-N	5.04	125.02	120.03
2	B	96	GLN	C-N-CA	5.04	125.02	120.03
2	B	99	VAL	N-CA-C	5.02	116.19	108.71
1	D	165	VAL	N-CA-C	5.01	115.18	108.17

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1451	0	1356	54	0
1	D	1467	0	1382	39	0
2	B	1543	0	1450	60	0
2	E	1514	0	1411	51	0
3	C	112	0	103	7	0
3	F	119	0	121	13	0
4	A	14	0	13	6	0
4	D	14	0	13	0	0
5	A	11	0	0	1	0
5	B	8	0	0	2	0
5	D	15	0	0	0	0
5	E	12	0	0	2	0
5	F	2	0	0	0	0
All	All	6282	0	5849	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:55:ARG:HH11	2:E:55:ARG:HG3	1.30	0.93
2:B:55:ARG:HH11	2:B:55:ARG:HG3	1.33	0.92
2:E:27:LEU:HD23	2:E:29:ARG:HD2	1.52	0.90
2:E:29:ARG:HH11	2:E:29:ARG:HG2	1.37	0.87
2:E:68:LEU:O	2:E:72:ARG:HG3	1.83	0.79
2:E:55:ARG:HH11	2:E:55:ARG:CG	1.95	0.78
2:B:55:ARG:HH11	2:B:55:ARG:CG	1.99	0.76
1:D:164:ARG:HB2	1:D:175:LEU:HD21	1.66	0.76
1:A:76:ARG:HG2	2:B:53:LEU:HD21	1.70	0.73
1:A:141:GLU:HA	1:A:141:GLU:OE1	1.89	0.72
1:A:76:ARG:HG2	2:B:53:LEU:CD2	2.18	0.72
2:B:29:ARG:HH11	2:B:29:ARG:HG2	1.53	0.71
2:B:145:THR:CG2	2:B:158:LEU:HB2	2.22	0.70
1:D:8:ILE:HG12	2:E:14:GLU:HB3	1.72	0.70
1:D:76:ARG:HG2	2:E:53:LEU:HD21	1.73	0.70
2:B:99:VAL:HG12	2:B:186:VAL:HG11	1.73	0.69
2:B:145:THR:HG21	2:B:158:LEU:HB2	1.72	0.69
1:D:141:GLU:HA	1:D:141:GLU:OE1	1.93	0.69
2:E:142:MET:HE1	5:E:202:HOH:O	1.94	0.68
2:B:104:SER:O	2:B:105:LYS:HB2	1.92	0.68
2:B:127:ILE:HD11	2:B:175:VAL:CG1	2.23	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:THR:HG23	1:A:108:PHE:HB2	1.74	0.68
2:B:29:ARG:HG2	2:B:29:ARG:NH1	2.09	0.67
2:E:55:ARG:HG3	2:E:55:ARG:NH1	2.02	0.67
2:B:68:LEU:O	2:B:72:ARG:HG3	1.95	0.66
2:B:55:ARG:HG3	2:B:55:ARG:NH1	2.04	0.66
1:D:67:LYS:O	1:D:71:GLU:HG3	1.95	0.66
1:D:76:ARG:HG2	2:E:53:LEU:CD2	2.27	0.64
1:A:168:TRP:CD1	4:A:182:NAG:H83	2.33	0.64
2:E:29:ARG:HG2	2:E:29:ARG:NH1	2.05	0.64
1:A:26:PHE:HB2	1:A:31:ILE:HD11	1.81	0.63
3:C:96:VAL:HG23	3:C:97:THR:N	2.11	0.62
2:B:109:LEU:HB2	2:B:192:SER:HB2	1.82	0.62
1:A:65:VAL:HG13	3:C:96:VAL:HG12	1.82	0.62
1:D:164:ARG:HA	1:D:175:LEU:HD23	1.82	0.61
2:E:27:LEU:CD2	2:E:29:ARG:HD2	2.28	0.61
1:D:12:PHE:C	1:D:12:PHE:CD1	2.78	0.60
2:E:36:GLU:O	2:E:50:VAL:CG2	2.49	0.60
2:B:116:VAL:HG22	2:B:160:MET:HE2	1.83	0.60
2:E:62:ASN:HA	2:E:68:LEU:HD21	1.83	0.60
2:E:133:LEU:HD13	2:E:171:TYR:CE2	2.36	0.60
1:A:67:LYS:O	1:A:71:GLU:HG3	2.02	0.60
2:E:113:ASN:ND2	2:E:114:LEU:H	1.99	0.59
1:D:164:ARG:HB2	1:D:175:LEU:CD2	2.33	0.59
1:A:168:TRP:N	4:A:182:NAG:H81	2.17	0.59
1:A:167:HIS:HA	4:A:182:NAG:H81	1.85	0.59
2:B:29:ARG:HH11	2:B:29:ARG:CG	2.16	0.58
1:A:93:THR:HG23	1:A:95:SER:O	2.04	0.58
1:A:41:THR:HG21	1:A:54:PHE:O	2.03	0.57
2:B:93:ARG:HD2	5:B:195:HOH:O	2.03	0.57
2:B:55:ARG:HE	2:E:55:ARG:HE	1.52	0.57
1:D:81:PRO:HB3	2:E:5:PRO:HB2	1.86	0.57
1:D:90:THR:HG23	1:D:108:PHE:HB3	1.86	0.57
2:B:127:ILE:HD11	2:B:175:VAL:HG11	1.86	0.57
2:B:36:GLU:O	2:B:51:THR:HG23	2.05	0.57
2:E:36:GLU:O	2:E:50:VAL:HG23	2.04	0.57
1:D:85:VAL:HB	1:D:113:THR:HG22	1.88	0.56
1:A:16:PRO:HD2	2:B:6:ARG:HD3	1.88	0.56
1:A:81:PRO:HB3	2:B:5:PRO:HB2	1.87	0.56
1:D:16:PRO:CD	2:E:6:ARG:HD3	2.36	0.56
1:A:78:ASN:O	1:A:79:TYR:HB2	2.06	0.55
3:F:86:ASN:CB	3:F:87:PRO:CD	2.85	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:86:ASN:HB2	3:F:87:PRO:CD	2.38	0.54
1:D:16:PRO:HD2	2:E:6:ARG:HD3	1.91	0.53
2:E:117:CYS:HB2	2:E:131:TRP:CZ2	2.43	0.53
2:E:104:SER:O	2:E:105:LYS:HB2	2.09	0.53
1:A:77:SER:O	1:A:80:THR:HG23	2.09	0.53
1:A:164:ARG:HA	1:A:175:LEU:HD23	1.91	0.53
1:A:89:VAL:HG21	1:A:165:VAL:HG21	1.91	0.53
1:D:57:GLN:HA	1:D:57:GLN:OE1	2.09	0.53
2:E:93:ARG:HG2	2:E:123:TYR:CD1	2.44	0.53
1:A:97:VAL:HG11	1:A:180:PHE:HD2	1.75	0.52
1:A:167:HIS:CA	4:A:182:NAG:H81	2.38	0.52
2:B:141:GLY:O	2:B:162:GLU:HG3	2.08	0.52
2:E:85:VAL:HG13	3:F:87:PRO:HB2	1.92	0.52
2:E:152:ASP:O	2:E:153:TRP:HB2	2.08	0.52
2:B:177:HIS:CD2	2:B:178:PRO:HD2	2.44	0.52
1:D:78:ASN:O	1:D:79:TYR:HB2	2.09	0.52
2:B:117:CYS:HB2	2:B:131:TRP:CZ2	2.45	0.52
1:A:12:PHE:C	1:A:12:PHE:CD1	2.87	0.51
2:B:191:ARG:HB3	5:B:198:HOH:O	2.09	0.51
2:E:50:VAL:HG23	2:E:51:THR:HG23	1.91	0.51
1:A:142:ASP:C	1:A:143:HIS:CG	2.87	0.51
1:A:172:GLU:HB2	1:A:173:PRO:HD2	1.91	0.51
3:F:99:ARG:N	3:F:99:ARG:CD	2.73	0.51
1:A:73:MET:O	1:A:77:SER:HB3	2.10	0.51
1:D:101:GLU:HA	1:D:101:GLU:OE1	2.10	0.51
1:A:8:ILE:HG12	2:B:14:GLU:HB3	1.93	0.50
2:B:105:LYS:HB2	2:B:113:ASN:HD21	1.75	0.50
3:F:86:ASN:HB2	3:F:87:PRO:HD2	1.94	0.50
2:B:64:GLN:HB2	2:B:67:ILE:HD12	1.94	0.50
3:F:96:VAL:HG12	3:F:97:THR:H	1.77	0.50
2:B:74:ALA:O	2:B:78:TYR:HB3	2.11	0.49
1:D:142:ASP:OD1	1:D:144:LEU:HB2	2.13	0.49
3:F:99:ARG:CD	3:F:99:ARG:H	2.23	0.49
2:B:163:THR:HG21	2:B:171:TYR:CE2	2.47	0.49
2:E:27:LEU:HD23	2:E:29:ARG:CD	2.33	0.49
2:B:99:VAL:CG1	2:B:186:VAL:HG11	2.40	0.49
1:A:167:HIS:C	4:A:182:NAG:H81	2.37	0.49
1:A:180:PHE:CD1	1:A:180:PHE:C	2.91	0.49
1:D:91:VAL:HG23	1:D:176:LYS:HB3	1.93	0.49
1:D:143:HIS:CD2	2:E:31:PHE:CE2	3.01	0.48
2:B:60:TYR:C	2:B:60:TYR:CD1	2.89	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:36:GLU:O	2:E:51:THR:HG23	2.14	0.48
1:A:4:GLU:HG3	5:A:190:HOH:O	2.13	0.48
1:A:16:PRO:CD	2:B:6:ARG:HD3	2.44	0.48
1:A:162:ASP:OD1	1:A:177:HIS:HA	2.14	0.48
2:B:90:THR:OG1	2:B:91:VAL:N	2.47	0.48
2:B:31:PHE:CE1	2:B:36:GLU:HB2	2.49	0.48
2:B:36:GLU:O	2:B:50:VAL:HG23	2.14	0.48
1:D:118:ASN:HB2	1:D:166:GLU:HB2	1.96	0.48
1:D:41:THR:HG21	1:D:54:PHE:O	2.13	0.47
1:A:162:ASP:HA	1:A:176:LYS:O	2.14	0.47
1:A:4:GLU:HB3	1:A:5:HIS:CD2	2.49	0.47
1:A:180:PHE:CD1	1:A:181:ASP:N	2.82	0.47
2:B:86:VAL:HA	2:B:89:PHE:CE1	2.49	0.47
3:F:86:ASN:O	3:F:87:PRO:C	2.55	0.47
2:E:27:LEU:HD12	2:E:41:ASP:HA	1.97	0.47
1:A:116:VAL:O	1:A:167:HIS:HD2	1.98	0.47
3:F:99:ARG:H	3:F:99:ARG:HD3	1.79	0.47
3:C:86:ASN:O	3:C:87:PRO:C	2.54	0.47
1:A:176:LYS:HA	1:A:176:LYS:HD3	1.51	0.47
2:E:58:ALA:O	2:E:62:ASN:HB2	2.14	0.46
2:E:116:VAL:HG22	2:E:160:MET:CE	2.46	0.46
2:E:170:VAL:HG12	2:E:170:VAL:O	2.14	0.46
1:A:34:VAL:HG21	1:A:59:ALA:CB	2.45	0.46
2:E:31:PHE:CE2	2:E:36:GLU:HB2	2.51	0.46
1:A:167:HIS:HA	4:A:182:NAG:C8	2.46	0.46
1:D:51:PHE:O	3:F:87:PRO:HD2	2.15	0.46
1:D:142:ASP:C	1:D:143:HIS:CG	2.94	0.46
1:D:143:HIS:CD2	1:D:143:HIS:N	2.83	0.46
2:E:29:ARG:HG2	2:E:36:GLU:OE2	2.16	0.46
1:A:129:THR:HG22	1:A:129:THR:O	2.16	0.45
2:B:13:ARG:N	2:B:13:ARG:HD2	2.31	0.45
2:B:83:TYR:C	2:B:83:TYR:CD1	2.95	0.45
2:B:36:GLU:HG2	2:B:50:VAL:HG21	1.98	0.45
2:B:157:THR:C	2:B:158:LEU:HD12	2.41	0.45
1:D:77:SER:O	1:D:80:THR:HG23	2.16	0.45
1:A:105:LEU:HG	1:A:153:PHE:CE1	2.51	0.45
1:D:71:GLU:O	1:D:75:LYS:HG3	2.16	0.45
2:E:29:ARG:HH11	2:E:29:ARG:CG	2.18	0.45
2:E:85:VAL:O	2:E:85:VAL:HG12	2.16	0.45
2:B:81:HIS:CD2	3:C:90:HIS:ND1	2.85	0.45
2:E:36:GLU:O	2:E:50:VAL:HG21	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:PRO:CB	1:A:170:LEU:HD13	2.47	0.44
2:B:40:PHE:C	2:B:40:PHE:CD1	2.95	0.44
2:B:145:THR:HG23	2:B:158:LEU:HB2	1.97	0.44
3:C:86:ASN:HB3	3:C:87:PRO:HD2	1.99	0.44
1:D:16:PRO:HD3	2:E:6:ARG:HD3	1.98	0.44
1:A:57:GLN:OE1	1:A:57:GLN:HA	2.18	0.44
3:F:86:ASN:N	3:F:86:ASN:OD1	2.49	0.44
1:A:85:VAL:HB	1:A:113:THR:HG22	2.00	0.44
2:E:106:THR:O	2:E:106:THR:HG22	2.18	0.44
2:B:38:VAL:HG23	2:B:48:ARG:O	2.18	0.44
2:B:161:LEU:HG	2:B:163:THR:HG23	2.00	0.44
2:E:116:VAL:HG22	2:E:160:MET:HE2	1.99	0.43
1:A:89:VAL:CG2	1:A:165:VAL:HG21	2.48	0.43
1:D:89:VAL:HG12	1:D:90:THR:N	2.32	0.43
1:A:143:HIS:CD2	1:A:143:HIS:N	2.85	0.43
1:A:175:LEU:HD23	1:A:175:LEU:HA	1.83	0.43
1:D:116:VAL:O	1:D:167:HIS:HD2	2.01	0.43
1:D:129:THR:O	1:D:132:VAL:HG22	2.19	0.43
1:A:122:LEU:HD23	1:A:127:PRO:HA	1.99	0.43
2:E:166:ARG:O	2:E:169:GLU:HG3	2.18	0.43
1:A:118:ASN:HB2	1:A:166:GLU:HB2	2.01	0.43
2:B:55:ARG:HB3	2:B:56:PRO:HD3	2.01	0.43
2:E:157:THR:C	2:E:158:LEU:HD12	2.44	0.43
2:B:75:VAL:CG1	2:B:80:ARG:HH12	2.31	0.43
1:D:141:GLU:OE1	1:D:141:GLU:CA	2.66	0.43
2:B:73:ALA:O	2:B:77:THR:HG23	2.19	0.42
2:B:24:VAL:HG12	2:B:25:ARG:N	2.34	0.42
1:A:109:ILE:HG22	1:A:112:PHE:CE1	2.54	0.42
2:E:46:GLU:OE2	2:E:48:ARG:NH1	2.53	0.42
2:B:36:GLU:O	2:B:50:VAL:CG2	2.68	0.42
1:D:113:THR:OG1	1:D:114:PRO:HA	2.20	0.42
2:B:38:VAL:HG22	2:B:39:ARG:N	2.35	0.42
2:B:145:THR:HG23	2:B:158:LEU:O	2.20	0.42
2:B:96:GLN:HA	2:B:97:PRO:HD3	1.76	0.42
2:B:113:ASN:ND2	2:B:114:LEU:H	2.18	0.42
1:A:172:GLU:O	1:A:173:PRO:C	2.64	0.41
2:B:28:ASP:HB3	2:B:40:PHE:HB3	2.01	0.41
1:D:108:PHE:HE1	1:D:146:ARG:CG	2.33	0.41
2:E:189:ARG:O	2:E:191:ARG:N	2.54	0.41
2:B:68:LEU:HD23	2:B:72:ARG:NH2	2.35	0.41
1:D:51:PHE:O	3:F:86:ASN:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:132:VAL:HG12	1:D:151:LEU:CD1	2.50	0.41
2:B:64:GLN:C	2:B:66:ASP:H	2.28	0.41
1:A:95:SER:HB2	1:A:96:PRO:HD2	2.02	0.41
1:D:172:GLU:HB2	1:D:173:PRO:HD2	2.03	0.41
2:E:157:THR:O	2:E:158:LEU:HD12	2.19	0.41
1:A:86:PRO:HB2	1:A:170:LEU:HD13	2.03	0.41
1:A:141:GLU:C	1:A:143:HIS:H	2.29	0.41
2:E:90:THR:OG1	2:E:91:VAL:N	2.54	0.41
1:A:96:PRO:HG3	2:B:118:SER:OG	2.21	0.41
1:A:75:LYS:HG2	1:A:76:ARG:N	2.35	0.40
3:C:95:ILE:HD12	3:C:95:ILE:HA	1.91	0.40
2:E:18:PHE:N	2:E:18:PHE:CD1	2.89	0.40
2:E:10:GLN:HB2	5:E:200:HOH:O	2.20	0.40
2:E:18:PHE:HB2	2:E:23:ARG:HB3	2.04	0.40
3:F:96:VAL:C	3:F:97:THR:CG2	2.95	0.40
3:C:88:VAL:CG1	3:C:89:VAL:N	2.84	0.40
1:D:100:ARG:HA	1:D:100:ARG:HD3	1.79	0.40
1:D:123:ARG:O	1:D:124:ASN:HB2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	178/180 (99%)	160 (90%)	15 (8%)	3 (2%)	7	15
1	D	178/180 (99%)	164 (92%)	13 (7%)	1 (1%)	21	42
2	B	189/191 (99%)	174 (92%)	10 (5%)	5 (3%)	4	7
2	E	187/191 (98%)	172 (92%)	13 (7%)	2 (1%)	11	25
3	C	12/15 (80%)	10 (83%)	2 (17%)	0	100	100
3	F	12/15 (80%)	10 (83%)	2 (17%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	756/772 (98%)	690 (91%)	55 (7%)	11 (2%)	8	18

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	190	ALA
1	A	142	ASP
1	D	94	ASN
1	A	17	ASP
1	A	56	ALA
2	B	65	LYS
2	B	190	ALA
2	B	183	PRO
2	E	105	LYS
2	B	33	ASN
2	B	4	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/165 (95%)	138 (88%)	19 (12%)	5	10
1	D	161/165 (98%)	140 (87%)	21 (13%)	4	8
2	B	165/173 (95%)	130 (79%)	35 (21%)	1	2
2	E	160/173 (92%)	132 (82%)	28 (18%)	2	3
3	C	13/15 (87%)	12 (92%)	1 (8%)	12	27
3	F	14/15 (93%)	10 (71%)	4 (29%)	0	1
All	All	670/706 (95%)	562 (84%)	108 (16%)	2	4

All (108) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	17	ASP
1	A	40	GLU
1	A	41	THR
1	A	47	GLU
1	A	90	THR
1	A	92	LEU
1	A	93	THR
1	A	95	SER
1	A	111	LYS
1	A	123	ARG
1	A	141	GLU
1	A	143	HIS
1	A	146	ARG
1	A	156	SER
1	A	160	VAL
1	A	164	ARG
1	A	170	LEU
1	A	176	LYS
2	B	3	THR
2	B	4	ARG
2	B	13	ARG
2	B	14	GLU
2	B	21	THR
2	B	25	ARG
2	B	27	LEU
2	B	29	ARG
2	B	39	ARG
2	B	50	VAL
2	B	53	LEU
2	B	55	ARG
2	B	57	ASP
2	B	64	GLN
2	B	66	ASP
2	B	68	LEU
2	B	70	GLN
2	B	75	VAL
2	B	77	THR
2	B	86	VAL
2	B	87	GLU
2	B	98	LYS
2	B	107	GLN
2	B	109	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	113	ASN
2	B	115	LEU
2	B	118	SER
2	B	126	SER
2	B	136	GLN
2	B	167	SER
2	B	170	VAL
2	B	180	VAL
2	B	186	VAL
2	B	187	GLU
2	B	193	GLU
3	C	96	VAL
1	D	11	GLU
1	D	18	GLN
1	D	25	ASP
1	D	40	GLU
1	D	41	THR
1	D	47	GLU
1	D	90	THR
1	D	92	LEU
1	D	93	THR
1	D	95	SER
1	D	111	LYS
1	D	123	ARG
1	D	133	SER
1	D	141	GLU
1	D	143	HIS
1	D	146	ARG
1	D	156	SER
1	D	164	ARG
1	D	170	LEU
1	D	176	LYS
1	D	181	ASP
2	E	3	THR
2	E	4	ARG
2	E	13	ARG
2	E	21	THR
2	E	29	ARG
2	E	39	ARG
2	E	53	LEU
2	E	55	ARG
2	E	57	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	68	LEU
2	E	75	VAL
2	E	87	GLU
2	E	94	ARG
2	E	98	LYS
2	E	105	LYS
2	E	111	HIS
2	E	113	ASN
2	E	115	LEU
2	E	118	SER
2	E	126	SER
2	E	127	ILE
2	E	142	MET
2	E	162	GLU
2	E	166	ARG
2	E	170	VAL
2	E	176	GLU
2	E	180	VAL
2	E	186	VAL
3	F	86	ASN
3	F	95	ILE
3	F	96	VAL
3	F	99	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	143	HIS
2	B	16	HIS
2	B	81	HIS
2	B	107	GLN
2	B	113	ASN
2	B	156	GLN
1	D	78	ASN
1	D	94	ASN
1	D	143	HIS
1	D	149	HIS
2	E	19	ASN
2	E	113	ASN
2	E	174	GLN
3	F	86	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	182	1	14,14,15	1.84	3 (21%)	17,19,21	1.79	4 (23%)
4	NAG	D	182	1	14,14,15	0.79	0	17,19,21	0.96	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	182	1	-	0/6/23/26	0/1/1/1
4	NAG	D	182	1	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	182	NAG	O5-C5	-4.10	1.35	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	182	NAG	C3-C2	3.94	1.60	1.52
4	A	182	NAG	C1-C2	2.34	1.55	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	182	NAG	C1-O5-C5	3.67	117.11	112.19
4	A	182	NAG	O5-C5-C6	-3.62	100.62	107.66
4	A	182	NAG	C1-C2-N2	3.17	115.43	110.43
4	D	182	NAG	C1-C2-N2	-2.39	106.67	110.43
4	A	182	NAG	C4-C3-C2	2.23	114.28	111.02
4	D	182	NAG	C2-N2-C7	-2.20	119.95	122.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	182	NAG	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.