



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:05 PM UTC

PDB ID : 3BYU / pdb_00003byu
Title : co-crystal structure of Lck and aminopyrimidine reverse amide 23
Authors : Huang, X.
Deposited on : 2008-01-16
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	277	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 2239 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase LCK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	256	2069	1332	346	379	12	0	0	0

- Molecule 2 is 2-methyl-N-{4-methyl-3-[(2-{[4-(4-methylpiperazin-1-yl)phenyl]amino}pyrimidin-5-yl)carbamoyl]phenyl}-3-(trifluoromethyl)benzamide (CCD ID: AM6) (formula: C₃₂H₃₂F₃N₇O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
2	A	1	44	32	3	7	2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	126	Total	O	1	0
			126	126		

Note EDS was not executed.

- Molecule 1: Proto-oncogene tyrosine-protein kinase LCK



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	44.12Å 73.72Å 101.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.30)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.232 , 0.278	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2239	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: AM6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/2120	1.07	12/2876 (0.4%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	402	PHE	CA-C-N	9.71	131.97	119.84
1	A	402	PHE	C-N-CA	9.71	131.97	119.84
1	A	320	GLU	N-CA-C	7.58	120.61	111.82
1	A	404	ILE	N-CA-C	6.90	123.69	109.34
1	A	261	MET	N-CA-C	-6.18	99.63	109.76
1	A	500	ALA	N-CA-C	-5.73	106.34	113.38
1	A	248	VAL	N-CA-C	5.63	116.46	111.90
1	A	255	GLN	N-CA-C	5.43	122.36	110.80
1	A	422	ASP	N-CA-C	-5.41	105.46	111.36
1	A	437	GLY	N-CA-C	5.29	122.62	115.32
1	A	268	THR	N-CA-C	5.28	117.34	107.99
1	A	314	ILE	N-CA-C	-5.27	99.93	107.78

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2069	0	2042	45	0
2	A	44	0	32	6	0
3	A	126	0	0	4	0
All	All	2239	0	2074	48	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:ARG:HD3	1:A:258:GLU:OE1	1.71	0.90
1:A:255:GLN:OE1	1:A:256:PHE:N	2.14	0.81
1:A:231:LYS:HE2	1:A:235:GLU:O	1.82	0.80
1:A:401:LYS:O	1:A:403:PRO:HD3	1.86	0.75
1:A:385:LEU:HD23	1:A:385:LEU:H	1.54	0.72
1:A:430:LEU:HB3	1:A:473:MET:HE2	1.71	0.72
1:A:495:GLU:O	1:A:499:THR:HG23	1.90	0.71
1:A:480:ARG:HD2	1:A:482:GLU:OE2	1.99	0.63
1:A:385:LEU:H	1:A:385:LEU:CD2	2.15	0.60
1:A:255:GLN:CD	1:A:255:GLN:N	2.58	0.60
1:A:255:GLN:CD	1:A:256:PHE:H	2.10	0.59
1:A:289:ALA:O	1:A:293:LYS:HG3	2.02	0.59
1:A:291:LEU:HD21	1:A:360:TYR:CE1	2.39	0.58
1:A:288:GLU:OE2	2:A:1:AM6:H15	2.04	0.57
1:A:442:PRO:HD2	3:A:583:HOH:O	2.04	0.56
1:A:250:ARG:NH1	1:A:258:GLU:OE1	2.27	0.56
1:A:255:GLN:HG2	1:A:256:PHE:CD2	2.41	0.56
1:A:469:LEU:O	1:A:473:MET:HG3	2.07	0.54
1:A:315:ILE:HD12	1:A:315:ILE:N	2.25	0.51
1:A:344:MET:HE2	1:A:378:CYS:SG	2.51	0.51
1:A:362:HIS:O	1:A:363:ARG:HB2	2.11	0.51
1:A:243:GLU:H	1:A:243:GLU:CD	2.19	0.50
2:A:1:AM6:O1	2:A:1:AM6:H27B	2.11	0.49
1:A:336:LEU:HD22	1:A:340:LYS:HG2	1.93	0.49
1:A:385:LEU:CD2	1:A:385:LEU:N	2.74	0.49
2:A:1:AM6:C32	2:A:1:AM6:N4	2.74	0.48
1:A:299:ARG:O	1:A:300:LEU:HD12	2.13	0.48
1:A:298:GLN:O	1:A:379:LYS:HE2	2.13	0.48
1:A:446:ASN:O	1:A:450:ILE:HG13	2.12	0.48
1:A:368:ALA:O	1:A:383:PHE:HE2	1.96	0.48
2:A:1:AM6:H25	2:A:1:AM6:O2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:ARG:NH2	3:A:563:HOH:O	2.48	0.46
1:A:381:ALA:HA	2:A:1:AM6:H27B	1.96	0.46
1:A:257:GLY:HA3	1:A:274:SER:O	2.16	0.46
1:A:480:ARG:HB3	1:A:482:GLU:OE2	2.16	0.45
1:A:299:ARG:C	1:A:300:LEU:HD12	2.42	0.45
1:A:318:TYR:CE1	2:A:1:AM6:H31	2.51	0.45
1:A:446:ASN:HB2	1:A:447:PRO:CD	2.46	0.45
1:A:436:HIS:HD2	3:A:607:HOH:O	2.00	0.44
1:A:255:GLN:HG2	1:A:256:PHE:HD2	1.82	0.43
1:A:320:GLU:O	1:A:320:GLU:HG3	2.18	0.43
1:A:441:TYR:N	1:A:442:PRO:HD3	2.34	0.43
1:A:319:MET:HG3	1:A:371:LEU:HB3	2.02	0.42
1:A:255:GLN:CG	1:A:256:PHE:H	2.33	0.41
1:A:464:ASN:ND2	3:A:594:HOH:O	2.53	0.41
1:A:339:ASN:HD21	1:A:498:PHE:HE1	1.68	0.41
1:A:383:PHE:HB2	1:A:385:LEU:HD22	2.02	0.41
1:A:429:LEU:CD2	1:A:433:ILE:HD11	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	252/277 (91%)	238 (94%)	10 (4%)	4 (2%)	7 7

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	403	PRO
1	A	255	GLN
1	A	404	ILE
1	A	405	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/242 (91%)	213 (96%)	8 (4%)	31	47

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	250	ARG
1	A	255	GLN
1	A	277	GLN
1	A	280	MET
1	A	298	GLN
1	A	385	LEU
1	A	403	PRO
1	A	430	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	265	ASN
1	A	298	GLN
1	A	339	ASN
1	A	413	ASN
1	A	436	HIS
1	A	446	ASN
1	A	452	ASN
1	A	464	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AM6	A	1	-	48,48,48	2.99	28 (58%)	66,69,69	3.37	25 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AM6	A	1	-	-	2/30/40/40	0/5/5/5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	AM6	C31-C30	6.82	1.49	1.38
2	A	1	AM6	C30-C29	6.03	1.50	1.39
2	A	1	AM6	C6-N5	5.57	1.56	1.46
2	A	1	AM6	C32-C5	5.22	1.48	1.39
2	A	1	AM6	C28-C29	5.10	1.48	1.39
2	A	1	AM6	C18-C17	4.78	1.45	1.39
2	A	1	AM6	C14-C16	4.58	1.46	1.40
2	A	1	AM6	C4-N5	4.08	1.53	1.46
2	A	1	AM6	C26-N7	-3.78	1.28	1.36
2	A	1	AM6	C17-C16	3.73	1.44	1.41
2	A	1	AM6	C24-N6	-3.68	1.34	1.41
2	A	1	AM6	C13-C8	-3.61	1.43	1.50
2	A	1	AM6	C23-C24	3.53	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	AM6	C5-N7	-3.36	1.33	1.40
2	A	1	AM6	C25-N4	-3.36	1.27	1.34
2	A	1	AM6	C10-C11	3.34	1.44	1.39
2	A	1	AM6	C20-C17	3.10	1.57	1.50
2	A	1	AM6	C14-C7	-2.85	1.44	1.50
2	A	1	AM6	C10-C9	2.72	1.43	1.38
2	A	1	AM6	C26-N4	2.70	1.38	1.34
2	A	1	AM6	C4-C3	-2.48	1.42	1.51
2	A	1	AM6	C15-C14	2.32	1.43	1.39
2	A	1	AM6	C12-C11	2.30	1.43	1.39
2	A	1	AM6	C25-C24	2.27	1.43	1.39
2	A	1	AM6	C1-N2	2.20	1.51	1.46
2	A	1	AM6	C3-N2	2.20	1.51	1.46
2	A	1	AM6	C19-C18	2.09	1.42	1.38
2	A	1	AM6	C32-C28	2.03	1.42	1.38

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	AM6	C24-C25-N4	-11.08	114.90	124.07
2	A	1	AM6	C32-C5-C31	8.88	130.83	119.04
2	A	1	AM6	C4-C3-N2	-7.87	98.20	110.86
2	A	1	AM6	C30-C31-C5	-7.79	111.33	120.30
2	A	1	AM6	C2-N2-C1	-7.45	96.45	110.63
2	A	1	AM6	C6-C1-N2	-6.83	99.88	110.86
2	A	1	AM6	C31-C5-N7	-5.91	100.60	120.61
2	A	1	AM6	C25-N4-C26	5.32	123.10	115.81
2	A	1	AM6	C28-C29-N5	-5.14	114.25	121.39
2	A	1	AM6	C2-N2-C3	-5.05	101.01	110.63
2	A	1	AM6	C24-C23-N1	-4.56	120.29	124.07
2	A	1	AM6	C3-N2-C1	4.26	116.32	109.54
2	A	1	AM6	C12-C13-C21	4.25	123.28	119.57
2	A	1	AM6	C22-C21-C13	-4.08	116.77	122.81
2	A	1	AM6	C6-N5-C29	3.85	128.60	118.11
2	A	1	AM6	C10-C9-C21	-3.26	117.11	121.98
2	A	1	AM6	C13-C12-C11	-3.01	115.41	120.45
2	A	1	AM6	F2-C20-F3	2.81	115.93	105.77
2	A	1	AM6	C28-C32-C5	-2.81	117.06	120.30
2	A	1	AM6	C5-N7-C26	-2.74	122.00	129.38
2	A	1	AM6	C9-C21-C13	2.73	121.03	117.75
2	A	1	AM6	C10-C11-C12	2.42	122.58	119.66
2	A	1	AM6	C32-C5-N7	2.35	128.56	120.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	AM6	C30-C29-N5	2.34	124.64	121.39
2	A	1	AM6	O2-C8-C13	-2.21	116.98	121.03

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1	AM6	C12-C13-C8-O2
2	A	1	AM6	C12-C13-C8-N6

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	AM6	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.