



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 09:19 AM UTC

PDB ID : 1BZH / pdb_00001bzh
Title : Cyclic peptide inhibitor of human PTP1B
Authors : Groves, M.R.; Yao, Z.J.; Burke Jr., T.R.; Barford, D.
Deposited on : 1998-10-28
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	
2	I	7	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2583 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (PROTEIN-TYROSINE-PHOSPHATASE 1B).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	S	0	0	0
			2427	1535	418	458	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	252	ASP	GLU	conflict	UNP P18031
A	265	GLU	ASP	conflict	UNP P18031

- Molecule 2 is a protein called PROTEIN (PROTEIN-TYROSINE-PHOSPHATASE 1B INHIBITOR).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	7	Total	C	F	N	O	S	0	0
			68	39	1	8	19	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	88	Total	O	0	0
			88	88		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEIN (PROTEIN-TYROSINE-PHOSPHATASE 1B)



• Molecule 2: PROTEIN (PROTEIN-TYROSINE-PHOSPHATASE 1B INHIBITOR)



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.69Å 86.82Å 52.00Å 90.00° 96.91° 90.00°	Depositor
Resolution (Å)	8.00 – 2.10 8.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	78.1 (8.00-2.10) 70.0 (8.00-2.10)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.56 (at 2.10Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.196 , 0.262 (Not available) , 0.290	Depositor DCC
R_{free} test set	1399 reflections (6.83%)	wwPDB-VP
Wilson B-factor (Å ²)	43.5	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.43 , 78.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2583	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AEA, FLT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/2482	1.70	35/3344 (1.0%)
2	I	2.68	3/36 (8.3%)	2.96	7/46 (15.2%)
All	All	0.75	3/2518 (0.1%)	1.72	42/3390 (1.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	401	ASP	C-N	8.79	1.46	1.33
2	I	403	ASP	C-N	8.62	1.45	1.33
2	I	402	ALA	C-N	7.24	1.43	1.33

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	22	ASP	CA-CB-CG	-9.49	103.11	112.60
1	A	193	ASN	OD1-CG-ND2	8.98	131.58	122.60
1	A	182	PHE	CA-C-O	-8.11	111.62	121.11
1	A	193	ASN	CA-CB-CG	-7.88	104.72	112.60
1	A	49	VAL	N-CA-CB	7.46	121.23	112.35
1	A	240	ASP	CA-CB-CG	7.25	119.85	112.60
1	A	135	PHE	CA-CB-CG	-6.95	106.85	113.80
1	A	155	VAL	N-CA-CB	6.68	119.88	111.46
1	A	3	MET	N-CA-C	6.59	119.46	111.82
1	A	62	GLU	CA-C-N	6.58	134.10	121.54
1	A	62	GLU	C-N-CA	6.58	134.10	121.54
1	A	196	PHE	CA-CB-CG	-6.52	107.28	113.80
2	I	404	GLU	CA-C-O	-6.49	109.76	120.80
2	I	401	ASP	CA-C-N	-6.44	109.13	122.07
2	I	401	ASP	C-N-CA	-6.44	109.13	122.07
1	A	252	ASP	N-CA-CB	6.43	119.68	110.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	272	LEU	CB-CA-C	-6.05	101.39	110.88
2	I	403	ASP	CA-CB-CG	-5.88	106.72	112.60
1	A	106	GLY	CA-C-N	5.87	131.15	122.99
1	A	106	GLY	C-N-CA	5.87	131.15	122.99
1	A	156	ARG	NE-CZ-NH2	5.85	124.47	119.20
1	A	33	ARG	CA-CB-CG	5.83	125.77	114.10
1	A	40	ASN	OD1-CG-ND2	5.72	128.32	122.60
1	A	43	ARG	NE-CZ-NH1	-5.68	115.82	121.50
1	A	198	VAL	N-CA-CB	5.66	117.17	110.55
1	A	199	ARG	CB-CA-C	-5.58	101.52	110.79
1	A	130	GLU	CA-C-O	-5.50	112.61	119.38
1	A	66	TYR	CA-C-O	5.47	126.73	120.54
1	A	236	ASP	CA-C-N	5.41	131.87	121.54
1	A	236	ASP	C-N-CA	5.41	131.87	121.54
1	A	42	ASN	CB-CG-ND2	5.39	124.49	116.40
1	A	150	LYS	N-CA-C	-5.30	102.32	109.95
1	A	63	ASP	CA-C-N	5.26	129.71	121.76
1	A	63	ASP	C-N-CA	5.26	129.71	121.76
2	I	404	GLU	CB-CG-CD	5.22	121.47	112.60
1	A	80	SER	CA-CB-OG	-5.21	100.68	111.10
2	I	403	ASP	CA-C-N	-5.15	112.42	121.70
2	I	403	ASP	C-N-CA	-5.15	112.42	121.70
1	A	63	ASP	CA-CB-CG	5.14	117.74	112.60
1	A	62	GLU	CA-C-O	5.04	125.60	119.05
1	A	19	ILE	CA-C-O	5.02	126.17	120.95
1	A	72	ILE	CA-C-O	-5.01	114.93	120.74

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2427	0	2381	95	0
2	I	68	0	44	20	0
3	A	88	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	2583	0	2425	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:GLU:HB2	1:A:138:THR:HG21	1.32	1.11
1:A:45:ARG:H	1:A:85:GLN:HE22	1.16	0.94
1:A:46:TYR:HA	2:I:404:GLU:HG3	1.56	0.86
1:A:220:GLY:HA3	2:I:405:FLT:O2	1.78	0.83
1:A:287:VAL:HG21	1:A:290:GLN:HB2	1.62	0.82
1:A:291:TRP:HA	1:A:294:LEU:HD13	1.61	0.81
1:A:83:LEU:HD21	1:A:226:CYS:SG	2.21	0.81
2:I:401:ASP:CG	2:I:402:ALA:H	1.90	0.78
1:A:45:ARG:H	1:A:85:GLN:NE2	1.82	0.77
2:I:401:ASP:CG	2:I:402:ALA:N	2.45	0.75
1:A:155:VAL:HG21	1:A:197:LYS:NZ	2.04	0.71
1:A:152:TYR:CE1	1:A:295:SER:HB3	2.28	0.69
1:A:97:GLU:HB2	1:A:138:THR:CG2	2.16	0.68
1:A:88:LEU:HB3	1:A:89:PRO:HD2	1.75	0.68
2:I:403:ASP:OD1	2:I:404:GLU:OE1	2.11	0.67
1:A:248:LYS:HE3	1:A:251:LEU:HB2	1.76	0.67
1:A:46:TYR:CD1	2:I:405:FLT:HB3	2.32	0.65
1:A:250:LEU:CD1	1:A:261:ILE:HD13	2.28	0.64
1:A:5:LYS:HD2	1:A:6:GLU:N	2.12	0.64
1:A:250:LEU:HD13	1:A:261:ILE:HD13	1.80	0.63
1:A:47:ARG:HG2	2:I:404:GLU:HG2	1.81	0.62
1:A:102:GLN:O	1:A:209:GLY:HA3	1.99	0.62
1:A:152:TYR:OH	1:A:193:ASN:HB3	2.00	0.61
2:I:401:ASP:OD2	2:I:401:ASP:N	2.34	0.61
1:A:193:ASN:HD22	1:A:291:TRP:HB2	1.66	0.60
1:A:155:VAL:HG21	1:A:197:LYS:HZ1	1.67	0.59
2:I:403:ASP:C	2:I:404:GLU:OE1	2.45	0.59
1:A:153:TYR:OH	1:A:197:LYS:HG3	2.03	0.58
1:A:77:ALA:CB	1:A:230:THR:HG23	2.34	0.58
1:A:56:ARG:NH2	1:A:58:LYS:HZ2	2.03	0.57
1:A:294:LEU:H	1:A:294:LEU:HD12	1.70	0.56
1:A:83:LEU:HD22	1:A:213:VAL:HB	1.87	0.56
1:A:46:TYR:CZ	2:I:405:FLT:HD1	2.41	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:MET:HG3	1:A:214:HIS:CE1	2.42	0.55
1:A:111:ASN:HD21	1:A:214:HIS:CE1	2.25	0.54
1:A:287:VAL:CG2	1:A:290:GLN:HB2	2.34	0.54
1:A:140:LEU:HD23	1:A:162:ASN:HA	1.90	0.53
1:A:56:ARG:NH2	1:A:58:LYS:NZ	2.56	0.53
1:A:155:VAL:HG21	1:A:197:LYS:HZ3	1.74	0.53
1:A:179:TRP:CD1	1:A:221:ARG:HE	2.27	0.53
1:A:241:PRO:HG3	1:A:282:MET:SD	2.48	0.53
1:A:188:PRO:HD3	1:A:272:LEU:HD13	1.90	0.53
1:A:23:ILE:HD11	1:A:247:LYS:HG2	1.90	0.52
1:A:16:TRP:NE1	1:A:268:ARG:HD2	2.23	0.52
1:A:47:ARG:H	2:I:404:GLU:HG3	1.72	0.52
2:I:405:FLT:CD2	2:I:405:FLT:C	2.87	0.52
1:A:280:PHE:CE1	1:A:290:GLN:HB3	2.46	0.51
1:A:119:LEU:HD22	3:A:330:HOH:O	2.11	0.51
2:I:403:ASP:HB3	2:I:404:GLU:CD	2.37	0.50
1:A:287:VAL:HG11	1:A:290:GLN:HB2	1.94	0.49
1:A:191:PHE:HZ	1:A:225:PHE:HA	1.77	0.49
1:A:120:LYS:HB3	1:A:216:SER:HB2	1.94	0.49
1:A:77:ALA:O	1:A:78:GLN:HB2	2.13	0.48
1:A:33:ARG:HA	3:A:347:HOH:O	2.13	0.48
1:A:6:GLU:HG2	1:A:10:ILE:CD1	2.44	0.48
1:A:77:ALA:HB2	1:A:230:THR:HG23	1.93	0.48
1:A:16:TRP:CE2	1:A:268:ARG:HD2	2.49	0.47
1:A:184:VAL:HB	1:A:185:PRO:CD	2.45	0.47
1:A:47:ARG:NH1	2:I:404:GLU:HG2	2.30	0.47
1:A:138:THR:O	1:A:138:THR:HG22	2.14	0.47
2:I:402:ALA:O	2:I:403:ASP:C	2.58	0.47
1:A:2:GLU:O	1:A:5:LYS:HE3	2.15	0.46
1:A:276:GLU:HG3	1:A:280:PHE:HE2	1.80	0.46
1:A:47:ARG:H	2:I:404:GLU:CG	2.29	0.46
1:A:240:ASP:OD2	1:A:242:SER:OG	2.33	0.46
1:A:42:ASN:ND2	1:A:43:ARG:HG3	2.32	0.45
1:A:162:ASN:OD1	1:A:164:THR:HB	2.17	0.45
1:A:46:TYR:CG	2:I:405:FLT:HB3	2.52	0.45
1:A:287:VAL:HG11	1:A:290:GLN:HG3	1.98	0.45
1:A:191:PHE:CZ	1:A:225:PHE:HA	2.52	0.44
1:A:56:ARG:HH21	1:A:58:LYS:NZ	2.14	0.44
1:A:63:ASP:HB2	1:A:64:ASN:H	1.64	0.44
1:A:115:GLU:HB2	1:A:120:LYS:HG3	2.00	0.44
1:A:193:ASN:ND2	1:A:291:TRP:HE3	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:ALA:O	1:A:282:MET:HB2	2.17	0.44
2:I:403:ASP:CG	2:I:404:GLU:OE1	2.61	0.44
1:A:204:LEU:HD21	1:A:211:VAL:HG11	2.00	0.44
1:A:7:PHE:CE1	1:A:268:ARG:HG3	2.52	0.44
1:A:111:ASN:O	1:A:175:HIS:NE2	2.45	0.44
1:A:87:PRO:HG3	1:A:95:PHE:CD2	2.52	0.44
1:A:114:MET:HE3	1:A:114:MET:HB3	1.78	0.44
1:A:193:ASN:ND2	1:A:291:TRP:HB2	2.30	0.44
1:A:227:LEU:HD21	1:A:246:ILE:HD11	1.99	0.44
1:A:56:ARG:HH21	1:A:58:LYS:HZ2	1.64	0.44
1:A:156:ARG:NH2	3:A:307:HOH:O	2.51	0.44
1:A:156:ARG:HB2	1:A:173:HIS:HB3	2.00	0.43
1:A:192:LEU:O	1:A:196:PHE:CD2	2.72	0.43
1:A:45:ARG:N	1:A:85:GLN:HE22	1.98	0.43
1:A:83:LEU:HD12	1:A:260:LEU:HD22	2.00	0.43
1:A:188:PRO:HA	1:A:269:PHE:CZ	2.54	0.42
1:A:88:LEU:HB3	1:A:89:PRO:CD	2.47	0.42
1:A:152:TYR:HA	1:A:178:THR:HG21	2.01	0.42
1:A:260:LEU:O	1:A:261:ILE:HB	2.19	0.42
1:A:5:LYS:HD3	1:A:9:GLN:OE1	2.19	0.42
1:A:287:VAL:CB	1:A:290:GLN:HB2	2.49	0.42
2:I:404:GLU:OE1	2:I:404:GLU:N	2.53	0.42
1:A:191:PHE:CZ	1:A:224:THR:HG22	2.55	0.42
1:A:287:VAL:HG11	1:A:290:GLN:CG	2.50	0.41
1:A:84:THR:O	1:A:214:HIS:HB2	2.20	0.41
1:A:211:VAL:HG13	1:A:213:VAL:HG23	2.02	0.41
2:I:404:GLU:CD	2:I:404:GLU:N	2.78	0.41
1:A:6:GLU:HG2	1:A:10:ILE:HD12	2.03	0.41
1:A:280:PHE:CD1	1:A:290:GLN:HB3	2.55	0.41
1:A:2:GLU:HG3	1:A:5:LYS:HB3	2.03	0.41
1:A:128:LYS:HB3	1:A:130:GLU:OE2	2.21	0.40
1:A:141:LYS:HE3	1:A:161:GLU:OE1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/298 (99%)	273 (92%)	16 (5%)	6 (2%)	6	2
2	I	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
All	All	298/305 (98%)	275 (92%)	17 (6%)	6 (2%)	6	2

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	63	ASP
1	A	296	HIS
1	A	297	GLU
1	A	261	ILE
1	A	283	GLY
1	A	292	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/271 (100%)	248 (92%)	22 (8%)	11	8
2	I	4/4 (100%)	3 (75%)	1 (25%)	0	0
All	All	274/275 (100%)	251 (92%)	23 (8%)	10	7

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ASP
1	A	15	SER
1	A	19	ILE
1	A	42	ASN
1	A	62	GLU
1	A	63	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	LYS
1	A	79	ARG
1	A	113	VAL
1	A	114	MET
1	A	130	GLU
1	A	197	LYS
1	A	205	SER
1	A	239	LYS
1	A	246	ILE
1	A	248	LYS
1	A	252	ASP
1	A	279	LYS
1	A	286	SER
1	A	289	ASP
1	A	297	GLU
1	A	298	ASP
2	I	404	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	HIS
1	A	42	ASN
1	A	85	GLN
1	A	111	ASN
1	A	123	GLN
1	A	157	GLN
1	A	193	ASN
1	A	288	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AEA	I	407	2	9,9,10	1.81	1 (11%)	8,10,12	2.25	5 (62%)
2	FLT	I	405	2	17,20,21	1.73	4 (23%)	12,28,30	1.08	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AEA	I	407	2	-	5/8/9/10	-
2	FLT	I	405	2	-	2/11/23/25	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	407	AEA	C2-N2	5.04	1.44	1.32
2	I	405	FLT	O2-C3	4.07	1.34	1.22
2	I	405	FLT	O1-C3	-3.21	1.18	1.30
2	I	405	FLT	CA-N	-2.88	1.40	1.48
2	I	405	FLT	C1-C2	-2.57	1.51	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	407	AEA	C1-C2-N2	3.06	121.97	116.75
2	I	407	AEA	C1-C3-S1	-3.05	102.27	113.51
2	I	407	AEA	C2-C1-N1	2.81	119.91	109.43
2	I	405	FLT	O1-C3-O2	2.75	132.64	123.86
2	I	407	AEA	O3-C2-N2	-2.56	118.52	123.04
2	I	407	AEA	C3-C1-C2	2.48	114.91	109.43

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	407	AEA	N1-C1-C2-N2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	I	407	AEA	N1-C1-C2-O3
2	I	407	AEA	C3-C1-C2-N2
2	I	407	AEA	C3-C1-C2-O3
2	I	407	AEA	C2-C1-C3-S1
2	I	405	FLT	F1-C1-C2-O3
2	I	405	FLT	OH-C1-C2-O4

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	405	FLT	5	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/298 (99%)	-0.15	9 (3%) 52 55	45, 61, 100, 100	0
2	I	5/7 (71%)	1.52	2 (40%) 1 1	84, 86, 89, 94	0
All	All	302/305 (99%)	-0.13	11 (3%) 46 48	45, 61, 100, 100	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	280	PHE	3.5
1	A	291	TRP	3.0
1	A	283	GLY	2.9
2	I	402	ALA	2.6
1	A	152	TYR	2.4
2	I	401	ASP	2.3
1	A	285	SER	2.1
1	A	296	HIS	2.1
1	A	286	SER	2.1
1	A	281	ILE	2.1
1	A	295	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	AEA	I	407	10/11	0.77	0.10	88,90,93,93	0
2	FLT	I	405	20/21	0.78	0.13	72,76,80,80	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.