



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 01:19 PM UTC

PDB ID : 6BZZ / pdb_00006bzz
Title : Crystal structure of halogenase PltM in complex with partially bound FAD
Authors : Pang, A.H.; Garneau-Tsodikova, S.; Tsodikov, O.V.
Deposited on : 2017-12-26
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	522	4% 91% 5%
1	B	522	8% 93%
2	C	522	4% 93%
2	D	522	7% 92%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Halogenase PltM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	500	Total	C	N	O	S	0	0	0
			3950	2521	697	721	11			
1	B	500	Total	C	N	O	S	0	0	0
			3943	2515	696	721	11			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q4KCZ3
A	-18	GLY	-	expression tag	UNP Q4KCZ3
A	-17	SER	-	expression tag	UNP Q4KCZ3
A	-16	SER	-	expression tag	UNP Q4KCZ3
A	-15	HIS	-	expression tag	UNP Q4KCZ3
A	-14	HIS	-	expression tag	UNP Q4KCZ3
A	-13	HIS	-	expression tag	UNP Q4KCZ3
A	-12	HIS	-	expression tag	UNP Q4KCZ3
A	-11	HIS	-	expression tag	UNP Q4KCZ3
A	-10	HIS	-	expression tag	UNP Q4KCZ3
A	-9	SER	-	expression tag	UNP Q4KCZ3
A	-8	SER	-	expression tag	UNP Q4KCZ3
A	-7	GLY	-	expression tag	UNP Q4KCZ3
A	-6	LEU	-	expression tag	UNP Q4KCZ3
A	-5	VAL	-	expression tag	UNP Q4KCZ3
A	-4	PRO	-	expression tag	UNP Q4KCZ3
A	-3	ARG	-	expression tag	UNP Q4KCZ3
A	-2	GLY	-	expression tag	UNP Q4KCZ3
A	-1	SER	-	expression tag	UNP Q4KCZ3
A	0	HIS	-	expression tag	UNP Q4KCZ3
B	-19	MET	-	initiating methionine	UNP Q4KCZ3
B	-18	GLY	-	expression tag	UNP Q4KCZ3
B	-17	SER	-	expression tag	UNP Q4KCZ3
B	-16	SER	-	expression tag	UNP Q4KCZ3
B	-15	HIS	-	expression tag	UNP Q4KCZ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP Q4KCZ3
B	-13	HIS	-	expression tag	UNP Q4KCZ3
B	-12	HIS	-	expression tag	UNP Q4KCZ3
B	-11	HIS	-	expression tag	UNP Q4KCZ3
B	-10	HIS	-	expression tag	UNP Q4KCZ3
B	-9	SER	-	expression tag	UNP Q4KCZ3
B	-8	SER	-	expression tag	UNP Q4KCZ3
B	-7	GLY	-	expression tag	UNP Q4KCZ3
B	-6	LEU	-	expression tag	UNP Q4KCZ3
B	-5	VAL	-	expression tag	UNP Q4KCZ3
B	-4	PRO	-	expression tag	UNP Q4KCZ3
B	-3	ARG	-	expression tag	UNP Q4KCZ3
B	-2	GLY	-	expression tag	UNP Q4KCZ3
B	-1	SER	-	expression tag	UNP Q4KCZ3
B	0	HIS	-	expression tag	UNP Q4KCZ3

- Molecule 2 is a protein called Halogenase PltM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	500	Total	C	N	O	S	0	0	0
			3953	2521	697	724	11			
2	D	499	Total	C	N	O	S	0	1	0
			3955	2523	698	723	11			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	MET	-	initiating methionine	UNP Q4KCZ3
C	-18	GLY	-	expression tag	UNP Q4KCZ3
C	-17	SER	-	expression tag	UNP Q4KCZ3
C	-16	SER	-	expression tag	UNP Q4KCZ3
C	-15	HIS	-	expression tag	UNP Q4KCZ3
C	-14	HIS	-	expression tag	UNP Q4KCZ3
C	-13	HIS	-	expression tag	UNP Q4KCZ3
C	-12	HIS	-	expression tag	UNP Q4KCZ3
C	-11	HIS	-	expression tag	UNP Q4KCZ3
C	-10	HIS	-	expression tag	UNP Q4KCZ3
C	-9	SER	-	expression tag	UNP Q4KCZ3
C	-8	SER	-	expression tag	UNP Q4KCZ3
C	-7	GLY	-	expression tag	UNP Q4KCZ3
C	-6	LEU	-	expression tag	UNP Q4KCZ3
C	-5	VAL	-	expression tag	UNP Q4KCZ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	expression tag	UNP Q4KCZ3
C	-3	ARG	-	expression tag	UNP Q4KCZ3
C	-2	GLY	-	expression tag	UNP Q4KCZ3
C	-1	SER	-	expression tag	UNP Q4KCZ3
C	0	HIS	-	expression tag	UNP Q4KCZ3
D	-19	MET	-	initiating methionine	UNP Q4KCZ3
D	-18	GLY	-	expression tag	UNP Q4KCZ3
D	-17	SER	-	expression tag	UNP Q4KCZ3
D	-16	SER	-	expression tag	UNP Q4KCZ3
D	-15	HIS	-	expression tag	UNP Q4KCZ3
D	-14	HIS	-	expression tag	UNP Q4KCZ3
D	-13	HIS	-	expression tag	UNP Q4KCZ3
D	-12	HIS	-	expression tag	UNP Q4KCZ3
D	-11	HIS	-	expression tag	UNP Q4KCZ3
D	-10	HIS	-	expression tag	UNP Q4KCZ3
D	-9	SER	-	expression tag	UNP Q4KCZ3
D	-8	SER	-	expression tag	UNP Q4KCZ3
D	-7	GLY	-	expression tag	UNP Q4KCZ3
D	-6	LEU	-	expression tag	UNP Q4KCZ3
D	-5	VAL	-	expression tag	UNP Q4KCZ3
D	-4	PRO	-	expression tag	UNP Q4KCZ3
D	-3	ARG	-	expression tag	UNP Q4KCZ3
D	-2	GLY	-	expression tag	UNP Q4KCZ3
D	-1	SER	-	expression tag	UNP Q4KCZ3
D	0	HIS	-	expression tag	UNP Q4KCZ3

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			18	12	4	2		
3	B	1	Total	C	N	O	0	0
			18	12	4	2		
3	C	1	Total	C	N	O	0	0
			18	12	4	2		
3	D	1	Total	C	N	O	0	0
			18	12	4	2		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		
4	B	1	Total	Ca	0	0
			1	1		
4	C	1	Total	Ca	0	0
			1	1		
4	D	1	Total	Ca	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	134	Total	O	0	0
			134	134		
5	B	85	Total	O	0	0
			85	85		
5	C	121	Total	O	0	0
			121	121		
5	D	115	Total	O	0	0
			115	115		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Halogenase PltM



• Molecule 1: Halogenase PltM




• Molecule 2: Halogenase PltM



• Molecule 2: Halogenase PltM





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.81Å 157.23Å 214.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.05 40.00 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.7 (40.00-2.05) 97.7 (40.00-2.05)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.28 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.8.0107	Depositor
R, R_{free}	0.219 , 0.245 0.224 , 0.250	Depositor DCC
R_{free} test set	6596 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	19.0	Xtriage
Anisotropy	0.254	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 29.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	16332	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, FAD, OCS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/4050	0.83	0/5499
1	B	0.52	0/4043	0.82	0/5491
2	C	0.53	0/4043	0.82	0/5488
2	D	0.53	0/4046	0.83	0/5492
All	All	0.53	0/16182	0.83	0/21970

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3950	0	3894	13	0
1	B	3943	0	3874	5	0
2	C	3953	0	3893	4	0
2	D	3955	0	3893	6	0
3	A	18	0	9	2	0
3	B	18	0	9	0	0
3	C	18	0	9	1	0
3	D	18	0	9	0	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	134	0	0	0	0
5	B	85	0	0	1	0
5	C	121	0	0	0	0
5	D	115	0	0	0	0
All	All	16332	0	15590	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:TYR:O	1:A:166:ALA:HA	1.96	0.66
1:B:493:ARG:NE	1:B:493:ARG:HA	2.16	0.61
1:A:306:TYR:OH	1:A:321:GLN:O	2.20	0.59
2:D:212:LEU:HD21	2:D:284:ALA:O	2.03	0.57
1:A:106:LEU:HD12	1:A:106:LEU:C	2.30	0.56
2:C:439:OCS:OD1	2:C:448:GLU:HB2	2.09	0.53
2:D:39:ARG:NH2	2:D:124:ASP:OD2	2.44	0.51
1:A:106:LEU:HD11	1:A:498:PHE:CE1	2.47	0.50
1:A:306:TYR:OH	3:A:601:FAD:O2	2.26	0.49
1:B:493:ARG:HA	1:B:493:ARG:HE	1.76	0.49
1:A:311:ASN:HB2	1:A:318:LEU:HB2	1.96	0.47
2:D:311:ASN:HB2	2:D:318:LEU:HB2	1.98	0.46
1:A:321:GLN:HB3	3:A:601:FAD:HN3	1.81	0.45
2:C:311:ASN:HB2	2:C:318:LEU:HB2	1.99	0.44
1:A:90:PHE:CD1	1:A:228:THR:HB	2.52	0.44
1:B:3:GLN:HB3	1:B:4:TYR:CD2	2.54	0.43
2:C:306:TYR:OH	3:C:601:FAD:O2	2.25	0.43
2:D:181:ARG:HD3	2:D:186:ARG:HD2	2.01	0.42
2:D:360:GLU:HA	2:D:363:ILE:HG12	2.01	0.42
1:A:30:LEU:HD11	1:A:139:ARG:HD3	2.00	0.42
1:B:36:GLN:OE1	1:B:141:ASN:ND2	2.52	0.42
2:C:405:ASN:HB3	2:C:487:LEU:HD12	2.01	0.42
1:A:90:PHE:HD1	1:A:228:THR:HB	1.84	0.42
1:A:87:LYS:HE3	1:A:90:PHE:CE1	2.55	0.41
1:A:106:LEU:CD1	1:A:498:PHE:CE1	3.02	0.41
2:D:212:LEU:HD23	2:D:212:LEU:HA	1.87	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:LEU:HD11	1:A:498:PHE:CZ	2.56	0.41
1:B:36:GLN:NE2	5:B:701:HOH:O	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	498/522 (95%)	488 (98%)	10 (2%)	0	100	100
1	B	498/522 (95%)	488 (98%)	10 (2%)	0	100	100
2	C	497/522 (95%)	487 (98%)	10 (2%)	0	100	100
2	D	497/522 (95%)	489 (98%)	8 (2%)	0	100	100
All	All	1990/2088 (95%)	1952 (98%)	38 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	421/440 (96%)	406 (96%)	15 (4%)	31	26
1	B	419/440 (95%)	407 (97%)	12 (3%)	37	33
2	C	420/439 (96%)	411 (98%)	9 (2%)	47	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	420/439 (96%)	409 (97%)	11 (3%)	40	37
All	All	1680/1758 (96%)	1633 (97%)	47 (3%)	38	34

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ARG
1	A	96	GLN
1	A	106	LEU
1	A	181	ARG
1	A	186	ARG
1	A	206	LYS
1	A	224	LEU
1	A	305	ASN
1	A	321	GLN
1	A	350	ASP
1	A	360	GLU
1	A	397	HIS
1	A	415	LEU
1	A	452	ARG
1	A	489	LEU
1	B	3	GLN
1	B	39	ARG
1	B	106	LEU
1	B	115	GLU
1	B	151	ASP
1	B	189	GLU
1	B	296	ARG
1	B	305	ASN
1	B	321	GLN
1	B	416	HIS
1	B	425	ARG
1	B	463	GLU
2	C	39	ARG
2	C	115	GLU
2	C	186	ARG
2	C	248	GLN
2	C	305	ASN
2	C	318	LEU
2	C	342	LEU
2	C	448	GLU
2	C	456	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	28	ASN
2	D	39	ARG
2	D	106	LEU
2	D	151	ASP
2	D	175	GLN
2	D	305	ASN
2	D	318	LEU
2	D	355	ASN
2	D	360	GLU
2	D	425	ARG
2	D	448	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	HIS
1	A	78	HIS
1	A	98	ASN
1	A	140	GLN
1	A	160	ASN
1	A	376	ASN
1	A	405	ASN
1	A	464	GLN
1	B	36	GLN
1	B	98	ASN
1	B	141	ASN
1	B	248	GLN
1	B	376	ASN
1	B	405	ASN
1	B	416	HIS
2	C	36	GLN
2	C	71	HIS
2	C	78	HIS
2	C	98	ASN
2	C	175	GLN
2	C	321	GLN
2	C	405	ASN
2	C	420	HIS
2	C	453	GLN
2	D	71	HIS
2	D	98	ASN
2	D	160	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	246	HIS
2	D	321	GLN
2	D	376	ASN
2	D	378	GLN
2	D	405	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	OCS	C	439	2	6,8,9	2.52	1 (16%)	7,11,13	1.70	3 (42%)
2	OCS	D	439	2	6,8,9	2.71	1 (16%)	7,11,13	2.66	4 (57%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OCS	C	439	2	-	4/4/7/9	-
2	OCS	D	439	2	-	1/4/7/9	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	439	OCS	OD3-SG	6.48	1.63	1.45
2	C	439	OCS	OD1-SG	6.04	1.62	1.45

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	439	OCS	OD1-SG-CB	5.11	114.38	106.76
2	D	439	OCS	CA-CB-SG	3.09	118.19	113.61
2	C	439	OCS	OD3-SG-CB	3.09	111.36	106.76
2	D	439	OCS	OD2-SG-CB	2.57	110.93	105.97
2	C	439	OCS	OD2-SG-CB	2.27	110.35	105.97
2	C	439	OCS	OD3-SG-OD1	-2.24	106.53	113.82
2	D	439	OCS	OD3-SG-OD1	-2.13	106.90	113.82

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	439	OCS	N-CA-CB-SG
2	C	439	OCS	CA-CB-SG-OD1
2	C	439	OCS	CA-CB-SG-OD2
2	D	439	OCS	N-CA-CB-SG
2	C	439	OCS	CA-CB-SG-OD3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	439	OCS	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	B	601	-	20,20,58	2.26	6 (30%)	26,30,89	1.36	4 (15%)
3	FAD	C	601	-	20,20,58	2.24	6 (30%)	26,30,89	1.37	3 (11%)
3	FAD	D	601	-	20,20,58	2.27	6 (30%)	26,30,89	1.34	3 (11%)
3	FAD	A	601	-	20,20,58	2.29	8 (40%)	26,30,89	1.88	6 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	B	601	-	-	-	0/3/3/6
3	FAD	C	601	-	-	-	0/3/3/6
3	FAD	D	601	-	-	-	0/3/3/6
3	FAD	A	601	-	-	-	0/3/3/6

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	FAD	C9A-C5X	6.71	1.50	1.41
3	C	601	FAD	C9A-C5X	6.56	1.50	1.41
3	D	601	FAD	C9A-C5X	6.49	1.50	1.41
3	B	601	FAD	C9A-C5X	6.41	1.50	1.41
3	B	601	FAD	C10-N10	4.43	1.41	1.36
3	D	601	FAD	C10-N10	4.33	1.41	1.36
3	C	601	FAD	C10-N10	4.05	1.41	1.36
3	D	601	FAD	C8-C7	3.84	1.50	1.40
3	B	601	FAD	C8-C7	3.83	1.50	1.40
3	C	601	FAD	C8-C7	3.82	1.50	1.40
3	A	601	FAD	C10-N10	3.21	1.40	1.36
3	A	601	FAD	C8-C7	2.84	1.47	1.40
3	A	601	FAD	C5X-N5	-2.76	1.34	1.39
3	A	601	FAD	C4-N3	-2.67	1.33	1.38
3	D	601	FAD	C4X-N5	2.51	1.36	1.30
3	C	601	FAD	C4X-N5	2.44	1.36	1.30
3	A	601	FAD	C6-C5X	-2.32	1.36	1.40
3	D	601	FAD	C4X-C10	2.20	1.49	1.43
3	C	601	FAD	C4X-C10	2.19	1.49	1.43
3	B	601	FAD	C5X-N5	-2.16	1.35	1.39
3	A	601	FAD	C4X-C10	2.13	1.49	1.43
3	B	601	FAD	C4X-C10	2.13	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	601	FAD	C4-N3	-2.13	1.34	1.38
3	A	601	FAD	C4X-N5	2.13	1.35	1.30
3	B	601	FAD	C4X-N5	2.11	1.35	1.30
3	D	601	FAD	C4-N3	-2.04	1.35	1.38

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	FAD	O2-C2-N1	-4.59	114.17	121.80
3	A	601	FAD	C4-C4X-N5	4.41	124.30	118.21
3	C	601	FAD	C4-C4X-N5	3.46	122.99	118.21
3	D	601	FAD	C4-C4X-N5	3.28	122.73	118.21
3	A	601	FAD	C9A-N10-C10	-3.22	116.38	123.58
3	A	601	FAD	C4-N3-C2	-2.76	120.74	125.64
3	B	601	FAD	O4-C4-C4X	-2.47	120.00	126.53
3	B	601	FAD	C9A-N10-C10	-2.46	118.08	123.58
3	C	601	FAD	C9A-N10-C10	-2.41	118.19	123.58
3	A	601	FAD	C5X-C9A-N10	2.38	120.07	117.80
3	D	601	FAD	C9A-N10-C10	-2.34	118.35	123.58
3	B	601	FAD	C4-C4X-N5	2.33	121.42	118.21
3	C	601	FAD	O2-C2-N1	-2.29	118.00	121.80
3	A	601	FAD	N3-C2-N1	2.25	124.28	119.50
3	B	601	FAD	O2-C2-N1	-2.21	118.13	121.80
3	D	601	FAD	O2-C2-N1	-2.13	118.27	121.80

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	601	FAD	1	0
3	A	601	FAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	500/522 (95%)	0.36	23 (4%)	37 37	10, 18, 34, 46	0
1	B	500/522 (95%)	0.61	44 (8%)	15 16	13, 22, 40, 54	0
2	C	499/522 (95%)	0.32	22 (4%)	39 39	10, 19, 33, 46	0
2	D	498/522 (95%)	0.52	36 (7%)	21 21	10, 20, 40, 52	1 (0%)
All	All	1997/2088 (95%)	0.45	125 (6%)	26 26	10, 20, 38, 54	1 (0%)

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	176	GLY	6.0
1	A	177	SER	5.9
2	C	177	SER	5.1
1	A	2	ASN	4.8
2	C	176	GLY	4.7
2	D	176	GLY	4.5
1	B	493	ARG	4.2
1	B	160	ASN	4.1
2	D	465	ALA	4.1
2	D	500	LEU	4.1
2	D	470	GLU	4.0
1	A	4	TYR	3.9
2	D	501	LYS	3.9
2	D	178	PRO	3.8
2	D	151	ASP	3.7
1	A	500	LEU	3.6
1	B	416	HIS	3.6
1	B	500	LEU	3.6
1	B	360	GLU	3.4
1	A	501	LYS	3.4
1	A	181	ARG	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	174	ALA	3.3
1	B	470	GLU	3.3
2	D	350	ASP	3.3
1	A	189	GLU	3.3
1	B	420	HIS	3.3
1	B	484	ALA	3.3
1	B	501	LYS	3.3
1	A	160	ASN	3.2
2	C	181	ARG	3.2
1	A	174	ALA	3.1
1	B	151	ASP	3.1
2	C	162	ALA	3.1
1	A	360	GLU	3.1
2	D	141	ASN	3.1
2	C	178	PRO	3.1
2	C	160	ASN	3.0
1	A	178	PRO	3.0
2	D	179	LEU	3.0
2	C	466	ARG	3.0
1	B	174	ALA	2.9
1	B	422	GLY	2.9
1	B	181	ARG	2.9
2	D	463	GLU	2.9
1	B	161	ALA	2.8
1	B	356	ARG	2.8
1	B	425	ARG	2.8
2	C	465	ALA	2.8
1	B	90	PHE	2.7
1	B	162	ALA	2.7
1	A	175	GLN	2.7
2	D	115	GLU	2.7
1	A	152	ASP	2.7
2	C	350	ASP	2.7
1	A	466	ARG	2.7
1	B	150	ASN	2.7
2	D	481	GLU	2.7
2	D	469	ALA	2.7
2	D	160	ASN	2.7
2	D	159	SER	2.7
1	A	350	ASP	2.7
1	B	219	ARG	2.7
2	C	360	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	159	SER	2.6
1	B	467	PRO	2.6
1	B	419	GLU	2.6
1	A	460	GLN	2.6
2	D	426	GLN	2.6
2	D	174	ALA	2.6
1	B	485	GLU	2.5
2	D	477	GLU	2.5
2	D	161	ALA	2.5
2	D	493	ARG	2.5
2	D	152	ASP	2.5
1	B	112	LYS	2.5
1	B	145	GLU	2.4
1	B	321	GLN	2.4
2	D	175	GLN	2.4
1	B	350	ASP	2.4
1	B	464	GLN	2.4
1	B	461	ALA	2.4
1	A	321	GLN	2.3
2	C	2	ASN	2.3
1	A	291	ASP	2.3
1	B	465	ALA	2.3
1	A	219	ARG	2.3
2	C	113	VAL	2.3
2	C	248	GLN	2.3
2	C	73	ASP	2.3
2	C	3	GLN	2.3
2	D	474	ALA	2.3
1	B	3	GLN	2.2
1	B	144	ILE	2.2
1	B	146	SER	2.2
1	A	493	ARG	2.2
2	D	466	ARG	2.2
1	B	179	LEU	2.2
1	B	141	ASN	2.2
1	B	176	GLY	2.2
1	B	175	GLN	2.2
2	D	177	SER	2.2
2	D	112	LYS	2.2
2	D	90	PHE	2.1
2	D	360	GLU	2.1
1	B	158	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	180	SER	2.1
1	B	143	LYS	2.1
1	B	463	GLU	2.1
2	D	158	LEU	2.1
2	D	297	GLU	2.1
1	B	469	ALA	2.1
2	D	146	SER	2.1
1	B	369	CYS	2.1
2	D	464	GLN	2.1
1	A	416	HIS	2.1
2	D	147	ILE	2.1
2	D	468	VAL	2.1
2	C	189	GLU	2.0
2	C	62	ASP	2.0
2	C	356	ARG	2.0
2	C	112	LYS	2.0
1	A	90	PHE	2.0
2	C	175	GLN	2.0
2	C	420	HIS	2.0
2	D	416[A]	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	OCS	C	439	9/10	0.81	0.15	19,20,21,22	3
2	OCS	D	439	9/10	0.82	0.16	22,23,25,25	3

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FAD	A	601	18/53	0.67	0.16	32,33,34,35	0
3	FAD	C	601	18/53	0.70	0.17	34,35,35,35	0
3	FAD	B	601	18/53	0.71	0.14	34,35,36,36	0
3	FAD	D	601	18/53	0.77	0.13	31,32,32,32	0
4	CA	A	602	1/1	0.90	0.08	24,24,24,24	0
4	CA	D	602	1/1	0.93	0.06	23,23,23,23	0
4	CA	C	602	1/1	0.95	0.04	22,22,22,22	0
4	CA	B	602	1/1	0.96	0.05	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.