



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:24 AM UTC

PDB ID : 4C0C / pdb_00004c0c
Title : Crystal structure of Trypanosoma cruzi CYP51 bound to the inhibitor (R)-N-(3-(1H-indol-3-yl)-1-oxo-1-(pyridin-4-ylamino)propan-2-yl)-4-(4-(2,4-difluorophenyl)piperazin-1-yl)-2-fluorobenzamide.
Authors : Calvet, C.M.; Vieira, D.F.; Choi, J.Y.; Cameron, M.D.; Gut, J.; Kellar, D.; Siqueira-Neto, J.L.; McKerrow, J.H.; Roush, W.R.; Podust, L.M.
Deposited on : 2013-08-01
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	467	2% 74% 19% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	A	1490	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3829 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STEROL 14-ALPHA DEMETHYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	1	0
			3540	2270	613	629	28			

There are 17 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	21	MET	-	expression tag	UNP Q5I4E1
A	22	ALA	-	expression tag	UNP Q5I4E1
A	23	LYS	-	expression tag	UNP Q5I4E1
A	24	LYS	-	expression tag	UNP Q5I4E1
A	25	THR	-	expression tag	UNP Q5I4E1
A	26	SER	-	expression tag	UNP Q5I4E1
A	27	SER	-	expression tag	UNP Q5I4E1
A	28	LYS	-	expression tag	UNP Q5I4E1
A	29	GLY	-	expression tag	UNP Q5I4E1
A	30	LYS	-	expression tag	UNP Q5I4E1
A	31	LEU	-	expression tag	UNP Q5I4E1
A	482	HIS	-	expression tag	UNP Q5I4E1
A	483	HIS	-	expression tag	UNP Q5I4E1
A	484	HIS	-	expression tag	UNP Q5I4E1
A	485	HIS	-	expression tag	UNP Q5I4E1
A	486	HIS	-	expression tag	UNP Q5I4E1
A	487	HIS	-	expression tag	UNP Q5I4E1

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 4-[4-[2,4-bis(fluoranyl)phenyl]piperazin-1-yl]-2-fluoranyl-N-[(2R)-3-(1H-indol-3-yl)-1-oxidanylidene-1-(pyridin-4-ylamino)propan-2-yl]benzamide (CCD ID: WVH) (formula: C₃₃H₂₉F₃N₆O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			44	33	3	6	2		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	125	Total	O	0	0
			125	125		

4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	128.53Å 128.53Å 116.72Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	80.68 – 2.04 80.68 – 2.04	Depositor EDS
% Data completeness (in resolution range)	99.8 (80.68-2.04) 99.8 (80.68-2.04)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 2.03Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.199 , 0.254 0.205 , 0.257	Depositor DCC
R_{free} test set	1833 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	41.3	Xtriage
Anisotropy	0.087	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3829	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, HEM, WVH, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.25	7/3624 (0.2%)	1.17	14/4904 (0.3%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	299	THR	CA-C	6.19	1.60	1.52
1	A	39	VAL	CA-C	5.64	1.58	1.52
1	A	96	ILE	CA-C	5.58	1.59	1.53
1	A	320	HIS	N-CA	5.45	1.52	1.46
1	A	303	SER	CA-C	5.29	1.59	1.52
1	A	354	PRO	C-O	-5.06	1.18	1.24
1	A	209	ILE	CA-CB	5.02	1.60	1.54

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	96	ILE	N-CA-C	9.39	122.35	112.96
1	A	35	TYR	CA-C-N	-8.11	112.36	120.31
1	A	35	TYR	C-N-CA	-8.11	112.36	120.31
1	A	35	TYR	N-CA-C	-6.04	102.05	109.65
1	A	314	LYS	N-CA-CB	-5.98	101.09	110.06
1	A	359	VAL	N-CA-C	-5.76	100.18	108.53
1	A	323	ILE	CB-CA-C	-5.29	104.92	112.22
1	A	80	VAL	N-CA-CB	-5.26	106.96	112.06
1	A	420	HIS	N-CA-C	5.13	118.68	112.93
1	A	159	LYS	N-CA-C	5.07	117.70	111.82
1	A	419	VAL	N-CA-C	-5.07	104.65	111.44
1	A	276	MET	N-CA-C	-5.04	103.39	110.50
1	A	188	LEU	N-CA-C	-5.04	105.69	111.14
1	A	387	SER	N-CA-C	5.03	116.84	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3540	0	3528	61	0
2	A	43	0	30	4	0
3	A	44	0	29	1	0
4	A	65	0	0	5	0
5	A	12	0	16	3	0
6	A	125	0	0	7	0
All	All	3829	0	3603	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:SER:HB3	6:A:2097:HOH:O	1.07	1.19
1:A:247:ARG:O	1:A:251:GLU:HG2	1.61	1.01
1:A:387:SER:OG	6:A:2018:HOH:O	1.99	0.80
1:A:149:GLU:HG2	1:A:181:GLN:HG3	1.64	0.78
1:A:223:LEU:N	4:A:1490:SO4:O1	2.22	0.72
1:A:247:ARG:O	1:A:251:GLU:CG	2.37	0.70
1:A:452:VAL:HG21	4:A:1481:SO4:O2	1.93	0.69
1:A:84:HIS:ND1	6:A:2021:HOH:O	2.26	0.68
1:A:149:GLU:CG	1:A:181:GLN:HG3	2.25	0.66
1:A:95:GLU:CG	5:A:1492:GOL:O3	2.46	0.64
1:A:193:ASN:HD21	1:A:196:HIS:HD2	1.45	0.64
1:A:250:GLU:HG2	1:A:250:GLU:O	1.99	0.63
4:A:1486:SO4:O4	6:A:2051:HOH:O	2.14	0.62
1:A:193:ASN:HD21	1:A:196:HIS:CD2	2.18	0.62
1:A:193:ASN:C	1:A:193:ASN:HD22	2.08	0.62
1:A:335:VAL:O	1:A:433:LYS:NZ	2.28	0.61
1:A:192:LEU:HD21	1:A:236:LEU:CD1	2.31	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:ILE:HG12	1:A:96:ILE:O	2.04	0.57
1:A:364:LYS:HD3	6:A:2025:HOH:O	2.04	0.57
1:A:309:HIS:HE1	1:A:450:ASP:O	1.87	0.57
1:A:318:LYS:HD3	1:A:341:PHE:CE1	2.43	0.54
1:A:222:PRO:HA	4:A:1490:SO4:O1	2.07	0.54
1:A:332:TYR:CE1	1:A:336:MET:HG3	2.44	0.53
1:A:210:PRO:HG3	1:A:460:MET:SD	2.49	0.53
1:A:85:GLU:OE1	1:A:88[B]:ARG:NH1	2.42	0.52
2:A:1450:HEM:CMB	2:A:1450:HEM:HBB2	2.39	0.52
1:A:44:HIS:HD2	1:A:47:GLN:OE1	1.91	0.52
1:A:239:ILE:O	1:A:243:ILE:HD12	2.10	0.51
1:A:294:HIS:HD2	6:A:2022:HOH:O	1.93	0.51
1:A:143:VAL:CG2	1:A:430:LEU:HD11	2.41	0.50
1:A:205:GLU:OE1	1:A:294:HIS:HE1	1.95	0.49
1:A:106:MET:HE3	1:A:109:VAL:CG2	2.42	0.49
1:A:329:GLN:OE1	1:A:329:GLN:CA	2.60	0.49
1:A:419:VAL:CG1	1:A:420:HIS:CE1	2.95	0.49
1:A:101:GLU:N	1:A:101:GLU:OE1	2.44	0.49
1:A:93:ARG:NH2	5:A:1492:GOL:H31	2.28	0.48
1:A:154:MET:HG2	1:A:158:TRP:CE3	2.49	0.48
2:A:1450:HEM:HBB2	2:A:1450:HEM:HMB2	1.96	0.48
1:A:419:VAL:HG13	1:A:420:HIS:CE1	2.49	0.47
1:A:329:GLN:OE1	1:A:329:GLN:N	2.47	0.47
1:A:398:ARG:CD	6:A:2122:HOH:O	2.62	0.46
1:A:444:ASP:OD1	1:A:476:LYS:HE2	2.15	0.46
1:A:309:HIS:CE1	1:A:450:ASP:O	2.68	0.45
1:A:116:TYR:HA	1:A:123:MET:HE2	1.97	0.45
1:A:331:ASN:C	1:A:331:ASN:OD1	2.59	0.45
1:A:344:ARG:HB3	1:A:402:PRO:O	2.17	0.45
1:A:178:THR:OG1	1:A:431:GLN:NE2	2.48	0.44
1:A:106:MET:HE3	1:A:109:VAL:HG21	1.98	0.44
1:A:192:LEU:HD13	1:A:239:ILE:HD13	1.99	0.44
1:A:149:GLU:CG	1:A:181:GLN:CG	2.95	0.44
1:A:222:PRO:CA	4:A:1490:SO4:O1	2.67	0.43
1:A:212:ALA:HA	1:A:215:MET:HB2	2.00	0.43
2:A:1450:HEM:C4D	3:A:1460:WVH:H2	2.54	0.43
1:A:192:LEU:HD22	1:A:239:ILE:HG21	2.01	0.42
1:A:324:ASP:C	1:A:326:PHE:H	2.28	0.42
1:A:104:THR:HB	1:A:219:LEU:HD23	2.01	0.41
1:A:139:PHE:O	1:A:140:GLN:C	2.63	0.41
1:A:292:GLY:HA3	5:A:1491:GOL:H2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:VAL:HG13	1:A:453:PRO:HD2	2.02	0.41
1:A:265:LEU:HB3	1:A:276:MET:HE1	2.02	0.41
1:A:193:ASN:ND2	1:A:196:HIS:H	2.19	0.41
1:A:44:HIS:HA	1:A:47:GLN:OE1	2.20	0.41
1:A:351:ARG:HD2	1:A:351:ARG:C	2.46	0.41
1:A:128:ASN:ND2	1:A:132:GLU:OE2	2.54	0.40
1:A:422:CYS:HB2	2:A:1450:HEM:NA	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	443/467 (95%)	428 (97%)	14 (3%)	1 (0%)	43 37

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	252	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	377/408 (92%)	357 (95%)	20 (5%)	20 13

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	LEU
1	A	34	VAL
1	A	54	GLU
1	A	93	ARG
1	A	96	ILE
1	A	122	ARG
1	A	156	GLU
1	A	166	ASN
1	A	188	LEU
1	A	193	ASN
1	A	197	PHE
1	A	200	LEU
1	A	219	LEU
1	A	228	ARG
1	A	258	THR
1	A	271	ARG
1	A	311	LYS
1	A	329	GLN
1	A	391	GLU
1	A	470	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	HIS
1	A	166	ASN
1	A	193	ASN
1	A	196	HIS
1	A	237	GLN
1	A	294	HIS
1	A	309	HIS
1	A	320	HIS
1	A	420	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	1480	-	4,4,4	0.58	0	6,6,6	1.17	0
5	GOL	A	1491	-	5,5,5	0.14	0	5,5,5	0.75	0
4	SO4	A	1479	-	4,4,4	0.19	0	6,6,6	0.68	0
4	SO4	A	1482	-	4,4,4	0.38	0	6,6,6	0.67	0
3	WVH	A	1460	2	49,49,49	1.92	12 (24%)	69,69,69	2.23	24 (34%)
4	SO4	A	1487	-	4,4,4	0.50	0	6,6,6	0.31	0
4	SO4	A	1490	-	4,4,4	0.68	0	6,6,6	0.25	0
2	HEM	A	1450	1,3	50,50,50	1.84	18 (36%)	67,82,82	2.07	28 (41%)
5	GOL	A	1492	-	5,5,5	0.76	0	5,5,5	1.22	0
4	SO4	A	1488	-	4,4,4	0.53	0	6,6,6	0.39	0
4	SO4	A	1485	-	4,4,4	0.53	0	6,6,6	0.33	0
4	SO4	A	1484	-	4,4,4	0.54	0	6,6,6	0.58	0
4	SO4	A	1493	-	4,4,4	0.41	0	6,6,6	0.31	0
4	SO4	A	1481	-	4,4,4	0.36	0	6,6,6	0.97	0
4	SO4	A	1486	-	4,4,4	0.51	0	6,6,6	0.45	0
4	SO4	A	1489	-	4,4,4	0.53	0	6,6,6	0.22	0
4	SO4	A	1483	-	4,4,4	0.47	0	6,6,6	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	1450	1,3	-	2/14/54/54	-
3	WVH	A	1460	2	-	2/28/38/38	0/6/6/6
5	GOL	A	1492	-	-	4/4/4/4	-
5	GOL	A	1491	-	-	2/4/4/4	-

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1460	WVH	C28-C27	6.53	1.49	1.41
3	A	1460	WVH	C8-C23	6.17	1.47	1.38
2	A	1450	HEM	C4B-NB	-4.15	1.30	1.38
3	A	1460	WVH	O1-C5	3.60	1.30	1.23
3	A	1460	WVH	C14-C19	3.41	1.47	1.40
2	A	1450	HEM	C3C-C4C	-3.21	1.40	1.46
2	A	1450	HEM	C1C-C2C	-3.14	1.39	1.45
2	A	1450	HEM	FE-NC	3.03	2.05	1.95
2	A	1450	HEM	CHA-C4D	-3.02	1.32	1.38
2	A	1450	HEM	C1B-NB	-2.96	1.35	1.40
3	A	1460	WVH	C28-C25	2.81	1.48	1.44
2	A	1450	HEM	C4A-NA	-2.78	1.34	1.39
2	A	1450	HEM	CHA-C1A	-2.67	1.33	1.39
2	A	1450	HEM	FE-ND	-2.56	1.87	1.94
2	A	1450	HEM	CHD-C4C	-2.52	1.33	1.38
2	A	1450	HEM	CBA-CGA	2.51	1.56	1.50
3	A	1460	WVH	C26-C25	2.47	1.40	1.36
2	A	1450	HEM	O2A-CGA	-2.46	1.22	1.30
2	A	1450	HEM	FE-NB	2.38	2.02	1.94
2	A	1450	HEM	C4C-NC	-2.28	1.35	1.39
3	A	1460	WVH	C6-C5	2.28	1.58	1.52
3	A	1460	WVH	C29-C28	-2.27	1.36	1.39
2	A	1450	HEM	CAD-C3D	2.26	1.57	1.51
2	A	1450	HEM	C1D-ND	-2.21	1.34	1.38
3	A	1460	WVH	C13-N4	-2.18	1.43	1.46
2	A	1450	HEM	C1C-NC	-2.17	1.35	1.39
2	A	1450	HEM	C1A-C2A	-2.12	1.40	1.44
3	A	1460	WVH	C16-C17	2.10	1.41	1.37
3	A	1460	WVH	C15-C16	2.06	1.42	1.38
3	A	1460	WVH	C24-C25	-2.02	1.46	1.50

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1450	HEM	CHC-C4B-NB	5.99	130.87	124.42
3	A	1460	WVH	C12-C13-N4	-5.63	98.93	110.78
3	A	1460	WVH	F-C17-C16	5.12	126.75	118.55
2	A	1450	HEM	CHD-C1D-ND	4.54	129.31	124.42
2	A	1450	HEM	CHD-C1D-C2D	-4.24	118.33	125.03
3	A	1460	WVH	C20-C21-N3	-4.19	101.96	110.78
3	A	1460	WVH	C31-C30-C29	4.05	125.23	120.24
3	A	1460	WVH	C8-C7-N2	4.00	125.34	116.67
3	A	1460	WVH	C22-C23-C8	-3.92	119.14	123.48
3	A	1460	WVH	F-C17-C18	-3.89	112.75	118.28
3	A	1460	WVH	C13-N4-C20	3.86	120.25	111.57
3	A	1460	WVH	C19-C18-C17	3.72	120.63	116.67
3	A	1460	WVH	C12-N3-C21	3.72	119.93	111.57
2	A	1450	HEM	O2D-CGD-CBD	3.70	125.69	114.00
3	A	1460	WVH	F1-C19-C14	3.56	121.76	118.37
2	A	1450	HEM	CHA-C1A-NA	3.56	130.31	123.86
2	A	1450	HEM	C1B-NB-C4B	3.51	109.37	105.21
3	A	1460	WVH	C27-N5-C26	3.50	112.19	109.08
3	A	1460	WVH	O-C7-C8	-3.34	114.91	121.03
2	A	1450	HEM	CMA-C3A-C4A	-3.26	120.46	125.42
2	A	1450	HEM	CHA-C4D-C3D	-3.20	119.33	125.23
2	A	1450	HEM	C3D-C4D-ND	3.11	113.59	110.17
2	A	1450	HEM	C4A-C3A-C2A	3.06	110.32	106.82
2	A	1450	HEM	C4C-CHD-C1D	-2.97	119.71	126.02
3	A	1460	WVH	C30-C29-C28	-2.92	114.53	119.80
2	A	1450	HEM	O2A-CGA-O1A	-2.91	115.86	123.33
3	A	1460	WVH	C6-C24-C25	-2.87	108.00	113.44
2	A	1450	HEM	CAC-C3C-C4C	2.71	131.28	124.82
2	A	1450	HEM	C3B-C4B-NB	-2.69	107.54	109.47
3	A	1460	WVH	C29-C28-C27	2.63	121.57	118.84
3	A	1460	WVH	C18-C19-C14	-2.63	121.03	123.35
2	A	1450	HEM	C4A-CHB-C1B	-2.48	120.42	126.25
2	A	1450	HEM	C1A-CHA-C4D	-2.41	120.57	126.25
2	A	1450	HEM	CAD-CBD-CGD	-2.41	107.28	113.67
3	A	1460	WVH	C-C4-C3	-2.39	115.87	119.04
2	A	1450	HEM	C4D-C3D-C2D	-2.33	103.50	106.89
2	A	1450	HEM	CAC-C3C-C2C	-2.30	120.95	128.43
2	A	1450	HEM	CHA-C4D-ND	2.18	127.06	124.37
3	A	1460	WVH	C4-N1-C5	-2.16	122.44	127.37
2	A	1450	HEM	O1D-CGD-CBD	-2.12	116.38	123.09
2	A	1450	HEM	C2D-C1D-ND	2.11	112.35	109.90
2	A	1450	HEM	O2D-CGD-O1D	-2.11	117.91	123.33
3	A	1460	WVH	C19-C14-N4	-2.10	117.96	120.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1460	WVH	C16-C17-C18	-2.07	120.50	123.23
2	A	1450	HEM	CHB-C4A-NA	2.07	127.61	123.86
3	A	1460	WVH	C-C4-N1	2.06	127.33	120.41
2	A	1450	HEM	CAA-C2A-C1A	2.06	128.96	124.94
3	A	1460	WVH	C21-N3-C11	2.04	123.68	118.11
2	A	1450	HEM	C3B-C2B-C1B	-2.04	104.88	106.41
2	A	1450	HEM	CAD-C3D-C4D	2.02	128.22	124.70
2	A	1450	HEM	CHA-C1A-C2A	-2.00	120.91	125.30
3	A	1460	WVH	C10-C9-C8	2.00	124.16	120.86

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1491	GOL	O1-C1-C2-C3
5	A	1492	GOL	O1-C1-C2-O2
5	A	1492	GOL	O1-C1-C2-C3
5	A	1492	GOL	C1-C2-C3-O3
5	A	1492	GOL	O2-C2-C3-O3
3	A	1460	WVH	C19-C14-N4-C13
5	A	1491	GOL	O1-C1-C2-O2
3	A	1460	WVH	C15-C14-N4-C13
2	A	1450	HEM	CAA-CBA-CGA-O1A
2	A	1450	HEM	CAA-CBA-CGA-O2A


There are no ring outliers.


7 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1491	GOL	1	0
3	A	1460	WVH	1	0
4	A	1490	SO4	3	0
2	A	1450	HEM	4	0
5	A	1492	GOL	2	0
4	A	1481	SO4	1	0
4	A	1486	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	446/467 (95%)	0.31	11 (2%) 58 60	17, 41, 62, 104	1 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	419	VAL	4.4
1	A	29	GLY	4.1
1	A	253	SER	3.8
1	A	478	LYS	3.5
1	A	477	LYS	3.1
1	A	252	ALA	3.0
1	A	370	GLY	2.6
1	A	258	THR	2.6
1	A	35	TYR	2.1
1	A	88[A]	ARG	2.1
1	A	155	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	A	1490	5/5	0.54	0.16	85,96,107,110	0
4	SO4	A	1487	5/5	0.68	0.10	96,100,107,107	0
4	SO4	A	1486	5/5	0.70	0.13	91,100,106,110	0
4	SO4	A	1485	5/5	0.72	0.09	93,94,98,98	0
4	SO4	A	1489	5/5	0.73	0.12	86,91,97,111	0
5	GOL	A	1492	6/6	0.77	0.17	43,43,48,55	0
4	SO4	A	1480	5/5	0.82	0.12	58,64,66,72	0
4	SO4	A	1483	5/5	0.82	0.11	75,86,90,96	0
4	SO4	A	1488	5/5	0.83	0.12	73,74,81,82	5
4	SO4	A	1484	5/5	0.87	0.09	60,66,73,90	0
4	SO4	A	1493	5/5	0.89	0.12	79,79,86,86	0
5	GOL	A	1491	6/6	0.92	0.13	51,54,59,59	0
3	WVH	A	1460	44/44	0.92	0.10	25,37,47,65	0
4	SO4	A	1482	5/5	0.96	0.10	29,31,32,36	5
4	SO4	A	1481	5/5	0.96	0.07	49,52,58,58	0
4	SO4	A	1479	5/5	0.97	0.06	43,44,45,48	0
2	HEM	A	1450	43/43	0.98	0.06	21,26,38,47	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around WVH A 1460:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.