



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:12 PM UTC

PDB ID : 7C08 / pdb_00007c08
Title : Crystal structure of S34Y mutant of yeast U2AF1 complex bound to 3' splice site RNA, 5'-UAGGU.
Authors : Yoshida, H.; Park, S.Y.; Urano, T.; Obayashi, E.
Deposited on : 2020-04-30
Resolution : 3.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1099 (3.40-3.32)
Clashscore	190562	1116 (3.40-3.32)
Ramachandran outliers	187476	1101 (3.40-3.32)
Sidechain outliers	187428	1101 (3.40-3.32)
RSRZ outliers	180081	1099 (3.40-3.32)
RNA backbone	3983	1110 (3.72-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	0.2% 80% 9% 11%
1	D	216	78% 8% 13%
1	G	216	2% 77% 12% 11%
1	J	216	0.2% 83% 6% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	216	
1	P	216	
1	S	216	
1	V	216	
1	Y	216	
2	B	69	
2	E	69	
2	H	69	
2	K	69	
2	N	69	
2	Q	69	
2	T	69	
2	W	69	
2	Z	69	
3	1	6	
3	C	6	
3	F	6	
3	I	6	
3	L	6	
3	O	6	
3	R	6	
3	U	6	
3	X	6	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 18449 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Splicing factor U2AF 23 kDa subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	192	Total	C	N	O	S	0	0	0
			1564	982	277	292	13			
1	D	187	Total	C	N	O	S	0	0	0
			1530	961	270	286	13			
1	G	193	Total	C	N	O	S	0	0	0
			1573	987	278	295	13			
1	J	193	Total	C	N	O	S	0	0	0
			1573	987	278	295	13			
1	M	177	Total	C	N	O	S	0	0	0
			1449	912	258	266	13			
1	P	192	Total	C	N	O	S	0	0	0
			1564	982	277	292	13			
1	S	187	Total	C	N	O	S	0	1	0
			1536	965	273	285	13			
1	V	174	Total	C	N	O	S	0	0	0
			1425	898	254	260	13			
1	Y	178	Total	C	N	O	S	0	0	0
			1458	917	259	269	13			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	34	TYR	SER	engineered mutation	UNP Q09176
D	34	TYR	SER	engineered mutation	UNP Q09176
G	34	TYR	SER	engineered mutation	UNP Q09176
J	34	TYR	SER	engineered mutation	UNP Q09176
M	34	TYR	SER	engineered mutation	UNP Q09176
P	34	TYR	SER	engineered mutation	UNP Q09176
S	34	TYR	SER	engineered mutation	UNP Q09176
V	34	TYR	SER	engineered mutation	UNP Q09176
Y	34	TYR	SER	engineered mutation	UNP Q09176

- Molecule 2 is a protein called Splicing factor U2AF 59 kDa subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	56	Total	C	N	O	S	0	0	0
			455	288	82	84	1			
2	E	50	Total	C	N	O	S	0	0	0
			406	260	70	75	1			
2	H	53	Total	C	N	O	S	0	0	0
			430	274	76	79	1			
2	K	54	Total	C	N	O	S	0	0	0
			435	277	77	80	1			
2	N	53	Total	C	N	O	S	0	0	0
			430	274	76	79	1			
2	Q	53	Total	C	N	O	S	0	0	0
			430	274	76	79	1			
2	T	50	Total	C	N	O	S	0	0	0
			406	260	70	75	1			
2	W	53	Total	C	N	O	S	0	0	0
			430	274	76	79	1			
2	Z	48	Total	C	N	O	S	0	0	0
			392	251	68	72	1			

- Molecule 3 is a RNA chain called RNA (5'-R(*U*UP*AP*GP*GP*U)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	F	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	I	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	L	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	O	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	R	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	U	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	X	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			
3	1	5	Total	C	N	O	P	0	0	0
			105	48	19	34	4			


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total 2	Zn 2	0	0
4	D	2	Total 2	Zn 2	0	0
4	G	2	Total 2	Zn 2	0	0
4	J	2	Total 2	Zn 2	0	0
4	M	2	Total 2	Zn 2	0	0
4	P	2	Total 2	Zn 2	0	0
4	S	2	Total 2	Zn 2	0	0
4	V	2	Total 2	Zn 2	0	0
4	Y	2	Total 2	Zn 2	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Splicing factor U2AF 23 kDa subunit





- Molecule 1: Splicing factor U2AF 23 kDa subunit





- Molecule 1: Splicing factor U2AF 23 kDa subunit





- Molecule 1: Splicing factor U2AF 23 kDa subunit





- Molecule 1: Splicing factor U2AF 23 kDa subunit





- Molecule 1: Splicing factor U2AF 23 kDa subunit




- Molecule 1: Splicing factor U2AF 23 kDa subunit



- Molecule 1: Splicing factor U2AF 23 kDa subunit




- Molecule 1: Splicing factor U2AF 23 kDa subunit



- Molecule 2: Splicing factor U2AF 59 kDa subunit

Chain B:  78% 19%



- Molecule 2: Splicing factor U2AF 59 kDa subunit

Chain E:  58% 14% 28%




- Molecule 2: Splicing factor U2AF 59 kDa subunit

Chain H:  4% 61% 16% 23%



- Molecule 2: Splicing factor U2AF 59 kDa subunit

Chain K:  7% 71% 7% 22%



- Molecule 2: Splicing factor U2AF 59 kDa subunit

Chain N:  68% 9% 23%



- Molecule 2: Splicing factor U2AF 59 kDa subunit

Chain Q:  4% 54% 23% 23%




- Molecule 2: Splicing factor U2AF 59 kDa subunit


Chain T:  3% 62% 10% 28%




- Molecule 2: Splicing factor U2AF 59 kDa subunit



- Molecule 2: Splicing factor U2AF 59 kDa subunit




- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')




- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')




- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')



- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')



- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')





- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')






- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')



- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')



- Molecule 3: RNA (5'-R(*U*UP*AP*GP*GP*U)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.51Å 259.00Å 94.82Å 90.00° 100.68° 90.00°	Depositor
Resolution (Å)	46.59 – 3.35 46.59 – 3.35	Depositor EDS
% Data completeness (in resolution range)	99.9 (46.59-3.35) 100.0 (46.59-3.35)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 3.33Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.214 , 0.252 0.213 , 0.252	Depositor DCC
R_{free} test set	3250 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	65.2	Xtriage
Anisotropy	0.811	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.035 for l,-k,h	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	18449	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.09	0/1602	0.30	0/2161
1	D	0.09	0/1567	0.29	0/2113
1	G	0.10	0/1611	0.29	0/2173
1	J	0.09	0/1611	0.29	0/2173
1	M	0.09	0/1485	0.28	0/2003
1	P	0.08	0/1602	0.27	0/2161
1	S	0.09	0/1574	0.30	0/2123
1	V	0.09	0/1459	0.30	0/1965
1	Y	0.09	0/1494	0.30	0/2015
2	B	0.10	0/465	0.38	0/629
2	E	0.10	0/416	0.35	0/564
2	H	0.12	0/440	0.37	0/596
2	K	0.14	0/445	0.40	0/603
2	N	0.11	0/440	0.36	0/596
2	Q	0.11	0/440	0.34	0/596
2	T	0.11	0/416	0.36	0/564
2	W	0.11	0/440	0.42	0/596
2	Z	0.12	0/402	0.37	0/545
3	1	0.09	0/117	0.27	0/181
3	C	0.10	0/117	0.27	0/181
3	F	0.09	0/117	0.21	0/181
3	I	0.09	0/117	0.19	0/181
3	L	0.09	0/117	0.28	0/181
3	O	0.10	0/117	0.28	0/181
3	R	0.07	0/117	0.23	0/181
3	U	0.08	0/117	0.21	0/181
3	X	0.08	0/117	0.21	0/181
All	All	0.09	0/18962	0.31	0/25805

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1564	0	1486	11	0
1	D	1530	0	1452	12	0
1	G	1573	0	1491	18	0
1	J	1573	0	1491	9	0
1	M	1449	0	1380	15	0
1	P	1564	0	1485	14	0
1	S	1536	0	1457	15	0
1	V	1425	0	1361	12	0
1	Y	1458	0	1387	19	0
2	B	455	0	460	2	0
2	E	406	0	409	9	0
2	H	430	0	436	8	0
2	K	435	0	441	3	0
2	N	430	0	436	7	0
2	Q	430	0	436	11	0
2	T	406	0	409	6	0
2	W	430	0	436	15	0
2	Z	392	0	393	8	0
3	1	105	0	55	2	0
3	C	105	0	55	2	0
3	F	105	0	55	1	0
3	I	105	0	55	2	0
3	L	105	0	55	2	0
3	O	105	0	55	1	0
3	R	105	0	55	0	0
3	U	105	0	55	2	0
3	X	105	0	55	0	0
4	A	2	0	0	0	0
4	D	2	0	0	0	0
4	G	2	0	0	0	0
4	J	2	0	0	0	0
4	M	2	0	0	0	0
4	P	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	S	2	0	0	0	0
4	V	2	0	0	0	0
4	Y	2	0	0	0	0
All	All	18449	0	17341	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Y:23:LYS:NZ	3:1:4:G:O2'	2.27	0.67
2:W:146:THR:HG23	2:W:149:GLN:OE1	1.97	0.65
1:D:23:LYS:NZ	3:F:4:G:O2'	2.30	0.65
1:J:51:MET:HE2	1:J:80:MET:HE1	1.78	0.65
1:D:28:ARG:NH1	2:H:153:SER:O	2.30	0.65
1:G:58:GLU:HG3	1:G:59:PRO:HD2	1.79	0.65
1:A:14:ASP:O	1:A:35:ARG:NH2	2.29	0.64
2:E:141:GLY:HA2	1:P:57:HIS:HB3	1.79	0.63
1:J:150:ARG:NH1	3:L:5:U:O4	2.33	0.62
1:P:50:ASN:HD22	2:Q:159:PRO:HD3	1.64	0.61
1:D:153:GLU:OE1	1:D:153:GLU:N	2.35	0.60
1:Y:185:LYS:NZ	2:Z:122:VAL:O	2.35	0.59
1:A:11:THR:HB	3:C:5:U:H5'	1.85	0.58
2:W:149:GLN:NE2	1:Y:160:GLY:HA3	2.18	0.57
2:E:153:SER:O	1:P:28:ARG:NH1	2.39	0.56
1:D:60:ASN:HB2	1:D:63:LYS:HE2	1.87	0.56
1:A:56:ILE:O	1:A:62:LYS:NZ	2.28	0.55
2:H:139:PRO:HG2	2:H:142:TYR:CD1	2.43	0.55
2:Q:130:ARG:NH1	2:Q:133:SER:OG	2.38	0.55
1:G:150:ARG:NH1	3:I:5:U:O4	2.40	0.54
1:P:93:LEU:HD13	1:P:109:VAL:HG22	1.89	0.54
1:J:130:SER:HB2	2:K:134:LEU:HD13	1.90	0.54
1:V:83:GLU:OE1	2:W:130:ARG:NH1	2.29	0.54
1:V:23:LYS:NZ	1:V:146:GLU:O	2.37	0.54
1:M:19:SER:HB2	1:M:23:LYS:HE2	1.91	0.52
1:P:54:ASN:HD21	1:P:56:ILE:HD12	1.73	0.52
1:S:47:LEU:HB2	1:S:139:SER:HB2	1.91	0.52
1:P:144:PHE:HD1	1:P:166:MET:HE1	1.74	0.52
1:G:149:CYS:SG	1:G:151:GLN:HG2	2.49	0.52
1:G:23:LYS:HG3	1:G:24:ILE:HG12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:144:PHE:HD1	1:G:166:MET:HE1	1.75	0.52
1:M:23:LYS:NZ	3:O:4:G:O2'	2.42	0.52
2:Q:139:PRO:HG2	2:Q:142:TYR:CG	2.45	0.51
1:Y:54:ASN:HB3	1:Y:57:HIS:CE1	2.45	0.51
1:A:121:ILE:HD13	1:A:138:LEU:HG	1.93	0.51
1:A:8:ILE:O	1:A:14:ASP:HB2	2.12	0.50
2:W:143:GLU:OE2	1:Y:57:HIS:HA	2.11	0.50
1:S:29:HIS:O	1:S:32:ARG:HG2	2.12	0.50
1:S:83:GLU:O	1:S:86:LYS:HG2	2.11	0.50
1:V:184:ARG:HB3	2:W:119:LEU:HD11	1.92	0.50
1:Y:58:GLU:HG3	1:Y:59:PRO:HD2	1.94	0.50
1:Y:150:ARG:HG3	3:1:4:G:N1	2.27	0.49
1:G:19:SER:O	1:G:23:LYS:HG2	2.11	0.49
1:A:29:HIS:HB2	1:A:33:CYS:HB2	1.94	0.49
1:A:149:CYS:SG	1:A:151:GLN:HG2	2.53	0.49
1:J:58:GLU:HB3	1:J:59:PRO:HD2	1.95	0.49
2:Q:114:GLN:O	2:Q:118:GLN:NE2	2.45	0.49
1:Y:181:LEU:HA	1:Y:184:ARG:HG2	1.93	0.49
3:C:5:U:O2'	1:G:174:GLN:HG3	2.13	0.49
2:N:119:LEU:O	2:N:122:VAL:HG22	2.13	0.49
1:G:154:THR:HB	1:G:156:GLU:HG2	1.94	0.48
2:W:149:GLN:HA	2:W:152:MET:HG2	1.95	0.48
1:V:184:ARG:HH21	2:W:115:GLU:HG3	1.77	0.48
1:M:34:TYR:HB2	1:V:61:GLY:HA3	1.96	0.48
1:S:33:CYS:HA	3:U:1:U:H3	1.79	0.48
1:S:82:CYS:HB3	2:T:130:ARG:HH21	1.79	0.48
1:J:54:ASN:HD21	1:J:56:ILE:HD12	1.79	0.48
2:T:115:GLU:O	2:T:119:LEU:HG	2.13	0.47
2:W:131:LYS:HG2	2:W:132:ARG:HG3	1.95	0.47
2:Z:139:PRO:HG2	2:Z:142:TYR:CD1	2.49	0.47
2:E:139:PRO:HG2	2:E:142:TYR:CG	2.49	0.47
2:E:155:VAL:HG23	2:E:156:PHE:CD2	2.49	0.47
2:E:123:THR:HG22	2:E:127:GLN:HB3	1.96	0.47
2:T:139:PRO:HG2	2:T:142:TYR:CG	2.48	0.47
2:N:139:PRO:HG2	2:N:142:TYR:CG	2.50	0.47
2:W:139:PRO:HG2	2:W:142:TYR:CG	2.49	0.47
1:Y:82:CYS:O	1:Y:85:SER:OG	2.33	0.47
1:M:54:ASN:HD21	1:M:56:ILE:HD12	1.80	0.46
2:W:141:GLY:HA2	1:Y:57:HIS:HB2	1.97	0.46
2:Z:120:ARG:O	2:Z:122:VAL:HG23	2.15	0.46
1:P:131:GLN:HA	2:Q:139:PRO:HD3	1.95	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:16:VAL:O	1:D:36:LYS:HB2	2.16	0.46
1:D:78:GLU:OE1	2:E:131:LYS:NZ	2.35	0.46
1:S:83:GLU:HG2	2:T:135:TRP:CE2	2.50	0.46
1:G:55:PRO:O	1:G:61:GLY:HA3	2.16	0.46
2:W:141:GLY:HA2	1:Y:57:HIS:CB	2.45	0.46
2:Q:155:VAL:HG23	2:Q:156:PHE:CD2	2.50	0.46
1:A:51:MET:HE2	1:A:80:MET:SD	2.56	0.45
1:G:115:GLU:OE1	1:G:115:GLU:N	2.49	0.45
1:Y:55:PRO:O	1:Y:61:GLY:HA3	2.16	0.45
1:D:121:ILE:HD13	1:D:138:LEU:HG	1.99	0.45
2:Q:134:LEU:HA	2:Q:137:ILE:HD12	1.99	0.45
1:S:83:GLU:OE1	2:T:130:ARG:NH1	2.49	0.45
1:S:121:ILE:HD13	1:S:138:LEU:HG	1.98	0.45
2:Z:139:PRO:HG2	2:Z:142:TYR:CG	2.52	0.45
1:M:47:LEU:HD13	1:M:108:TYR:CE2	2.52	0.45
1:M:47:LEU:HB2	1:M:139:SER:HB2	1.99	0.44
1:M:50:ASN:O	1:M:132:ARG:NH2	2.41	0.44
1:Y:185:LYS:HD3	2:Z:119:LEU:HB3	1.99	0.44
1:A:184:ARG:HD2	2:B:115:GLU:OE2	2.18	0.44
1:P:83:GLU:O	1:P:86:LYS:HG2	2.16	0.44
1:G:121:ILE:HD13	1:G:138:LEU:HG	1.99	0.44
1:M:185:LYS:HD3	2:N:119:LEU:HB3	1.99	0.44
1:P:121:ILE:HD13	1:P:138:LEU:HG	1.99	0.44
1:D:83:GLU:O	1:D:86:LYS:HG2	2.17	0.44
2:H:139:PRO:HG2	2:H:142:TYR:CG	2.52	0.44
1:M:131:GLN:HA	2:N:139:PRO:HD3	1.99	0.44
1:G:77:TYR:CE1	1:G:93:LEU:HD22	2.52	0.44
1:D:47:LEU:HD13	1:D:108:TYR:CE2	2.53	0.44
1:D:93:LEU:HD13	1:D:109:VAL:HG23	2.00	0.43
1:J:23:LYS:NZ	3:L:4:G:O2'	2.51	0.43
1:A:53:LYS:HE2	1:A:132:ARG:NH1	2.34	0.43
2:H:120:ARG:O	2:H:122:VAL:HG23	2.19	0.43
1:Y:121:ILE:HD13	1:Y:138:LEU:HG	2.01	0.43
1:S:11:THR:HG22	3:U:5:U:H5'	2.01	0.43
1:G:99:VAL:HG21	2:N:145:VAL:HG21	2.01	0.43
1:P:8:ILE:O	1:P:14:ASP:HB2	2.19	0.43
1:Y:51:MET:HE3	1:Y:80:MET:SD	2.58	0.43
1:P:83:GLU:HG2	2:Q:135:TRP:CE2	2.54	0.42
2:E:142:TYR:HE2	1:P:162:LEU:HD11	1.84	0.42
2:Q:153:SER:O	1:S:28:ARG:NH2	2.50	0.42
1:V:90:VAL:HG13	1:V:109:VAL:HG23	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:47:LEU:HB2	1:G:139:SER:HB2	2.01	0.42
1:G:128:TRP:CD1	2:H:138:LYS:HE2	2.55	0.42
1:J:83:GLU:O	1:J:86:LYS:HG2	2.20	0.42
1:V:131:GLN:HA	2:W:139:PRO:HD3	2.02	0.42
2:B:129:LYS:HE3	1:G:2:ALA:O	2.18	0.42
2:H:155:VAL:HG23	2:H:156:PHE:CD2	2.54	0.42
1:S:29:HIS:HB2	1:S:33:CYS:HB2	2.00	0.42
1:Y:99:VAL:HB	1:Y:162:LEU:HD12	2.01	0.42
1:M:162:LEU:HD11	2:Z:142:TYR:CE2	2.55	0.42
1:S:47:LEU:HD22	1:S:49:PRO:HG3	2.00	0.42
2:H:150:ALA:HB1	2:H:156:PHE:CD2	2.54	0.42
1:M:102:HIS:CD2	1:M:103:LEU:HG	2.55	0.42
2:Q:108:SER:O	2:Q:112:ILE:HG13	2.20	0.42
2:Q:141:GLY:HA2	1:S:57:HIS:HB3	2.01	0.42
2:K:139:PRO:HG2	2:K:142:TYR:HB2	2.02	0.42
1:V:83:GLU:HG2	2:W:135:TRP:CE2	2.54	0.42
1:A:82:CYS:O	1:A:85:SER:OG	2.38	0.41
1:D:56:ILE:HD11	1:D:69:LEU:HD13	2.02	0.41
1:G:150:ARG:HD3	3:I:4:G:N1	2.35	0.41
1:V:47:LEU:HD13	1:V:108:TYR:CE2	2.55	0.41
1:Y:47:LEU:HD13	1:Y:108:TYR:CE2	2.55	0.41
1:S:128:TRP:CD1	2:T:138:LYS:HE2	2.54	0.41
1:Y:101:ASP:O	2:Z:159:PRO:HB2	2.20	0.41
1:G:56:ILE:HG23	1:G:57:HIS:ND1	2.36	0.41
1:P:55:PRO:HA	1:P:58:GLU:HG2	2.02	0.41
1:D:83:GLU:HG2	2:E:135:TRP:CE2	2.55	0.41
1:M:29:HIS:HB2	1:M:33:CYS:HB2	2.03	0.41
1:S:185:LYS:O	1:S:189:LEU:HD13	2.20	0.41
1:J:19:SER:HB2	1:J:23:LYS:HE2	2.03	0.41
1:M:184:ARG:HH21	2:N:115:GLU:CD	2.28	0.41
1:V:56:ILE:HG13	1:V:57:HIS:ND1	2.36	0.41
1:M:28:ARG:HA	1:M:102:HIS:CG	2.56	0.41
1:M:162:LEU:HD11	2:Z:142:TYR:HE2	1.85	0.41
1:P:47:LEU:HD13	1:P:108:TYR:CE2	2.56	0.41
1:V:189:LEU:O	1:V:189:LEU:HD23	2.21	0.41
2:E:153:SER:OG	2:E:155:VAL:HG22	2.20	0.41
2:H:114:GLN:O	2:H:118:GLN:HG2	2.21	0.41
2:W:142:TYR:HE2	1:Y:162:LEU:HD21	1.85	0.41
2:K:150:ALA:HB1	2:K:156:PHE:CD2	2.56	0.40
1:V:102:HIS:NE2	2:W:160:GLY:HA3	2.35	0.40
1:J:93:LEU:HD13	1:J:109:VAL:HG23	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:139:PRO:HG2	2:N:142:TYR:CD1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	190/216 (88%)	184 (97%)	6 (3%)	0	100	100
1	D	185/216 (86%)	179 (97%)	6 (3%)	0	100	100
1	G	191/216 (88%)	186 (97%)	5 (3%)	0	100	100
1	J	191/216 (88%)	186 (97%)	5 (3%)	0	100	100
1	M	175/216 (81%)	169 (97%)	6 (3%)	0	100	100
1	P	190/216 (88%)	182 (96%)	8 (4%)	0	100	100
1	S	186/216 (86%)	179 (96%)	7 (4%)	0	100	100
1	V	170/216 (79%)	166 (98%)	4 (2%)	0	100	100
1	Y	176/216 (82%)	169 (96%)	7 (4%)	0	100	100
2	B	54/69 (78%)	52 (96%)	2 (4%)	0	100	100
2	E	48/69 (70%)	44 (92%)	4 (8%)	0	100	100
2	H	51/69 (74%)	48 (94%)	3 (6%)	0	100	100
2	K	52/69 (75%)	48 (92%)	4 (8%)	0	100	100
2	N	51/69 (74%)	48 (94%)	3 (6%)	0	100	100
2	Q	51/69 (74%)	46 (90%)	5 (10%)	0	100	100
2	T	48/69 (70%)	44 (92%)	4 (8%)	0	100	100
2	W	51/69 (74%)	47 (92%)	4 (8%)	0	100	100
2	Z	46/69 (67%)	42 (91%)	4 (9%)	0	100	100
All	All	2106/2565 (82%)	2019 (96%)	87 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/192 (88%)	169 (100%)	0	100	100
1	D	166/192 (86%)	166 (100%)	0	100	100
1	G	170/192 (88%)	170 (100%)	0	100	100
1	J	170/192 (88%)	170 (100%)	0	100	100
1	M	157/192 (82%)	157 (100%)	0	100	100
1	P	169/192 (88%)	169 (100%)	0	100	100
1	S	166/192 (86%)	166 (100%)	0	100	100
1	V	154/192 (80%)	154 (100%)	0	100	100
1	Y	158/192 (82%)	158 (100%)	0	100	100
2	B	50/62 (81%)	50 (100%)	0	100	100
2	E	45/62 (73%)	45 (100%)	0	100	100
2	H	48/62 (77%)	48 (100%)	0	100	100
2	K	48/62 (77%)	48 (100%)	0	100	100
2	N	48/62 (77%)	48 (100%)	0	100	100
2	Q	48/62 (77%)	48 (100%)	0	100	100
2	T	45/62 (73%)	45 (100%)	0	100	100
2	W	48/62 (77%)	48 (100%)	0	100	100
2	Z	43/62 (69%)	43 (100%)	0	100	100
All	All	1902/2286 (83%)	1902 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	127	GLN
1	D	17	ASN
1	D	44	GLN
1	G	13	GLN
1	G	131	GLN
2	H	127	GLN
1	J	44	GLN
1	J	60	ASN
1	J	72	GLN
2	K	127	GLN
1	M	72	GLN
1	M	131	GLN
1	P	44	GLN
1	S	164	ASN
2	T	127	GLN
1	V	29	HIS
1	V	118	GLN
1	Y	44	GLN
1	Y	57	HIS
1	Y	131	GLN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	1	4/6 (66%)	3 (75%)	0
3	C	4/6 (66%)	3 (75%)	0
3	F	4/6 (66%)	2 (50%)	0
3	I	4/6 (66%)	3 (75%)	0
3	L	4/6 (66%)	3 (75%)	0
3	O	4/6 (66%)	3 (75%)	0
3	R	4/6 (66%)	3 (75%)	0
3	U	4/6 (66%)	3 (75%)	0
3	X	4/6 (66%)	3 (75%)	0
All	All	36/54 (66%)	26 (72%)	0

All (26) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	C	2	A
3	C	4	G
3	C	5	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	2	A
3	F	4	G
3	I	2	A
3	I	4	G
3	I	5	U
3	L	2	A
3	L	4	G
3	L	5	U
3	O	2	A
3	O	4	G
3	O	5	U
3	R	2	A
3	R	4	G
3	R	5	U
3	U	2	A
3	U	4	G
3	U	5	U
3	X	2	A
3	X	4	G
3	X	5	U
3	1	2	A
3	1	4	G
3	1	5	U

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 18 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	192/216 (88%)	0.15	3 (1%) 70 55	39, 57, 94, 125	0
1	D	187/216 (86%)	0.05	1 (0%) 87 78	34, 53, 91, 104	0
1	G	193/216 (89%)	0.20	4 (2%) 63 47	29, 51, 91, 120	0
1	J	193/216 (89%)	0.40	2 (1%) 79 66	40, 69, 103, 117	0
1	M	177/216 (81%)	0.22	6 (3%) 48 34	41, 71, 103, 125	0
1	P	192/216 (88%)	0.25	3 (1%) 70 55	41, 65, 98, 114	0
1	S	187/216 (86%)	0.28	7 (3%) 45 32	26, 73, 112, 127	1 (0%)
1	V	174/216 (80%)	0.32	5 (2%) 53 39	58, 79, 108, 132	0
1	Y	178/216 (82%)	0.13	4 (2%) 62 46	35, 79, 112, 127	0
2	B	56/69 (81%)	0.25	0 100 100	45, 65, 125, 141	0
2	E	50/69 (72%)	0.29	1 (2%) 65 48	39, 66, 130, 134	0
2	H	53/69 (76%)	0.35	3 (5%) 29 22	28, 55, 110, 120	0
2	K	54/69 (78%)	0.64	5 (9%) 14 13	44, 74, 123, 145	0
2	N	53/69 (76%)	0.18	0 100 100	45, 77, 134, 141	0
2	Q	53/69 (76%)	0.40	3 (5%) 29 22	43, 68, 122, 137	0
2	T	50/69 (72%)	0.45	2 (4%) 42 29	55, 86, 140, 153	0
2	W	53/69 (76%)	0.55	5 (9%) 14 13	52, 84, 141, 145	0
2	Z	48/69 (69%)	0.20	0 100 100	35, 64, 136, 150	0
3	I	5/6 (83%)	0.14	0 100 100	87, 91, 105, 128	0
3	C	5/6 (83%)	-0.03	0 100 100	52, 59, 64, 90	0
3	F	5/6 (83%)	-0.21	0 100 100	60, 60, 74, 121	0
3	I	5/6 (83%)	0.02	0 100 100	57, 62, 84, 88	0
3	L	5/6 (83%)	0.08	0 100 100	67, 74, 78, 95	0
3	O	5/6 (83%)	-0.20	0 100 100	86, 91, 100, 113	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
3	R	5/6 (83%)	0.48	1 (20%) 3 4	54, 64, 84, 100	0
3	U	5/6 (83%)	-0.29	0 100 100	65, 65, 72, 121	0
3	X	5/6 (83%)	-0.04	0 100 100	88, 92, 93, 96	0
All	All	2188/2619 (83%)	0.25	55 (2%) 58 43	26, 68, 115, 153	1 (0%)

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	T	132	ARG	5.2
1	V	61	GLY	4.5
2	K	161	ALA	4.4
2	E	143	GLU	3.7
1	M	16	VAL	3.3
2	W	119	LEU	3.1
1	Y	57	HIS	3.0
2	Q	160	GLY	2.9
1	S	192	ALA	2.8
1	V	16	VAL	2.8
1	G	62	LYS	2.8
1	S	62	LYS	2.8
2	H	132	ARG	2.7
1	S	181	LEU	2.7
3	R	5	U	2.7
1	M	34	TYR	2.6
1	M	192	ALA	2.6
1	S	61	GLY	2.6
2	H	160	GLY	2.5
1	S	60	ASN	2.5
2	W	113	GLU	2.5
2	K	152	MET	2.5
1	Y	102	HIS	2.5
2	K	127	GLN	2.5
1	S	102[A]	HIS	2.5
2	Q	109	VAL	2.4
1	A	61	GLY	2.4
1	A	71	GLU	2.4
1	V	189	LEU	2.4
1	P	59	PRO	2.4
2	K	109	VAL	2.4
2	W	121	ASP	2.3
1	Y	62	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	89	GLU	2.2
2	H	117	GLU	2.2
2	W	160	GLY	2.2
1	M	62	LYS	2.2
1	M	36	LYS	2.2
1	P	62	LYS	2.2
1	G	102	HIS	2.2
2	Q	125	ILE	2.1
2	T	130	ARG	2.1
1	S	6	ALA	2.1
1	Y	31	GLU	2.1
1	G	5	LEU	2.1
1	V	57	HIS	2.1
2	K	134	LEU	2.1
2	W	109	VAL	2.0
1	V	19	SER	2.0
1	G	61	GLY	2.0
1	M	63	LYS	2.0
1	P	3	SER	2.0
1	A	38	VAL	2.0
1	D	31	GLU	2.0
1	J	137	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ZN	A	302	1/1	0.99	0.04	43,43,43,43	0

Continued on next page...


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ZN	D	302	1/1	0.99	0.04	35,35,35,35	0
4	ZN	G	302	1/1	0.99	0.04	33,33,33,33	0
4	ZN	J	301	1/1	0.99	0.05	52,52,52,52	0
4	ZN	J	302	1/1	0.99	0.04	56,56,56,56	0
4	ZN	M	302	1/1	0.99	0.01	47,47,47,47	0
4	ZN	P	302	1/1	0.99	0.03	33,33,33,33	0
4	ZN	V	301	1/1	0.99	0.02	58,58,58,58	0
4	ZN	V	302	1/1	0.99	0.02	51,51,51,51	0
4	ZN	Y	301	1/1	0.99	0.02	68,68,68,68	0
4	ZN	Y	302	1/1	0.99	0.03	52,52,52,52	0
4	ZN	A	301	1/1	1.00	0.03	43,43,43,43	0
4	ZN	S	301	1/1	1.00	0.03	51,51,51,51	0
4	ZN	S	302	1/1	1.00	0.02	47,47,47,47	0
4	ZN	G	301	1/1	1.00	0.01	41,41,41,41	0
4	ZN	M	301	1/1	1.00	0.04	75,75,75,75	0
4	ZN	D	301	1/1	1.00	0.03	45,45,45,45	0
4	ZN	P	301	1/1	1.00	0.05	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZN A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN J 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN J 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN M 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN P 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN V 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN V 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN Y 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN S 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN S 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN M 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.