



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 02:58 AM UTC

PDB ID : 3C1B / pdb_00003c1b
Title : The effect of H3 K79 dimethylation and H4 K20 trimethylation on nucleosome and chromatin structure
Authors : Lu, X.; Simon, M.; Chodaparambil, J.; Hansen, J.; Shokat, K.; Luger, K.
Deposited on : 2008-01-22
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	135	5% 53% 15% • 27%
1	E	135	2% 57% 15% • 27%
2	B	102	3% 64% 12% •• 22%
2	F	102	5% 65% 15% •• 15%
3	C	129	5% 67% 12% •• 18%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	129	
4	D	125	
4	H	125	
5	I	146	
5	J	146	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12828 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3-like.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	98	Total	C	N	O	S	0	0	0
			808	509	156	140	3			
1	E	99	Total	C	N	O	S	0	0	0
			817	515	158	141	3			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	421	ALA	VAL	conflict	UNP P02302
A	426	ARG	LYS	conflict	UNP P02302
A	428	SER	CYS	conflict	UNP P02302
A	486	SER	ARG	conflict	UNP P02302
E	621	ALA	VAL	conflict	UNP P02302
E	626	ARG	LYS	conflict	UNP P02302
E	628	SER	CYS	conflict	UNP P02302
E	686	SER	ARG	conflict	UNP P02302

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	80	Total	C	N	O	S	0	0	0
			638	401	125	111	1			
2	F	87	Total	C	N	O	S	0	0	0
			706	444	142	118	2			

- Molecule 3 is a protein called Histone H2A type 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	106	Total	C	N	O	0	0	0
			818	516	160	142			
3	G	103	Total	C	N	O	0	0	0
			795	501	155	139			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	899	ARG	GLY	conflict	UNP P06897
C	923	SER	ALA	conflict	UNP P06897
C	926	THR	ALA	conflict	UNP P06897
G	1099	ARG	GLY	conflict	UNP P06897
G	1123	SER	ALA	conflict	UNP P06897
G	1126	THR	ALA	conflict	UNP P06897

- Molecule 4 is a protein called Histone 2, H2bf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	95	Total	C	N	O	S	0	0	0
			744	469	134	139	2			
4	H	94	Total	C	N	O	S	0	0	0
			735	463	132	138	2			

- Molecule 5 is a DNA chain called Palindromic 146bp Human Alpha satellite DNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	I	146	Total	C	N	O	P	0	0	0
			2990	1430	541	874	145			
5	J	146	Total	C	N	O	P	0	0	0
			2990	1430	541	874	145			

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	70	Total	O	0	0
			70	70		
6	B	48	Total	O	0	0
			48	48		
6	C	84	Total	O	0	0
			84	84		
6	D	60	Total	O	0	0
			60	60		
6	E	87	Total	O	0	0
			87	87		
6	F	61	Total	O	0	0
			61	61		
6	G	69	Total	O	0	0
			69	69		
6	H	43	Total	O	0	0
			43	43		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	I	143	Total 143	O 143	0	0
6	J	122	Total 122	O 122	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3-like




- Molecule 1: Histone H3-like





- Molecule 2: Histone H4




- Molecule 2: Histone H4



- Molecule 3: Histone H2A type 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.67Å 109.83Å 181.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.00 – 2.20 43.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (43.00-2.20) 96.5 (43.00-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.99 (at 2.20Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.240 , 0.270 0.242 , 0.275	Depositor DCC
R_{free} test set	5365 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	42.3	Xtriage
Anisotropy	0.297	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 68.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.009 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12828	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ML3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/820	1.01	6/1099 (0.5%)
1	E	0.57	0/829	1.10	8/1111 (0.7%)
2	B	0.47	0/645	0.95	3/862 (0.3%)
2	F	0.64	0/701	1.11	8/934 (0.9%)
3	C	0.51	0/828	0.89	1/1117 (0.1%)
3	G	0.40	0/805	0.88	0/1088
4	D	0.49	0/755	0.95	4/1015 (0.4%)
4	H	0.43	0/746	0.90	2/1004 (0.2%)
5	I	0.26	0/3354	0.61	0/5175
5	J	0.27	0/3354	0.62	0/5175
All	All	0.39	0/12837	0.80	32/18580 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	I	0	1

There are no bond length outliers.

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	685	GLN	OE1-CD-NE2	-10.21	112.39	122.60
1	A	485	GLN	OE1-CD-NE2	-10.08	112.52	122.60
4	H	1500	PRO	CA-N-CD	-9.26	99.04	112.00
1	E	637	LYS	CA-C-N	8.61	130.60	119.84
1	E	637	LYS	C-N-CA	8.61	130.60	119.84
1	A	533	GLU	N-CA-C	-8.59	101.51	113.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1300	PRO	CA-N-CD	-8.46	100.15	112.00
2	F	217	ARG	N-CA-C	8.09	128.03	110.80
1	E	717	VAL	N-CA-C	-8.05	105.29	113.10
2	F	216	LYS	CA-C-N	-7.87	106.50	121.54
2	F	216	LYS	C-N-CA	-7.87	106.50	121.54
1	E	733	GLU	N-CA-C	-7.21	104.45	113.18
2	F	275	HIS	CA-CB-CG	-7.04	106.76	113.80
1	E	685	GLN	CG-CD-NE2	6.63	126.34	116.40
1	A	485	GLN	CG-CD-NE2	6.58	126.27	116.40
2	B	30	THR	N-CA-C	6.54	119.17	110.53
2	F	230	THR	N-CA-C	6.50	118.40	110.41
2	F	246	ILE	N-CA-C	6.33	117.14	107.77
1	E	664	LYS	N-CA-C	6.24	117.78	110.97
4	D	1298	LEU	N-CA-C	6.21	119.32	111.69
2	B	79	LYS	N-CA-C	-6.14	105.08	113.30
1	A	485	GLN	N-CA-C	-6.08	101.93	110.50
1	A	464	LYS	N-CA-C	5.94	118.26	111.02
4	H	1498	LEU	N-CA-C	5.92	120.67	112.45
1	E	685	GLN	N-CA-C	-5.77	101.73	110.28
2	F	301	GLY	N-CA-C	-5.65	107.30	115.27
3	C	918	LYS	N-CA-C	5.57	122.66	110.80
2	B	28	GLY	N-CA-C	-5.44	107.58	114.16
2	F	218	HIS	CA-CB-CG	5.40	119.20	113.80
4	D	1246	HIS	CA-C-N	5.23	125.53	119.47
4	D	1246	HIS	C-N-CA	5.23	125.53	119.47
1	A	517	VAL	N-CA-C	-5.17	108.08	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	I	88	DC	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	808	0	846	37	0
1	E	817	0	858	20	0
2	B	638	0	676	14	0
2	F	706	0	758	26	0
3	C	818	0	877	22	0
3	G	795	0	846	35	0
4	D	744	0	773	10	0
4	H	735	0	760	25	0
5	I	2990	0	1651	80	0
5	J	2990	0	1651	85	0
6	A	70	0	0	2	0
6	B	48	0	0	0	0
6	C	84	0	0	4	0
6	D	60	0	0	2	0
6	E	87	0	0	3	0
6	F	61	0	0	3	0
6	G	69	0	0	7	0
6	H	43	0	0	3	0
6	I	143	0	0	8	0
6	J	122	0	0	8	0
All	All	12828	0	9696	300	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (300) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:218:HIS:CE1	5:J:199:DC:OP1	1.92	1.21
2:F:216:LYS:O	2:F:217:ARG:CB	1.90	1.14
2:F:216:LYS:O	2:F:217:ARG:CG	1.99	1.10
2:F:216:LYS:O	2:F:217:ARG:HB2	1.55	1.07
2:F:216:LYS:O	2:F:217:ARG:HG2	1.64	0.97
5:I:22:DC:H42	5:J:271:DG:H1	1.07	0.96
2:F:231:LYS:O	2:F:235:ARG:HG2	1.65	0.96
1:A:532:GLY:C	1:A:534:ARG:H	1.68	0.95
5:I:133:DA:H2''	5:I:134:DG:H5'	1.49	0.92
3:G:1017:ARG:HH12	3:G:1031:HIS:HD2	1.11	0.90
5:I:3:DC:H2'	5:I:3:DC:O2	1.71	0.90
5:J:149:DC:H4'	5:J:150:DA:OP1	1.68	0.90
3:G:1074:LYS:HA	3:G:1074:LYS:HE2	1.53	0.89
1:A:529:ARG:HD2	1:A:534:ARG:HG3	1.55	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:119:DT:H4'	5:I:120:DT:OP1	1.78	0.83
5:J:246:DG:H2''	5:J:247:DC:C5	2.14	0.82
5:I:25:DC:H2''	5:I:26:DC:H5'	1.62	0.82
1:E:729:ARG:HA	1:E:734:ARG:O	1.80	0.82
5:J:284:DG:H3'	6:J:413:HOH:O	1.81	0.80
1:A:532:GLY:C	1:A:534:ARG:N	2.35	0.80
1:A:518:THR:HG23	5:I:70:DG:OP1	1.83	0.79
5:J:174:DA:H2''	5:J:175:DA:H5''	1.64	0.78
3:G:1017:ARG:HH12	3:G:1031:HIS:CD2	1.99	0.77
5:J:286:DT:H5'	6:J:408:HOH:O	1.83	0.77
3:C:817:ARG:HH12	3:C:831:HIS:HD2	1.33	0.77
3:C:917:PRO:O	3:C:918:LYS:HB2	1.85	0.75
3:C:855:LEU:O	3:C:859:THR:HG23	1.85	0.75
1:A:529:ARG:HA	1:A:534:ARG:HA	1.69	0.74
2:B:102:GLY:HA2	6:H:76:HOH:O	1.88	0.74
2:F:235:ARG:HG3	2:F:235:ARG:HH11	1.50	0.74
5:I:96:DT:H2'	6:I:206:HOH:O	1.88	0.74
5:I:70:DG:N7	6:I:197:HOH:O	2.20	0.73
5:I:5:DA:H2''	5:I:6:DT:H5'	1.71	0.73
3:C:836:LYS:HE3	6:C:716:HOH:O	1.89	0.73
5:I:1:DA:H2''	5:I:2:DT:H71	1.69	0.73
4:D:1273:GLU:HA	4:D:1276:ARG:HH12	1.54	0.72
3:G:1099:ARG:HG2	6:G:781:HOH:O	1.89	0.72
5:J:248:DA:H2''	5:J:249:DG:C8	2.24	0.71
3:G:1073:ASN:ND2	6:G:209:HOH:O	2.23	0.71
3:C:841:GLU:HG2	3:C:842:ARG:HG3	1.73	0.71
5:J:193:DC:H2''	5:J:194:DT:H71	1.71	0.70
5:J:275:DC:H2'	5:J:276:DT:H71	1.74	0.69
3:C:817:ARG:HH12	3:C:831:HIS:CD2	2.11	0.69
1:A:534:ARG:HG2	1:A:534:ARG:HH11	1.58	0.67
2:F:231:LYS:HB3	2:F:232:PRO:HD3	1.76	0.67
1:A:463:ARG:HG2	1:A:463:ARG:HH11	1.60	0.67
5:I:77:DC:H42	5:J:216:DG:H1	1.42	0.66
1:A:529:ARG:CD	1:A:534:ARG:HG3	2.22	0.66
5:J:286:DT:H2''	5:J:287:DA:O5'	1.96	0.66
5:I:14:DT:H2'	6:I:260:HOH:O	1.95	0.66
5:I:36:DT:H2''	5:I:37:DT:OP2	1.96	0.66
2:F:259:LYS:O	2:F:263:GLU:HG3	1.96	0.65
4:D:1273:GLU:HA	4:D:1276:ARG:NH1	2.10	0.65
5:I:22:DC:N4	5:J:271:DG:H1	1.88	0.65
5:J:174:DA:C2'	5:J:175:DA:H5''	2.25	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:646:VAL:HG21	5:I:82:DA:H3'	1.78	0.65
5:I:2:DT:H1'	5:I:3:DC:H5''	1.78	0.65
5:I:93:DT:H2''	5:I:94:DG:H5'	1.77	0.65
3:G:1117:PRO:O	3:G:1118:LYS:HB3	1.96	0.64
2:F:218:HIS:NE2	5:J:199:DC:OP1	2.28	0.64
4:D:1301:GLY:HA2	6:D:413:HOH:O	1.96	0.63
2:F:295:ARG:HD3	6:F:323:HOH:O	1.98	0.63
1:E:669:ARG:NH2	5:I:90:DT:OP2	2.28	0.63
3:G:1081:ARG:HD3	3:G:1081:ARG:C	2.22	0.62
2:B:31:LYS:HB3	2:B:32:PRO:HD3	1.81	0.62
1:A:533:GLU:O	6:A:592:HOH:O	2.16	0.62
5:I:28:DA:H1'	5:I:29:DA:H5''	1.80	0.62
5:J:274:DT:H1'	5:J:275:DC:H5'	1.83	0.61
4:H:1428:LYS:CB	5:J:249:DG:H5''	2.31	0.61
5:I:21:DT:H2''	5:I:22:DC:O5'	2.01	0.61
5:J:288:DT:H1'	5:J:289:DT:H5''	1.83	0.61
6:E:746:HOH:O	2:F:221:VAL:HA	2.00	0.60
3:G:1073:ASN:HB2	6:G:451:HOH:O	2.01	0.60
4:H:1428:LYS:HB3	5:J:249:DG:H5''	1.82	0.60
4:D:1277:LEU:HD21	4:D:1293:THR:HB	1.83	0.60
5:I:145:DA:H2''	5:I:146:DT:O5'	2.02	0.60
5:J:285:DA:H1'	6:J:408:HOH:O	2.01	0.60
2:F:287:VAL:HG11	2:F:302:GLY:HA3	1.83	0.59
1:A:479:LYS:HD3	1:A:482:LEU:HD21	1.83	0.59
3:G:1064:GLU:OE1	4:H:1445:VAL:HG13	2.03	0.59
2:B:51:TYR:O	2:B:55:ARG:HG3	2.02	0.59
5:J:223:DC:H2''	5:J:224:DG:N7	2.17	0.59
5:J:224:DG:H5''	6:J:394:HOH:O	2.04	0.58
5:J:150:DA:H2''	5:J:151:DA:OP2	2.03	0.58
1:A:448:LEU:HD21	3:G:1117:PRO:HD3	1.86	0.58
1:E:677:ASP:OD1	6:E:800:HOH:O	2.16	0.58
5:J:226:DT:H2''	5:J:227:DG:C8	2.39	0.58
1:A:463:ARG:O	1:A:466:PRO:HD2	2.04	0.58
3:G:1016:THR:HA	5:J:177:DG:H5''	1.85	0.57
3:C:876:THR:HG22	6:C:149:HOH:O	2.04	0.57
4:H:1430:ARG:HH11	4:H:1430:ARG:HG2	1.68	0.57
5:I:16:DC:H4'	6:I:257:HOH:O	2.04	0.57
5:I:93:DT:H1'	5:I:94:DG:H5''	1.86	0.57
1:A:466:PRO:HG3	5:J:237:DT:OP1	2.04	0.57
5:J:182:DT:H5''	6:J:362:HOH:O	2.02	0.57
3:G:1081:ARG:NH1	6:G:114:HOH:O	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:J:151:DA:H2''	5:J:152:DT:C5'	2.34	0.57
1:E:643:PRO:HG2	5:J:215:DC:H5'	1.87	0.56
1:E:649:ARG:HG3	1:E:649:ARG:HH11	1.70	0.56
2:B:59:LYS:O	2:B:63:GLU:HG3	2.04	0.56
3:C:881:ARG:HD3	6:C:609:HOH:O	2.04	0.56
3:G:1084:GLN:OE1	3:G:1088:ARG:HD2	2.06	0.56
4:D:1269:ARG:HD3	6:D:100:HOH:O	2.04	0.56
2:B:79:LYS:NZ	2:B:79:LYS:HB3	2.21	0.56
5:I:133:DA:H2''	5:I:134:DG:C5'	2.30	0.56
5:J:274:DT:H2''	5:J:275:DC:OP2	2.06	0.56
5:J:174:DA:H2''	5:J:175:DA:C5'	2.35	0.56
1:A:440:ARG:NH2	5:J:229:DA:N3	2.53	0.55
5:I:5:DA:H2''	5:I:6:DT:C5'	2.35	0.55
1:A:442:ARG:HB2	1:A:442:ARG:HH11	1.70	0.55
1:A:492:LEU:HD13	2:B:86:VAL:CG1	2.37	0.55
5:I:27:DA:H2''	5:I:28:DA:C8	2.42	0.55
1:E:731:ARG:HD3	1:E:733:GLU:OE2	2.06	0.55
2:F:235:ARG:HH11	2:F:235:ARG:CG	2.19	0.55
5:J:239:DT:H2''	5:J:240:DG:C8	2.42	0.55
4:H:1469:ARG:HD3	6:H:193:HOH:O	2.06	0.55
3:G:1042:ARG:HD2	5:I:112:DT:H5'	1.89	0.54
4:H:1430:ARG:HB2	5:I:122:DG:H4'	1.89	0.54
5:J:151:DA:H1'	5:J:152:DT:H5''	1.88	0.54
4:H:1437:TYR:OH	5:I:121:DG:H5''	2.07	0.54
5:J:269:DT:H2''	5:J:270:DA:C8	2.43	0.54
3:C:902:ILE:HG23	4:D:1258:ILE:HD13	1.90	0.54
5:I:128:DT:H1'	5:I:129:DC:H5'	1.89	0.54
3:G:1117:PRO:O	3:G:1118:LYS:CB	2.56	0.53
5:I:9:DC:H2''	5:I:10:DC:O5'	2.07	0.53
5:I:10:DC:H1'	5:I:11:DA:C8	2.44	0.53
1:A:463:ARG:HE	5:J:237:DT:H4'	1.74	0.53
3:C:871:ARG:HD3	6:C:550:HOH:O	2.06	0.53
5:I:114:DC:H4'	5:I:114:DC:OP1	2.07	0.53
5:J:283:DG:H2''	5:J:284:DG:C8	2.43	0.53
1:E:665:LEU:HB3	1:E:666:PRO:HD3	1.90	0.53
5:I:5:DA:H1'	5:I:6:DT:H5''	1.89	0.53
5:J:262:DC:H2'	5:J:263:DT:H71	1.89	0.53
1:E:668:GLN:NE2	6:E:769:HOH:O	2.38	0.52
3:G:1084:GLN:O	3:G:1088:ARG:HG2	2.08	0.52
4:H:1436:ILE:HG13	4:H:1437:TYR:N	2.24	0.52
1:A:463:ARG:HG2	1:A:463:ARG:NH1	2.25	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:1064:GLU:HA	4:H:1445:VAL:HG11	1.92	0.51
5:J:227:DG:H2''	5:J:228:DA:C8	2.45	0.51
5:J:261:DA:H1'	5:J:262:DC:H5''	1.93	0.51
5:J:151:DA:H2''	5:J:152:DT:H5'	1.92	0.51
5:J:169:DT:H2''	5:J:170:DA:C8	2.46	0.51
2:F:223:ARG:HD3	6:F:337:HOH:O	2.10	0.51
5:I:1:DA:C2'	5:I:2:DT:H71	2.40	0.50
5:J:243:DG:H5'	6:J:342:HOH:O	2.10	0.50
5:J:265:DT:H1'	5:J:266:DT:H5'	1.93	0.50
3:G:1084:GLN:CD	3:G:1088:ARG:HD2	2.35	0.50
5:I:6:DT:H2''	5:I:7:DA:OP2	2.12	0.50
5:J:264:DT:H2''	5:J:265:DT:H72	1.94	0.50
5:J:248:DA:H2''	5:J:249:DG:H8	1.72	0.50
3:G:1081:ARG:HD3	3:G:1081:ARG:O	2.11	0.50
4:H:1464:ASN:O	4:H:1468:GLU:HG3	2.12	0.50
5:J:181:DA:H2''	5:J:182:DT:OP2	2.11	0.50
3:C:829:ARG:NH2	4:D:1233:SER:O	2.45	0.49
1:A:453:ARG:NH1	1:A:453:ARG:HG3	2.27	0.49
2:F:235:ARG:NH1	6:F:317:HOH:O	2.44	0.49
5:I:93:DT:H2''	5:I:94:DG:C5'	2.42	0.49
5:I:120:DT:H2''	5:I:121:DG:C8	2.47	0.49
1:E:734:ARG:HE	1:E:734:ARG:HA	1.76	0.49
5:I:69:DC:H2''	5:I:70:DG:C8	2.47	0.49
5:J:225:DC:H2''	5:J:226:DT:C7	2.43	0.49
3:G:1088:ARG:NH1	6:G:66:HOH:O	2.05	0.49
5:I:121:DG:N7	6:I:234:HOH:O	2.35	0.49
1:A:463:ARG:C	1:A:466:PRO:HD2	2.38	0.49
3:C:833:LEU:HD23	3:C:836:LYS:HE2	1.95	0.49
1:A:449:ARG:HD2	5:J:153:DA:O3'	2.13	0.49
2:F:235:ARG:HD2	2:F:251:TYR:CE2	2.48	0.49
5:I:120:DT:H2''	5:I:121:DG:N7	2.28	0.48
2:B:30:THR:HB	2:B:32:PRO:HD2	1.96	0.48
5:J:178:DT:H2''	5:J:179:DG:C8	2.47	0.48
1:A:534:ARG:HG2	1:A:534:ARG:NH1	2.27	0.48
3:G:1026:PRO:HD3	4:H:1437:TYR:CD2	2.49	0.48
2:F:231:LYS:HG2	2:F:235:ARG:HD3	1.95	0.48
3:C:816:THR:HA	5:I:31:DG:H5''	1.95	0.48
5:J:272:DA:H1'	5:J:273:DA:H5'	1.95	0.48
5:I:146:DT:O2	5:J:147:DA:H2	1.96	0.48
5:J:225:DC:H2''	5:J:226:DT:H71	1.95	0.48
5:J:261:DA:H2''	5:J:262:DC:H5''	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:1429:THR:HB	5:J:249:DG:OP1	2.13	0.48
3:C:871:ARG:HG3	3:C:871:ARG:HH11	1.80	0.47
5:I:53:DC:H2''	5:I:54:DA:C8	2.49	0.47
5:I:3:DC:O2	5:I:3:DC:C2'	2.50	0.47
5:I:118:DT:H2''	5:I:119:DT:OP2	2.13	0.47
5:J:261:DA:H2''	5:J:262:DC:C5'	2.45	0.47
1:E:714:ALA:O	1:E:715:LYS:HB2	2.13	0.47
1:E:733:GLU:O	1:E:734:ARG:NE	2.46	0.47
1:A:465:LEU:HD22	5:J:238:DT:C7	2.45	0.47
4:H:1430:ARG:HG2	4:H:1430:ARG:NH1	2.28	0.47
5:I:129:DC:C2'	5:I:130:DT:H71	2.45	0.47
5:J:184:DT:H2''	5:J:185:DG:N7	2.30	0.47
5:J:261:DA:C2'	5:J:262:DC:H5''	2.45	0.47
5:J:226:DT:H5'	6:J:303:HOH:O	2.14	0.47
1:A:492:LEU:HD13	2:B:86:VAL:HG11	1.95	0.47
3:G:1020:ARG:O	4:H:1517:LYS:HG3	2.14	0.47
5:I:2:DT:H2''	5:I:3:DC:H5'	1.97	0.47
1:A:508:ASN:HD21	3:G:1115:LEU:HD11	1.80	0.47
3:G:1017:ARG:NH1	3:G:1031:HIS:HD2	1.93	0.47
4:H:1430:ARG:H	4:H:1430:ARG:HG3	1.52	0.47
5:I:141:DA:C2	5:J:153:DA:C2	3.03	0.47
5:J:178:DT:H2''	5:J:179:DG:H8	1.80	0.47
5:I:119:DT:H1'	5:I:120:DT:C6	2.50	0.46
1:A:453:ARG:HG3	1:A:453:ARG:HH11	1.80	0.46
3:G:1071:ARG:C	3:G:1073:ASN:N	2.73	0.46
5:I:138:DG:H2''	5:I:139:DA:OP2	2.16	0.46
4:D:1243:LYS:HA	4:D:1243:LYS:HD3	1.66	0.46
3:G:1071:ARG:C	3:G:1073:ASN:H	2.23	0.46
2:B:101:GLY:O	2:B:102:GLY:C	2.58	0.46
5:I:14:DT:H2''	5:I:15:DG:N7	2.31	0.46
5:I:17:DA:N6	5:J:275:DC:H42	2.12	0.46
4:H:1489:ARG:HH11	4:H:1489:ARG:HG2	1.80	0.46
3:C:841:GLU:HB3	4:D:1284:SER:HB2	1.98	0.46
4:H:1428:LYS:O	4:H:1429:THR:C	2.59	0.46
5:I:94:DG:H2''	5:I:95:DA:C8	2.52	0.45
5:I:108:DC:H2''	5:I:109:DA:N7	2.32	0.45
5:J:258:DT:H2'	5:J:259:DA:C8	2.51	0.45
3:G:1035:ARG:HH11	3:G:1035:ARG:HG2	1.80	0.45
1:A:442:ARG:NH2	5:I:68:DG:OP1	2.49	0.45
5:I:117:DT:C6	5:I:118:DT:H72	2.51	0.45
5:I:129:DC:H2'	5:I:130:DT:H71	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:216:LYS:HE2	2:F:216:LYS:HB3	1.82	0.45
3:G:1047:ALA:N	3:G:1048:PRO:HD2	2.32	0.45
5:I:34:DT:H2''	5:I:35:DA:H8	1.81	0.45
4:D:1237:TYR:OH	5:J:267:DG:H5''	2.17	0.45
2:F:235:ARG:HG3	2:F:235:ARG:NH1	2.26	0.45
2:B:23:ARG:HH12	2:B:28:GLY:HA2	1.82	0.44
4:H:1445:VAL:HG12	4:H:1446:HIS:CD2	2.52	0.44
4:H:1446:HIS:HB3	4:H:1449:THR:OG1	2.16	0.44
5:I:6:DT:H2''	5:I:7:DA:C8	2.52	0.44
1:A:468:GLN:HE21	1:A:468:GLN:HB2	1.57	0.44
3:G:1026:PRO:HD3	4:H:1437:TYR:CG	2.53	0.44
5:I:3:DC:C5	5:J:290:DG:N1	2.83	0.44
5:J:271:DG:H1'	5:J:272:DA:C8	2.53	0.44
3:C:832:ARG:HD3	5:I:30:DA:OP2	2.18	0.44
1:A:490:MET:HG3	6:A:600:HOH:O	2.18	0.44
5:I:3:DC:H2''	5:I:4:DA:C8	2.52	0.44
5:I:48:DT:H5''	6:I:212:HOH:O	2.18	0.44
3:G:1026:PRO:O	3:G:1030:VAL:HG23	2.18	0.43
3:G:1037:GLY:HA3	3:G:1039:TYR:CE1	2.53	0.43
5:J:258:DT:H2''	5:J:259:DA:C5'	2.48	0.43
3:C:825:PHE:HZ	3:C:859:THR:HG21	1.83	0.43
3:C:825:PHE:CZ	3:C:859:THR:HG21	2.52	0.43
1:A:442:ARG:HB2	1:A:442:ARG:NH1	2.34	0.43
1:E:663:ARG:HA	1:E:663:ARG:NE	2.33	0.43
5:J:246:DG:H2''	5:J:247:DC:C6	2.51	0.43
1:A:492:LEU:HD13	2:B:86:VAL:HG13	2.00	0.43
3:G:1081:ARG:NH2	6:G:114:HOH:O	2.52	0.43
5:I:57:DA:H4'	6:I:267:HOH:O	2.18	0.43
3:C:917:PRO:O	3:C:918:LYS:CB	2.58	0.43
4:H:1428:LYS:HB2	5:J:249:DG:H5''	2.01	0.43
5:I:89:DC:H2''	5:I:90:DT:H71	2.01	0.43
1:A:452:ARG:O	1:A:456:LYS:HG3	2.19	0.43
5:I:71:DG:H2''	5:I:72:DA:OP2	2.19	0.43
5:J:258:DT:H2''	5:J:259:DA:H5'	2.01	0.43
5:J:287:DA:H2'	5:J:288:DT:C7	2.49	0.43
5:I:116:DC:H2''	5:I:117:DT:H72	2.00	0.42
5:J:225:DC:H2''	5:J:226:DT:C5	2.54	0.42
2:B:79:LYS:HB3	2:B:79:LYS:HZ2	1.84	0.42
5:J:193:DC:H2''	5:J:194:DT:C7	2.46	0.42
3:C:842:ARG:NE	5:I:39:DG:H4'	2.35	0.42
5:J:270:DA:H2''	5:J:271:DG:O5'	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:1099:ARG:HD3	6:G:626:HOH:O	2.19	0.42
1:E:678:PHE:CE1	2:F:267:ARG:HG3	2.55	0.42
3:G:1035:ARG:HG2	3:G:1035:ARG:NH1	2.35	0.42
3:C:917:PRO:HD3	1:E:648:LEU:CD1	2.49	0.42
3:G:1041:GLU:HB3	4:H:1484:SER:HB3	2.01	0.42
5:J:223:DC:H2''	5:J:224:DG:C8	2.55	0.42
4:H:1436:ILE:HD11	4:H:1437:TYR:CZ	2.55	0.42
5:I:14:DT:H2''	5:I:15:DG:C8	2.55	0.42
3:C:917:PRO:HD3	1:E:648:LEU:HD13	2.02	0.41
2:F:216:LYS:O	2:F:217:ARG:CD	2.63	0.41
2:F:235:ARG:CG	2:F:235:ARG:NH1	2.78	0.41
4:H:1464:ASN:ND2	6:H:76:HOH:O	2.51	0.41
1:A:518:THR:HG22	2:B:45:ARG:CD	2.50	0.41
5:I:17:DA:N6	5:J:275:DC:N4	2.67	0.41
5:J:248:DA:H5''	6:J:315:HOH:O	2.20	0.41
5:I:89:DC:H2''	5:I:90:DT:C7	2.50	0.41
2:F:220:ML3:HE	2:F:220:ML3:H17	1.81	0.41
2:F:220:ML3:HM2B	2:F:220:ML3:H18	1.51	0.41
2:F:287:VAL:HG11	2:F:302:GLY:CA	2.48	0.41
4:H:1434:TYR:O	4:H:1438:VAL:HG23	2.21	0.41
5:I:36:DT:H1'	5:I:37:DT:H5'	2.02	0.41
5:I:116:DC:C2'	5:I:117:DT:H72	2.50	0.41
5:J:151:DA:H2''	5:J:152:DT:H5''	2.03	0.41
5:J:172:DC:H1'	5:J:173:DA:C5	2.56	0.41
1:A:448:LEU:HD12	1:A:451:ILE:HD12	2.02	0.41
1:E:643:PRO:CG	5:J:215:DC:H5'	2.50	0.41
1:E:734:ARG:HE	1:E:734:ARG:CA	2.33	0.41
5:I:112:DT:H2''	5:I:113:DA:O5'	2.21	0.41
1:E:643:PRO:HG2	5:J:215:DC:C5'	2.50	0.41
1:A:463:ARG:HB2	1:A:466:PRO:HG2	2.02	0.41
5:I:125:DG:H2''	5:I:126:DA:OP2	2.20	0.41
5:J:272:DA:H2''	5:J:273:DA:O5'	2.20	0.41
5:I:28:DA:H2''	5:I:29:DA:OP2	2.21	0.41
5:J:151:DA:C2'	5:J:152:DT:H5''	2.51	0.41
1:A:518:THR:HG22	2:B:45:ARG:HG3	2.02	0.40
5:I:3:DC:H3'	6:I:288:HOH:O	2.21	0.40
1:A:465:LEU:HB3	1:A:466:PRO:HD3	2.03	0.40
5:I:49:DC:H1'	5:I:50:DC:C6	2.57	0.40
1:E:646:VAL:HB	5:I:82:DA:P	2.61	0.40
5:J:181:DA:H1'	5:J:182:DT:H5'	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	96/135 (71%)	93 (97%)	2 (2%)	1 (1%)	12	11
1	E	97/135 (72%)	95 (98%)	1 (1%)	1 (1%)	12	11
2	B	78/102 (76%)	75 (96%)	3 (4%)	0	100	100
2	F	84/102 (82%)	82 (98%)	0	2 (2%)	4	3
3	C	104/129 (81%)	101 (97%)	2 (2%)	1 (1%)	12	11
3	G	101/129 (78%)	98 (97%)	2 (2%)	1 (1%)	12	11
4	D	93/125 (74%)	90 (97%)	2 (2%)	1 (1%)	11	10
4	H	92/125 (74%)	88 (96%)	2 (2%)	2 (2%)	5	3
All	All	745/982 (76%)	722 (97%)	14 (2%)	9 (1%)	10	8

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	534	ARG
4	D	1301	GLY
2	F	217	ARG
3	G	1117	PRO
4	H	1501	GLY
3	C	918	LYS
2	F	221	VAL
4	H	1429	THR
1	E	638	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	85/110 (77%)	80 (94%)	5 (6%)	18	22
1	E	86/110 (78%)	85 (99%)	1 (1%)	63	78
2	B	65/77 (84%)	63 (97%)	2 (3%)	35	48
2	F	71/77 (92%)	67 (94%)	4 (6%)	19	24
3	C	84/102 (82%)	79 (94%)	5 (6%)	17	21
3	G	82/102 (80%)	80 (98%)	2 (2%)	43	58
4	D	81/104 (78%)	78 (96%)	3 (4%)	30	41
4	H	80/104 (77%)	77 (96%)	3 (4%)	29	40
All	All	634/786 (81%)	609 (96%)	25 (4%)	28	39

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	448	LEU
1	A	453	ARG
1	A	459	GLU
1	A	492	LEU
1	A	518	THR
2	B	47	SER
2	B	79	LYS
3	C	829	ARG
3	C	859	THR
3	C	881	ARG
3	C	918	LYS
3	C	919	LYS
4	D	1228	LYS
4	D	1290	GLU
4	D	1300	PRO
1	E	734	ARG
2	F	217	ARG
2	F	218	HIS
2	F	219	ARG
2	F	235	ARG
3	G	1081	ARG
3	G	1088	ARG
4	H	1430	ARG
4	H	1433	SER
4	H	1500	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	508	ASN
3	C	824	GLN
3	C	831	HIS
3	C	904	GLN
4	D	1279	HIS
4	D	1306	HIS
2	F	218	HIS
3	G	1031	HIS
3	G	1073	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ML3	F	220	2	10,11,12	3.43	2 (20%)	11,14,16	1.04	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ML3	F	220	2	-	2/8/10/12	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	220	ML3	CD-SG	-7.68	1.52	1.81
2	F	220	ML3	CB-SG	-7.38	1.52	1.81

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	220	ML3	CB-SG-CD	3.03	111.27	102.26

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	220	ML3	SG-CD-CE-NZ
2	F	220	ML3	N-CA-CB-SG

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	220	ML3	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	98/135 (72%)	0.39	7 (7%)	22	19	29, 41, 79, 106	0
1	E	99/135 (73%)	0.08	3 (3%)	52	49	22, 34, 61, 107	0
2	B	80/102 (78%)	0.23	3 (3%)	44	41	31, 41, 61, 117	0
2	F	86/102 (84%)	0.16	5 (5%)	29	25	25, 34, 63, 139	0
3	C	106/129 (82%)	0.30	7 (6%)	24	21	24, 36, 70, 142	0
3	G	103/129 (79%)	0.34	6 (5%)	29	25	31, 45, 75, 123	0
4	D	95/125 (76%)	0.30	5 (5%)	32	29	29, 38, 73, 96	0
4	H	94/125 (75%)	0.68	6 (6%)	25	22	32, 45, 79, 120	0
5	I	146/146 (100%)	1.13	18 (12%)	8	6	39, 88, 135, 174	0
5	J	146/146 (100%)	1.20	26 (17%)	4	3	41, 90, 142, 177	0
All	All	1053/1274 (82%)	0.55	86 (8%)	17	15	22, 45, 119, 177	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	102	GLY	7.7
4	H	1521	ALA	5.4
1	E	735	ALA	5.3
1	A	438	PRO	5.2
2	F	221	VAL	4.9
3	C	814	ALA	4.7
2	F	302	GLY	4.2
5	I	20	DT	3.9
1	A	442	ARG	3.7
2	B	101	GLY	3.6
1	E	734	ARG	3.6
3	G	1042	ARG	3.3
3	C	815	LYS	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	919	LYS	3.3
4	D	1229	THR	3.2
4	D	1228	LYS	3.2
2	F	218	HIS	3.2
5	J	234	DC	3.2
3	G	1118	LYS	3.1
5	I	15	DG	3.1
1	A	439	HIS	3.1
5	J	233	DG	3.1
1	A	534	ARG	3.1
5	I	56	DA	3.0
3	C	820	ARG	3.0
5	I	21	DT	3.0
5	J	149	DC	2.9
1	A	535	ALA	2.9
4	D	1283	ARG	2.8
5	J	273	DA	2.8
5	I	28	DA	2.8
3	G	1035	ARG	2.8
5	J	232	DT	2.7
5	I	36	DT	2.6
3	C	862	ILE	2.6
5	J	280	DG	2.6
2	B	23	ARG	2.6
5	J	235	DC	2.6
4	H	1483	ARG	2.6
1	E	678	PHE	2.5
2	F	235	ARG	2.5
3	G	1036	LYS	2.5
5	I	116	DC	2.5
5	J	243	DG	2.4
2	F	219	ARG	2.4
3	C	871	ARG	2.4
5	I	57	DA	2.4
4	D	1321	ALA	2.4
5	I	94	DG	2.4
5	J	284	DG	2.4
3	G	1076	THR	2.4
5	I	16	DC	2.4
5	I	128	DT	2.3
5	J	167	DT	2.3
1	A	463	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	J	175	DA	2.3
5	J	231	DA	2.3
5	J	180	DT	2.3
5	J	241	DA	2.3
5	J	287	DA	2.3
1	A	483	ARG	2.3
3	G	1020	ARG	2.3
5	I	26	DC	2.2
5	J	245	DA	2.2
5	J	275	DC	2.2
4	H	1431	LYS	2.2
4	H	1429	THR	2.2
5	I	48	DT	2.2
5	J	242	DT	2.2
4	H	1428	LYS	2.2
5	J	161	DG	2.2
5	I	31	DG	2.1
5	I	14	DT	2.1
5	I	1	DA	2.1
5	I	55	DA	2.1
5	J	271	DG	2.1
3	C	859	THR	2.1
5	I	123	DT	2.1
4	H	1432	GLU	2.1
5	J	216	DG	2.1
5	J	279	DA	2.1
4	D	1300	PRO	2.1
5	J	274	DT	2.0
5	J	286	DT	2.0
5	J	270	DA	2.0
5	J	224	DG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ML3	F	220	12/13	0.68	0.29	58,139,139,139	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.