



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 09:01 PM UTC

PDB ID : 5C1A / pdb_00005c1a
Title : p97-N750D/R753D/M757D/Q760D in complex with ATP-gamma-S
Authors : Haenzelmann, P.; Schindelin, H.
Deposited on : 2015-06-13
Resolution : 3.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1065 (3.96-3.64)
Clashscore	190562	1012 (3.94-3.66)
Ramachandran outliers	187476	1048 (3.96-3.64)
Sidechain outliers	187428	1043 (3.96-3.64)
RSRZ outliers	180081	1064 (3.96-3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	805	 78%12% • 9%
1	B	805	 75%15% • 9%
1	C	805	 78%12% • 9%
1	D	805	 79%12% • 9%
1	E	805	 77%13% • 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	805	 78% 12% • 9%
1	G	805	 77% 14% • 9%
1	H	805	 77% 13% • 9%
1	I	805	 76% 13% • 9%
1	J	805	 78% 12% • 9%
1	K	805	 74% 16% • 8%
1	L	805	 77% 13% • 9%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 140261 atoms, of which 70187 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transitional endoplasmic reticulum ATPase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	735	Total	C	H	N	O	S	0	0	0
			11578	3616	5814	1019	1100	29			
1	B	735	Total	C	H	N	O	S	0	0	0
			11590	3623	5819	1019	1100	29			
1	C	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	D	735	Total	C	H	N	O	S	0	0	0
			11591	3623	5820	1019	1100	29			
1	E	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	F	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	G	735	Total	C	H	N	O	S	0	0	0
			11576	3616	5812	1019	1100	29			
1	H	735	Total	C	H	N	O	S	0	0	0
			11590	3623	5819	1019	1100	29			
1	I	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	J	735	Total	C	H	N	O	S	0	0	0
			11590	3623	5819	1019	1100	29			
1	K	744	Total	C	H	N	O	S	0	0	0
			11719	3663	5880	1029	1117	30			
1	L	735	Total	C	H	N	O	S	0	0	0
			11591	3623	5820	1019	1100	29			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	750	ASP	ASN	engineered mutation	UNP P55072
A	753	ASP	ARG	engineered mutation	UNP P55072
A	757	ASP	MET	engineered mutation	UNP P55072
A	760	ASP	GLN	engineered mutation	UNP P55072
B	750	ASP	ASN	engineered mutation	UNP P55072

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	753	ASP	ARG	engineered mutation	UNP P55072
B	757	ASP	MET	engineered mutation	UNP P55072
B	760	ASP	GLN	engineered mutation	UNP P55072
C	750	ASP	ASN	engineered mutation	UNP P55072
C	753	ASP	ARG	engineered mutation	UNP P55072
C	757	ASP	MET	engineered mutation	UNP P55072
C	760	ASP	GLN	engineered mutation	UNP P55072
D	750	ASP	ASN	engineered mutation	UNP P55072
D	753	ASP	ARG	engineered mutation	UNP P55072
D	757	ASP	MET	engineered mutation	UNP P55072
D	760	ASP	GLN	engineered mutation	UNP P55072
E	750	ASP	ASN	engineered mutation	UNP P55072
E	753	ASP	ARG	engineered mutation	UNP P55072
E	757	ASP	MET	engineered mutation	UNP P55072
E	760	ASP	GLN	engineered mutation	UNP P55072
F	750	ASP	ASN	engineered mutation	UNP P55072
F	753	ASP	ARG	engineered mutation	UNP P55072
F	757	ASP	MET	engineered mutation	UNP P55072
F	760	ASP	GLN	engineered mutation	UNP P55072
G	750	ASP	ASN	engineered mutation	UNP P55072
G	753	ASP	ARG	engineered mutation	UNP P55072
G	757	ASP	MET	engineered mutation	UNP P55072
G	760	ASP	GLN	engineered mutation	UNP P55072
H	750	ASP	ASN	engineered mutation	UNP P55072
H	753	ASP	ARG	engineered mutation	UNP P55072
H	757	ASP	MET	engineered mutation	UNP P55072
H	760	ASP	GLN	engineered mutation	UNP P55072
I	750	ASP	ASN	engineered mutation	UNP P55072
I	753	ASP	ARG	engineered mutation	UNP P55072
I	757	ASP	MET	engineered mutation	UNP P55072
I	760	ASP	GLN	engineered mutation	UNP P55072
J	750	ASP	ASN	engineered mutation	UNP P55072
J	753	ASP	ARG	engineered mutation	UNP P55072
J	757	ASP	MET	engineered mutation	UNP P55072
J	760	ASP	GLN	engineered mutation	UNP P55072
K	750	ASP	ASN	engineered mutation	UNP P55072
K	753	ASP	ARG	engineered mutation	UNP P55072
K	757	ASP	MET	engineered mutation	UNP P55072
K	760	ASP	GLN	engineered mutation	UNP P55072
L	750	ASP	ASN	engineered mutation	UNP P55072
L	753	ASP	ARG	engineered mutation	UNP P55072
L	757	ASP	MET	engineered mutation	UNP P55072

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	760	ASP	GLN	engineered mutation	UNP P55072

- Molecule 2 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (CCD ID: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Continued from previous page...

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	F	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	F	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	G	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	G	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	H	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	H	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	I	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	I	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	J	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	J	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	K	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	K	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	L	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0
2	L	1	Total 44	C 10	H 13	N 5	O 12	P 3	S 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total 2	Mg 2	0	0
3	B	2	Total 2	Mg 2	0	0
3	C	2	Total 2	Mg 2	0	0
3	D	2	Total 2	Mg 2	0	0
3	E	2	Total 2	Mg 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	F	2	Total 2	Mg 2	0	0
3	G	2	Total 2	Mg 2	0	0
3	H	2	Total 2	Mg 2	0	0
3	I	2	Total 2	Mg 2	0	0
3	J	2	Total 2	Mg 2	0	0
3	K	2	Total 2	Mg 2	0	0
3	L	2	Total 2	Mg 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transitional endoplasmic reticulum ATPase




- Molecule 1: Transitional endoplasmic reticulum ATPase



GLY
GLY
SER
VAL
THR
THR
GLU
ASP
ASN
ASP
ASP
ASP
LEU
TYR
GLY


• Molecule 1: Transitional endoplasmic reticulum ATPase

Chain C: 78% 12% 9%




• Molecule 1: Transitional endoplasmic reticulum ATPase


Chain D: 79% 12% 9%



• Molecule 1: Transitional endoplasmic reticulum ATPase


Chain E: 77% 13% 9%






• Molecule 1: Transitional endoplasmic reticulum ATPase

Chain F: 78% 12% 9%




• Molecule 1: Transitional endoplasmic reticulum ATPase

Chain G: 77% 14% 9%




• Molecule 1: Transitional endoplasmic reticulum ATPase

Chain H: 77% 13% 9%




- Molecule 1: Transitional endoplasmic reticulum ATPase

Chain I: 76% 13% 9%



- Molecule 1: Transitional endoplasmic reticulum ATPase

Chain J: 78% 12% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	182.67Å 145.47Å 251.40Å 90.00° 109.77° 90.00°	Depositor
Resolution (Å)	49.05 – 3.80 49.05 – 3.80	Depositor EDS
% Data completeness (in resolution range)	98.6 (49.05-3.80) 98.7 (49.05-3.80)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 3.77Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.190 , 0.254 0.196 , 0.253	Depositor DCC
R_{free} test set	6037 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	148.8	Xtriage
Anisotropy	0.162	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 140.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.059 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	140261	wwPDB-VP
Average B, all atoms (Å ²)	199.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	0/5856	0.78	5/7906 (0.1%)
1	B	0.40	0/5864	0.79	4/7917 (0.1%)
1	C	0.38	0/5864	0.81	2/7917 (0.0%)
1	D	0.37	0/5864	0.78	2/7917 (0.0%)
1	E	0.39	0/5864	0.80	6/7917 (0.1%)
1	F	0.41	0/5864	0.82	5/7917 (0.1%)
1	G	0.39	0/5856	0.82	5/7906 (0.1%)
1	H	0.39	0/5864	0.78	2/7917 (0.0%)
1	I	0.38	0/5863	0.79	4/7913 (0.1%)
1	J	0.39	0/5864	0.80	6/7917 (0.1%)
1	K	0.41	0/5934	0.80	4/8014 (0.0%)
1	L	0.39	0/5864	0.79	4/7917 (0.1%)
All	All	0.39	0/70421	0.80	49/95075 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	F	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 49 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	435	GLU	N-CA-C	-7.52	103.02	111.07
1	D	339	ALA	N-CA-C	-7.50	99.21	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	728	VAL	N-CA-C	7.29	115.40	107.60
1	F	726	ASP	CA-C-N	-7.03	113.46	120.21
1	F	726	ASP	C-N-CA	-7.03	113.46	120.21

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	429	LEU	Peptide
1	F	49	LEU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5764	5814	5812	52	0
1	B	5771	5819	5819	66	0
1	C	5771	5818	5818	44	0
1	D	5771	5820	5820	48	0
1	E	5771	5818	5818	55	0
1	F	5771	5818	5819	57	0
1	G	5764	5812	5811	54	0
1	H	5771	5819	5819	64	0
1	I	5771	5818	5818	51	0
1	J	5771	5819	5819	49	0
1	K	5839	5880	5879	73	0
1	L	5771	5820	5819	56	0
2	A	62	26	24	0	0
2	B	62	26	24	4	0
2	C	62	26	24	3	0
2	D	62	26	24	0	0
2	E	62	26	24	3	0
2	F	62	26	24	6	0
2	G	62	26	24	2	0
2	H	62	26	24	1	0
2	I	62	26	24	4	0
2	J	62	26	23	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	K	62	26	24	2	0
2	L	62	26	24	4	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
3	G	2	0	0	0	0
3	H	2	0	0	0	0
3	I	2	0	0	0	0
3	J	2	0	0	0	0
3	K	2	0	0	0	0
3	L	2	0	0	0	0
All	All	70074	70187	70158	622	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 622 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:429:LEU:O	1:H:431:ASP:N	2.15	0.79
1:B:89:ARG:NH1	1:B:261:GLU:OE2	2.17	0.78
1:J:313:ARG:NE	1:J:354:ASP:OD2	2.19	0.75
1:B:429:LEU:O	1:B:431:ASP:N	2.21	0.74
1:H:65:ARG:NH1	1:H:91:ASN:O	2.20	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	729/805 (91%)	705 (97%)	23 (3%)	1 (0%)	48	79
1	B	729/805 (91%)	703 (96%)	23 (3%)	3 (0%)	30	62
1	C	729/805 (91%)	704 (97%)	23 (3%)	2 (0%)	36	67
1	D	729/805 (91%)	707 (97%)	20 (3%)	2 (0%)	36	67
1	E	729/805 (91%)	704 (97%)	20 (3%)	5 (1%)	18	51
1	F	729/805 (91%)	703 (96%)	22 (3%)	4 (0%)	24	57
1	G	729/805 (91%)	706 (97%)	22 (3%)	1 (0%)	48	79
1	H	729/805 (91%)	702 (96%)	21 (3%)	6 (1%)	16	48
1	I	727/805 (90%)	705 (97%)	21 (3%)	1 (0%)	48	79
1	J	729/805 (91%)	707 (97%)	20 (3%)	2 (0%)	36	67
1	K	740/805 (92%)	700 (95%)	27 (4%)	13 (2%)	6	33
1	L	729/805 (91%)	706 (97%)	18 (2%)	5 (1%)	18	51
All	All	8757/9660 (91%)	8452 (96%)	260 (3%)	45 (0%)	24	57

5 of 45 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	430	ILE
1	B	431	ASP
1	B	728	VAL
1	D	186	GLY
1	E	435	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	627/677 (93%)	584 (93%)	43 (7%)	14	40
1	B	628/677 (93%)	588 (94%)	40 (6%)	16	42
1	C	628/677 (93%)	583 (93%)	45 (7%)	13	39
1	D	628/677 (93%)	598 (95%)	30 (5%)	23	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	628/677 (93%)	593 (94%)	35 (6%)	19	45
1	F	628/677 (93%)	589 (94%)	39 (6%)	16	42
1	G	627/677 (93%)	580 (92%)	47 (8%)	12	38
1	H	628/677 (93%)	593 (94%)	35 (6%)	19	45
1	I	628/677 (93%)	580 (92%)	48 (8%)	12	37
1	J	628/677 (93%)	585 (93%)	43 (7%)	14	40
1	K	636/677 (94%)	589 (93%)	47 (7%)	13	38
1	L	628/677 (93%)	588 (94%)	40 (6%)	16	42
All	All	7542/8124 (93%)	7050 (94%)	492 (6%)	15	42

5 of 492 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	762	LEU
1	K	707	ILE
1	H	184	CYS
1	K	573	VAL
1	L	338	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 61 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	199	ASN
1	L	270	ASN
1	G	490	GLN
1	L	199	ASN
1	L	494	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 24 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AGS	I	902	3	32,33,33	1.42	5 (15%)	45,52,52	1.96	10 (22%)
2	AGS	J	901	3	32,33,33	1.45	6 (18%)	45,52,52	1.86	10 (22%)
2	AGS	A	901	3	32,33,33	1.48	6 (18%)	45,52,52	1.88	10 (22%)
2	AGS	G	902	3	32,33,33	1.45	5 (15%)	45,52,52	1.92	9 (20%)
2	AGS	A	902	3	32,33,33	1.37	4 (12%)	45,52,52	1.89	9 (20%)
2	AGS	L	902	3	32,33,33	1.43	4 (12%)	45,52,52	1.91	8 (17%)
2	AGS	F	902	3	32,33,33	1.35	6 (18%)	45,52,52	1.96	9 (20%)
2	AGS	J	902	3	32,33,33	1.38	3 (9%)	45,52,52	2.01	8 (17%)
2	AGS	C	901	3	32,33,33	1.46	6 (18%)	45,52,52	2.00	10 (22%)
2	AGS	K	902	3	32,33,33	1.45	5 (15%)	45,52,52	1.97	10 (22%)
2	AGS	I	901	3	32,33,33	1.47	6 (18%)	45,52,52	1.91	10 (22%)
2	AGS	C	902	3	32,33,33	1.46	6 (18%)	45,52,52	1.92	9 (20%)
2	AGS	H	902	3	32,33,33	1.48	5 (15%)	45,52,52	1.94	9 (20%)
2	AGS	D	902	3	32,33,33	1.43	5 (15%)	45,52,52	1.94	9 (20%)
2	AGS	L	901	3	32,33,33	1.47	5 (15%)	45,52,52	1.98	11 (24%)
2	AGS	E	902	3	32,33,33	1.40	4 (12%)	45,52,52	1.86	8 (17%)
2	AGS	B	902	3	32,33,33	1.44	5 (15%)	45,52,52	1.92	11 (24%)
2	AGS	K	901	3	32,33,33	1.42	6 (18%)	45,52,52	1.91	9 (20%)
2	AGS	F	901	3	32,33,33	1.44	6 (18%)	45,52,52	1.92	10 (22%)
2	AGS	D	901	3	32,33,33	1.41	5 (15%)	45,52,52	1.95	8 (17%)
2	AGS	H	901	3	32,33,33	1.49	7 (21%)	45,52,52	1.99	10 (22%)
2	AGS	G	901	3	32,33,33	1.43	6 (18%)	45,52,52	1.93	10 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AGS	E	901	3	32,33,33	1.59	8 (25%)	45,52,52	1.93	11 (24%)
2	AGS	B	901	3	32,33,33	1.46	5 (15%)	45,52,52	1.98	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AGS	I	902	3	-	5/21/38/38	0/3/3/3
2	AGS	J	901	3	-	3/21/38/38	0/3/3/3
2	AGS	A	901	3	-	2/21/38/38	0/3/3/3
2	AGS	G	902	3	-	10/21/38/38	0/3/3/3
2	AGS	A	902	3	-	8/21/38/38	0/3/3/3
2	AGS	L	902	3	-	8/21/38/38	0/3/3/3
2	AGS	F	902	3	-	7/21/38/38	0/3/3/3
2	AGS	J	902	3	-	4/21/38/38	0/3/3/3
2	AGS	C	901	3	-	5/21/38/38	0/3/3/3
2	AGS	K	902	3	-	6/21/38/38	0/3/3/3
2	AGS	I	901	3	-	3/21/38/38	0/3/3/3
2	AGS	C	902	3	-	6/21/38/38	0/3/3/3
2	AGS	H	902	3	-	4/21/38/38	0/3/3/3
2	AGS	D	902	3	-	4/21/38/38	0/3/3/3
2	AGS	L	901	3	-	4/21/38/38	0/3/3/3
2	AGS	E	902	3	-	6/21/38/38	0/3/3/3
2	AGS	B	902	3	-	3/21/38/38	0/3/3/3
2	AGS	K	901	3	-	2/21/38/38	0/3/3/3
2	AGS	F	901	3	-	2/21/38/38	0/3/3/3
2	AGS	D	901	3	-	0/21/38/38	0/3/3/3
2	AGS	H	901	3	-	4/21/38/38	0/3/3/3
2	AGS	G	901	3	-	2/21/38/38	0/3/3/3
2	AGS	E	901	3	-	1/21/38/38	0/3/3/3
2	AGS	B	901	3	-	1/21/38/38	0/3/3/3

The worst 5 of 129 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	902	AGS	C6-N6	4.25	1.45	1.34
2	H	902	AGS	C6-N6	4.21	1.45	1.34
2	I	902	AGS	C6-N6	4.19	1.44	1.34
2	G	902	AGS	C6-N6	4.19	1.44	1.34
2	B	902	AGS	C6-N6	4.15	1.44	1.34

The worst 5 of 227 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	902	AGS	N3-C2-N1	-5.87	119.70	128.58
2	B	901	AGS	C5-C4-N3	-5.84	118.68	126.72
2	J	902	AGS	N3-C2-N1	-5.81	119.79	128.58
2	L	901	AGS	N3-C2-N1	-5.75	119.88	128.58
2	B	902	AGS	N3-C2-N1	-5.69	119.96	128.58

There are no chirality outliers.

5 of 100 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	902	AGS	PB-O3B-PG-O2G
2	A	902	AGS	PB-O3B-PG-O3G
2	A	902	AGS	C5'-O5'-PA-O1A
2	A	902	AGS	C5'-O5'-PA-O2A
2	A	902	AGS	C5'-O5'-PA-O3A

There are no ring outliers.

19 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	902	AGS	2	0
2	J	901	AGS	2	0
2	G	902	AGS	1	0
2	L	902	AGS	2	0
2	F	902	AGS	1	0
2	J	902	AGS	2	0
2	C	901	AGS	2	0
2	K	902	AGS	1	0
2	I	901	AGS	2	0
2	C	902	AGS	1	0
2	L	901	AGS	2	0
2	E	902	AGS	1	0
2	B	902	AGS	1	0

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	K	901	AGS	1	0
2	F	901	AGS	5	0
2	H	901	AGS	1	0
2	G	901	AGS	1	0
2	E	901	AGS	2	0
2	B	901	AGS	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand AGS J 901









Ligand AGS A 902




Ligand AGS L 902




Ligand AGS F 902




Ligand AGS J 902




Ligand AGS C 901





Ligand AGS K 902




Ligand AGS I 901












Ligand AGS L 901




Ligand AGS E 902





Ligand AGS B 902







Ligand AGS F 901







Ligand AGS H 901





Ligand AGS E 901





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	I	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	I	728:VAL	C	729:PRO	N	3.06

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	735/805 (91%)	-0.84	0 100 100	113, 194, 259, 355	0
1	B	735/805 (91%)	-0.79	1 (0%) 92 87	106, 186, 267, 411	0
1	C	735/805 (91%)	-0.81	0 100 100	124, 198, 272, 350	0
1	D	735/805 (91%)	-0.86	0 100 100	131, 213, 287, 373	0
1	E	735/805 (91%)	-0.81	0 100 100	114, 191, 278, 374	0
1	F	735/805 (91%)	-0.80	0 100 100	109, 186, 276, 359	0
1	G	735/805 (91%)	-0.83	0 100 100	114, 190, 268, 337	0
1	H	735/805 (91%)	-0.81	0 100 100	116, 195, 270, 331	0
1	I	735/805 (91%)	-0.82	1 (0%) 92 87	126, 203, 288, 379	0
1	J	735/805 (91%)	-0.85	1 (0%) 92 87	120, 197, 263, 464	0
1	K	744/805 (92%)	-0.83	0 100 100	110, 189, 279, 406	0
1	L	735/805 (91%)	-0.82	0 100 100	111, 186, 264, 369	0
All	All	8829/9660 (91%)	-0.82	3 (0%) 100 100	106, 195, 275, 464	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	126	ILE	2.5
1	I	423	ILE	2.2
1	B	482	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	D	903	1/1	0.88	0.07	122,122,122,122	0
3	MG	D	904	1/1	0.90	0.04	127,127,127,127	0
3	MG	J	903	1/1	0.92	0.06	105,105,105,105	0
3	MG	C	904	1/1	0.93	0.04	137,137,137,137	0
2	AGS	E	902	31/31	0.93	0.06	102,148,179,184	0
2	AGS	D	902	31/31	0.94	0.05	111,144,182,204	0
3	MG	A	903	1/1	0.94	0.06	110,110,110,110	0
3	MG	B	903	1/1	0.94	0.06	113,113,113,113	0
3	MG	G	903	1/1	0.94	0.07	113,113,113,113	0
3	MG	B	904	1/1	0.94	0.05	114,114,114,114	0
3	MG	F	904	1/1	0.95	0.03	149,149,149,149	0
3	MG	E	904	1/1	0.95	0.06	151,151,151,151	0
3	MG	I	903	1/1	0.95	0.06	138,138,138,138	0
3	MG	F	903	1/1	0.95	0.08	94,94,94,94	0
2	AGS	B	902	31/31	0.96	0.05	101,128,152,156	0
2	AGS	C	901	31/31	0.96	0.04	105,138,166,177	0
2	AGS	C	902	31/31	0.96	0.05	105,140,172,196	0
2	AGS	D	901	31/31	0.96	0.05	103,137,166,208	0
2	AGS	A	901	31/31	0.96	0.06	102,125,153,197	0
2	AGS	B	901	31/31	0.96	0.05	102,131,160,170	0
3	MG	E	903	1/1	0.96	0.04	113,113,113,113	0
2	AGS	F	902	31/31	0.96	0.05	122,150,185,190	0
2	AGS	G	901	31/31	0.96	0.05	104,134,164,210	0
2	AGS	I	901	31/31	0.96	0.05	105,131,158,186	0
2	AGS	I	902	31/31	0.96	0.05	125,150,180,187	0
3	MG	H	903	1/1	0.96	0.06	132,132,132,132	0
3	MG	H	904	1/1	0.96	0.03	134,134,134,134	0
2	AGS	K	901	31/31	0.96	0.05	100,132,164,172	0
2	AGS	L	901	31/31	0.96	0.05	102,132,160,173	0
3	MG	L	903	1/1	0.96	0.07	117,117,117,117	0
3	MG	L	904	1/1	0.96	0.06	115,115,115,115	0
2	AGS	J	902	31/31	0.97	0.04	99,140,168,181	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	G	904	1/1	0.97	0.05	119,119,119,119	0
2	AGS	H	901	31/31	0.97	0.05	105,133,162,165	0
2	AGS	H	902	31/31	0.97	0.04	110,139,165,169	0
2	AGS	E	901	31/31	0.97	0.05	105,131,164,179	0
2	AGS	G	902	31/31	0.97	0.05	112,139,179,187	0
2	AGS	J	901	31/31	0.97	0.04	111,139,167,210	0
3	MG	C	903	1/1	0.97	0.06	94,94,94,94	0
2	AGS	F	901	31/31	0.98	0.05	94,131,160,160	0
3	MG	A	904	1/1	0.98	0.05	128,128,128,128	0
3	MG	I	904	1/1	0.98	0.02	145,145,145,145	0
2	AGS	K	902	31/31	0.98	0.05	96,121,149,154	0
3	MG	J	904	1/1	0.98	0.04	112,112,112,112	0
3	MG	K	903	1/1	0.98	0.07	112,112,112,112	0
3	MG	K	904	1/1	0.98	0.06	99,99,99,99	0
2	AGS	A	902	31/31	0.98	0.03	120,142,172,177	0
2	AGS	L	902	31/31	0.98	0.04	112,136,166,169	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AGS E 902:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS D 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS B 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS C 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS C 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS D 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS B 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS F 902:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS G 901:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS I 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS I 902:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS K 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS L 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS J 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS H 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS H 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS E 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS G 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS J 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS F 901:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS K 902:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS A 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AGS L 902:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.