



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 01:09 AM UTC

PDB ID : 6C15 / pdb_00006c15
Title : CD1c in complex with phosphatidylcholine
Authors : Wun, K.S.; Rossjohn, J.
Deposited on : 2018-01-03
Resolution : 3.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1768 (3.24-3.20)
Clashscore	190562	1879 (3.24-3.20)
Ramachandran outliers	187476	1844 (3.24-3.20)
Sidechain outliers	187428	1843 (3.24-3.20)
RSRZ outliers	180081	1768 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	8% 76% 18% 6%
2	B	108	5% 71% 19% 8%

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 2875 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-cell surface glycoprotein CD1c.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	271	Total	C	N	O	S	0	0	0
			1999	1298	342	352	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLU	-	expression tag	UNP P29017
A	-1	THR	-	expression tag	UNP P29017
A	0	GLY	-	expression tag	UNP P29017
A	280	SER	-	expression tag	UNP P29017
A	281	LEU	-	expression tag	UNP P29017
A	282	VAL	-	expression tag	UNP P29017
A	283	PRO	-	expression tag	UNP P29017
A	284	ARG	-	expression tag	UNP P29017

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			739	478	127	132	2			

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	8	GLU	-	expression tag	UNP P61769
B	9	THR	-	expression tag	UNP P61769
B	10	GLY	-	expression tag	UNP P61769
B	110	GLY	-	expression tag	UNP P61769
B	111	SER	-	expression tag	UNP P61769
B	112	LEU	-	expression tag	UNP P61769
B	113	VAL	-	expression tag	UNP P61769
B	114	PRO	-	expression tag	UNP P61769

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	115	ARG	-	expression tag	UNP P61769

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			11	6	1	4		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is DODECANE (CCD ID: D12) (formula: $C_{12}H_{26}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C	0	0
			12	12		

- Molecule 5 is (4S,7R)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSAN-1-AMINIUM 4-OXIDE (CCD ID: 6PL) (formula: C₄₂H₈₅NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			50	40	1	8	1		

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Na	0	0
			1	1		

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is BETA-MERCAPTOETHANOL (CCD ID: BME) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 9 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	O	S	0	0
			4	2	2			

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	7	Total	O	0	0
			7	7		
11	B	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: T-cell surface glycoprotein CD1c



- Molecule 2: Beta-2-microglobulin



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	84.25Å 84.25Å 366.83Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	71.56 – 3.21 71.56 – 3.21	Depositor EDS
% Data completeness (in resolution range)	80.8 (71.56-3.21) 80.8 (71.56-3.21)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.86 (at 3.19Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.208 , 0.242 (Not available) , 0.250	Depositor DCC
R_{free} test set	533 reflections (3.90%)	wwPDB-VP
Wilson B-factor (Å ²)	65.2	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 143.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	2875	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6PL, NAG, SO4, NA, MES, EDO, BME, D12

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.91	0/2060	1.37	7/2822 (0.2%)
2	B	0.87	0/761	1.32	2/1045 (0.2%)
All	All	0.90	0/2821	1.35	9/3867 (0.2%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	229	LEU	N-CA-C	-6.96	100.18	110.48
2	B	63	ASP	N-CA-C	-6.50	99.05	109.96
2	B	81	THR	CB-CA-C	6.14	118.32	110.34
1	A	153	GLU	N-CA-C	6.10	117.73	111.14
1	A	57	ASN	CA-CB-CG	5.57	118.17	112.60
1	A	170	PHE	CA-C-N	5.26	127.59	120.38
1	A	170	PHE	C-N-CA	5.26	127.59	120.38
1	A	103	GLU	CB-CG-CD	5.11	121.29	112.60
1	A	57	ASN	N-CA-C	-5.01	108.43	114.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1999	0	1743	31	0
2	B	739	0	630	19	0
3	A	39	0	35	2	0
4	A	12	0	26	0	0
5	A	50	0	77	2	0
6	A	1	0	0	0	0
7	A	5	0	0	0	0
8	A	4	0	5	0	0
9	A	4	0	6	0	0
10	A	12	0	13	1	0
11	A	7	0	0	1	0
11	B	3	0	0	0	0
All	All	2875	0	2535	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:ARG:HG3	3:A:302:NAG:H3	1.54	0.89
1:A:29:SER:CB	1:A:31:TRP:HE1	2.02	0.73
2:B:39:GLY:HA2	2:B:71:SER:HB2	1.73	0.69
1:A:69:LEU:HD22	5:A:305:6PL:H82	1.80	0.63
2:B:49:LEU:HD12	2:B:59:VAL:HG21	1.81	0.63
1:A:191:TRP:CE2	2:B:24:PRO:HB3	2.35	0.62
1:A:40:TRP:CZ2	1:A:45:GLY:HA2	2.36	0.60
1:A:169:ARG:CG	3:A:302:NAG:H3	2.34	0.55
1:A:206:VAL:HG22	1:A:249:ILE:HG12	1.88	0.54
1:A:167:CYS:HB2	5:A:305:6PL:H201	1.90	0.54
1:A:14:GLN:HB2	1:A:98:VAL:HB	1.91	0.53
1:A:47:ILE:HG13	1:A:67:GLU:HG3	1.91	0.53
2:B:19:VAL:CG1	2:B:105:TRP:HB2	2.41	0.51
1:A:16:PHE:CE2	1:A:77:LEU:HD23	2.45	0.51
2:B:22:ARG:HB2	2:B:32:PHE:HB2	1.93	0.51
1:A:118:PHE:HB2	1:A:123:LEU:HD22	1.94	0.50
2:B:17:ILE:HG12	2:B:92:VAL:HG21	1.93	0.50
1:A:30:GLY:HA3	1:A:38:HIS:HB2	1.95	0.49
1:A:121:LEU:HD12	2:B:10:GLY:HA2	1.95	0.48
2:B:19:VAL:HG11	2:B:105:TRP:HB2	1.95	0.48
1:A:29:SER:CB	1:A:31:TRP:NE1	2.76	0.48
1:A:16:PHE:HB2	1:A:96:VAL:HB	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:ASN:HB3	2:B:10:GLY:HA3	1.96	0.47
2:B:94:HIS:HB3	2:B:97:LEU:HG	1.97	0.46
1:A:120:GLY:HA3	2:B:41:HIS:CE1	2.50	0.46
1:A:48:ILE:HG22	1:A:50:LEU:HD23	1.97	0.46
2:B:64:LEU:HD11	2:B:72:PHE:HB3	1.97	0.46
2:B:39:GLY:HA2	2:B:71:SER:CB	2.43	0.46
1:A:16:PHE:CZ	1:A:77:LEU:HD23	2.52	0.45
10:A:310:MES:H51	10:A:310:MES:H82	1.79	0.45
1:A:15:ILE:HB	1:A:27:GLN:HG3	1.99	0.45
1:A:32:LEU:HD22	1:A:174:LEU:HD23	1.99	0.44
2:B:22:ARG:CB	2:B:32:PHE:HB2	2.48	0.44
1:A:59:SER:OG	1:A:62:GLU:HB2	2.18	0.43
1:A:188:PRO:HB3	1:A:212:PHE:HB3	1.99	0.43
1:A:13:ILE:O	1:A:28:GLY:HA2	2.19	0.43
2:B:47:VAL:HG13	2:B:92:VAL:HG22	2.00	0.42
1:A:193:SER:HB3	1:A:206:VAL:HB	2.00	0.42
2:B:39:GLY:CA	2:B:71:SER:HB2	2.47	0.42
2:B:17:ILE:HD12	2:B:101:LYS:HD2	2.02	0.41
1:A:167:CYS:HB3	1:A:168:PRO:HD3	2.04	0.40
1:A:16:PHE:HB3	1:A:18:PHE:CE2	2.57	0.40
1:A:117:ALA:HB2	2:B:70:TRP:CE2	2.56	0.40
1:A:77:LEU:O	1:A:81:ILE:HG13	2.22	0.40
1:A:131:TRP:CD1	1:A:148:LEU:HB3	2.57	0.40
11:A:406:HOH:O	2:B:22:ARG:HG3	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	265/287 (92%)	233 (88%)	29 (11%)	3 (1%)	11 42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	95/108 (88%)	88 (93%)	6 (6%)	1 (1%)	11	42
All	All	360/395 (91%)	321 (89%)	35 (10%)	4 (1%)	11	42

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	155	VAL
1	A	254	SER
2	B	39	GLY
1	A	270	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	56/247 (23%)	55 (98%)	1 (2%)	51	72
2	B	10/101 (10%)	9 (90%)	1 (10%)	7	29
All	All	66/348 (19%)	64 (97%)	2 (3%)	36	64

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	250	LEU
2	B	59	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	247	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 1 is monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	MES	A	310	-	12,12,12	2.44	1 (8%)	15,16,16	1.84	4 (26%)
7	SO4	A	307	-	4,4,4	0.39	0	6,6,6	0.24	0
4	D12	A	304	-	11,11,11	0.33	0	10,10,10	0.47	0
9	EDO	A	309	-	3,3,3	0.60	0	2,2,2	0.27	0
3	NAG	A	302	1	11,11,15	0.40	0	13,15,21	0.76	1 (7%)
8	BME	A	308	1	3,3,3	0.41	0	2,2,2	0.08	0
3	NAG	A	301	1	14,14,15	0.33	0	17,19,21	0.57	0
3	NAG	A	303	1	14,14,15	0.36	0	17,19,21	0.74	1 (5%)
5	6PL	A	305	-	49,49,51	1.13	2 (4%)	55,57,59	1.04	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	MES	A	310	-	-	6/6/14/14	0/1/1/1
4	D12	A	304	-	-	4/9/9/9	-
9	EDO	A	309	-	-	0/1/1/1	-
3	NAG	A	302	1	-	2/2/19/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BME	A	308	1	-	1/1/1/1	-
3	NAG	A	301	1	-	1/6/23/26	0/1/1/1
3	NAG	A	303	1	-	0/6/23/26	0/1/1/1
5	6PL	A	305	-	-	27/53/53/55	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	310	MES	C8-S	-8.02	1.66	1.77
5	A	305	6PL	O2-C31	5.05	1.48	1.34
5	A	305	6PL	O3-C11	4.86	1.47	1.33

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	305	6PL	O2-C31-C32	4.38	120.96	111.48
10	A	310	MES	O1S-S-C8	4.37	113.33	106.73
10	A	310	MES	O2S-S-C8	3.48	111.98	106.73
5	A	305	6PL	O3-C11-C12	2.55	119.60	111.83
3	A	302	NAG	C1-O5-C5	2.55	115.60	112.19
10	A	310	MES	C7-N4-C5	2.13	116.91	111.24
10	A	310	MES	C6-O1-C2	2.08	116.60	109.88
3	A	303	NAG	O5-C1-C2	-2.03	108.14	111.29

There are no chirality outliers.

All (41) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	305	6PL	O31-C31-O2-C2
5	A	305	6PL	C32-C31-O2-C2
8	A	308	BME	O1-C1-C2-S2
10	A	310	MES	C8-C7-N4-C5
10	A	310	MES	C7-C8-S-O1S
10	A	310	MES	C7-C8-S-O2S
5	A	305	6PL	C4-C5-N-C6
5	A	305	6PL	C12-C11-O3-C3
5	A	305	6PL	C4-C5-N-C8
5	A	305	6PL	C4-C5-N-C7
5	A	305	6PL	C21-C22-C23-C24
5	A	305	6PL	C18-C19-C20-C21
5	A	305	6PL	C19-C20-C21-C22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	305	6PL	C13-C14-C15-C16
5	A	305	6PL	O11-C11-O3-C3
5	A	305	6PL	C41-C42-C43-C44
10	A	310	MES	C7-C8-S-O3S
5	A	305	6PL	C15-C16-C17-C18
5	A	305	6PL	C38-C39-C40-C41
4	A	304	D12	C6-C7-C8-C9
10	A	310	MES	C8-C7-N4-C3
4	A	304	D12	C11-C10-C9-C8
5	A	305	6PL	C17-C18-C19-C20
5	A	305	6PL	C23-C24-C25-C26
5	A	305	6PL	C37-C38-C39-C40
5	A	305	6PL	O2-C2-C3-O3
5	A	305	6PL	C32-C33-C34-C35
5	A	305	6PL	C11-C12-C13-C14
4	A	304	D12	C1-C2-C3-C4
5	A	305	6PL	C43-C44-C45-C46
10	A	310	MES	N4-C7-C8-S
5	A	305	6PL	C5-C4-O4P-P
5	A	305	6PL	C35-C36-C37-C38
3	A	302	NAG	C4-C5-C6-O6
5	A	305	6PL	C1-C2-C3-O3
5	A	305	6PL	C1-O3P-P-O1P
4	A	304	D12	C9-C10-C11-C12
3	A	302	NAG	O5-C5-C6-O6
3	A	301	NAG	C1-C2-N2-C7
5	A	305	6PL	C16-C17-C18-C19
5	A	305	6PL	C39-C40-C41-C42


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	A	310	MES	1	0
3	A	302	NAG	2	0
5	A	305	6PL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	271/287 (94%)	0.64	23 (8%)	16 11	46, 81, 119, 142	0
2	B	99/108 (91%)	0.43	5 (5%)	33 21	41, 74, 141, 147	0
All	All	370/395 (93%)	0.58	28 (7%)	20 13	41, 79, 126, 147	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	108	ASP	4.0
1	A	175	LEU	3.8
1	A	182	VAL	3.7
1	A	52	ASN	3.5
2	B	106	ASP	3.4
1	A	89	TYR	3.4
1	A	272	GLN	3.4
1	A	73	TYR	3.4
2	B	26	GLU	3.3
1	A	190	ALA	3.3
2	B	29	LYS	3.2
1	A	88	ASP	3.1
1	A	46	THR	3.1
1	A	254	SER	2.8
1	A	256	GLU	2.6
1	A	104	LEU	2.5
1	A	64	SER	2.5
1	A	7	HIS	2.3
1	A	44	SER	2.3
1	A	109	SER	2.3
2	B	12	GLN	2.3
1	A	94	PHE	2.2
1	A	200	SER	2.2
1	A	61	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	118	PHE	2.1
1	A	267	SER	2.1
1	A	226	GLN	2.0
1	A	251	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	303	14/15	0.68	0.13	82,103,107,110	0
3	NAG	A	302	11/15	0.69	0.15	104,111,114,114	0
3	NAG	A	301	14/15	0.76	0.15	109,112,118,118	0
8	BME	A	308	4/4	0.80	0.20	96,98,100,102	0
9	EDO	A	309	4/4	0.84	0.22	63,66,70,72	0
5	6PL	A	305	50/52	0.85	0.31	23,40,66,71	50
7	SO4	A	307	5/5	0.88	0.20	167,168,168,169	0
10	MES	A	310	12/12	0.90	0.20	91,95,98,99	0
4	D12	A	304	12/12	0.95	0.23	36,44,56,58	0
6	NA	A	306	1/1	0.97	0.27	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 6PL A 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.