



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 06:33 PM EDT

PDB ID : 4C2W / pdb_00004c2w
Title : Crystal structure of Aurora B in complex with AMP-PNP
Authors : Sessa, F.; Villa, F.
Deposited on : 2013-08-20
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	2% 78% 16% . .
1	B	279	4% 81% 16% .
2	C	52	4% 65% 10% . 23%
2	D	52	12% 67% 23% 6% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ANP	B	1002	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6091 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AURORA KINASE B-A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	P	S	0	3	0
			2261	1449	405	393	1	13			
1	B	278	Total	C	N	O	P	S	0	2	0
			2327	1490	420	402	1	14			

- Molecule 2 is a protein called INNER CENTROMERE PROTEIN A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	40	Total	C	N	O	S	0	0	0
			327	212	53	61	1			
2	D	50	Total	C	N	O	S	0	0	0
			420	272	73	74	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	796	ILE	-	expression tag	UNP O13024
D	796	ILE	-	expression tag	UNP O13024

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 6	O 12	P 3	0	0
3	B	1	Total 23	C 10	N 5	O 7	P 1	0	0



- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	345	Total O 345 345	0	0
4	B	294	Total O 294 294	0	0
4	C	21	Total O 21 21	0	0
4	D	42	Total O 42 42	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: AURORA KINASE B-A




- Molecule 1: AURORA KINASE B-A



- Molecule 2: INNER CENTROMERE PROTEIN A



- Molecule 2: INNER CENTROMERE PROTEIN A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.92Å 66.66Å 116.90Å 90.00° 96.83° 90.00°	Depositor
Resolution (Å)	43.77 – 1.70 43.77 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.0 (43.77-1.70) 97.0 (43.77-1.70)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.31 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.156 , 0.195 0.168 , 0.202	Depositor DCC
R_{free} test set	3738 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	16.8	Xtriage
Anisotropy	0.710	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6091	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.35	9/2311 (0.4%)	1.22	6/3111 (0.2%)
1	B	1.25	2/2378 (0.1%)	1.27	11/3199 (0.3%)
2	C	1.09	0/335	1.34	2/455 (0.4%)
2	D	1.05	0/431	1.31	5/581 (0.9%)
All	All	1.27	11/5455 (0.2%)	1.26	24/7346 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	2	1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	246	ARG	CD-NE	-11.38	1.30	1.46
1	A	163	ARG	CD-NE	-8.88	1.33	1.46
1	A	352	PRO	C-O	-7.49	1.18	1.25
1	A	309	PRO	C-O	-5.73	1.20	1.25
1	B	314	ASP	C-O	-5.41	1.17	1.24
1	A	108	TYR	N-CA	-5.40	1.39	1.46
1	A	250	CYS	N-CA	-5.39	1.39	1.45
1	A	352	PRO	CA-C	5.38	1.54	1.51
1	B	231	LYS	C-O	5.34	1.30	1.24
1	A	300	ARG	N-CA	-5.27	1.40	1.46
1	A	209	GLU	CD-OE1	5.24	1.35	1.25

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	105	GLY	N-CA-C	19.62	136.77	112.83
2	C	798	ILE	CA-C-N	-9.84	109.63	119.76
2	C	798	ILE	C-N-CA	-9.84	109.63	119.76
1	B	105	GLY	O-C-N	-9.36	113.09	122.17
1	B	89	THR	OG1-CB-CG2	8.02	125.33	109.30
1	A	246	ARG	NE-CZ-NH2	-7.72	112.25	119.20
2	D	814	GLN	N-CA-C	7.45	119.40	111.28
1	A	245	ARG	NE-CZ-NH2	-7.44	112.50	119.20
1	B	105	GLY	CA-C-N	7.36	134.94	121.70
1	B	105	GLY	C-N-CA	7.36	134.94	121.70
1	B	89	THR	N-CA-CB	-6.77	100.65	111.62
2	D	812	ARG	CB-CG-CD	6.76	126.84	111.30
2	D	841	LYS	CA-C-N	-6.53	113.92	120.31
2	D	841	LYS	C-N-CA	-6.53	113.92	120.31
1	B	260	MET	CG-SD-CE	-6.03	87.63	100.90
2	D	819	ILE	CB-CA-C	5.90	119.63	111.49
1	B	155	ARG	CG-CD-NE	-5.88	99.06	112.00
1	A	163	ARG	NE-CZ-NH1	5.85	127.35	121.50
1	B	105	GLY	CA-C-O	-5.61	115.31	120.80
1	A	328	PRO	N-CA-C	5.54	117.46	110.70
1	A	163	ARG	NE-CZ-NH2	-5.51	114.24	119.20
1	B	332	LEU	CA-C-N	-5.36	114.73	120.03
1	B	332	LEU	C-N-CA	-5.36	114.73	120.03
1	A	246	ARG	CB-CG-CD	-5.31	99.08	111.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	89	THR	CB
1	B	106	ASN	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	105	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2261	0	2259	51	0
1	B	2327	0	2338	63	3
2	C	327	0	323	6	0
2	D	420	0	424	7	0
3	A	31	0	13	4	0
3	B	23	0	12	10	0
4	A	345	0	0	31	14
4	B	294	0	0	34	13
4	C	21	0	0	3	3
4	D	42	0	0	3	2
All	All	6091	0	5369	130	20

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:MET:HG2	4:B:2220:HOH:O	1.32	1.29
1:A:115:ASN:HB2	4:A:2022:HOH:O	1.20	1.25
1:B:354:VAL:HG12	4:B:2289:HOH:O	1.41	1.18
1:B:286:MET:CG	4:B:2220:HOH:O	1.86	1.17
1:B:286:MET:SD	4:B:2220:HOH:O	2.09	1.09
1:A:268:GLU:HG3	4:A:2244:HOH:O	1.57	1.04
1:B:286:MET:HE3	4:B:2220:HOH:O	1.59	1.00
1:B:286:MET:CE	4:B:2220:HOH:O	2.09	1.00
1:B:348:ARG:NH2	4:B:2138:HOH:O	1.93	0.99
1:B:348:ARG:CZ	4:B:2138:HOH:O	2.11	0.98
1:A:269:LYS:HA	1:A:272[A]:LEU:HD23	1.49	0.93
1:B:304:VAL:HG23	4:B:2236:HOH:O	1.68	0.92
1:B:209:GLU:HG2	4:B:2160:HOH:O	1.68	0.91
1:A:220:GLU:OE2	4:A:2187:HOH:O	1.92	0.87
3:A:1001:ANP:O2'	4:A:2010:HOH:O	1.91	0.86
1:B:290:ASP:N	4:B:2199:HOH:O	2.09	0.84
1:B:150:HIS:HD2	1:B:152:ASN:H	1.22	0.84
1:A:191:GLN:HG2	4:A:2140:HOH:O	1.79	0.83
1:A:150:HIS:HD2	1:A:152:ASN:H	1.29	0.80
1:B:78:THR:N	4:B:2001:HOH:O	2.15	0.79
1:B:176:GLY:HA3	3:B:1002:ANP:H5'1	1.65	0.78
1:A:296:GLU:HG2	4:A:2256:HOH:O	1.81	0.78
3:A:1001:ANP:O1B	3:A:1001:ANP:O1A	2.02	0.78
1:A:115:ASN:CB	4:A:2022:HOH:O	1.94	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:THR:HG23	1:B:80:LEU:H	1.51	0.75
1:A:97:ARG:NH1	2:D:802:ALA:O	2.20	0.75
1:A:259:GLU:HB3	4:A:2235:HOH:O	1.85	0.74
1:B:191:GLN:HG3	4:B:2138:HOH:O	1.85	0.74
1:A:115:ASN:CA	4:A:2022:HOH:O	2.32	0.72
1:A:211:LYS:HE3	4:A:2201:HOH:O	1.90	0.72
1:B:137:GLN:HG2	4:B:2053:HOH:O	1.89	0.71
1:A:150:HIS:CD2	1:A:152:ASN:H	2.08	0.71
1:B:150:HIS:CD2	1:B:152:ASN:H	2.08	0.71
2:C:798:ILE:CG2	4:C:2002:HOH:O	2.41	0.67
1:B:302:VAL:O	4:B:2236:HOH:O	2.12	0.67
1:B:355:TYR:HA	4:B:2290:HOH:O	1.94	0.67
1:A:295:THR:HG23	4:A:2259:HOH:O	1.94	0.67
1:A:339:GLU:HB3	4:A:2313:HOH:O	1.95	0.66
1:B:124:LEU:HD12	1:B:124:LEU:N	2.10	0.66
1:A:131:LYS:HG3	4:A:2034:HOH:O	1.96	0.66
1:B:137:GLN:NE2	4:B:2047:HOH:O	2.16	0.65
1:B:104:PHE:CG	3:B:1002:ANP:H8	2.32	0.65
1:B:136:HIS:HD2	1:B:137:GLN:H	1.45	0.64
3:B:1002:ANP:O3A	3:B:1002:ANP:O3'	2.13	0.64
1:B:87:LYS:HD2	4:B:2020:HOH:O	1.98	0.64
1:B:126:LYS:NZ	1:B:161:HIS:HD2	1.96	0.64
1:B:122:LYS:HG2	1:B:124:LEU:HD11	1.81	0.63
1:A:237:TRP:CD2	1:A:250:CYS:HB2	2.35	0.62
1:B:123:VAL:C	1:B:124:LEU:HD12	2.24	0.61
3:A:1001:ANP:O1G	3:A:1001:ANP:O3A	2.19	0.61
2:C:798:ILE:HG21	4:C:2002:HOH:O	1.99	0.61
2:C:804:GLY:O	2:C:808:THR:HG23	2.01	0.61
1:A:112:GLU:HG3	4:A:2022:HOH:O	2.01	0.60
1:B:355:TYR:C	2:C:818:PRO:O	2.44	0.60
1:A:136:HIS:HB3	4:A:2049:HOH:O	2.01	0.60
1:B:324:LEU:O	4:B:2256:HOH:O	2.16	0.58
1:A:143:GLU:O	1:A:147:HIS:HD2	1.87	0.57
1:B:354:VAL:HG13	1:B:355:TYR:CE1	2.40	0.57
1:B:99:LEU:HB3	3:B:1002:ANP:H2'	1.87	0.56
4:B:2016:HOH:O	2:C:835:GLU:OE1	2.17	0.56
1:A:165:ARG:NE	4:A:2087:HOH:O	2.38	0.56
1:A:354:VAL:HG22	4:A:2338:HOH:O	2.06	0.56
1:A:333:PRO:HB2	4:A:2307:HOH:O	2.04	0.55
1:B:99:LEU:O	3:B:1002:ANP:O2'	2.23	0.55
1:B:124:LEU:N	1:B:124:LEU:CD1	2.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:THR:CA	4:B:2002:HOH:O	2.55	0.54
1:B:126:LYS:HZ3	1:B:161:HIS:HD2	1.53	0.54
1:B:87:LYS:CD	4:B:2020:HOH:O	2.55	0.54
1:B:134:VAL:HG12	4:B:2046:HOH:O	2.06	0.54
1:A:272[A]:LEU:HD11	1:A:334:LEU:HG	1.90	0.54
1:B:133:GLY:O	1:B:136:HIS:NE2	2.40	0.54
1:B:349:ARG:CZ	4:B:2285:HOH:O	2.56	0.54
1:A:211:LYS:CE	4:A:2201:HOH:O	2.52	0.54
1:A:220:GLU:CD	4:A:2185:HOH:O	2.51	0.53
3:B:1002:ANP:N3	3:B:1002:ANP:C3'	2.72	0.53
1:A:336:GLY:N	4:A:2307:HOH:O	2.41	0.53
1:B:104:PHE:CD2	3:B:1002:ANP:H8	2.44	0.53
1:B:136:HIS:CD2	1:B:137:GLN:H	2.25	0.53
1:A:237:TRP:CE3	1:A:250:CYS:HB2	2.44	0.52
1:A:268:GLU:CG	4:A:2244:HOH:O	2.34	0.52
1:A:180:LYS:CE	4:A:2117:HOH:O	2.57	0.52
1:B:322:LYS:HE3	4:B:2254:HOH:O	2.10	0.52
1:A:237:TRP:CZ3	1:A:250:CYS:HB3	2.44	0.51
1:A:237:TRP:CE3	1:A:250:CYS:CB	2.94	0.51
1:B:161:HIS:HE1	4:B:2018:HOH:O	1.94	0.51
1:B:191:GLN:CG	4:B:2138:HOH:O	2.48	0.50
3:B:1002:ANP:N3	3:B:1002:ANP:H3'	2.27	0.50
1:B:89:THR:HG23	1:B:91:ASP:H	1.77	0.50
2:C:798:ILE:HG23	4:C:2002:HOH:O	2.10	0.49
1:B:351:LEU:HD21	4:B:2285:HOH:O	2.12	0.48
1:B:348:ARG:NE	4:B:2138:HOH:O	2.35	0.48
2:D:800:ALA:HB3	4:D:2002:HOH:O	2.13	0.48
1:A:292:PRO:HB2	4:A:2257:HOH:O	2.13	0.47
1:B:152:ASN:HD21	1:B:349:ARG:HH21	1.62	0.47
1:A:177:GLU:OE2	3:A:1001:ANP:O3'	2.23	0.47
1:B:277:VAL:HG13	1:B:288:PRO:HD2	1.96	0.47
1:B:349:ARG:NH1	4:B:2285:HOH:O	2.48	0.46
1:A:277:VAL:HG13	1:A:288:PRO:HD2	1.98	0.46
1:A:152:ASN:HD21	1:A:349:ARG:HH21	1.61	0.46
2:D:823:ARG:NH1	2:D:824:MET:SD	2.89	0.46
1:A:180:LYS:HE3	4:A:2117:HOH:O	2.15	0.45
1:A:246:ARG:CD	1:A:248:TPO:O2P	2.65	0.45
1:A:246:ARG:HD2	1:A:248:TPO:O2P	2.17	0.44
1:B:127:SER:O	1:B:130:GLU:HG3	2.18	0.44
1:B:78:THR:HA	4:B:2002:HOH:O	2.15	0.44
1:B:78:THR:CG2	1:B:80:LEU:H	2.27	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:LYS:HG2	1:B:124:LEU:CD1	2.48	0.43
1:A:115:ASN:N	4:A:2022:HOH:O	2.49	0.43
2:D:843:ARG:HB2	4:D:2033:HOH:O	2.18	0.43
1:A:112:GLU:HG2	2:D:825:TYR:OH	2.19	0.43
1:B:78:THR:HG21	4:B:2004:HOH:O	2.18	0.43
1:B:350:VAL:HG13	4:B:2175:HOH:O	2.19	0.43
1:B:354:VAL:HG13	1:B:355:TYR:CD1	2.54	0.42
2:D:809:GLN:HB2	4:D:2005:HOH:O	2.20	0.42
1:A:211:LYS:HG3	4:A:2201:HOH:O	2.19	0.42
1:A:245:ARG:HD3	1:A:265:THR:OG1	2.20	0.42
1:A:290:ASP:OD1	4:A:2229:HOH:O	2.21	0.42
1:B:136:HIS:CD2	1:B:137:GLN:N	2.88	0.42
1:A:248:TPO:P	4:A:2212:HOH:O	2.77	0.41
1:A:245:ARG:NH2	1:A:267:ASP:OD2	2.53	0.41
1:B:309:PRO:HA	1:B:310:PRO:HD3	1.92	0.41
3:B:1002:ANP:N3	3:B:1002:ANP:C2'	2.83	0.41
1:A:115:ASN:C	4:A:2022:HOH:O	2.61	0.41
1:A:139:ARG:CZ	2:D:834:GLU:OE1	2.69	0.41
1:A:272[A]:LEU:HA	1:A:272[A]:LEU:HD13	1.82	0.41
1:B:354:VAL:HG13	1:B:355:TYR:CZ	2.55	0.40
1:A:152:ASN:ND2	1:A:349:ARG:HH21	2.18	0.40
1:B:176:GLY:CA	3:B:1002:ANP:H5'1	2.44	0.40
1:A:339:GLU:HG3	4:A:2311:HOH:O	2.21	0.40
1:B:78:THR:N	4:B:2002:HOH:O	2.54	0.40

All (20) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2297:HOH:O	4:B:2130:HOH:O[1_445]	1.03	1.17
4:A:2058:HOH:O	4:B:2003:HOH:O[2_646]	1.44	0.76
4:B:2030:HOH:O	4:B:2212:HOH:O[1_655]	1.53	0.67
4:A:2033:HOH:O	4:A:2120:HOH:O[2_555]	1.55	0.65
4:A:2315:HOH:O	4:B:2272:HOH:O[1_545]	1.57	0.63
4:A:2085:HOH:O	4:A:2187:HOH:O[2_555]	1.61	0.59
4:B:2266:HOH:O	4:C:2016:HOH:O[2_656]	1.61	0.59
4:A:2313:HOH:O	4:B:2263:HOH:O[1_545]	1.83	0.37
4:A:2313:HOH:O	4:B:2261:HOH:O[1_545]	1.85	0.35
4:A:2346:HOH:O	4:D:2045:HOH:O[2_545]	1.97	0.23
4:B:2238:HOH:O	4:C:2019:HOH:O[2_656]	2.00	0.20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2185:HOH:O	4:D:2031:HOH:O[2_545]	2.07	0.13
1:B:101:LYS:NZ	4:B:2215:HOH:O[1_655]	2.07	0.13
1:B:79:ALA:O	4:A:2058:HOH:O[2_656]	2.08	0.12
4:B:2083:HOH:O	4:B:2204:HOH:O[2_646]	2.08	0.12
4:A:2314:HOH:O	4:B:2261:HOH:O[1_545]	2.09	0.11
1:B:327:HIS:ND1	4:C:2016:HOH:O[2_656]	2.09	0.11
4:A:2324:HOH:O	4:B:2251:HOH:O[1_545]	2.15	0.05
4:A:2028:HOH:O	4:A:2257:HOH:O[2_555]	2.19	0.01
4:A:2292:HOH:O	4:B:2262:HOH:O[1_545]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/279 (96%)	261 (97%)	8 (3%)	0	100	100
1	B	277/279 (99%)	270 (98%)	7 (2%)	0	100	100
2	C	38/52 (73%)	38 (100%)	0	0	100	100
2	D	48/52 (92%)	46 (96%)	1 (2%)	1 (2%)	5	1
All	All	632/662 (96%)	615 (97%)	16 (2%)	1 (0%)	43	28

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	804	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/250 (98%)	238 (97%)	7 (3%)	37	20
1	B	251/250 (100%)	243 (97%)	8 (3%)	34	17
2	C	35/47 (74%)	33 (94%)	2 (6%)	18	6
2	D	45/47 (96%)	40 (89%)	5 (11%)	6	1
All	All	576/594 (97%)	554 (96%)	22 (4%)	28	13

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	LYS
1	A	112	GLU
1	A	114	GLN
1	A	244	LEU
1	A	299	ARG
1	A	349	ARG
1	A	356	GLN
1	B	78	THR
1	B	89	THR
1	B	106	ASN
1	B	130	GLU
1	B	136	HIS
1	B	137	GLN
1	B	138	LEU
1	B	163	ARG
2	C	798	ILE
2	C	823	ARG
2	D	809	GLN
2	D	819	ILE
2	D	829	ASP
2	D	836	LEU
2	D	841	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	115	ASN
1	A	128	GLN
1	A	147	HIS
1	A	150	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	152	ASN
1	A	183	GLN
1	A	185	HIS
1	A	191	GLN
1	A	330	GLN
1	A	356	GLN
1	B	106	ASN
1	B	136	HIS
1	B	137	GLN
1	B	150	HIS
1	B	152	ASN
1	B	161	HIS
1	B	183	GLN
2	D	809	GLN
2	D	838	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	248	1	8,10,11	0.54	0	10,14,16	0.69	0
1	TPO	B	248	1	8,10,11	0.71	0	10,14,16	1.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	248	1	-	0/9/11/13	-
1	TPO	B	248	1	-	0/9/11/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	248	TPO	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ANP	A	1001	-	33,33,33	2.65	16 (48%)	45,52,52	2.16	11 (24%)
3	ANP	B	1002	-	25,25,33	2.43	10 (40%)	37,38,52	2.94	16 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	1001	-	-	3/18/38/38	0/3/3/3
3	ANP	B	1002	-	-	4/10/26/38	0/3/3/3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	ANP	PB-O3A	8.18	1.69	1.59
3	A	1001	ANP	PG-N3B	5.41	1.77	1.63
3	B	1002	ANP	C2-N1	5.23	1.43	1.33
3	B	1002	ANP	O4'-C1'	4.74	1.53	1.42
3	A	1001	ANP	C2-N3	4.63	1.42	1.33
3	B	1002	ANP	C1'-N9	4.33	1.58	1.46
3	A	1001	ANP	C2-N1	3.56	1.40	1.33
3	B	1002	ANP	PA-O1A	3.48	1.61	1.50
3	B	1002	ANP	PA-O5'	3.43	1.71	1.60
3	A	1001	ANP	PA-O3A	-3.34	1.55	1.59
3	A	1001	ANP	PG-O3G	-3.16	1.48	1.56
3	A	1001	ANP	PG-O2G	-3.02	1.48	1.56
3	B	1002	ANP	C2-N3	2.98	1.39	1.33
3	B	1002	ANP	O4'-C4'	2.94	1.51	1.45
3	A	1001	ANP	O4'-C1'	2.66	1.48	1.42
3	A	1001	ANP	PB-O2B	-2.65	1.49	1.56
3	A	1001	ANP	C5-C6	-2.63	1.33	1.41
3	A	1001	ANP	C5-N7	-2.53	1.34	1.39
3	B	1002	ANP	C5-N7	-2.43	1.34	1.39
3	A	1001	ANP	PG-O1G	2.27	1.49	1.46
3	B	1002	ANP	C8-N9	-2.18	1.33	1.37
3	A	1001	ANP	C4-N9	-2.14	1.33	1.37
3	A	1001	ANP	O4'-C4'	2.14	1.49	1.45
3	B	1002	ANP	C4-N3	2.14	1.38	1.34
3	A	1001	ANP	C5-C4	-2.13	1.35	1.39
3	A	1001	ANP	C8-N9	-2.04	1.34	1.37

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1002	ANP	O4'-C1'-N9	9.39	126.13	108.09
3	B	1002	ANP	O4'-C4'-C3'	-6.03	93.19	105.15
3	B	1002	ANP	N3-C2-N1	-6.02	119.47	128.58
3	B	1002	ANP	C2'-C3'-C4'	-5.48	92.01	102.61
3	A	1001	ANP	O2A-PA-O3A	5.23	121.41	107.27
3	A	1001	ANP	N3-C2-N1	-4.78	121.35	128.58
3	A	1001	ANP	O2G-PG-O3G	4.29	119.13	107.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	ANP	O3A-PB-N3B	-4.24	94.84	106.59
3	B	1002	ANP	O3'-C3'-C4'	4.01	122.61	111.08
3	A	1001	ANP	O4'-C1'-N9	-3.86	100.68	108.09
3	A	1001	ANP	O3A-PA-O1A	-3.84	99.15	110.70
3	B	1002	ANP	O4'-C1'-C2'	-3.83	98.41	106.62
3	B	1002	ANP	C4-C5-N7	-3.76	106.29	110.58
3	A	1001	ANP	O2B-PB-O1B	3.50	117.37	109.87
3	B	1002	ANP	O4'-C4'-C5'	3.28	119.83	109.33
3	A	1001	ANP	C5-C4-N9	3.25	109.36	105.81
3	B	1002	ANP	O3A-PA-O2A	3.01	119.09	107.80
3	B	1002	ANP	C5-C4-N9	3.01	109.09	105.81
3	B	1002	ANP	C2-N1-C6	3.00	123.66	118.73
3	A	1001	ANP	C6-C5-C4	2.99	121.26	117.18
3	B	1002	ANP	C5-N7-C8	2.68	107.66	103.45
3	B	1002	ANP	O5'-PA-O1A	-2.64	99.32	106.44
3	A	1001	ANP	O1B-PB-N3B	-2.38	108.27	111.77
3	A	1001	ANP	C5-C4-N3	-2.34	123.49	126.72
3	B	1002	ANP	C6-C5-C4	2.26	120.27	117.18
3	B	1002	ANP	C5-C4-N3	-2.26	123.61	126.72
3	B	1002	ANP	C2'-C1'-N9	-2.24	107.75	113.30

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1001	ANP	PB-N3B-PG-O1G
3	A	1001	ANP	PA-O3A-PB-O2B
3	B	1002	ANP	C4'-C5'-O5'-PA
3	B	1002	ANP	C2'-C1'-N9-C4
3	B	1002	ANP	C2'-C1'-N9-C8
3	B	1002	ANP	O4'-C1'-N9-C8
3	A	1001	ANP	PA-O3A-PB-O1B


There are no ring outliers.


2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	ANP	4	0
3	B	1002	ANP	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	268/279 (96%)	-0.20	5 (1%) 66 71	5, 16, 34, 56	3 (1%)
1	B	277/279 (99%)	-0.06	12 (4%) 40 44	5, 18, 43, 79	2 (0%)
2	C	40/52 (76%)	0.57	2 (5%) 34 38	19, 28, 45, 51	0
2	D	50/52 (96%)	0.97	6 (12%) 9 8	18, 34, 52, 58	0
All	All	635/662 (95%)	0.01	25 (3%) 43 47	5, 19, 43, 79	5 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	798	ILE	4.8
1	B	355	TYR	4.2
1	B	354	VAL	3.5
2	C	837	PHE	3.5
1	A	356	GLN	3.3
2	D	842	PRO	3.2
2	D	819	ILE	3.1
1	B	129	LEU	3.1
1	B	136	HIS	3.0
2	D	798	ILE	3.0
2	D	841	LYS	2.9
1	B	79	ALA	2.9
2	D	845	PHE	2.8
1	B	132	GLU	2.7
1	B	134	VAL	2.7
1	B	131	LYS	2.6
1	A	91	ASP	2.6
1	B	104	PHE	2.4
2	D	844	TYR	2.3
1	A	103	LYS	2.2
1	B	96	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	244	LEU	2.1
1	B	100	GLY	2.1
1	B	294	HIS	2.0
1	A	292	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TPO	A	248	11/12	0.98	0.04	15,16,17,18	0
1	TPO	B	248	11/12	0.99	0.04	15,16,19,23	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ANP	B	1002	23/31	0.74	0.16	23,58,98,101	0
3	ANP	A	1001	31/31	0.90	0.11	15,35,79,82	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ANP B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP A 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.