



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 04:09 PM UTC

PDB ID : 1C30 / pdb_00001c30
Title : CRYSTAL STRUCTURE OF CARBAMOYL PHOSPHATE SYNTHETASE:
SMALL SUBUNIT MUTATION C269S
Authors : Thoden, J.B.; Huang, X.; Raushel, F.M.; Holden, H.M.
Deposited on : 1999-07-24
Resolution : 2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	1073	64% 29% 5% ..
1	C	1073	64% 28% 6% .
1	E	1073	69% 25% 5% .
1	G	1073	56% 36% 7% ..
2	B	382	60% 34% . ..
2	D	382	60% 34% 5% ..
2	F	382	57% 34% 8% ..
2	H	382	48% 45% 6% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PO4	C	4025	-	X	-	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 48668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBAMOYL PHOSPHATE SYNTHETASE: LARGE SUB-UNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1058	Total	C	N	O	S	0	6	0
			8189	5141	1429	1574	45			
1	C	1058	Total	C	N	O	S	0	1	0
			8165	5126	1422	1572	45			
1	E	1058	Total	C	N	O	S	0	6	0
			8188	5141	1426	1575	46			
1	G	1058	Total	C	N	O	S	0	4	0
			8178	5137	1424	1572	45			

- Molecule 2 is a protein called CARBAMOYL PHOSPHATE SYNTHETASE: SMALL SUB-UNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	379	Total	C	N	O	S	0	0	0
			2895	1825	508	553	9			
2	D	379	Total	C	N	O	S	0	0	0
			2895	1825	508	553	9			
2	F	379	Total	C	N	O	S	0	0	0
			2895	1825	508	553	9			
2	H	379	Total	C	N	O	S	0	1	0
			2900	1828	508	555	9			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	269	SER	CYS	engineered mutation	UNP P00907
D	269	SER	CYS	engineered mutation	UNP P00907
F	269	SER	CYS	engineered mutation	UNP P00907
H	269	SER	CYS	engineered mutation	UNP P00907

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Mn 3 3	0	0
3	C	3	Total Mn 3 3	0	0
3	E	3	Total Mn 3 3	0	0
3	G	3	Total Mn 3 3	0	0

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	7	Total K 7 7	0	0
4	B	1	Total K 1 1	0	0
4	C	7	Total K 7 7	0	0
4	D	1	Total K 1 1	0	0
4	E	7	Total K 7 7	0	0
4	F	1	Total K 1 1	0	0
4	G	7	Total K 7 7	0	0
4	H	1	Total K 1 1	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Cl 3 3	0	0
5	B	1	Total Cl 1 1	0	0
5	C	3	Total Cl 3 3	0	0
5	D	1	Total Cl 1 1	0	0
5	E	3	Total Cl 3 3	0	0
5	F	1	Total Cl 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	3	Total	Cl	0	0
			3	3		
5	H	1	Total	Cl	0	0
			1	1		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	C	1	Total	O	P	0	0
			5	4	1		
6	C	1	Total	O	P	0	0
			5	4	1		
6	E	1	Total	O	P	0	0
			5	4	1		
6	E	1	Total	O	P	0	0
			5	4	1		
6	G	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is L-ornithine (CCD ID: ORN) (formula: $C_5H_{12}N_2O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			9	5	2	2		
7	A	1	Total	C	N	O	0	0
			8	5	2	1		
7	A	1	Total	C	N	O	0	0
			8	5	2	1		
7	A	1	Total	C	N	O	0	0
			9	5	2	2		

- Molecule 8 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
8	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 9 is TETRAETHYLAMMONIUM ION (CCD ID: NET) (formula: $C_8H_{20}N$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	N	0	0
			9	8	1		
9	C	1	Total	C	N	0	0
			9	8	1		
9	E	1	Total	C	N	0	0
			9	8	1		
9	G	1	Total	C	N	0	0
			9	8	1		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	830	Total 830	O 830	0	0
10	B	230	Total 230	O 230	0	0
10	C	683	Total 683	O 683	0	0
10	D	238	Total 238	O 238	0	0
10	E	884	Total 884	O 884	0	0
10	F	272	Total 272	O 272	0	0
10	G	666	Total 666	O 666	0	0
10	H	184	Total 184	O 184	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE: LARGE SUBUNIT

Chain A: 




• Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE: LARGE SUBUNIT


Chain C:  64% 28% 6% .



• Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE: LARGE SUBUNIT


Chain E:  69% 25% 5% .







• Molecule 1: CARBAMOYL PHOSPHATE SYNTHETASE: LARGE SUBUNIT

Chain G: 56% 36% 7% ..







• Molecule 2: CARBAMOYL PHOSPHATE SYNTHETASE: SMALL SUBUNIT




• Molecule 2: CARBAMOYL PHOSPHATE SYNTHETASE: SMALL SUBUNIT




• Molecule 2: CARBAMOYL PHOSPHATE SYNTHETASE: SMALL SUBUNIT





● Molecule 2: CARBAMOYL PHOSPHATE SYNTHETASE: SMALL SUBUNIT

Chain H: 48% 45% 6% ..



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	152.60Å 164.60Å 332.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00	Depositor
% Data completeness (in resolution range)	97.7 (30.00-2.00)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT 5E	Depositor
R, R_{free}	0.189 , 0.246	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	48668	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, ORN, MN, PO4, ADP, NET, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.11	0/8339	1.59	80/11273 (0.7%)
1	C	1.15	10/8295 (0.1%)	1.62	77/11214 (0.7%)
1	E	1.15	3/8338 (0.0%)	1.58	71/11270 (0.6%)
1	G	1.10	1/8320 (0.0%)	1.63	95/11246 (0.8%)
2	B	1.05	0/2957	1.53	23/4016 (0.6%)
2	D	1.15	1/2957 (0.0%)	1.62	24/4016 (0.6%)
2	F	1.08	0/2957	1.61	27/4016 (0.7%)
2	H	1.06	0/2966	1.63	26/4028 (0.6%)
All	All	1.12	15/45129 (0.0%)	1.60	423/61079 (0.7%)

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	993	LYS	CE-NZ	6.12	1.67	1.49
1	C	40	GLU	CD-OE2	6.11	1.36	1.25
1	C	430	ASP	CG-OD2	6.09	1.36	1.25
1	C	955	GLU	CD-OE2	5.50	1.35	1.25
1	E	279	THR	CA-C	-5.45	1.46	1.53

The worst 5 of 423 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	16	HIS	CA-CB-CG	-9.26	104.54	113.80
1	G	557	THR	CA-C-N	9.12	132.68	120.65
1	G	557	THR	C-N-CA	9.12	132.68	120.65
1	C	885	PRO	O-C-N	9.09	125.42	121.15
1	G	660	PRO	N-CA-CB	8.91	108.49	102.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8189	0	8227	258	0
1	C	8165	0	8199	250	0
1	E	8188	0	8225	216	0
1	G	8178	0	8221	351	0
2	B	2895	0	2861	109	0
2	D	2895	0	2861	101	0
2	F	2895	0	2861	117	0
2	H	2900	0	2863	146	0
3	A	3	0	0	0	0
3	C	3	0	0	0	0
3	E	3	0	0	0	0
3	G	3	0	0	0	0
4	A	7	0	0	0	0
4	B	1	0	0	0	0
4	C	7	0	0	0	0
4	D	1	0	0	0	0
4	E	7	0	0	0	0
4	F	1	0	0	0	0
4	G	7	0	0	0	0
4	H	1	0	0	0	0
5	A	3	0	0	0	0
5	B	1	0	0	0	0
5	C	3	0	0	0	0
5	D	1	0	0	0	0
5	E	3	0	0	1	0
5	F	1	0	0	0	0
5	G	3	0	0	1	0
5	H	1	0	0	0	0
6	A	5	0	0	0	0
6	C	10	0	0	1	0
6	E	10	0	0	0	0
6	G	5	0	0	0	0
7	A	34	0	44	2	0
8	A	54	0	24	2	0
8	C	54	0	24	0	0
8	E	54	0	24	3	0
8	G	54	0	24	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	9	0	20	0	0
9	C	9	0	20	0	0
9	E	9	0	20	0	0
9	G	9	0	20	0	0
10	A	830	0	0	24	0
10	B	230	0	0	5	0
10	C	683	0	0	23	0
10	D	238	0	0	4	0
10	E	884	0	0	21	0
10	F	272	0	0	2	0
10	G	666	0	0	20	0
10	H	184	0	0	4	0
All	All	48668	0	44538	1528	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 1528 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:993:LYS:CE	1:E:993:LYS:NZ	1.67	1.55
1:G:563:MET:HE3	1:G:635:PRO:HG3	1.21	1.19
1:G:695:VAL:HG11	1:G:701:ALA:HB2	1.28	1.12
1:C:998:ARG:HG3	1:C:999:PRO:HA	1.30	1.11
1:C:695:VAL:HG11	1:C:701:ALA:HB2	1.34	1.09

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1058/1073 (99%)	1012 (96%)	42 (4%)	4 (0%)	30	27
1	C	1053/1073 (98%)	996 (95%)	51 (5%)	6 (1%)	21	17
1	E	1058/1073 (99%)	1014 (96%)	44 (4%)	0	100	100
1	G	1056/1073 (98%)	1000 (95%)	50 (5%)	6 (1%)	21	17
2	B	377/382 (99%)	361 (96%)	16 (4%)	0	100	100
2	D	377/382 (99%)	364 (97%)	13 (3%)	0	100	100
2	F	377/382 (99%)	358 (95%)	18 (5%)	1 (0%)	36	35
2	H	378/382 (99%)	355 (94%)	23 (6%)	0	100	100
All	All	5734/5820 (98%)	5460 (95%)	257 (4%)	17 (0%)	36	35

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	558	ASP
1	A	975	HIS
1	C	698	ILE
1	A	693	ALA
1	C	758	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	871/878 (99%)	795 (91%)	76 (9%)	9	6
1	C	866/878 (99%)	794 (92%)	72 (8%)	10	7
1	E	871/878 (99%)	795 (91%)	76 (9%)	9	6
1	G	869/878 (99%)	780 (90%)	89 (10%)	7	4
2	B	308/310 (99%)	273 (89%)	35 (11%)	5	3
2	D	308/310 (99%)	283 (92%)	25 (8%)	11	7
2	F	308/310 (99%)	271 (88%)	37 (12%)	5	3
2	H	309/310 (100%)	271 (88%)	38 (12%)	4	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	4710/4752 (99%)	4262 (90%)	448 (10%)	8 5

5 of 448 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	414	SER
2	H	332	LEU
2	F	23	THR
2	H	262	ASP
1	G	1014	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 97 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	827	ASN
2	F	154	ASN
1	E	898	ASN
1	E	1007	ASN
2	F	353	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 82 ligands modelled in this entry, 60 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PO4	C	4040	-	4,4,4	1.28	0	6,6,6	0.84	0
8	ADP	G	4068	4,3	28,29,29	1.25	4 (14%)	43,45,45	0.95	4 (9%)
9	NET	E	4052	-	8,8,8	0.71	0	10,10,10	0.65	0
8	ADP	A	4000	3	28,29,29	1.33	3 (10%)	43,45,45	0.92	0
6	PO4	E	4061	-	4,4,4	2.31	3 (75%)	6,6,6	0.96	0
7	ORN	A	4030	-	6,7,8	1.07	1 (16%)	2,7,9	0.95	0
8	ADP	E	4041	3	28,29,29	1.37	6 (21%)	43,45,45	1.01	3 (6%)
6	PO4	C	4025	4,3	4,4,4	2.41	4 (100%)	6,6,6	1.15	0
9	NET	A	4011	-	8,8,8	0.70	0	10,10,10	0.58	0
9	NET	C	4031	-	8,8,8	0.58	0	10,10,10	0.53	0
8	ADP	A	4006	4,3	28,29,29	1.39	4 (14%)	43,45,45	0.98	2 (4%)
6	PO4	E	4046	4,3	4,4,4	2.09	2 (50%)	6,6,6	1.10	0
7	ORN	A	4010	-	7,8,8	1.04	1 (14%)	6,9,9	1.34	1 (16%)
8	ADP	E	4047	4,3	28,29,29	1.21	3 (10%)	43,45,45	1.00	2 (4%)
9	NET	G	4073	-	8,8,8	0.82	0	10,10,10	0.44	0
6	PO4	A	4005	4,3	4,4,4	2.37	2 (50%)	6,6,6	1.30	1 (16%)
7	ORN	A	4051	-	6,7,8	1.16	1 (16%)	2,7,9	0.44	0
8	ADP	G	4062	3	28,29,29	1.12	3 (10%)	43,45,45	1.00	3 (6%)
8	ADP	C	4020	3	28,29,29	1.38	4 (14%)	43,45,45	1.03	1 (2%)
8	ADP	C	4026	4,3	28,29,29	1.10	3 (10%)	43,45,45	0.95	3 (6%)
6	PO4	G	4067	4,3	4,4,4	2.40	2 (50%)	6,6,6	1.16	0
7	ORN	A	4072	-	7,8,8	0.82	0	6,9,9	1.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NET	G	4073	-	-	0/12/12/12	-
8	ADP	G	4068	4,3	-	4/16/32/32	0/3/3/3
8	ADP	G	4062	3	-	0/16/32/32	0/3/3/3
9	NET	A	4011	-	-	0/12/12/12	-
9	NET	E	4052	-	-	3/12/12/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	ADP	C	4020	3	-	2/16/32/32	0/3/3/3
8	ADP	C	4026	4,3	-	0/16/32/32	0/3/3/3
7	ORN	A	4051	-	-	3/5/6/8	-
9	NET	C	4031	-	-	0/12/12/12	-
8	ADP	A	4006	4,3	-	3/16/32/32	0/3/3/3
8	ADP	A	4000	3	-	1/16/32/32	0/3/3/3
8	ADP	E	4041	3	-	2/16/32/32	0/3/3/3
7	ORN	A	4030	-	-	4/5/6/8	-
7	ORN	A	4010	-	-	6/8/8/8	-
8	ADP	E	4047	4,3	-	3/16/32/32	0/3/3/3
7	ORN	A	4072	-	-	6/8/8/8	-

The worst 5 of 46 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	4000	ADP	PA-O3A	-4.40	1.54	1.59
8	C	4020	ADP	PA-O3A	-4.24	1.54	1.59
8	A	4006	ADP	PA-O3A	-4.00	1.55	1.59
6	G	4067	PO4	P-O2	-3.78	1.43	1.54
8	G	4068	ADP	PA-O3A	-3.20	1.56	1.59

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	4047	ADP	O2A-PA-O3A	3.13	115.74	107.27
8	A	4006	ADP	O3'-C3'-C2'	2.86	120.99	111.82
8	G	4062	ADP	O2A-PA-O3A	2.71	114.59	107.27
8	G	4068	ADP	O3'-C3'-C2'	2.65	120.33	111.82
8	G	4068	ADP	O3B-PB-O3A	2.58	113.29	104.64

There are no chirality outliers.

5 of 37 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	A	4010	ORN	N-CA-CB-CG
7	A	4010	ORN	C-CA-CB-CG
7	A	4030	ORN	N-CA-CB-CG
7	A	4030	ORN	C-CA-CB-CG
7	A	4051	ORN	N-CA-CB-CG



There are no ring outliers.

8 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	4000	ADP	1	0
7	A	4030	ORN	1	0
8	E	4041	ADP	1	0
6	C	4025	PO4	1	0
8	A	4006	ADP	1	0
8	E	4047	ADP	2	0
7	A	4051	ORN	1	0
8	G	4062	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand ADP A 4006



Ligand ADP E 4047







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.