



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:23 AM UTC

PDB ID : 7C3E / pdb_00007c3e
Title : Crystal structure of R97A/R150A/R203A mutant of AofleA from *Arthrobotrys oligospora*
Authors : Liu, M.; Cheng, X.; Wang, J.; Zhang, M.; Wang, M.
Deposited on : 2020-05-12
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	355	
1	B	355	
1	C	355	
1	D	355	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AofleA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	345	Total	C	N	O	S	0	3	0
			2706	1757	441	507	1			
1	B	344	Total	C	N	O	S	0	3	0
			2706	1757	442	506	1			
1	C	345	Total	C	N	O	S	0	4	0
			2716	1764	445	506	1			
1	D	344	Total	C	N	O	S	0	3	0
			2700	1754	440	505	1			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP G1XA82
A	1	ALA	-	expression tag	UNP G1XA82
A	97	ALA	ARG	engineered mutation	UNP G1XA82
A	150	ALA	ARG	engineered mutation	UNP G1XA82
A	203	ALA	ARG	engineered mutation	UNP G1XA82
A	344	ALA	-	expression tag	UNP G1XA82
A	345	ALA	-	expression tag	UNP G1XA82
A	346	ALA	-	expression tag	UNP G1XA82
A	347	LEU	-	expression tag	UNP G1XA82
A	348	GLU	-	expression tag	UNP G1XA82
A	349	HIS	-	expression tag	UNP G1XA82
A	350	HIS	-	expression tag	UNP G1XA82
A	351	HIS	-	expression tag	UNP G1XA82
A	352	HIS	-	expression tag	UNP G1XA82
A	353	HIS	-	expression tag	UNP G1XA82
A	354	HIS	-	expression tag	UNP G1XA82
B	0	MET	-	initiating methionine	UNP G1XA82
B	1	ALA	-	expression tag	UNP G1XA82
B	97	ALA	ARG	engineered mutation	UNP G1XA82
B	150	ALA	ARG	engineered mutation	UNP G1XA82
B	203	ALA	ARG	engineered mutation	UNP G1XA82

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	344	ALA	-	expression tag	UNP G1XA82
B	345	ALA	-	expression tag	UNP G1XA82
B	346	ALA	-	expression tag	UNP G1XA82
B	347	LEU	-	expression tag	UNP G1XA82
B	348	GLU	-	expression tag	UNP G1XA82
B	349	HIS	-	expression tag	UNP G1XA82
B	350	HIS	-	expression tag	UNP G1XA82
B	351	HIS	-	expression tag	UNP G1XA82
B	352	HIS	-	expression tag	UNP G1XA82
B	353	HIS	-	expression tag	UNP G1XA82
B	354	HIS	-	expression tag	UNP G1XA82
C	0	MET	-	initiating methionine	UNP G1XA82
C	1	ALA	-	expression tag	UNP G1XA82
C	97	ALA	ARG	engineered mutation	UNP G1XA82
C	150	ALA	ARG	engineered mutation	UNP G1XA82
C	203	ALA	ARG	engineered mutation	UNP G1XA82
C	344	ALA	-	expression tag	UNP G1XA82
C	345	ALA	-	expression tag	UNP G1XA82
C	346	ALA	-	expression tag	UNP G1XA82
C	347	LEU	-	expression tag	UNP G1XA82
C	348	GLU	-	expression tag	UNP G1XA82
C	349	HIS	-	expression tag	UNP G1XA82
C	350	HIS	-	expression tag	UNP G1XA82
C	351	HIS	-	expression tag	UNP G1XA82
C	352	HIS	-	expression tag	UNP G1XA82
C	353	HIS	-	expression tag	UNP G1XA82
C	354	HIS	-	expression tag	UNP G1XA82
D	0	MET	-	initiating methionine	UNP G1XA82
D	1	ALA	-	expression tag	UNP G1XA82
D	97	ALA	ARG	engineered mutation	UNP G1XA82
D	150	ALA	ARG	engineered mutation	UNP G1XA82
D	203	ALA	ARG	engineered mutation	UNP G1XA82
D	344	ALA	-	expression tag	UNP G1XA82
D	345	ALA	-	expression tag	UNP G1XA82
D	346	ALA	-	expression tag	UNP G1XA82
D	347	LEU	-	expression tag	UNP G1XA82
D	348	GLU	-	expression tag	UNP G1XA82
D	349	HIS	-	expression tag	UNP G1XA82
D	350	HIS	-	expression tag	UNP G1XA82
D	351	HIS	-	expression tag	UNP G1XA82
D	352	HIS	-	expression tag	UNP G1XA82
D	353	HIS	-	expression tag	UNP G1XA82

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	354	HIS	-	expression tag	UNP G1XA82

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	1
			12	6	6		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	1
			12	6	6		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	370	Total	O	0	0
			370	370		
4	B	391	Total	O	0	0
			391	391		
4	C	389	Total	O	0	0
			389	389		
4	D	350	Total	O	0	0
			350	350		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: AofleA




• Molecule 1: AofleA



• Molecule 1: AofleA



• Molecule 1: AofleA





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.96Å 102.48Å 106.02Å 90.00° 91.43° 90.00°	Depositor
Resolution (Å)	36.84 – 2.18 36.84 – 2.18	Depositor EDS
% Data completeness (in resolution range)	90.3 (36.84-2.18) 90.3 (36.84-2.18)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 2.18Å)	Xtriage
Refinement program	PHENIX 1.14 _3260	Depositor
R, R_{free}	0.167 , 0.217 0.168 , 0.218	Depositor DCC
R_{free} test set	4154 reflections (3.52%)	wwPDB-VP
Wilson B-factor (Å ²)	21.3	Xtriage
Anisotropy	0.213	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for -h,l,k 0.016 for -h,-l,-k 0.033 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12559	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.17	0/2799	0.43	0/3825
1	B	0.17	0/2796	0.42	0/3819
1	C	0.17	0/2812	0.41	0/3840
1	D	0.17	0/2793	0.41	0/3818
All	All	0.17	0/11200	0.42	0/15302

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2706	0	2630	21	0
1	B	2706	0	2630	18	0
1	C	2716	0	2649	13	0
1	D	2700	0	2625	16	0
2	A	42	0	56	4	0
2	B	30	0	40	2	0
2	C	54	0	72	4	0
2	D	30	0	40	1	0
3	A	25	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	20	0	0	1	0
3	C	10	0	0	0	0
3	D	20	0	0	0	0
4	A	370	0	0	2	0
4	B	391	0	0	0	0
4	C	389	0	0	3	0
4	D	350	0	0	0	0
All	All	12559	0	10742	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:LYS:HE3	1:B:344:ALA:HB2	1.70	0.74
1:C:7:LYS:HE2	1:C:344:ALA:HB2	1.78	0.66
1:A:93:GLN:NE2	4:A:503:HOH:O	2.30	0.63
1:A:63:ARG:HH21	2:A:407:GOL:H31	1.64	0.63
1:D:195:TRP:HZ2	1:D:245:PRO:HG3	1.64	0.63
1:A:295:ARG:HH11	2:A:406:GOL:H2	1.67	0.59
1:A:296:ASP:H	2:A:406:GOL:H31	1.67	0.59
1:A:2:PRO:HB3	1:A:339[A]:GLU:HG3	1.85	0.57
1:C:48:ASN:ND2	2:C:401:GOL:O2	2.39	0.56
1:B:90:TRP:HZ3	1:B:147:ALA:HA	1.72	0.55
1:D:269:TRP:O	1:D:273:LYS:NZ	2.40	0.54
1:A:138:LYS:HG2	1:A:186:TYR:HA	1.90	0.54
1:C:145:GLY:HA2	1:C:197:ALA:HB1	1.88	0.54
1:C:138:LYS:HG2	1:C:186:TYR:HA	1.92	0.52
1:B:326:LYS:NZ	1:B:328:HIS:HD2	2.09	0.51
1:C:213:LEU:HB2	1:C:230:ILE:HB	1.92	0.51
1:D:326:LYS:HE3	1:D:328:HIS:ND1	2.26	0.50
1:A:213:LEU:HB2	1:A:230:ILE:HB	1.93	0.50
1:C:167:GLY:N	4:C:518:HOH:O	2.44	0.50
1:A:326:LYS:HE3	1:A:328:HIS:ND1	2.26	0.49
1:C:217:VAL:HG21	2:C:404:GOL:H32	1.94	0.49
1:B:95:THR:OG1	1:B:113:ASP:OD1	2.31	0.48
1:B:90:TRP:CD2	1:B:149:LEU:HD21	2.48	0.48
1:A:315:GLU:OE1	2:A:401:GOL:H32	2.12	0.48
1:A:194:LYS:NZ	4:A:509:HOH:O	2.42	0.48
1:C:59:ILE:HB	1:C:74:LEU:HB2	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:42:ALA:HB2	1:D:47:TRP:CE2	2.49	0.47
1:A:37:PHE:CE1	1:A:313:LEU:HD13	2.49	0.47
1:D:37:PHE:CE1	1:D:313:LEU:HD13	2.49	0.47
1:B:215:GLU:HB2	1:B:228:PHE:HB3	1.95	0.47
1:B:289:SER:OG	3:B:407:SO4:O1	2.30	0.47
1:C:37:PHE:CE1	1:C:313:LEU:HD13	2.51	0.46
1:D:144:PHE:O	1:D:148:ASN:HB2	2.17	0.45
1:B:37:PHE:CE1	1:B:313:LEU:HD13	2.50	0.45
1:B:193:ASN:O	1:B:193:ASN:ND2	2.48	0.45
1:B:213:LEU:HB2	1:B:230:ILE:HB	1.98	0.45
1:D:252:ILE:HB	1:D:268:ASN:HB3	1.98	0.45
1:B:16:SER:HB2	1:B:19:GLY:O	2.17	0.45
1:A:7:LYS:HE3	1:A:344:ALA:HB2	1.99	0.44
1:D:48:ASN:ND2	2:D:401:GOL:O2	2.46	0.44
1:D:215:GLU:HB2	1:D:228:PHE:HB3	1.99	0.44
1:B:218:TRP:NE1	2:B:405:GOL:H11	2.33	0.44
1:B:42:ALA:HB2	1:B:47:TRP:CE2	2.52	0.44
1:D:16:SER:HB2	1:D:19:GLY:O	2.18	0.44
1:B:112:TRP:CE2	1:B:114:THR:HG22	2.53	0.43
1:A:318:PHE:HB2	1:A:323:TRP:CZ3	2.53	0.43
1:C:144:PHE:CZ	2:C:407[A]:GOL:H32	2.53	0.43
1:A:107:LEU:O	1:A:108:GLN:NE2	2.49	0.43
1:D:132:LYS:HE3	1:D:132:LYS:HB3	1.90	0.43
1:D:268:ASN:HB2	1:D:272:TRP:CE3	2.53	0.43
1:A:326:LYS:HE3	1:A:328:HIS:CE1	2.53	0.43
1:A:112:TRP:CE2	1:A:114:THR:HG22	2.54	0.43
1:B:138:LYS:HG2	1:B:186:TYR:HA	2.01	0.43
1:C:329:SER:HB3	4:C:564:HOH:O	2.19	0.42
1:A:132:LYS:HE3	1:A:132:LYS:HB3	1.79	0.42
1:D:326:LYS:HE3	1:D:328:HIS:CE1	2.55	0.42
1:D:144:PHE:CD2	1:D:200:PRO:HG3	2.56	0.41
1:B:252:ILE:HB	1:B:268:ASN:HB3	2.02	0.41
1:C:107:LEU:O	1:C:108:GLN:NE2	2.51	0.41
1:A:16:SER:HB2	1:A:19:GLY:O	2.20	0.41
1:A:133:VAL:HG23	1:A:134:ALA:O	2.20	0.41
1:B:218:TRP:CD1	2:B:405:GOL:H11	2.56	0.41
1:A:42:ALA:HB2	1:A:47:TRP:CE2	2.55	0.41
2:C:405[A]:GOL:H32	4:C:501:HOH:O	2.21	0.41
1:D:213:LEU:HB2	1:D:230:ILE:HB	2.02	0.41
1:C:132:LYS:HE3	1:C:132:LYS:HB3	1.82	0.40
1:A:252:ILE:HB	1:A:268:ASN:HB3	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:TRP:HB2	1:B:68:TRP:CZ3	2.56	0.40
1:D:255:TYR:HA	1:D:264:ILE:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	346/355 (98%)	336 (97%)	10 (3%)	0	100	100
1	B	345/355 (97%)	334 (97%)	11 (3%)	0	100	100
1	C	347/355 (98%)	339 (98%)	8 (2%)	0	100	100
1	D	345/355 (97%)	331 (96%)	14 (4%)	0	100	100
All	All	1383/1420 (97%)	1340 (97%)	43 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/287 (98%)	279 (99%)	2 (1%)	76	86
1	B	281/287 (98%)	278 (99%)	3 (1%)	65	77
1	C	282/287 (98%)	278 (99%)	4 (1%)	59	72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	D	281/287 (98%)	276 (98%)	5 (2%)	51 65
All	All	1125/1148 (98%)	1111 (99%)	14 (1%)	61 75

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	163	TYR
1	A	194	LYS
1	B	163	TYR
1	B	193	ASN
1	B	259	VAL
1	C	163	TYR
1	C	194	LYS
1	C	248	ASP
1	C	259	VAL
1	D	7	LYS
1	D	138	LYS
1	D	163	TYR
1	D	192	ARG
1	D	259	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	207	GLN
1	A	227	GLN
1	A	270	HIS
1	B	193	ASN
1	B	309	GLN
1	B	311	ASN
1	B	328	HIS
1	C	14	HIS
1	C	207	GLN
1	C	309	GLN
1	D	227	GLN
1	D	309	GLN
1	D	311	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

41 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	410	-	4,4,4	0.24	0	6,6,6	0.06	0
3	SO4	A	409	-	4,4,4	0.24	0	6,6,6	0.16	0
2	GOL	D	405	-	5,5,5	0.97	0	5,5,5	1.07	0
3	SO4	C	409	-	4,4,4	0.23	0	6,6,6	0.11	0
3	SO4	D	408	-	4,4,4	0.25	0	6,6,6	0.06	0
3	SO4	D	407	-	4,4,4	0.26	0	6,6,6	0.13	0
2	GOL	C	407[B]	-	5,5,5	1.04	0	5,5,5	1.03	0
2	GOL	C	405[B]	-	5,5,5	0.95	0	5,5,5	1.09	0
2	GOL	A	402	-	5,5,5	0.91	0	5,5,5	1.01	0
2	GOL	B	402	-	5,5,5	0.98	0	5,5,5	1.09	0
3	SO4	A	412	-	4,4,4	0.25	0	6,6,6	0.09	0
3	SO4	D	406	-	4,4,4	0.24	0	6,6,6	0.11	0
3	SO4	B	407	-	4,4,4	0.25	0	6,6,6	0.15	0
2	GOL	C	401	-	5,5,5	1.00	0	5,5,5	1.08	0
3	SO4	A	411	-	4,4,4	0.23	0	6,6,6	0.08	0
3	SO4	D	409	-	4,4,4	0.25	0	6,6,6	0.06	0
2	GOL	A	401	-	5,5,5	0.92	0	5,5,5	1.17	0
2	GOL	A	403	-	5,5,5	0.96	0	5,5,5	1.25	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	406	-	5,5,5	0.98	0	5,5,5	0.93	0
2	GOL	A	404	-	5,5,5	0.92	0	5,5,5	1.00	0
3	SO4	B	406	-	4,4,4	0.29	0	6,6,6	0.06	0
2	GOL	A	405	-	5,5,5	1.02	0	5,5,5	0.95	0
2	GOL	B	404	-	5,5,5	1.00	0	5,5,5	0.88	0
2	GOL	C	402	-	5,5,5	0.93	0	5,5,5	1.11	0
2	GOL	B	401	-	5,5,5	0.85	0	5,5,5	1.08	0
2	GOL	C	403	-	5,5,5	0.86	0	5,5,5	1.12	0
3	SO4	A	408	-	4,4,4	0.27	0	6,6,6	0.07	0
2	GOL	D	403	-	5,5,5	0.95	0	5,5,5	1.15	0
3	SO4	C	408	-	4,4,4	0.19	0	6,6,6	0.15	0
3	SO4	B	408	-	4,4,4	0.23	0	6,6,6	0.12	0
2	GOL	B	405	-	5,5,5	0.88	0	5,5,5	0.97	0
3	SO4	B	409	-	4,4,4	0.25	0	6,6,6	0.13	0
2	GOL	A	407	-	5,5,5	0.94	0	5,5,5	1.04	0
2	GOL	B	403	-	5,5,5	0.87	0	5,5,5	1.13	0
2	GOL	C	404	-	5,5,5	0.91	0	5,5,5	1.20	1 (20%)
2	GOL	D	404	-	5,5,5	1.02	0	5,5,5	0.89	0
2	GOL	D	402	-	5,5,5	0.89	0	5,5,5	1.18	1 (20%)
2	GOL	C	407[A]	-	5,5,5	0.96	0	5,5,5	1.01	0
2	GOL	C	405[A]	-	5,5,5	1.01	0	5,5,5	1.04	0
2	GOL	C	406	-	5,5,5	0.93	0	5,5,5	1.17	0
2	GOL	D	401	-	5,5,5	1.07	0	5,5,5	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	D	405	-	-	4/4/4/4	-
2	GOL	C	407[B]	-	-	2/4/4/4	-
2	GOL	C	405[B]	-	-	1/4/4/4	-
2	GOL	A	402	-	-	0/4/4/4	-
2	GOL	B	402	-	-	0/4/4/4	-
2	GOL	C	401	-	-	3/4/4/4	-
2	GOL	A	401	-	-	0/4/4/4	-
2	GOL	A	403	-	-	4/4/4/4	-
2	GOL	A	406	-	-	0/4/4/4	-
2	GOL	A	404	-	-	0/4/4/4	-
2	GOL	A	405	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	404	-	-	2/4/4/4	-
2	GOL	C	402	-	-	3/4/4/4	-
2	GOL	B	401	-	-	2/4/4/4	-
2	GOL	C	403	-	-	2/4/4/4	-
2	GOL	D	403	-	-	0/4/4/4	-
2	GOL	B	405	-	-	2/4/4/4	-
2	GOL	A	407	-	-	2/4/4/4	-
2	GOL	B	403	-	-	2/4/4/4	-
2	GOL	C	404	-	-	0/4/4/4	-
2	GOL	D	404	-	-	2/4/4/4	-
2	GOL	D	402	-	-	0/4/4/4	-
2	GOL	C	407[A]	-	-	0/4/4/4	-
2	GOL	C	405[A]	-	-	2/4/4/4	-
2	GOL	C	406	-	-	2/4/4/4	-
2	GOL	D	401	-	-	2/4/4/4	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	C	404	GOL	C3-C2-C1	-2.13	103.97	111.80
2	D	402	GOL	C3-C2-C1	-2.04	104.30	111.80

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	403	GOL	O1-C1-C2-C3
2	B	401	GOL	O1-C1-C2-C3
2	B	403	GOL	C1-C2-C3-O3
2	B	403	GOL	O2-C2-C3-O3
2	B	405	GOL	C1-C2-C3-O3
2	C	402	GOL	O1-C1-C2-C3
2	C	405[A]	GOL	O1-C1-C2-C3
2	D	405	GOL	O1-C1-C2-C3
2	D	405	GOL	C1-C2-C3-O3
2	C	403	GOL	O2-C2-C3-O3
2	A	403	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	404	GOL	O1-C1-C2-C3
2	C	401	GOL	C1-C2-C3-O3
2	C	403	GOL	C1-C2-C3-O3
2	C	406	GOL	O1-C1-C2-C3
2	C	407[B]	GOL	O1-C1-C2-C3
2	D	401	GOL	C1-C2-C3-O3
2	D	404	GOL	O1-C1-C2-C3
2	A	403	GOL	O1-C1-C2-O2
2	A	403	GOL	O2-C2-C3-O3
2	B	401	GOL	O1-C1-C2-O2
2	B	404	GOL	O1-C1-C2-O2
2	C	401	GOL	O2-C2-C3-O3
2	C	402	GOL	O1-C1-C2-O2
2	D	401	GOL	O2-C2-C3-O3
2	D	404	GOL	O1-C1-C2-O2
2	D	405	GOL	O2-C2-C3-O3
2	B	405	GOL	O2-C2-C3-O3
2	C	405[A]	GOL	O1-C1-C2-O2
2	C	406	GOL	O1-C1-C2-O2
2	D	405	GOL	O1-C1-C2-O2
2	A	407	GOL	O1-C1-C2-C3
2	C	402	GOL	O2-C2-C3-O3
2	C	407[B]	GOL	O1-C1-C2-O2
2	C	405[B]	GOL	C1-C2-C3-O3
2	C	401	GOL	O1-C1-C2-O2
2	A	407	GOL	O1-C1-C2-O2

There are no ring outliers.

10 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	407	SO4	1	0
2	C	401	GOL	1	0
2	A	401	GOL	1	0
2	A	406	GOL	2	0
2	B	405	GOL	2	0
2	A	407	GOL	1	0
2	C	404	GOL	1	0
2	C	407[A]	GOL	1	0
2	C	405[A]	GOL	1	0
2	D	401	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	345/355 (97%)	-0.35	10 (2%) 53 53	8, 18, 46, 76	3 (0%)
1	B	344/355 (96%)	-0.35	11 (3%) 50 49	9, 18, 44, 84	3 (0%)
1	C	345/355 (97%)	-0.29	12 (3%) 47 46	10, 20, 44, 76	4 (1%)
1	D	344/355 (96%)	-0.20	19 (5%) 30 30	11, 20, 58, 99	3 (0%)
All	All	1378/1420 (97%)	-0.30	52 (3%) 44 43	8, 19, 48, 99	13 (0%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	195	TRP	6.5
1	D	197	ALA	5.9
1	B	196	ASP	5.7
1	B	195	TRP	5.3
1	B	118	ALA	5.0
1	D	146	GLY	4.7
1	C	198	ASN	4.4
1	C	117	GLY	4.0
1	D	114	THR	4.0
1	A	197	ALA	3.9
1	B	117	GLY	3.8
1	C	328	HIS	3.8
1	C	167	GLY	3.8
1	D	92	PRO	3.8
1	A	118	ALA	3.5
1	D	147	ALA	3.4
1	D	196	ASP	3.3
1	B	197	ALA	3.3
1	C	346	ALA	3.3
1	A	117	GLY	3.3
1	C	118	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	116	ASN	3.1
1	D	345	ALA	3.1
1	D	198	ASN	3.0
1	C	146	GLY	2.9
1	D	91	GLY	2.9
1	C	119	ASP	2.8
1	B	116	ASN	2.8
1	A	167	GLY	2.8
1	A	116	ASN	2.7
1	A	346	ALA	2.7
1	B	345	ALA	2.7
1	D	194	LYS	2.6
1	A	196	ASP	2.6
1	A	195	TRP	2.5
1	B	198	ASN	2.5
1	D	93	GLN	2.4
1	C	145	GLY	2.4
1	D	144	PHE	2.4
1	C	116	ASN	2.3
1	B	119	ASP	2.3
1	C	197	ALA	2.2
1	D	145	GLY	2.2
1	B	147	ALA	2.2
1	C	114	THR	2.2
1	A	93	GLN	2.1
1	D	118	ALA	2.1
1	D	94	ASP	2.1
1	D	115	LYS	2.1
1	A	345	ALA	2.1
1	B	114	THR	2.0
1	D	167	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	A	406	6/6	0.84	0.12	42,47,49,52	0
3	SO4	C	409	5/5	0.84	0.12	47,49,77,78	0
3	SO4	A	411	5/5	0.86	0.11	54,56,75,80	0
3	SO4	B	409	5/5	0.87	0.15	48,49,70,75	0
2	GOL	C	402	6/6	0.88	0.10	32,33,43,45	0
3	SO4	A	412	5/5	0.88	0.12	47,53,72,77	0
3	SO4	D	409	5/5	0.88	0.11	42,54,57,67	0
2	GOL	A	407	6/6	0.89	0.11	38,43,50,55	0
2	GOL	B	405	6/6	0.89	0.10	31,36,38,40	0
2	GOL	A	402	6/6	0.89	0.10	24,33,35,35	0
2	GOL	C	407[A]	6/6	0.89	0.11	24,29,32,33	6
3	SO4	D	408	5/5	0.89	0.18	51,57,62,71	0
2	GOL	C	407[B]	6/6	0.89	0.11	27,31,33,33	6
2	GOL	B	402	6/6	0.90	0.09	24,25,27,40	0
2	GOL	D	403	6/6	0.90	0.11	23,29,32,42	0
2	GOL	C	404	6/6	0.92	0.09	24,28,33,34	0
2	GOL	C	406	6/6	0.92	0.13	20,32,36,41	0
2	GOL	D	401	6/6	0.92	0.11	17,26,27,28	0
3	SO4	B	408	5/5	0.92	0.09	33,48,55,70	0
2	GOL	D	405	6/6	0.93	0.10	32,34,36,42	0
2	GOL	C	405[B]	6/6	0.93	0.13	15,18,20,22	6
2	GOL	A	405	6/6	0.93	0.11	21,37,39,56	0
2	GOL	C	405[A]	6/6	0.93	0.13	14,16,17,22	6
2	GOL	C	403	6/6	0.94	0.08	19,26,29,34	0
2	GOL	A	403	6/6	0.94	0.07	19,21,27,30	0
2	GOL	D	402	6/6	0.94	0.08	22,28,34,40	0
2	GOL	C	401	6/6	0.95	0.07	22,23,30,34	0
2	GOL	A	404	6/6	0.95	0.06	18,23,27,27	0
2	GOL	B	404	6/6	0.95	0.07	15,17,19,21	0
2	GOL	B	401	6/6	0.95	0.08	20,22,25,26	0
2	GOL	D	404	6/6	0.96	0.07	20,25,25,33	0
2	GOL	A	401	6/6	0.96	0.07	24,29,33,35	0
2	GOL	B	403	6/6	0.96	0.06	19,25,26,27	0
3	SO4	A	410	5/5	0.97	0.10	43,49,53,54	0
3	SO4	B	407	5/5	0.98	0.06	21,22,23,24	0
3	SO4	A	409	5/5	0.98	0.06	22,25,25,32	0
3	SO4	A	408	5/5	0.98	0.05	19,20,28,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	D	407	5/5	0.99	0.06	19,23,25,27	0
3	SO4	C	408	5/5	0.99	0.06	20,22,28,38	0
3	SO4	B	406	5/5	0.99	0.04	16,22,25,26	0
3	SO4	D	406	5/5	1.00	0.04	17,20,29,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.