



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:19 AM UTC

PDB ID : 8C4W / pdb_00008c4w
Title : Crystal structure of rat autotaxin and compound MEY-002
Authors : Eymery, M.C.; McCarthy, A.A.
Deposited on : 2023-01-05
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	862	9% 70% 18% • 10%
2	B	2	50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IOD	A	915	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 6840 atoms, of which 88 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ectonucleotide pyrophosphatase/phosphodiesterase family member 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	779	Total	C	N	O	S	0	0	0
			6287	3985	1082	1171	49			

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	53	ALA	ASN	engineered mutation	UNP Q64610
A	410	ALA	ASN	engineered mutation	UNP Q64610
A	?	-	GLU	deletion	UNP Q64610
A	?	-	ALA	deletion	UNP Q64610
A	?	-	GLU	deletion	UNP Q64610
A	?	-	THR	deletion	UNP Q64610
A	?	-	GLY	deletion	UNP Q64610
A	?	-	LYS	deletion	UNP Q64610
A	?	-	PHE	deletion	UNP Q64610
A	?	-	ARG	deletion	UNP Q64610
A	?	-	GLY	deletion	UNP Q64610
A	?	-	SER	deletion	UNP Q64610
A	?	-	LYS	deletion	UNP Q64610
A	?	-	HIS	deletion	UNP Q64610
A	?	-	GLU	deletion	UNP Q64610
A	?	-	ASN	deletion	UNP Q64610
A	?	-	LYS	deletion	UNP Q64610
A	?	-	LYS	deletion	UNP Q64610
A	?	-	ASN	deletion	UNP Q64610
A	?	-	LEU	deletion	UNP Q64610
A	?	-	ASN	deletion	UNP Q64610
A	?	-	GLY	deletion	UNP Q64610
A	?	-	SER	deletion	UNP Q64610
A	?	-	VAL	deletion	UNP Q64610
A	?	-	GLU	deletion	UNP Q64610
A	?	-	PRO	deletion	UNP Q64610

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ARG	deletion	UNP Q64610

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			


- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Zn	0	0
			2	2		

- Molecule 4 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	9	Total	I	0	0
			9	9		

- Molecule 5 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 6 is 7alpha-hydroxycholesterol (CCD ID: 5JK) (formula: $C_{27}H_{46}O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			75	27	46	2		

- Molecule 7 is 5,7-bis(oxidanyl)-2-[1-(phenylmethyl)indol-3-yl]chromen-4-one (CCD ID: TIJ) (formula: $C_{24}H_{17}NO_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	H	O	0	0
			14	3	8	3		
9	A	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 10 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	1	Total	Ca	0	0
			1	1		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	318	Total	O	0	0
			318	318		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ectonucleotide pyrophosphatase/phosphodiesterase family member 2



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	53.23Å 62.86Å 70.15Å 98.99° 106.57° 99.51°	Depositor
Resolution (Å)	47.65 – 1.95 47.65 – 1.95	Depositor EDS
% Data completeness (in resolution range)	97.2 (47.65-1.95) 97.2 (47.65-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.25 (at 1.95Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.196 , 0.236 0.195 , 0.235	Depositor DCC
R_{free} test set	2000 reflections (3.24%)	wwPDB-VP
Wilson B-factor (Å ²)	27.7	Xtriage
Anisotropy	0.042	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6840	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, 5JK, P6G, ZN, IOD, CA, TIJ, NAG, SCN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/6465	0.56	0/8771

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	394	ALA	Peptide
1	A	86	CYS	Peptide
1	A	87	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6287	0	6027	188	0
2	B	28	0	25	2	0
3	A	2	0	0	0	0
4	A	9	0	0	5	0
5	A	18	0	0	1	0
6	A	29	46	0	1	0
7	A	29	0	0	1	0
8	A	19	26	26	0	0
9	A	12	16	16	0	0
10	A	1	0	0	0	0
11	A	318	0	0	16	0
All	All	6752	88	6094	191	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:MET:HE3	1:A:192:ARG:HD3	1.20	1.13
1:A:79:CYS:SG	11:A:1184:HOH:O	2.13	1.03
1:A:62:CYS:HA	1:A:89:PHE:CE1	2.02	0.94
1:A:62:CYS:HA	1:A:89:PHE:HE1	1.30	0.93
1:A:85:CYS:HB2	1:A:89:PHE:HD2	1.34	0.92
1:A:58:CYS:HB3	1:A:61:ARG:HB2	1.52	0.91
1:A:180:LYS:HE3	1:A:180:LYS:HA	1.52	0.89
1:A:86:CYS:O	1:A:89:PHE:N	2.05	0.89
5:A:905:SCN:S	11:A:1265:HOH:O	2.32	0.88
1:A:178:MET:CE	1:A:192:ARG:HD3	2.04	0.87
1:A:52:THR:HB	1:A:71:PRO:HB3	1.56	0.86
1:A:53:ALA:HB3	1:A:72:ASP:HA	1.58	0.85
1:A:405:LYS:HE3	1:A:405:LYS:HA	1.60	0.83
1:A:199:PRO:HG2	1:A:502:PRO:HG3	1.59	0.83
1:A:63:PHE:O	1:A:291:TRP:NE1	2.12	0.81
1:A:52:THR:OG1	1:A:70:PRO:HB2	1.81	0.80
1:A:94:LEU:HD23	1:A:94:LEU:O	1.82	0.80
1:A:757:GLU:OE1	11:A:1002:HOH:O	2.00	0.78
1:A:52:THR:N	1:A:71:PRO:HA	1.99	0.78
1:A:85:CYS:HB2	1:A:89:PHE:CD2	2.18	0.78
1:A:546:GLU:OE1	1:A:600:ARG:NH2	2.17	0.78
1:A:296:ASP:HB3	1:A:299:ARG:HH22	1.50	0.77
1:A:85:CYS:SG	11:A:1012:HOH:O	2.44	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:VAL:HG12	1:A:69:GLY:H	1.52	0.75
1:A:496:TYR:CE2	1:A:497:ARG:HD2	2.22	0.74
1:A:468:CYS:HB2	11:A:1005:HOH:O	1.87	0.74
1:A:210:PHE:CD1	1:A:243:LEU:HD11	2.23	0.73
1:A:296:ASP:HB3	1:A:299:ARG:NH2	2.04	0.73
1:A:536:THR:O	1:A:538:THR:N	2.22	0.73
1:A:481:ASN:OD1	11:A:1003:HOH:O	2.05	0.73
1:A:381:ASP:HB3	1:A:399:ASN:ND2	2.04	0.73
1:A:535:ARG:HG2	1:A:536:THR:CG2	2.19	0.73
1:A:479:LYS:O	1:A:859:GLU:HG3	1.89	0.72
1:A:793:PHE:CD1	1:A:795:LEU:HG	2.25	0.71
1:A:65:LEU:O	1:A:66:GLN:HG2	1.92	0.70
1:A:182:SER:O	11:A:1004:HOH:O	2.09	0.70
1:A:716:GLN:OE1	4:A:920:IOD:I	2.80	0.70
1:A:553:PRO:CB	1:A:556:MET:HE2	2.22	0.69
1:A:52:THR:HB	1:A:71:PRO:CB	2.23	0.69
1:A:535:ARG:HG2	1:A:536:THR:HG22	1.74	0.69
1:A:61:ARG:HD3	1:A:75:CYS:SG	2.34	0.68
1:A:90:ASP:O	1:A:93:CYS:N	2.24	0.68
1:A:93:CYS:O	1:A:94:LEU:HB2	1.95	0.67
1:A:682:PRO:HB3	1:A:716:GLN:HB3	1.75	0.67
1:A:53:ALA:HB3	1:A:72:ASP:CA	2.25	0.66
1:A:496:TYR:CZ	1:A:497:ARG:HD2	2.30	0.66
1:A:381:ASP:HB3	1:A:399:ASN:HD22	1.60	0.65
1:A:74:ARG:NH1	1:A:74:ARG:HA	2.10	0.65
1:A:367:ASP:OD2	11:A:1005:HOH:O	2.15	0.65
1:A:201:MET:HE1	1:A:356:VAL:CG2	2.27	0.64
1:A:73:CYS:O	1:A:74:ARG:NH1	2.31	0.63
1:A:87:HIS:HA	11:A:1012:HOH:O	1.98	0.63
1:A:497:ARG:HH11	1:A:497:ARG:HG2	1.64	0.62
1:A:90:ASP:HB2	11:A:1012:HOH:O	1.99	0.62
1:A:180:LYS:HA	1:A:180:LYS:CE	2.29	0.61
1:A:65:LEU:C	1:A:66:GLN:HG2	2.24	0.61
1:A:558:LEU:HD12	1:A:561:GLU:HG3	1.82	0.61
1:A:562:PHE:CD1	1:A:660:PRO:HG3	2.36	0.61
1:A:65:LEU:HD22	1:A:65:LEU:N	2.16	0.60
1:A:75:CYS:HA	1:A:89:PHE:CE2	2.36	0.60
1:A:180:LYS:HG3	1:A:320:PHE:CE1	2.35	0.60
1:A:550:PRO:HB2	1:A:611:ILE:HG12	1.82	0.59
1:A:52:THR:HG23	4:A:915:IOD:I	2.72	0.59
1:A:553:PRO:HB2	1:A:556:MET:HE2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:665:ASN:HD22	1:A:667:LEU:H	1.50	0.58
1:A:70:PRO:HA	1:A:71:PRO:O	2.03	0.58
1:A:74:ARG:HA	1:A:74:ARG:CZ	2.34	0.58
1:A:371:PHE:CE1	1:A:457:PRO:HA	2.39	0.57
1:A:222:PRO:HA	1:A:225:HIS:CE1	2.39	0.57
1:A:52:THR:HB	1:A:71:PRO:CA	2.35	0.57
1:A:844:SER:OG	1:A:847:GLU:HB3	2.04	0.56
11:A:1310:HOH:O	2:B:2:NAG:N2	2.22	0.56
1:A:67:GLU:HA	1:A:74:ARG:HH21	1.70	0.56
1:A:85:CYS:O	1:A:87:HIS:N	2.39	0.56
1:A:553:PRO:HB3	1:A:556:MET:HE2	1.87	0.56
1:A:550:PRO:HB3	1:A:609:TYR:CZ	2.41	0.56
2:B:2:NAG:H3	2:B:2:NAG:O7	2.04	0.56
1:A:52:THR:CB	1:A:71:PRO:HA	2.37	0.55
1:A:58:CYS:SG	1:A:86:CYS:HB2	2.46	0.55
1:A:91:GLU:OE2	1:A:94:LEU:HB3	2.06	0.55
1:A:245:GLY:HA2	1:A:246:ARG:NH1	2.22	0.55
1:A:65:LEU:HD21	1:A:291:TRP:CD1	2.42	0.55
1:A:557:TYR:O	1:A:656:VAL:HB	2.08	0.54
1:A:77:ASN:ND2	11:A:1014:HOH:O	2.41	0.54
1:A:54:THR:O	1:A:54:THR:HG22	2.07	0.54
1:A:281:HIS:NE2	1:A:308:GLU:OE2	2.36	0.54
1:A:543:MET:HG2	1:A:845:TYR:CE1	2.42	0.54
1:A:497:ARG:HG2	1:A:497:ARG:NH1	2.24	0.53
1:A:210:PHE:CE1	1:A:243:LEU:HD11	2.43	0.53
1:A:67:GLU:HB3	1:A:74:ARG:HE	1.72	0.53
1:A:85:CYS:H	1:A:87:HIS:CE1	2.26	0.53
1:A:535:ARG:HG2	1:A:536:THR:HG23	1.90	0.52
1:A:471:GLN:HB3	11:A:1011:HOH:O	2.10	0.52
1:A:665:ASN:ND2	1:A:668:ALA:H	2.07	0.52
1:A:52:THR:HG22	1:A:52:THR:O	2.10	0.52
1:A:63:PHE:CD1	1:A:77:ASN:HB3	2.45	0.51
1:A:312:PHE:CZ	1:A:316:LYS:HD2	2.46	0.51
1:A:58:CYS:O	1:A:60:GLY:N	2.44	0.51
1:A:57:SER:O	1:A:59:LYS:N	2.44	0.51
1:A:76:ASP:N	1:A:76:ASP:OD1	2.44	0.50
1:A:68:VAL:HG12	1:A:69:GLY:N	2.22	0.50
1:A:246:ARG:CD	1:A:246:ARG:N	2.74	0.50
1:A:458:LEU:HD23	11:A:1285:HOH:O	2.12	0.50
1:A:704:MET:HA	1:A:797:HIS:NE2	2.26	0.50
1:A:654:PRO:HG3	4:A:916:IOD:I	2.82	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:ARG:N	1:A:246:ARG:HD3	2.27	0.49
1:A:90:ASP:C	1:A:90:ASP:OD1	2.55	0.49
1:A:839:ARG:O	1:A:840:LYS:HD3	2.13	0.49
1:A:77:ASN:HD21	1:A:291:TRP:HH2	1.60	0.48
1:A:540:ARG:HA	1:A:540:ARG:HD2	1.69	0.48
1:A:92:LEU:H	1:A:92:LEU:HD23	1.78	0.48
1:A:326:ASN:HB2	1:A:327:PRO:HD3	1.95	0.48
1:A:52:THR:CA	1:A:71:PRO:HA	2.43	0.48
1:A:398:ASN:O	1:A:399:ASN:HB2	2.14	0.48
1:A:843:ARG:HB3	1:A:847:GLU:CG	2.44	0.48
1:A:531:ASN:ND2	1:A:538:THR:HB	2.29	0.48
1:A:64:GLU:OE1	1:A:64:GLU:HA	2.14	0.48
1:A:329:ARG:HH11	1:A:329:ARG:HG2	1.79	0.47
1:A:673:LYS:HG2	11:A:1002:HOH:O	2.12	0.47
1:A:213:LEU:HB3	7:A:909:TIJ:C18	2.44	0.47
1:A:52:THR:HB	1:A:71:PRO:HA	1.93	0.47
1:A:329:ARG:HG2	1:A:329:ARG:NH1	2.30	0.47
1:A:543:MET:HE3	1:A:839:ARG:CZ	2.45	0.47
1:A:180:LYS:HE3	1:A:180:LYS:CA	2.23	0.47
1:A:240:SER:O	1:A:247:GLU:HG2	2.14	0.47
1:A:383:THR:OG1	1:A:395:LYS:HG3	2.15	0.47
1:A:243:LEU:HA	1:A:243:LEU:HD12	1.50	0.46
1:A:783:LYS:CG	1:A:783:LYS:O	2.63	0.46
1:A:88:ASP:O	1:A:92:LEU:HD21	2.14	0.46
1:A:704:MET:HE1	1:A:712:TRP:CD1	2.51	0.46
1:A:322:PRO:HD2	1:A:323:GLU:OE1	2.14	0.46
1:A:73:CYS:HB2	1:A:86:CYS:N	2.30	0.45
1:A:85:CYS:SG	1:A:87:HIS:CE1	3.09	0.45
1:A:61:ARG:HB3	1:A:75:CYS:CB	2.47	0.45
1:A:86:CYS:O	1:A:88:ASP:N	2.49	0.45
1:A:63:PHE:HD1	1:A:77:ASN:HB3	1.80	0.45
1:A:568:CYS:SG	1:A:569:ASP:N	2.90	0.45
1:A:536:THR:OG1	1:A:537:ASN:N	2.46	0.45
1:A:565:GLY:HA3	1:A:667:LEU:HG	1.98	0.45
1:A:405:LYS:HE3	1:A:405:LYS:CA	2.36	0.45
1:A:536:THR:O	1:A:537:ASN:C	2.60	0.45
1:A:543:MET:HE2	1:A:543:MET:HB2	1.69	0.44
1:A:53:ALA:HB3	1:A:72:ASP:N	2.32	0.44
1:A:86:CYS:O	1:A:89:PHE:HB3	2.17	0.44
1:A:76:ASP:N	1:A:89:PHE:CZ	2.84	0.44
1:A:77:ASN:CG	11:A:1014:HOH:O	2.60	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:PRO:O	1:A:72:ASP:C	2.59	0.44
1:A:621:TYR:HA	1:A:628:PRO:HA	2.00	0.44
1:A:169:SER:HA	1:A:356:VAL:O	2.18	0.44
1:A:625:PHE:HE2	1:A:752:ILE:CD1	2.31	0.44
1:A:843:ARG:HB3	1:A:847:GLU:HG2	1.99	0.44
1:A:217:ALA:O	1:A:258:PRO:HA	2.17	0.44
1:A:394:ALA:HB2	1:A:402:TYR:CG	2.53	0.44
1:A:639:ALA:O	1:A:721:LYS:NZ	2.47	0.44
1:A:543:MET:HE3	1:A:839:ARG:NH1	2.33	0.43
1:A:555:ILE:HD13	1:A:555:ILE:N	2.33	0.43
1:A:559:GLN:H	1:A:559:GLN:HG3	1.61	0.43
1:A:92:LEU:H	1:A:92:LEU:CD2	2.31	0.43
1:A:205:TYR:CD1	1:A:206:PRO:HA	2.53	0.43
1:A:79:CYS:HB2	1:A:85:CYS:HB3	1.53	0.43
1:A:177:TYR:OH	1:A:324:MET:HE2	2.18	0.43
1:A:58:CYS:HB2	1:A:89:PHE:HB2	2.01	0.43
1:A:124:LEU:N	1:A:129:CYS:SG	2.92	0.43
1:A:626:LEU:O	1:A:627:MET:HB3	2.18	0.43
1:A:769:SER:HB2	1:A:793:PHE:CZ	2.53	0.43
1:A:665:ASN:ND2	1:A:667:LEU:HB2	2.35	0.42
1:A:540:ARG:HH12	1:A:846:SER:HB3	1.84	0.42
1:A:740:TYR:OH	1:A:754:GLN:HB2	2.20	0.42
1:A:61:ARG:HB3	1:A:75:CYS:SG	2.60	0.42
1:A:250:ASN:HB3	4:A:906:IOD:I	2.89	0.42
1:A:827:ARG:HD2	1:A:827:ARG:HA	1.88	0.42
1:A:359:HIS:NE2	1:A:474:HIS:CE1	2.87	0.42
1:A:90:ASP:CG	1:A:91:GLU:N	2.76	0.42
1:A:95:LYS:HB2	1:A:95:LYS:HE3	1.84	0.42
1:A:681:PHE:CD1	1:A:682:PRO:HD2	2.55	0.42
1:A:118:HIS:O	1:A:129:CYS:HA	2.20	0.42
1:A:680:LEU:O	1:A:716:GLN:NE2	2.53	0.41
1:A:89:PHE:CD1	1:A:89:PHE:O	2.73	0.41
1:A:644:ILE:O	1:A:645:PRO:C	2.62	0.41
1:A:155:GLU:O	1:A:350:CYS:HB2	2.21	0.41
1:A:399:ASN:OD1	1:A:401:LYS:HG3	2.20	0.41
1:A:52:THR:CG2	4:A:915:IOD:I	3.38	0.41
1:A:670:LYS:HD3	1:A:670:LYS:HA	1.74	0.41
1:A:65:LEU:HD22	1:A:65:LEU:H	1.85	0.41
1:A:780:PRO:HD2	1:A:783:LYS:HD2	2.02	0.41
1:A:698:VAL:O	1:A:701:MET:HG2	2.20	0.41
1:A:249:PHE:HZ	6:A:908:5JK:C26	2.33	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:550:PRO:HB3	1:A:609:TYR:CE2	2.56	0.40
1:A:206:PRO:HD3	1:A:434:TYR:CE1	2.57	0.40
1:A:83:SER:O	1:A:84:SER:HB3	2.20	0.40
1:A:95:LYS:HE3	1:A:283:ARG:NH2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	773/862 (90%)	719 (93%)	44 (6%)	10 (1%)	9 3

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	58	CYS
1	A	59	LYS
1	A	71	PRO
1	A	72	ASP
1	A	94	LEU
1	A	537	ASN
1	A	73	CYS
1	A	86	CYS
1	A	69	GLY
1	A	84	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	705/778 (91%)	697 (99%)	8 (1%)	65	64

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	LEU
1	A	66	GLN
1	A	73	CYS
1	A	213	LEU
1	A	296	ASP
1	A	380	ASP
1	A	508	LEU
1	A	558	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	118	HIS
1	A	665	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.39	0	17,19,21	0.67	0
2	NAG	B	2	2	14,14,15	1.18	1 (7%)	17,19,21	0.92	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	NAG	O5-C1	-3.76	1.37	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C1-O5-C5	2.29	115.25	112.19

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	2	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 12 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	GOL	A	921	-	5,5,5	1.20	0	5,5,5	1.63	1 (20%)
5	SCN	A	912	-	1,2,2	0.83	0	0,1,1	-	-
9	GOL	A	922	-	5,5,5	1.09	0	5,5,5	1.78	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	5JK	A	908	-	32,32,32	4.24	14 (43%)	48,50,50	2.41	14 (29%)
8	P6G	A	910	-	18,18,18	0.56	0	17,17,17	0.33	0
5	SCN	A	907	-	1,2,2	1.12	0	0,1,1	-	-
5	SCN	A	913	-	1,2,2	0.71	0	0,1,1	-	-
5	SCN	A	914	-	1,2,2	1.00	0	0,1,1	-	-
7	TIJ	A	909	-	32,33,33	1.94	10 (31%)	45,48,48	1.34	8 (17%)
5	SCN	A	905	-	1,2,2	0.54	0	0,1,1	-	-
5	SCN	A	911	-	1,2,2	0.91	0	0,1,1	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GOL	A	921	-	-	0/4/4/4	-
9	GOL	A	922	-	-	2/4/4/4	-
8	P6G	A	910	-	-	7/16/16/16	-
6	5JK	A	908	-	-	0/10/71/71	0/4/4/4
7	TIJ	A	909	-	-	0/7/8/8	0/5/5/5

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	908	5JK	C6-C5	15.81	1.58	1.33
6	A	908	5JK	C8-C7	8.39	1.62	1.53
7	A	909	TIJ	O01-C02	7.29	1.40	1.24
6	A	908	5JK	C20-C17	-6.52	1.43	1.54
6	A	908	5JK	C16-C15	6.15	1.70	1.54
6	A	908	5JK	C15-C14	5.58	1.65	1.54
6	A	908	5JK	C13-C17	4.72	1.63	1.55
6	A	908	5JK	C12-C13	-4.41	1.46	1.54
6	A	908	5JK	C12-C11	3.86	1.61	1.53
6	A	908	5JK	O2-C7	-3.74	1.36	1.43
6	A	908	5JK	C10-C9	3.22	1.61	1.56
6	A	908	5JK	C8-C14	-3.09	1.48	1.53
6	A	908	5JK	C8-C9	3.08	1.59	1.53
7	A	909	TIJ	O21-C04	-3.07	1.31	1.37
6	A	908	5JK	C10-C5	-2.83	1.47	1.52
7	A	909	TIJ	O21-C22	-2.67	1.34	1.38
7	A	909	TIJ	C23-C22	2.59	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	909	TIJ	C06-N07	-2.53	1.33	1.36
6	A	908	5JK	C22-C20	2.51	1.60	1.54
7	A	909	TIJ	C29-C22	-2.47	1.36	1.40
7	A	909	TIJ	C20-C15	-2.43	1.37	1.41
7	A	909	TIJ	O28-C27	2.23	1.40	1.36
7	A	909	TIJ	C16-C15	2.07	1.42	1.39
7	A	909	TIJ	C19-C20	2.00	1.43	1.39

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	908	5JK	C7-C6-C5	-11.34	114.88	125.18
6	A	908	5JK	C1-C10-C5	3.88	115.44	108.74
6	A	908	5JK	C17-C13-C14	3.74	104.39	100.10
6	A	908	5JK	C19-C10-C9	-3.62	107.59	111.66
9	A	922	GOL	C3-C2-C1	-3.52	98.89	111.80
6	A	908	5JK	C18-C13-C12	-3.38	105.62	110.61
6	A	908	5JK	C16-C15-C14	-3.16	98.96	105.14
9	A	921	GOL	C3-C2-C1	-3.08	100.50	111.80
7	A	909	TIJ	C05-C06-N07	-3.07	108.70	110.81
6	A	908	5JK	C12-C13-C14	3.00	111.74	107.25
6	A	908	5JK	C11-C9-C10	-2.99	109.40	113.08
6	A	908	5JK	C15-C14-C8	2.90	122.33	118.36
7	A	909	TIJ	C04-C03-C02	-2.89	117.18	121.58
7	A	909	TIJ	C15-N07-C06	2.88	110.21	108.49
6	A	908	5JK	C16-C17-C20	-2.85	107.86	112.18
7	A	909	TIJ	C14-C09-C10	2.44	121.86	118.23
6	A	908	5JK	C21-C20-C17	-2.39	109.30	112.88
7	A	909	TIJ	C08-N07-C06	-2.35	122.24	125.46
6	A	908	5JK	C16-C17-C13	2.32	106.57	103.84
7	A	909	TIJ	C27-C29-C22	2.27	119.57	117.41
7	A	909	TIJ	C16-C15-C20	-2.22	119.47	121.95
6	A	908	5JK	O1-C3-C4	-2.17	104.82	109.71
7	A	909	TIJ	C20-C05-C04	-2.17	124.41	127.24
6	A	908	5JK	C2-C3-C4	2.15	113.31	110.29

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	922	GOL	O1-C1-C2-C3
8	A	910	P6G	O16-C17-C18-O19

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	A	922	GOL	O1-C1-C2-O2
8	A	910	P6G	C15-C14-O13-C12
8	A	910	P6G	O4-C5-C6-O7
8	A	910	P6G	O13-C14-C15-O16
8	A	910	P6G	C8-C9-O10-C11
8	A	910	P6G	C5-C6-O7-C8
8	A	910	P6G	O7-C8-C9-O10


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	908	5JK	1	0
7	A	909	TIJ	1	0
5	A	905	SCN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	779/862 (90%)	0.54	75 (9%) 13 15	19, 31, 89, 185	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	89	PHE	8.8
1	A	85	CYS	8.5
1	A	92	LEU	8.2
1	A	75	CYS	8.0
1	A	181	GLY	7.6
1	A	58	CYS	7.6
1	A	52	THR	7.4
1	A	53	ALA	7.3
1	A	397	ILE	7.2
1	A	62	CYS	7.2
1	A	86	CYS	7.0
1	A	65	LEU	6.9
1	A	68	VAL	6.8
1	A	73	CYS	6.5
1	A	70	PRO	6.3
1	A	87	HIS	6.3
1	A	74	ARG	6.0
1	A	56	GLY	6.0
1	A	60	GLY	5.9
1	A	71	PRO	5.8
1	A	69	GLY	5.6
1	A	90	ASP	5.5
1	A	558	LEU	5.4
1	A	88	ASP	5.4
1	A	54	THR	5.3
1	A	458	LEU	5.3
1	A	55	SER	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	557	TYR	5.0
1	A	84	SER	4.9
1	A	93	CYS	4.7
1	A	59	LYS	4.7
1	A	537	ASN	4.6
1	A	320	PHE	4.5
1	A	562	PHE	4.5
1	A	63	PHE	4.4
1	A	94	LEU	4.3
1	A	57	SER	4.1
1	A	538	THR	4.0
1	A	555	ILE	4.0
1	A	180	LYS	3.8
1	A	179	LYS	3.7
1	A	61	ARG	3.5
1	A	571	LYS	3.5
1	A	536	THR	3.4
1	A	66	GLN	3.3
1	A	182	SER	3.3
1	A	396	SER	3.3
1	A	64	GLU	3.1
1	A	72	ASP	2.9
1	A	91	GLU	2.9
1	A	399	ASN	2.8
1	A	76	ASP	2.8
1	A	296	ASP	2.8
1	A	148	CYS	2.7
1	A	395	LYS	2.7
1	A	83	SER	2.7
1	A	400	SER	2.6
1	A	79	CYS	2.6
1	A	656	VAL	2.6
1	A	569	ASP	2.5
1	A	806	ASN	2.5
1	A	459	ASP	2.5
1	A	67	GLU	2.4
1	A	127	GLY	2.4
1	A	401	LYS	2.4
1	A	468	CYS	2.4
1	A	243	LEU	2.3
1	A	556	MET	2.3
1	A	398	ASN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	793	PHE	2.2
1	A	183	LYS	2.1
1	A	379	VAL	2.1
1	A	564	LEU	2.1
1	A	499	LYS	2.0
1	A	402	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	2	14/15	0.75	0.16	30,37,43,47	0
2	NAG	B	1	14/15	0.97	0.06	16,23,27,27	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	IOD	A	915	1/1	0.69	0.15	198,198,198,198	0
5	SCN	A	905	3/3	0.71	0.17	36,36,37,58	0
8	P6G	A	910	19/19	0.72	0.14	37,49,62,66	0
5	SCN	A	912	3/3	0.76	0.25	56,56,57,61	0
9	GOL	A	922	6/6	0.76	0.14	47,57,67,67	0
9	GOL	A	921	6/6	0.78	0.12	34,48,57,57	0
5	SCN	A	911	3/3	0.82	0.13	52,52,54,77	0
6	5JK	A	908	29/29	0.88	0.10	22,32,49,53	75
7	TIJ	A	909	29/29	0.89	0.09	26,29,32,32	0
5	SCN	A	913	3/3	0.89	0.13	57,57,61,65	0
5	SCN	A	914	3/3	0.92	0.11	40,40,44,49	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	IOD	A	917	1/1	0.97	0.28	87,87,87,87	0
4	IOD	A	920	1/1	0.97	0.21	75,75,75,75	0
4	IOD	A	916	1/1	0.97	0.17	79,79,79,79	0
5	SCN	A	907	3/3	0.98	0.08	29,29,35,41	0
4	IOD	A	918	1/1	0.98	0.22	65,65,65,65	0
4	IOD	A	904	1/1	0.99	0.13	53,53,53,53	0
4	IOD	A	906	1/1	0.99	0.21	61,61,61,61	0
3	ZN	A	901	1/1	0.99	0.02	25,25,25,25	0
4	IOD	A	919	1/1	0.99	0.20	52,52,52,52	0
10	CA	A	923	1/1	0.99	0.04	22,22,22,22	0
3	ZN	A	902	1/1	1.00	0.05	28,28,28,28	0
4	IOD	A	903	1/1	1.00	0.02	29,29,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around P6G A 910:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5JK A 908:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TIJ A 909:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.