



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:56 PM UTC

PDB ID : 2C5C / pdb_00002c5c
Title : Shiga-like toxin 1 B subunit complexed with a bivalent inhibitor
Authors : Dodd, R.B.; Read, R.J.
Deposited on : 2005-10-26
Resolution : 2.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1159 (2.96-2.92)
Clashscore	190562	1184 (2.96-2.92)
Ramachandran outliers	187476	1131 (2.96-2.92)
Sidechain outliers	187428	1131 (2.96-2.92)
RSRZ outliers	180081	1159 (2.96-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	69	88% 9% .
1	B	69	90% 9% .
1	C	69	88% 10% .
1	D	69	81% 17% .
1	E	69	86% 13% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	69	% 
1	G	69	
1	H	69	
1	I	69	% 
1	J	69	
2	K	3	
2	L	3	
2	M	3	
2	N	3	
2	O	3	
2	Q	3	
2	V	3	
2	Y	3	
2	c	3	
2	d	3	
3	P	2	
3	R	2	
3	U	2	
3	W	2	
3	X	2	
3	Z	2	
4	S	3	
4	T	3	
5	a	3	
5	b	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GLC	K	1	X	-	-	-
2	GLC	L	1	X	-	-	-
2	GLC	M	1	X	-	-	-
2	GLC	N	1	X	-	-	-
2	GLC	O	1	X	-	-	-
2	GLC	Q	1	X	-	-	-
2	GLC	V	1	X	-	-	-
2	GLC	Y	1	X	-	-	-
2	GLC	c	1	X	-	-	-
2	GLC	d	1	X	-	-	-
5	GLA	a	2[A]	X	-	-	-
5	GLA	b	2[B]	X	-	-	-
6	S10	F	1073	-	X	-	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 6136 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SHIGA-LIKE TOXIN 1 B SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	B	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	C	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	D	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	E	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	F	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	G	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	H	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	I	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			
1	J	69	Total	C	N	O	S	0	0	0
			540	339	90	108	3			

- Molecule 2 is an oligosaccharide called alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	K	3	Total	C	O	0	0	0
			34	18	16			
2	L	3	Total	C	O	0	0	0
			34	18	16			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	M	3	Total	C	O	0	0	0
			34	18	16			
2	N	3	Total	C	O	0	0	0
			34	18	16			
2	O	3	Total	C	O	0	0	0
			34	18	16			
2	Q	3	Total	C	O	0	0	0
			34	18	16			
2	V	3	Total	C	O	0	0	0
			34	18	16			
2	Y	3	Total	C	O	0	0	0
			34	18	16			
2	c	3	Total	C	O	0	0	0
			34	18	16			
2	d	3	Total	C	O	0	0	0
			34	18	16			

- Molecule 3 is an oligosaccharide called alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	P	2	Total	C	O	0	0	0
			22	12	10			
3	R	2	Total	C	O	0	0	0
			22	12	10			
3	U	2	Total	C	O	0	0	0
			22	12	10			
3	W	2	Total	C	O	0	0	0
			22	12	10			
3	X	2	Total	C	O	0	0	0
			22	12	10			
3	Z	2	Total	C	O	0	0	0
			22	12	10			

- Molecule 4 is an oligosaccharide called alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	S	3	Total	C	O	0	3	0
			34	18	16			
4	T	3	Total	C	O	0	3	0
			34	18	16			

- Molecule 5 is an oligosaccharide called alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose-(1-4)-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
5	a	3	Total	C	O	0	3	0
			34	18	16			
5	b	3	Total	C	O	0	3	0
			34	18	16			

- Molecule 6 is DIETHYL PROPANE-1,3-DIYLBISCARBAMATE (CCD ID: S10) (formula: $C_9H_{18}N_2O_4$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C N O 15 9 2 4	0	0
6	C	1	Total C N O 15 9 2 4	0	0
6	D	1	Total C N O 15 9 2 4	0	1
6	E	1	Total C O 5 3 2	0	0
6	F	1	Total C N O 9 6 1 2	0	0
6	I	1	Total C N O 15 9 2 4	0	0
6	J	1	Total C N O 15 9 2 4	0	0
6	J	1	Total C O 5 3 2	0	0

- Molecule 7 is alpha-D-galactopyranose (CCD ID: GLA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total C O 11 6 5	0	0

- Molecule 8 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	I	1	Total	O	S	0	0
			5	4	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	5	Total	O	0	0
			5	5		
9	B	1	Total	O	0	0
			1	1		
9	D	2	Total	O	0	0
			2	2		
9	E	2	Total	O	0	0
			2	2		
9	G	1	Total	O	0	0
			1	1		
9	I	2	Total	O	0	0
			2	2		
9	J	5	Total	O	0	0
			5	5		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT





- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT





- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT




- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT



- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT



- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT





- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT

Chain G: 91% 9%



- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT

Chain H: 91% 7%



- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT

Chain I: 91% 9%



- Molecule 1: SHIGA-LIKE TOXIN 1 B SUBUNIT

Chain J: 86% 13%



- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain K: 33% 67%



- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain L: 100%



- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain M:  100%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain N:  67% 33%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain O:  67% 33%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain Q:  33% 67%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain V:  100%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain Y:  100%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain c:  33% 67%

GLC1
GAL2
GLA3

- Molecule 2: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-alpha-D-glucopyranose

Chain d:  100%

GLC1
GAL2
GLA3

- Molecule 3: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose

Chain P:  100%

GLA1
GLA2

- Molecule 3: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose

Chain R:  50%  50%

GLA1
GLA2

- Molecule 3: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose

Chain U:  100%

GLA1
GLA2

- Molecule 3: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose

Chain W:  100%

GLA1
GLA2

- Molecule 3: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose

Chain X:  100%

GLA1
GLA2

- Molecule 3: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose

Chain Z:  100%

GLA1
GLA2

- Molecule 4: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain S:  33% 67%

BGC1
GAL2
GLA3

- Molecule 4: alpha-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain T:  33% 67%

BGC1
GAL2
GLA3

- Molecule 5: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain a:  33% 67%

BGC1
GLA2
GLA3

- Molecule 5: alpha-D-galactopyranose-(1-4)-alpha-D-galactopyranose-(1-4)-beta-D-glucopyranose

Chain b:  33% 67%

BGC1
GLA2
GLA3

4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	114.31Å 114.31Å 406.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	22.76 – 2.94 22.76 – 2.94	Depositor EDS
% Data completeness (in resolution range)	90.4 (22.76-2.94) 90.1 (22.76-2.94)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.05 (at 2.94Å)	Xtriage
Refinement program	REFMAC 5.1.29	Depositor
R, R_{free}	0.198 , 0.267 0.205 , 0.277	Depositor DCC
R_{free} test set	1029 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	65.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6136	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: S10, GLC, GLA, SO4, GAL, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.42	3/549 (0.5%)	1.19	0/742
1	B	1.56	4/549 (0.7%)	1.23	0/742
1	C	1.34	3/549 (0.5%)	1.21	0/742
1	D	1.49	3/549 (0.5%)	1.23	1/742 (0.1%)
1	E	1.57	4/549 (0.7%)	1.22	0/742
1	F	1.25	0/549	1.17	0/742
1	G	1.15	1/549 (0.2%)	1.10	0/742
1	H	1.10	1/549 (0.2%)	1.02	0/742
1	I	1.20	2/549 (0.4%)	1.07	0/742
1	J	1.45	2/549 (0.4%)	1.19	0/742
All	All	1.36	23/5490 (0.4%)	1.16	1/7420 (0.0%)

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	64	SER	C-O	-8.79	1.13	1.23
1	E	22	VAL	C-O	-6.82	1.17	1.24
1	B	53	LYS	C-O	6.82	1.32	1.24
1	C	16	ASP	CA-C	6.33	1.61	1.52
1	D	9	VAL	CA-CB	6.27	1.60	1.53
1	A	34	TRP	C-O	-6.16	1.16	1.24
1	B	48	MET	SD-CE	5.94	1.94	1.79
1	I	24	VAL	CA-CB	-5.79	1.47	1.54
1	I	65	GLU	C-O	-5.78	1.17	1.24
1	J	36	LEU	CA-C	5.70	1.60	1.52
1	C	29	LEU	CA-C	-5.53	1.45	1.52
1	G	20	PHE	CA-C	5.43	1.58	1.52
1	D	4	CYS	CA-C	-5.39	1.47	1.52
1	B	22	VAL	CA-CB	5.36	1.62	1.54
1	C	48	MET	C-O	5.27	1.30	1.23
1	E	56	ALA	CA-C	-5.26	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	64	SER	C-O	-5.23	1.17	1.23
1	B	45	ILE	CA-CB	5.20	1.60	1.54
1	J	9	VAL	C-O	-5.20	1.16	1.23
1	A	28	GLU	C-O	-5.17	1.17	1.24
1	A	53	LYS	C-O	5.09	1.29	1.24
1	E	17	ASP	CA-C	-5.07	1.46	1.53
1	H	15	ASN	C-O	5.05	1.30	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	44	GLN	N-CA-C	-6.58	104.04	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	540	0	527	2	0
1	B	540	0	527	1	0
1	C	540	0	527	1	0
1	D	540	0	527	3	0
1	E	540	0	527	2	0
1	F	540	0	527	3	0
1	G	540	0	527	1	0
1	H	540	0	527	1	0
1	I	540	0	527	1	0
1	J	540	0	527	3	0
2	K	34	0	29	1	0
2	L	34	0	29	0	0
2	M	34	0	29	0	0
2	N	34	0	30	1	0
2	O	34	0	28	1	0
2	Q	34	0	29	1	0
2	V	34	0	29	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Y	34	0	30	0	0
2	c	34	0	29	2	0
2	d	34	0	29	0	0
3	P	22	0	17	1	0
3	R	22	0	19	1	0
3	U	22	0	18	0	0
3	W	22	0	19	0	0
3	X	22	0	19	2	0
3	Z	22	0	19	1	0
4	S	34	0	29	1	0
4	T	34	0	29	1	0
5	a	34	0	29	4	0
5	b	34	0	29	4	0
6	A	15	0	14	0	0
6	C	15	0	16	0	0
6	D	15	0	16	2	0
6	E	5	0	4	0	0
6	F	9	0	9	1	0
6	I	15	0	14	0	0
6	J	20	0	19	2	0
7	C	11	0	10	1	0
8	I	5	0	0	0	0
9	A	5	0	0	0	0
9	B	1	0	0	0	0
9	D	2	0	0	0	0
9	E	2	0	0	0	0
9	G	1	0	0	0	0
9	I	2	0	0	0	0
9	J	5	0	0	0	0
All	All	6136	0	5890	40	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (40) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:X:1:GLA:H61	3:X:2:GLA:C1	2.01	0.90
1:F:34:TRP:CD2	2:O:2:GAL:H4	2.35	0.62
7:C:1070:GLA:O6	7:C:1070:GLA:O4	2.20	0.60
1:E:11:TYR:OH	1:E:28:GLU:OE2	2.14	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:J:1076:S10:H133	6:J:1076:S10:O15	2.09	0.52
2:K:2:GAL:O3	2:K:3:GLA:H5	2.11	0.51
1:G:12:THR:HG22	1:G:22:VAL:HG23	1.93	0.50
3:P:1:GLA:O3	3:P:2:GLA:H5	2.13	0.49
3:Z:1:GLA:H62	3:Z:2:GLA:O2	2.13	0.48
1:C:12:THR:HG22	1:C:22:VAL:HG23	1.96	0.48
5:a:2[A]:GLA:C6	5:a:3[A]:GLA:C1	2.91	0.48
5:b:2[B]:GLA:C6	5:b:3[B]:GLA:C1	2.91	0.48
1:A:12:THR:HG22	1:A:22:VAL:HG23	1.96	0.48
1:E:3:ASP:OD1	1:E:53:LYS:NZ	2.44	0.48
3:X:1:GLA:C6	3:X:2:GLA:C1	2.82	0.47
1:H:12:THR:HG22	1:H:22:VAL:HG23	1.95	0.47
1:D:3:ASP:OD1	1:D:53:LYS:NZ	2.47	0.47
1:J:34:TRP:CE3	2:c:2:GAL:H3	2.50	0.47
1:I:12:THR:HG22	1:I:22:VAL:HG23	1.96	0.47
1:F:12:THR:HG22	1:F:22:VAL:HG23	1.97	0.46
1:J:12:THR:HG22	1:J:22:VAL:HG23	1.97	0.46
1:B:63:PHE:O	2:N:3:GLA:O6	2.33	0.46
1:J:3:ASP:OD1	1:J:53:LYS:NZ	2.47	0.46
4:T:1[B]:BGC:H6C1	4:T:2[B]:GAL:C1	2.46	0.46
4:S:1[A]:BGC:H6C1	4:S:2[A]:GAL:C1	2.46	0.46
5:a:2[A]:GLA:H61	5:a:3[A]:GLA:O2	2.17	0.45
5:b:2[B]:GLA:H61	5:b:3[B]:GLA:O2	2.17	0.45
1:D:33:ARG:HA	3:R:2:GLA:H61	1.99	0.44
5:a:1[A]:BGC:H6C1	5:a:2[A]:GLA:C1	2.47	0.43
5:b:1[B]:BGC:H6C1	5:b:2[B]:GLA:C1	2.47	0.43
5:b:2[B]:GLA:H61	5:b:3[B]:GLA:C1	2.48	0.43
5:a:2[A]:GLA:H61	5:a:3[A]:GLA:C1	2.48	0.43
6:F:1073:S10:H133	6:F:1073:S10:H9	1.83	0.42
6:D:1075[A]:S10:O14	6:D:1075[A]:S10:H1C3	2.20	0.42
2:Q:2:GAL:O3	2:Q:3:GLA:H5	2.19	0.42
1:A:3:ASP:OD1	1:A:53:LYS:NZ	2.50	0.41
1:D:12:THR:HG22	1:D:22:VAL:HG23	2.02	0.41
6:D:1075[A]:S10:O15	6:D:1075[A]:S10:H133	2.20	0.41
1:F:26:ASP:OD1	1:F:27:LYS:HG2	2.21	0.40
6:J:1077:S10:H133	2:c:1:GLC:H61	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/69 (97%)	63 (94%)	4 (6%)	0	100	100
1	B	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
1	C	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
1	D	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
1	E	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
1	F	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
1	G	67/69 (97%)	66 (98%)	1 (2%)	0	100	100
1	H	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
1	I	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
1	J	67/69 (97%)	65 (97%)	2 (3%)	0	100	100
All	All	670/690 (97%)	647 (97%)	23 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	61/61 (100%)	58 (95%)	3 (5%)	22	47
1	B	61/61 (100%)	58 (95%)	3 (5%)	22	47
1	C	61/61 (100%)	57 (93%)	4 (7%)	15	35
1	D	61/61 (100%)	56 (92%)	5 (8%)	10	26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	61/61 (100%)	58 (95%)	3 (5%)	22	47
1	F	61/61 (100%)	57 (93%)	4 (7%)	15	35
1	G	61/61 (100%)	58 (95%)	3 (5%)	22	47
1	H	61/61 (100%)	57 (93%)	4 (7%)	15	35
1	I	61/61 (100%)	59 (97%)	2 (3%)	33	58
1	J	61/61 (100%)	57 (93%)	4 (7%)	15	35
All	All	610/610 (100%)	575 (94%)	35 (6%)	18	41

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	THR
1	A	8	LYS
1	A	22	VAL
1	B	1	THR
1	B	8	LYS
1	B	22	VAL
1	C	1	THR
1	C	8	LYS
1	C	22	VAL
1	C	28	GLU
1	D	1	THR
1	D	8	LYS
1	D	22	VAL
1	D	23	LYS
1	D	28	GLU
1	E	1	THR
1	E	8	LYS
1	E	22	VAL
1	F	1	THR
1	F	8	LYS
1	F	22	VAL
1	F	28	GLU
1	G	1	THR
1	G	8	LYS
1	G	28	GLU
1	H	1	THR
1	H	8	LYS
1	H	22	VAL
1	H	28	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	1	THR
1	I	8	LYS
1	J	1	THR
1	J	8	LYS
1	J	22	VAL
1	J	28	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	D	58	HIS
1	F	15	ASN
1	H	58	HIS
1	J	58	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

54 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	K	1	2	12,12,12	1.19	2 (16%)	17,17,17	2.13	9 (52%)
2	GAL	K	2	6,2	11,11,12	1.17	1 (9%)	15,15,17	3.19	7 (46%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLA	K	3	2	11,11,12	0.94	0	15,15,17	1.58	4 (26%)
2	GLC	L	1	2	12,12,12	0.52	0	17,17,17	2.28	8 (47%)
2	GAL	L	2	6,2	11,11,12	0.68	0	15,15,17	2.21	4 (26%)
2	GLA	L	3	2	11,11,12	0.99	0	15,15,17	1.85	4 (26%)
2	GLC	M	1	2	12,12,12	1.00	1 (8%)	17,17,17	2.38	6 (35%)
2	GAL	M	2	2	11,11,12	1.47	3 (27%)	15,15,17	2.56	5 (33%)
2	GLA	M	3	2	11,11,12	1.68	2 (18%)	15,15,17	2.40	4 (26%)
2	GLC	N	1	2	12,12,12	1.19	1 (8%)	17,17,17	1.65	6 (35%)
2	GAL	N	2	2	11,11,12	1.53	2 (18%)	15,15,17	2.35	6 (40%)
2	GLA	N	3	2	11,11,12	1.35	2 (18%)	15,15,17	2.08	5 (33%)
2	GLC	O	1	2	12,12,12	0.87	0	17,17,17	2.90	8 (47%)
2	GAL	O	2	6,2	11,11,12	1.15	1 (9%)	15,15,17	1.86	4 (26%)
2	GLA	O	3	2	11,11,12	1.11	0	15,15,17	3.54	8 (53%)
3	GLA	P	1	6,3	11,11,12	1.35	2 (18%)	15,15,17	3.62	8 (53%)
3	GLA	P	2	3	11,11,12	1.22	2 (18%)	15,15,17	1.90	6 (40%)
2	GLC	Q	1	2	12,12,12	0.97	0	17,17,17	2.59	5 (29%)
2	GAL	Q	2	6,2	11,11,12	1.15	2 (18%)	15,15,17	2.87	10 (66%)
2	GLA	Q	3	2	11,11,12	1.01	0	15,15,17	2.55	8 (53%)
3	GLA	R	1	3	11,11,12	2.61	7 (63%)	15,15,17	3.76	9 (60%)
3	GLA	R	2	3	11,11,12	1.18	0	15,15,17	2.87	8 (53%)
4	BGC	S	1[A]	4	12,12,12	0.64	0	17,17,17	2.02	3 (17%)
4	GAL	S	2[A]	6,4	11,11,12	0.90	0	15,15,17	1.50	2 (13%)
4	GLA	S	3[A]	4	11,11,12	1.08	0	15,15,17	1.98	2 (13%)
4	BGC	T	1[B]	4	12,12,12	0.64	0	17,17,17	2.02	3 (17%)
4	GAL	T	2[B]	4	11,11,12	0.90	0	15,15,17	1.50	2 (13%)
4	GLA	T	3[B]	4	11,11,12	1.08	0	15,15,17	1.98	2 (13%)
3	GLA	U	1	6,3	11,11,12	1.79	3 (27%)	15,15,17	2.81	9 (60%)
3	GLA	U	2	3	11,11,12	1.06	2 (18%)	15,15,17	2.37	4 (26%)
2	GLC	V	1	2	12,12,12	0.76	0	17,17,17	2.18	5 (29%)
2	GAL	V	2	6,2	11,11,12	1.21	1 (9%)	15,15,17	2.26	6 (40%)
2	GLA	V	3	2	11,11,12	1.65	2 (18%)	15,15,17	2.33	5 (33%)
3	GLA	W	1	3	11,11,12	0.98	0	15,15,17	2.85	7 (46%)
3	GLA	W	2	3	11,11,12	1.29	1 (9%)	15,15,17	2.61	7 (46%)
3	GLA	X	1	3	11,11,12	1.81	2 (18%)	15,15,17	2.60	6 (40%)
3	GLA	X	2	3	11,11,12	1.22	1 (9%)	15,15,17	2.48	6 (40%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	Y	1	2	12,12,12	0.75	0	17,17,17	2.53	6 (35%)
2	GAL	Y	2	2	11,11,12	0.82	0	15,15,17	2.42	7 (46%)
2	GLA	Y	3	2	11,11,12	0.96	1 (9%)	15,15,17	2.14	7 (46%)
3	GLA	Z	1	3	11,11,12	1.77	1 (9%)	15,15,17	2.35	5 (33%)
3	GLA	Z	2	3	11,11,12	1.91	4 (36%)	15,15,17	3.16	8 (53%)
5	BGC	a	1[A]	5	12,12,12	0.86	0	17,17,17	2.13	5 (29%)
5	GLA	a	2[A]	6,5	11,11,12	0.77	0	15,15,17	0.95	0
5	GLA	a	3[A]	5	11,11,12	1.02	0	15,15,17	1.51	2 (13%)
5	BGC	b	1[B]	5	12,12,12	0.86	0	17,17,17	2.13	5 (29%)
5	GLA	b	2[B]	6,5	11,11,12	0.77	0	15,15,17	0.95	0
5	GLA	b	3[B]	5	11,11,12	1.02	0	15,15,17	1.51	2 (13%)
2	GLC	c	1	2	12,12,12	0.70	0	17,17,17	2.93	8 (47%)
2	GAL	c	2	6,2	11,11,12	1.47	2 (18%)	15,15,17	4.05	11 (73%)
2	GLA	c	3	2	11,11,12	1.20	1 (9%)	15,15,17	2.36	3 (20%)
2	GLC	d	1	2	12,12,12	0.85	0	17,17,17	2.01	6 (35%)
2	GAL	d	2	6,2	11,11,12	1.18	0	15,15,17	2.81	9 (60%)
2	GLA	d	3	2	11,11,12	0.48	0	15,15,17	1.80	5 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	K	1	2	1/1/5/5	2/2/22/22	0/1/1/1
2	GAL	K	2	6,2	–	1/2/19/22	0/1/1/1
2	GLA	K	3	2	–	1/2/19/22	0/1/1/1
2	GLC	L	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GAL	L	2	6,2	–	0/2/19/22	0/1/1/1
2	GLA	L	3	2	–	2/2/19/22	0/1/1/1
2	GLC	M	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GAL	M	2	2	–	0/2/19/22	0/1/1/1
2	GLA	M	3	2	–	0/2/19/22	0/1/1/1
2	GLC	N	1	2	1/1/5/5	1/2/22/22	0/1/1/1
2	GAL	N	2	2	–	2/2/19/22	0/1/1/1
2	GLA	N	3	2	–	2/2/19/22	0/1/1/1
2	GLC	O	1	2	1/1/5/5	2/2/22/22	0/1/1/1
2	GAL	O	2	6,2	–	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLA	O	3	2	-	2/2/19/22	0/1/1/1
3	GLA	P	1	6,3	-	0/2/19/22	0/1/1/1
3	GLA	P	2	3	-	0/2/19/22	0/1/1/1
2	GLC	Q	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GAL	Q	2	6,2	-	0/2/19/22	0/1/1/1
2	GLA	Q	3	2	-	0/2/19/22	0/1/1/1
3	GLA	R	1	3	-	1/2/19/22	0/1/1/1
3	GLA	R	2	3	-	0/2/19/22	0/1/1/1
4	BGC	S	1[A]	4	-	2/2/22/22	0/1/1/1
4	GAL	S	2[A]	6,4	-	0/2/19/22	0/1/1/1
4	GLA	S	3[A]	4	-	0/2/19/22	0/1/1/1
4	BGC	T	1[B]	4	-	2/2/22/22	0/1/1/1
4	GAL	T	2[B]	4	-	0/2/19/22	0/1/1/1
4	GLA	T	3[B]	4	-	0/2/19/22	0/1/1/1
3	GLA	U	1	6,3	-	1/2/19/22	0/1/1/1
3	GLA	U	2	3	-	0/2/19/22	0/1/1/1
2	GLC	V	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GAL	V	2	6,2	-	2/2/19/22	0/1/1/1
2	GLA	V	3	2	-	1/2/19/22	0/1/1/1
3	GLA	W	1	3	-	2/2/19/22	0/1/1/1
3	GLA	W	2	3	-	2/2/19/22	0/1/1/1
3	GLA	X	1	3	-	1/2/19/22	0/1/1/1
3	GLA	X	2	3	-	1/2/19/22	0/1/1/1
2	GLC	Y	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GAL	Y	2	2	-	2/2/19/22	0/1/1/1
2	GLA	Y	3	2	-	0/2/19/22	0/1/1/1
3	GLA	Z	1	3	-	1/2/19/22	0/1/1/1
3	GLA	Z	2	3	-	2/2/19/22	0/1/1/1
5	BGC	a	1[A]	5	-	2/2/22/22	0/1/1/1
5	GLA	a	2[A]	6,5	1/1/4/5	0/2/19/22	0/1/1/1
5	GLA	a	3[A]	5	-	2/2/19/22	0/1/1/1
5	BGC	b	1[B]	5	-	2/2/22/22	0/1/1/1
5	GLA	b	2[B]	6,5	1/1/4/5	0/2/19/22	0/1/1/1
5	GLA	b	3[B]	5	-	2/2/19/22	0/1/1/1
2	GLC	c	1	2	1/1/5/5	1/2/22/22	0/1/1/1
2	GAL	c	2	6,2	-	2/2/19/22	0/1/1/1
2	GLA	c	3	2	-	1/2/19/22	0/1/1/1
2	GLC	d	1	2	1/1/5/5	0/2/22/22	0/1/1/1
2	GAL	d	2	6,2	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLA	d	3	2	-	0/2/19/22	0/1/1/1

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	R	1	GLA	C2-C3	5.62	1.61	1.52
3	Z	1	GLA	C2-C3	4.74	1.59	1.52
3	X	1	GLA	C2-C3	4.19	1.58	1.52
3	U	1	GLA	C2-C3	3.58	1.58	1.52
2	V	3	GLA	C2-C3	-3.56	1.47	1.52
3	Z	2	GLA	C2-C3	3.55	1.57	1.52
2	N	2	GAL	C4-C5	3.41	1.60	1.53
2	M	3	GLA	O5-C1	3.24	1.49	1.43
3	Z	2	GLA	C4-C5	3.20	1.59	1.53
2	V	2	GAL	O5-C5	3.20	1.49	1.43
2	M	2	GAL	C1-C2	3.00	1.59	1.52
2	M	3	GLA	O3-C3	-3.00	1.35	1.43
3	U	1	GLA	O5-C5	2.99	1.49	1.43
2	c	3	GLA	O5-C1	2.99	1.48	1.43
3	R	1	GLA	C1-C2	2.80	1.58	1.52
3	Z	2	GLA	C1-C2	2.74	1.58	1.52
2	N	1	GLC	C4-C3	2.71	1.59	1.52
3	X	1	GLA	C4-C3	2.69	1.59	1.52
3	R	1	GLA	C4-C3	2.69	1.59	1.52
3	P	2	GLA	C2-C3	-2.65	1.48	1.52
3	R	1	GLA	O5-C5	2.62	1.48	1.43
3	R	1	GLA	O4-C4	2.62	1.49	1.43
2	Q	2	GAL	C2-C3	2.57	1.56	1.52
2	K	2	GAL	O5-C1	2.50	1.47	1.43
2	M	1	GLC	C1-C2	2.48	1.58	1.52
3	P	1	GLA	O5-C5	2.45	1.48	1.43
3	X	2	GLA	C2-C3	2.45	1.56	1.52
3	Z	2	GLA	C4-C3	2.44	1.58	1.52
2	K	1	GLC	C3-C2	2.41	1.58	1.52
2	O	2	GAL	C2-C3	2.39	1.56	1.52
2	N	2	GAL	C2-C3	2.39	1.56	1.52
2	N	3	GLA	O5-C5	-2.37	1.38	1.43
3	R	1	GLA	C4-C5	2.33	1.58	1.53
2	c	2	GAL	C4-C5	2.30	1.57	1.53
3	R	1	GLA	O2-C2	2.25	1.48	1.43
3	P	1	GLA	C1-C2	2.24	1.57	1.52
3	W	2	GLA	C2-C3	2.24	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	2	GAL	O2-C2	2.23	1.48	1.43
2	M	2	GAL	C2-C3	2.23	1.55	1.52
2	Y	3	GLA	C4-C3	2.23	1.58	1.52
2	K	1	GLC	O4-C4	-2.22	1.37	1.43
3	U	1	GLA	C1-C2	2.22	1.57	1.52
3	U	2	GLA	C2-C3	2.18	1.55	1.52
2	V	3	GLA	C1-C2	2.18	1.57	1.52
3	U	2	GLA	C1-C2	2.13	1.57	1.52
2	Q	2	GAL	C4-C3	2.12	1.57	1.52
2	N	3	GLA	O5-C1	-2.07	1.40	1.43
3	P	2	GLA	O2-C2	-2.03	1.39	1.43
2	c	2	GAL	C4-C3	2.01	1.57	1.52

All (300) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	2	GAL	C1-O5-C5	9.91	125.47	112.19
2	c	2	GAL	C1-O5-C5	9.80	125.32	112.19
3	R	1	GLA	O4-C4-C3	7.62	128.35	110.38
2	O	1	GLC	C1-O5-C5	-7.41	99.33	113.65
3	P	1	GLA	C1-O5-C5	7.39	122.09	112.19
3	R	1	GLA	C1-O5-C5	7.35	122.03	112.19
3	R	2	GLA	C1-O5-C5	7.25	121.91	112.19
2	Q	3	GLA	C1-O5-C5	6.97	121.53	112.19
2	Q	1	GLC	O2-C2-C3	-6.94	94.02	110.38
2	c	2	GAL	O6-C6-C5	6.86	134.69	111.33
2	M	2	GAL	C1-O5-C5	6.84	121.36	112.19
2	O	3	GLA	C1-O5-C5	6.83	121.34	112.19
3	P	1	GLA	O5-C5-C6	6.79	120.88	107.66
2	c	3	GLA	C1-O5-C5	6.76	121.25	112.19
2	Y	1	GLC	C3-C4-C5	6.60	122.20	110.23
3	Z	2	GLA	C1-C2-C3	6.52	119.14	109.64
2	c	1	GLC	C1-O5-C5	-6.34	101.39	113.65
3	Z	2	GLA	C1-O5-C5	6.15	120.43	112.19
3	U	2	GLA	C1-O5-C5	6.09	120.35	112.19
3	W	1	GLA	C1-C2-C3	5.91	118.24	109.64
2	c	2	GAL	O5-C5-C6	-5.89	96.20	107.66
3	R	1	GLA	C2-C3-C4	5.77	121.01	110.86
2	d	2	GAL	C1-O5-C5	-5.66	104.59	112.19
3	X	2	GLA	O5-C5-C6	5.60	118.56	107.66
2	Q	2	GAL	C1-C2-C3	-5.49	101.65	109.64
2	M	1	GLC	C1-O5-C5	-5.47	103.06	113.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	U	1	GLA	C1-C2-C3	5.43	117.56	109.64
2	Q	1	GLC	C3-C4-C5	5.38	119.99	110.23
3	W	2	GLA	O3-C3-C2	5.36	121.00	110.05
2	O	3	GLA	C2-C3-C4	-5.34	101.48	110.86
3	P	1	GLA	C6-C5-C4	-5.32	99.96	113.02
5	a	1[A]	BGC	C1-O5-C5	5.32	123.94	113.65
5	b	1[B]	BGC	C1-O5-C5	5.32	123.94	113.65
2	O	3	GLA	O3-C3-C2	5.29	120.84	110.05
4	T	1[B]	BGC	C1-O5-C5	5.28	123.87	113.65
4	S	1[A]	BGC	C1-O5-C5	5.28	123.87	113.65
2	V	1	GLC	O2-C2-C3	-5.28	97.93	110.38
3	X	1	GLA	C1-C2-C3	5.23	117.26	109.64
2	V	3	GLA	O4-C4-C5	5.18	122.08	109.32
2	M	3	GLA	C1-O5-C5	5.17	119.11	112.19
3	W	1	GLA	C1-O5-C5	5.15	119.09	112.19
3	U	2	GLA	C1-C2-C3	5.10	117.06	109.64
2	c	1	GLC	O6-C6-C5	-5.02	94.23	111.33
2	Q	2	GAL	O2-C2-C1	-4.99	97.80	109.22
2	L	2	GAL	O5-C5-C4	-4.95	98.78	110.83
2	L	1	GLC	O3-C3-C4	-4.93	98.75	110.38
2	M	3	GLA	C1-C2-C3	-4.72	102.78	109.64
2	N	2	GAL	O4-C4-C5	4.66	120.81	109.32
3	W	2	GLA	C1-O5-C5	4.66	118.43	112.19
3	U	1	GLA	O5-C5-C6	4.61	116.64	107.66
3	U	1	GLA	O4-C4-C5	-4.53	98.16	109.32
2	Y	2	GAL	C1-C2-C3	-4.51	103.08	109.64
2	O	3	GLA	O4-C4-C5	4.47	120.33	109.32
2	L	2	GAL	C1-O5-C5	-4.45	106.22	112.19
2	V	3	GLA	O2-C2-C3	-4.44	100.95	110.15
3	X	2	GLA	C1-C2-C3	4.44	116.11	109.64
3	Z	1	GLA	C1-O5-C5	4.41	118.09	112.19
2	c	1	GLC	O1-C1-C2	4.41	121.77	108.98
3	X	1	GLA	C2-C3-C4	4.40	118.59	110.86
3	Z	2	GLA	O4-C4-C5	4.39	120.14	109.32
2	N	3	GLA	O3-C3-C2	4.39	119.01	110.05
4	S	3[A]	GLA	C1-O5-C5	4.39	118.06	112.19
2	d	3	GLA	C1-O5-C5	4.37	118.04	112.19
4	T	3[B]	GLA	C1-O5-C5	4.36	118.03	112.19
2	L	3	GLA	C1-O5-C5	4.30	117.95	112.19
2	O	1	GLC	C4-C3-C2	4.29	118.37	110.83
3	Z	1	GLA	O2-C2-C3	4.28	119.02	110.15
2	O	3	GLA	C1-C2-C3	-4.27	103.42	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	S	3[A]	GLA	O2-C2-C1	-4.26	99.47	109.22
4	T	3[B]	GLA	O2-C2-C1	-4.26	99.48	109.22
3	P	1	GLA	C1-C2-C3	4.23	115.80	109.64
2	M	2	GAL	O2-C2-C1	4.22	118.89	109.22
2	V	2	GAL	O2-C2-C1	4.19	118.82	109.22
2	Y	1	GLC	C1-C2-C3	-4.14	101.92	110.36
2	O	1	GLC	O4-C4-C5	4.13	119.48	109.32
2	N	2	GAL	C6-C5-C4	4.11	123.11	113.02
4	T	1[B]	BGC	C4-C3-C2	-4.08	103.67	110.83
4	S	1[A]	BGC	C4-C3-C2	-4.07	103.69	110.83
3	W	1	GLA	C2-C3-C4	4.06	118.01	110.86
2	M	1	GLC	O4-C4-C3	-4.05	100.84	110.38
2	d	2	GAL	C6-C5-C4	4.03	122.91	113.02
2	O	3	GLA	C3-C4-C5	-4.00	102.97	110.23
2	K	1	GLC	O4-C4-C3	-3.99	100.97	110.38
2	M	3	GLA	O2-C2-C1	3.99	118.35	109.22
2	O	1	GLC	C3-C4-C5	-3.98	103.01	110.23
3	X	1	GLA	O4-C4-C5	3.97	119.10	109.32
2	Y	2	GAL	C1-O5-C5	-3.94	106.91	112.19
3	R	1	GLA	O5-C5-C4	3.93	120.39	110.83
2	Q	2	GAL	O2-C2-C3	3.92	118.28	110.15
2	L	1	GLC	O2-C2-C1	3.91	118.26	109.25
2	K	2	GAL	C3-C4-C5	3.91	117.31	110.23
2	d	1	GLC	O5-C5-C4	-3.85	102.77	109.70
3	X	1	GLA	C1-O5-C5	3.84	117.34	112.19
3	R	1	GLA	C1-C2-C3	3.82	115.21	109.64
2	Q	1	GLC	C1-C2-C3	3.80	118.10	110.36
2	d	1	GLC	C1-O5-C5	-3.75	106.40	113.65
2	L	1	GLC	C1-O5-C5	-3.75	106.40	113.65
2	Y	1	GLC	O5-C5-C6	3.74	115.72	106.44
2	V	3	GLA	O4-C4-C3	-3.74	101.57	110.38
2	M	1	GLC	O6-C6-C5	-3.72	98.66	111.33
2	d	2	GAL	O5-C5-C4	-3.71	101.81	110.83
3	P	2	GLA	O3-C3-C2	-3.71	102.49	110.05
2	c	2	GAL	C6-C5-C4	3.70	122.10	113.02
2	O	3	GLA	O5-C5-C4	3.69	119.80	110.83
2	c	1	GLC	O2-C2-C3	-3.68	101.71	110.38
5	a	1[A]	BGC	O5-C5-C4	3.68	116.32	109.70
5	b	1[B]	BGC	O5-C5-C4	3.68	116.32	109.70
2	Y	3	GLA	O5-C1-C2	-3.66	102.07	110.79
3	Z	2	GLA	O5-C1-C2	-3.56	102.30	110.79
3	W	2	GLA	O5-C5-C6	3.55	114.58	107.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	V	1	GLC	O1-C1-C2	3.55	119.29	108.98
2	V	2	GAL	C1-C2-C3	3.51	114.76	109.64
3	X	2	GLA	C1-O5-C5	3.51	116.89	112.19
3	U	1	GLA	C6-C5-C4	-3.50	104.43	113.02
2	Y	1	GLC	C4-C3-C2	-3.48	104.73	110.83
2	Y	3	GLA	C2-C3-C4	3.45	116.93	110.86
2	c	1	GLC	O5-C5-C4	-3.44	103.49	109.70
3	P	1	GLA	O3-C3-C4	-3.44	102.28	110.38
2	V	1	GLC	C4-C3-C2	3.43	116.85	110.83
2	M	2	GAL	O5-C1-C2	3.43	118.97	110.79
5	a	3[A]	GLA	O2-C2-C3	-3.41	103.10	110.15
5	b	3[B]	GLA	O2-C2-C3	-3.41	103.10	110.15
2	Q	3	GLA	C1-C2-C3	3.40	114.60	109.64
2	K	1	GLC	O5-C1-C2	-3.40	104.33	110.30
2	O	2	GAL	O5-C5-C6	3.39	114.27	107.66
3	P	1	GLA	O2-C2-C1	3.39	116.99	109.22
3	R	2	GLA	O3-C3-C2	3.37	116.93	110.05
2	V	1	GLC	O5-C1-C2	-3.37	104.38	110.30
3	Z	1	GLA	C2-C3-C4	3.36	116.78	110.86
2	d	2	GAL	O5-C1-C2	-3.34	102.83	110.79
2	Y	3	GLA	O4-C4-C3	3.33	118.22	110.38
2	V	2	GAL	O5-C5-C4	3.28	118.81	110.83
3	X	2	GLA	O3-C3-C2	3.28	116.74	110.05
2	N	1	GLC	O3-C3-C4	3.27	118.08	110.38
2	c	2	GAL	O4-C4-C3	-3.25	102.71	110.38
5	a	1[A]	BGC	O5-C1-C2	3.25	116.01	110.30
5	b	1[B]	BGC	O5-C1-C2	3.25	116.01	110.30
3	U	1	GLA	C1-O5-C5	3.23	116.52	112.19
3	W	1	GLA	O2-C2-C3	-3.22	103.49	110.15
3	P	1	GLA	C3-C4-C5	-3.21	104.40	110.23
2	O	1	GLC	O6-C6-C5	-3.21	100.40	111.33
2	Y	2	GAL	C3-C4-C5	-3.20	104.44	110.23
4	S	1[A]	BGC	O5-C5-C4	3.18	115.44	109.70
4	T	1[B]	BGC	O5-C5-C4	3.18	115.43	109.70
3	W	1	GLA	O5-C5-C6	3.17	113.84	107.66
2	Q	2	GAL	O5-C5-C6	3.17	113.83	107.66
3	R	2	GLA	O2-C2-C3	-3.16	103.61	110.15
2	c	2	GAL	O3-C3-C2	-3.15	103.62	110.05
2	Y	3	GLA	O5-C5-C6	3.10	113.70	107.66
3	R	2	GLA	O5-C5-C4	3.09	118.36	110.83
3	R	2	GLA	C1-C2-C3	3.09	114.14	109.64
2	c	2	GAL	O3-C3-C4	3.07	117.62	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	d	2	GAL	C2-C3-C4	-3.05	105.50	110.86
5	a	3[A]	GLA	O5-C5-C6	3.03	113.56	107.66
5	b	3[B]	GLA	O5-C5-C6	3.03	113.56	107.66
2	O	2	GAL	C1-O5-C5	3.02	116.23	112.19
2	K	1	GLC	O3-C3-C4	3.02	117.49	110.38
3	Z	1	GLA	O4-C4-C5	3.00	116.71	109.32
2	d	2	GAL	C3-C4-C5	3.00	115.67	110.23
2	M	1	GLC	O4-C4-C5	2.98	116.67	109.32
4	T	2[B]	GAL	C1-O5-C5	2.97	116.17	112.19
2	Q	2	GAL	O4-C4-C3	2.96	117.35	110.38
2	L	1	GLC	O5-C1-C2	-2.96	105.10	110.30
2	N	3	GLA	C2-C3-C4	-2.95	105.67	110.86
4	S	2[A]	GAL	C1-O5-C5	2.95	116.14	112.19
2	Q	2	GAL	O5-C5-C4	-2.94	103.67	110.83
3	R	1	GLA	O2-C2-C1	2.94	115.96	109.22
2	K	2	GAL	O2-C2-C3	2.93	116.22	110.15
2	L	2	GAL	C6-C5-C4	2.93	120.21	113.02
2	N	2	GAL	O4-C4-C3	-2.91	103.51	110.38
2	Y	2	GAL	O3-C3-C4	2.91	117.23	110.38
2	K	3	GLA	O5-C5-C6	2.90	113.30	107.66
2	Q	3	GLA	O2-C2-C1	-2.88	102.62	109.22
2	N	2	GAL	O2-C2-C3	2.88	116.11	110.15
2	Y	2	GAL	O3-C3-C2	-2.86	104.21	110.05
3	W	1	GLA	O3-C3-C2	-2.85	104.24	110.05
3	R	1	GLA	O5-C5-C6	2.84	113.20	107.66
2	O	2	GAL	O4-C4-C5	-2.84	102.32	109.32
2	V	2	GAL	O6-C6-C5	-2.84	101.66	111.33
3	R	2	GLA	O4-C4-C5	2.83	116.29	109.32
2	c	3	GLA	O5-C5-C6	2.82	113.16	107.66
2	N	1	GLC	C3-C4-C5	2.82	115.35	110.23
2	V	2	GAL	C3-C4-C5	-2.81	105.14	110.23
2	d	2	GAL	O4-C4-C3	-2.79	103.79	110.38
3	X	1	GLA	O4-C4-C3	2.79	116.95	110.38
2	V	2	GAL	O3-C3-C2	-2.79	104.36	110.05
2	c	1	GLC	O5-C1-C2	-2.79	105.40	110.30
2	N	3	GLA	C3-C4-C5	2.78	115.27	110.23
2	N	1	GLC	C6-C5-C4	2.75	119.77	113.02
2	O	3	GLA	O4-C4-C3	-2.72	103.95	110.38
3	W	2	GLA	O5-C5-C4	2.72	117.45	110.83
3	Z	2	GLA	O2-C2-C1	2.72	115.45	109.22
2	M	2	GAL	O2-C2-C3	2.72	115.78	110.15
2	c	1	GLC	O4-C4-C5	2.71	115.99	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	2	GAL	O5-C1-C2	-2.69	104.38	110.79
2	K	2	GAL	C1-C2-C3	2.68	113.54	109.64
2	d	3	GLA	C2-C3-C4	-2.67	106.16	110.86
2	K	1	GLC	C1-O5-C5	-2.67	108.48	113.65
3	P	2	GLA	O5-C1-C2	-2.66	104.44	110.79
2	N	2	GAL	O5-C1-C2	2.66	117.13	110.79
3	P	2	GLA	O2-C2-C1	2.66	115.30	109.22
3	R	2	GLA	O5-C5-C6	2.65	112.82	107.66
3	R	1	GLA	O6-C6-C5	2.65	120.35	111.33
2	N	3	GLA	C6-C5-C4	-2.64	106.53	113.02
2	O	1	GLC	C6-C5-C4	2.64	119.49	113.02
3	W	2	GLA	C2-C3-C4	-2.63	106.24	110.86
2	K	1	GLC	O6-C6-C5	-2.61	102.45	111.33
2	N	2	GAL	O5-C5-C6	2.61	112.74	107.66
2	Q	3	GLA	O3-C3-C2	2.61	115.37	110.05
3	W	2	GLA	C1-C2-C3	-2.58	105.89	109.64
3	W	2	GLA	O5-C1-C2	-2.58	104.64	110.79
2	O	2	GAL	O2-C2-C1	2.56	115.09	109.22
2	K	1	GLC	C4-C3-C2	-2.52	106.40	110.83
2	Y	3	GLA	O3-C3-C4	2.52	116.32	110.38
2	c	1	GLC	C3-C4-C5	-2.52	105.66	110.23
2	Q	2	GAL	C3-C4-C5	-2.52	105.67	110.23
2	Y	1	GLC	O2-C2-C3	2.52	116.31	110.38
2	K	1	GLC	O3-C3-C2	2.51	116.28	110.38
2	K	3	GLA	O5-C5-C4	2.49	116.89	110.83
2	L	3	GLA	C2-C3-C4	-2.48	106.50	110.86
2	K	2	GAL	O5-C1-C2	2.46	116.66	110.79
2	Y	2	GAL	O5-C5-C6	2.46	112.44	107.66
2	O	1	GLC	O3-C3-C4	-2.45	104.59	110.38
3	X	2	GLA	C6-C5-C4	-2.44	107.04	113.02
2	L	3	GLA	O5-C1-C2	2.43	116.59	110.79
3	U	1	GLA	O2-C2-C3	2.43	115.18	110.15
2	M	1	GLC	O3-C3-C2	2.43	116.10	110.38
2	L	1	GLC	O2-C2-C3	2.43	116.10	110.38
2	V	1	GLC	C3-C4-C5	-2.42	105.85	110.23
3	Z	2	GLA	C2-C3-C4	2.40	115.08	110.86
2	Q	2	GAL	O6-C6-C5	-2.38	103.22	111.33
2	K	2	GAL	O2-C2-C1	-2.38	103.77	109.22
3	P	2	GLA	O2-C2-C3	-2.38	105.23	110.15
2	N	1	GLC	O5-C1-C2	-2.37	106.14	110.30
2	Y	3	GLA	C3-C4-C5	2.36	114.50	110.23
3	X	1	GLA	O5-C5-C6	2.35	112.24	107.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	d	2	GAL	C1-C2-C3	2.35	113.07	109.64
2	Y	2	GAL	O5-C5-C4	-2.35	105.11	110.83
3	Z	2	GLA	C3-C4-C5	2.35	114.49	110.23
2	d	3	GLA	O6-C6-C5	-2.35	103.35	111.33
2	c	2	GAL	O5-C5-C4	-2.33	105.16	110.83
2	K	3	GLA	O4-C4-C5	2.33	115.06	109.32
3	W	1	GLA	C6-C5-C4	-2.30	107.38	113.02
2	Y	1	GLC	O6-C6-C5	2.29	119.14	111.33
2	Q	1	GLC	O3-C3-C4	2.29	115.77	110.38
3	P	2	GLA	C1-C2-C3	-2.27	106.33	109.64
2	V	3	GLA	C3-C4-C5	2.26	114.34	110.23
2	d	1	GLC	O3-C3-C4	-2.26	105.05	110.38
2	d	1	GLC	O3-C3-C2	2.25	115.69	110.38
2	c	3	GLA	O4-C4-C5	2.25	114.86	109.32
2	c	2	GAL	C3-C4-C5	2.25	114.30	110.23
2	K	1	GLC	C6-C5-C4	2.24	118.52	113.02
2	d	1	GLC	C6-C5-C4	-2.24	107.52	113.02
2	d	1	GLC	C4-C3-C2	-2.24	106.90	110.83
3	Z	2	GLA	O5-C5-C4	2.22	116.24	110.83
4	T	2[B]	GAL	O3-C3-C4	2.22	115.61	110.38
2	Q	1	GLC	C6-C5-C4	-2.21	107.58	113.02
2	Q	3	GLA	O5-C1-C2	-2.21	105.51	110.79
2	Q	3	GLA	O3-C3-C4	-2.21	105.16	110.38
4	S	2[A]	GAL	O3-C3-C4	2.21	115.59	110.38
2	N	1	GLC	O5-C5-C6	2.21	111.91	106.44
3	X	2	GLA	O3-C3-C4	-2.21	105.18	110.38
2	Q	2	GAL	O3-C3-C2	2.19	114.53	110.05
5	a	1[A]	BGC	O3-C3-C2	-2.19	105.21	110.38
5	b	1[B]	BGC	O3-C3-C2	-2.19	105.21	110.38
2	c	2	GAL	O2-C2-C1	-2.18	104.23	109.22
2	K	3	GLA	O4-C4-C3	-2.18	105.25	110.38
2	M	1	GLC	C6-C5-C4	2.17	118.36	113.02
3	U	1	GLA	C2-C3-C4	2.16	114.65	110.86
2	V	3	GLA	C2-C3-C4	-2.15	107.07	110.86
2	Q	3	GLA	O6-C6-C5	2.15	118.66	111.33
2	L	1	GLC	O1-C1-O5	-2.14	104.04	110.41
2	N	1	GLC	C1-O5-C5	-2.14	109.51	113.65
3	U	2	GLA	C3-C4-C5	2.14	114.11	110.23
2	N	3	GLA	C1-O5-C5	2.14	115.05	112.19
3	Z	1	GLA	C3-C4-C5	-2.13	106.38	110.23
2	O	1	GLC	O5-C5-C4	-2.12	105.88	109.70
2	d	2	GAL	O2-C2-C3	2.12	114.54	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	d	3	GLA	O5-C5-C6	-2.11	103.56	107.66
2	K	1	GLC	O2-C2-C3	2.10	115.32	110.38
2	M	2	GAL	C3-C4-C5	2.09	114.03	110.23
2	L	3	GLA	O4-C4-C5	-2.08	104.21	109.32
2	Y	3	GLA	O2-C2-C3	2.07	114.44	110.15
3	P	2	GLA	O6-C6-C5	2.05	118.31	111.33
3	U	1	GLA	O2-C2-C1	2.05	113.91	109.22
2	M	3	GLA	C2-C3-C4	-2.05	107.26	110.86
2	L	1	GLC	O1-C1-C2	2.04	114.91	108.98
2	K	2	GAL	O6-C6-C5	2.04	118.27	111.33
5	a	1[A]	BGC	O2-C2-C3	-2.02	105.60	110.38
5	b	1[B]	BGC	O2-C2-C3	-2.02	105.60	110.38
2	Q	3	GLA	O2-C2-C3	2.02	114.34	110.15
3	R	1	GLA	O2-C2-C3	2.02	114.34	110.15
2	L	1	GLC	O5-C5-C6	2.02	111.44	106.44
2	c	2	GAL	C2-C3-C4	-2.01	107.32	110.86
3	U	1	GLA	O5-C1-C2	-2.01	105.99	110.79
2	Q	2	GAL	O5-C1-C2	2.01	115.58	110.79
2	d	3	GLA	O4-C4-C5	2.01	114.26	109.32
3	P	1	GLA	O5-C1-C2	2.01	115.57	110.79
3	U	2	GLA	C2-C3-C4	2.00	114.39	110.86
3	R	2	GLA	O3-C3-C4	-2.00	105.66	110.38

All (12) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	K	1	GLC	C1
2	L	1	GLC	C1
2	M	1	GLC	C1
2	N	1	GLC	C1
2	O	1	GLC	C1
2	Q	1	GLC	C1
2	V	1	GLC	C1
2	Y	1	GLC	C1
2	c	1	GLC	C1
2	d	1	GLC	C1
5	a	2[A]	GLA	C1
5	b	2[B]	GLA	C1

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	O	3	GLA	O5-C5-C6-O6
2	N	2	GAL	O5-C5-C6-O6
5	a	3[A]	GLA	O5-C5-C6-O6
5	b	3[B]	GLA	O5-C5-C6-O6
3	Z	2	GLA	O5-C5-C6-O6
2	d	2	GAL	O5-C5-C6-O6
3	Z	2	GLA	C4-C5-C6-O6
3	R	1	GLA	O5-C5-C6-O6
2	O	3	GLA	C4-C5-C6-O6
5	a	1[A]	BGC	O5-C5-C6-O6
5	b	1[B]	BGC	O5-C5-C6-O6
3	W	2	GLA	C4-C5-C6-O6
2	V	2	GAL	C4-C5-C6-O6
5	a	1[A]	BGC	C4-C5-C6-O6
5	a	3[A]	GLA	C4-C5-C6-O6
5	b	1[B]	BGC	C4-C5-C6-O6
5	b	3[B]	GLA	C4-C5-C6-O6
2	d	2	GAL	C4-C5-C6-O6
3	W	1	GLA	O5-C5-C6-O6
2	Y	2	GAL	O5-C5-C6-O6
4	S	1[A]	BGC	C4-C5-C6-O6
4	T	1[B]	BGC	C4-C5-C6-O6
2	L	3	GLA	O5-C5-C6-O6
2	L	3	GLA	C4-C5-C6-O6
2	c	3	GLA	O5-C5-C6-O6
3	U	1	GLA	O5-C5-C6-O6
3	W	2	GLA	O5-C5-C6-O6
3	X	1	GLA	O5-C5-C6-O6
2	N	2	GAL	C4-C5-C6-O6
2	O	1	GLC	C4-C5-C6-O6
2	c	2	GAL	O5-C5-C6-O6
2	K	1	GLC	C4-C5-C6-O6
2	O	1	GLC	O5-C5-C6-O6
2	N	1	GLC	C4-C5-C6-O6
2	K	1	GLC	O5-C5-C6-O6
3	Z	1	GLA	O5-C5-C6-O6
4	S	1[A]	BGC	O5-C5-C6-O6
4	T	1[B]	BGC	O5-C5-C6-O6
2	Y	2	GAL	C4-C5-C6-O6
2	c	2	GAL	C4-C5-C6-O6
2	c	1	GLC	C4-C5-C6-O6
2	V	3	GLA	C4-C5-C6-O6
3	X	2	GLA	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	N	3	GLA	O5-C5-C6-O6
2	O	2	GAL	O5-C5-C6-O6
2	N	3	GLA	C4-C5-C6-O6
3	W	1	GLA	C4-C5-C6-O6
2	K	2	GAL	C4-C5-C6-O6
2	K	3	GLA	O5-C5-C6-O6
2	V	2	GAL	O5-C5-C6-O6


There are no ring outliers.

25 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Z	2	GLA	1	0
3	X	1	GLA	2	0
2	K	2	GAL	1	0
4	T	2[B]	GAL	1	0
4	T	1[B]	BGC	1	0
3	P	2	GLA	1	0
5	b	1[B]	BGC	1	0
2	Q	3	GLA	1	0
5	a	1[A]	BGC	1	0
5	b	2[B]	GLA	4	0
2	N	3	GLA	1	0
4	S	1[A]	BGC	1	0
5	a	2[A]	GLA	4	0
5	a	3[A]	GLA	3	0
2	O	2	GAL	1	0
3	Z	1	GLA	1	0
2	K	3	GLA	1	0
3	P	1	GLA	1	0
4	S	2[A]	GAL	1	0
3	R	2	GLA	1	0
5	b	3[B]	GLA	3	0
2	c	2	GAL	1	0
2	c	1	GLC	1	0
3	X	2	GLA	2	0
2	Q	2	GAL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain K




Oligosaccharide Chain L




Oligosaccharide Chain M




Oligosaccharide Chain N




Oligosaccharide Chain O




Oligosaccharide Chain Q




Oligosaccharide Chain V




Oligosaccharide Chain Y





Oligosaccharide Chain c





Oligosaccharide Chain d
























5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	S10	C	1073	3,2	14,14,14	2.84	3 (21%)	15,15,15	2.26	6 (40%)
6	S10	D	1075[A]	4	14,14,14	2.10	4 (28%)	15,15,15	3.24	9 (60%)
6	S10	F	1073	2	8,8,14	2.73	1 (12%)	8,8,15	3.92	4 (50%)
6	S10	J	1077	2	4,4,14	1.72	1 (25%)	2,3,15	1.23	0
6	S10	A	1076	3,2	14,14,14	2.26	2 (14%)	15,15,15	2.42	6 (40%)
8	SO4	I	1076	-	4,4,4	0.27	0	6,6,6	0.31	0
7	GLA	C	1070	-	11,11,12	1.89	3 (27%)	15,15,17	3.92	7 (46%)
6	S10	I	1075	5	14,14,14	2.05	2 (14%)	15,15,15	2.85	6 (40%)
6	S10	J	1076	2	14,14,14	2.19	2 (14%)	15,15,15	4.50	8 (53%)
6	S10	E	1075	2	4,4,14	2.83	1 (25%)	2,3,15	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	S10	C	1073	3,2	-	5/14/14/14	-
6	S10	D	1075[A]	4	-	0/14/14/14	-
6	S10	F	1073	2	-	5/7/7/14	-
6	S10	J	1077	2	-	2/2/2/14	-
6	S10	A	1076	3,2	-	8/14/14/14	-
7	GLA	C	1070	-	-	2/2/19/22	0/1/1/1
6	S10	I	1075	5	-	8/14/14/14	-
6	S10	J	1076	2	-	3/14/14/14	-
6	S10	E	1075	2	-	0/2/2/14	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	1073	S10	O11-C10	6.87	1.48	1.35
6	C	1073	S10	O3-C4	6.84	1.48	1.35
6	F	1073	S10	O11-C10	6.71	1.48	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	J	1076	S10	O11-C10	6.08	1.47	1.35
6	A	1076	S10	O3-C4	6.07	1.47	1.35
6	E	1075	S10	O11-C10	5.37	1.53	1.33
6	I	1075	S10	O11-C10	5.15	1.45	1.35
6	I	1075	S10	O3-C4	5.15	1.45	1.35
6	A	1076	S10	O11-C10	4.85	1.44	1.35
6	J	1076	S10	O3-C4	4.74	1.44	1.35
6	D	1075[A]	S10	O3-C4	4.34	1.43	1.35
6	D	1075[A]	S10	O11-C10	4.33	1.43	1.35
7	C	1070	GLA	O5-C1	3.63	1.49	1.43
7	C	1070	GLA	C4-C3	3.50	1.61	1.52
6	J	1077	S10	O11-C10	3.24	1.45	1.33
6	D	1075[A]	S10	C7-C6	-2.95	1.39	1.51
6	D	1075[A]	S10	C7-C8	-2.94	1.39	1.51
6	C	1073	S10	O14-C4	2.30	1.25	1.21
7	C	1070	GLA	C2-C3	2.07	1.55	1.52

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	1070	GLA	C1-O5-C5	11.81	128.02	112.19
6	J	1076	S10	O3-C4-N5	10.64	128.17	110.62
6	J	1076	S10	C6-N5-C4	-8.83	107.00	121.98
6	J	1076	S10	O14-C4-N5	-6.98	114.42	124.93
6	F	1073	S10	O11-C10-N9	6.65	121.58	110.62
6	D	1075[A]	S10	C6-C7-C8	6.28	136.51	114.15
6	I	1075	S10	O11-C10-N9	5.71	120.03	110.62
6	I	1075	S10	O3-C4-N5	5.71	120.03	110.62
6	F	1073	S10	O11-C10-O15	-5.65	113.42	124.26
6	F	1073	S10	C12-O11-C10	5.56	126.46	116.06
7	C	1070	GLA	O4-C4-C5	-5.18	96.56	109.32
6	D	1075[A]	S10	O3-C4-O14	-4.94	114.79	124.26
6	D	1075[A]	S10	O11-C10-O15	-4.92	114.82	124.26
6	D	1075[A]	S10	O3-C4-N5	4.63	118.25	110.62
6	D	1075[A]	S10	O11-C10-N9	4.62	118.23	110.62
6	A	1076	S10	C2-O3-C4	4.49	124.45	116.06
6	A	1076	S10	C6-N5-C4	4.46	129.55	121.98
6	J	1076	S10	C2-O3-C4	4.46	124.39	116.06
7	C	1070	GLA	O3-C3-C4	3.82	119.39	110.38
6	C	1073	S10	O11-C10-N9	3.82	116.92	110.62
6	C	1073	S10	O11-C10-O15	-3.69	117.19	124.26
7	C	1070	GLA	O4-C4-C3	3.63	118.94	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	I	1075	S10	O11-C10-O15	-3.60	117.36	124.26
6	I	1075	S10	O3-C4-O14	-3.60	117.36	124.26
6	J	1076	S10	O3-C4-O14	-3.59	117.38	124.26
6	F	1073	S10	C8-N9-C10	3.57	128.05	121.98
6	C	1073	S10	C8-N9-C10	3.51	127.93	121.98
7	C	1070	GLA	C2-C3-C4	3.50	117.02	110.86
6	A	1076	S10	O14-C4-N5	3.41	130.06	124.93
6	I	1075	S10	C12-O11-C10	3.40	122.41	116.06
6	I	1075	S10	C2-O3-C4	3.40	122.41	116.06
6	A	1076	S10	O3-C4-O14	-3.36	117.82	124.26
6	C	1073	S10	C2-O3-C4	3.16	121.97	116.06
7	C	1070	GLA	O6-C6-C5	2.83	120.96	111.33
6	C	1073	S10	C12-O11-C10	2.79	121.27	116.06
6	J	1076	S10	C7-C6-N5	2.76	119.93	112.20
6	J	1076	S10	O3-C2-C1	2.73	118.19	108.40
6	C	1073	S10	C7-C8-N9	-2.52	105.14	112.20
7	C	1070	GLA	O5-C5-C4	-2.51	104.71	110.83
6	D	1075[A]	S10	C12-O11-C10	-2.48	111.42	116.06
6	D	1075[A]	S10	C2-O3-C4	-2.46	111.45	116.06
6	A	1076	S10	O11-C10-O15	-2.42	119.62	124.26
6	J	1076	S10	C12-O11-C10	2.35	120.45	116.06
6	A	1076	S10	C7-C8-N9	-2.25	105.88	112.20
6	D	1075[A]	S10	C7-C6-N5	-2.20	106.04	112.20
6	D	1075[A]	S10	C7-C8-N9	-2.19	106.06	112.20

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1076	S10	O11-C10-N9-C8
6	C	1073	S10	C1-C2-O3-C4
6	F	1073	S10	O15-C10-O11-C12
6	F	1073	S10	N9-C10-O11-C12
6	F	1073	S10	C13-C12-O11-C10
6	J	1076	S10	C13-C12-O11-C10
6	J	1077	S10	O15-C10-O11-C12
6	A	1076	S10	O14-C4-O3-C2
6	C	1073	S10	O15-C10-O11-C12
6	I	1075	S10	O15-C10-O11-C12
6	I	1075	S10	O14-C4-O3-C2
6	A	1076	S10	N5-C4-O3-C2
6	I	1075	S10	N9-C10-O11-C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	I	1075	S10	N5-C4-O3-C2
6	J	1076	S10	C1-C2-O3-C4
6	A	1076	S10	O15-C10-O11-C12
6	C	1073	S10	N9-C10-O11-C12
6	A	1076	S10	N9-C10-O11-C12
6	A	1076	S10	C6-C7-C8-N9
7	C	1070	GLA	C4-C5-C6-O6
6	C	1073	S10	C6-C7-C8-N9
6	J	1076	S10	C6-C7-C8-N9
6	I	1075	S10	C6-C7-C8-N9
6	I	1075	S10	N5-C6-C7-C8
7	C	1070	GLA	O5-C5-C6-O6
6	F	1073	S10	C6-C7-C8-N9
6	A	1076	S10	O15-C10-N9-C8
6	F	1073	S10	O11-C10-N9-C8
6	A	1076	S10	N5-C6-C7-C8
6	C	1073	S10	C13-C12-O11-C10
6	I	1075	S10	C13-C12-O11-C10
6	I	1075	S10	C1-C2-O3-C4
6	J	1077	S10	C13-C12-O11-C10

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	1075[A]	S10	2	0
6	F	1073	S10	1	0
6	J	1077	S10	1	0
7	C	1070	GLA	1	0
6	J	1076	S10	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	69/69 (100%)	-0.34	1 (1%) 73 66	26, 31, 38, 41	0
1	B	69/69 (100%)	-0.27	0 100 100	26, 31, 38, 41	0
1	C	69/69 (100%)	-0.23	0 100 100	27, 31, 38, 41	0
1	D	69/69 (100%)	-0.18	0 100 100	27, 31, 38, 41	0
1	E	69/69 (100%)	-0.41	0 100 100	27, 31, 38, 41	0
1	F	69/69 (100%)	0.13	1 (1%) 73 66	27, 31, 38, 41	0
1	G	69/69 (100%)	0.10	0 100 100	27, 31, 38, 41	0
1	H	69/69 (100%)	0.21	0 100 100	26, 31, 38, 41	0
1	I	69/69 (100%)	0.04	1 (1%) 73 66	27, 31, 38, 41	0
1	J	69/69 (100%)	-0.45	0 100 100	27, 31, 38, 41	0
All	All	690/690 (100%)	-0.14	3 (0%) 88 86	26, 31, 39, 41	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	34	TRP	2.3
1	I	59	ASN	2.1
1	A	34	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GLA	X	1	11/12	0.58	0.14	98,103,105,106	0
2	GLC	Y	1	12/12	0.67	0.13	96,103,105,106	0
3	GLA	X	2	11/12	0.73	0.12	85,97,98,99	0
3	GLA	R	1	11/12	0.80	0.12	62,64,69,69	0
3	GLA	Z	1	11/12	0.80	0.10	72,80,84,84	0
3	GLA	W	1	11/12	0.81	0.11	79,85,88,90	0
2	GLC	N	1	12/12	0.85	0.09	55,67,71,72	0
3	GLA	U	1	11/12	0.85	0.11	56,60,65,65	0
3	GLA	P	1	11/12	0.85	0.11	58,59,64,70	0
4	BGC	S	1[A]	12/12	0.85	0.10	46,48,50,51	12
4	BGC	T	1[B]	12/12	0.85	0.10	46,48,50,51	12
2	GLA	Y	3	11/12	0.87	0.10	93,97,99,100	0
3	GLA	W	2	11/12	0.88	0.10	87,90,91,92	0
2	GAL	Y	2	11/12	0.88	0.10	99,101,103,104	0
2	GAL	Q	2	11/12	0.88	0.10	66,70,74,76	0
2	GAL	M	2	11/12	0.89	0.10	48,59,63,63	0
2	GAL	O	2	11/12	0.90	0.09	42,56,58,62	0
2	GLC	Q	1	12/12	0.90	0.10	75,80,84,85	0
2	GLC	K	1	12/12	0.91	0.08	38,49,51,54	0
2	GLC	M	1	12/12	0.91	0.09	55,62,64,65	0
2	GAL	N	2	11/12	0.92	0.08	55,59,62,62	0
3	GLA	R	2	11/12	0.93	0.09	54,59,63,63	0
3	GLA	Z	2	11/12	0.93	0.11	61,72,77,79	0
2	GLA	O	3	11/12	0.93	0.08	51,54,56,58	0
2	GLC	c	1	12/12	-	-	27,43,47,51	0
2	GAL	c	2	11/12	-	-	43,48,52,54	0
2	GLA	c	3	11/12	-	-	39,46,50,51	0
2	GLC	d	1	12/12	-	-	30,37,41,42	0
2	GAL	d	2	11/12	-	-	37,41,45,50	0
2	GLA	d	3	11/12	-	-	34,44,51,52	0
4	GAL	S	2[A]	11/12	0.93	0.09	36,45,51,54	11
2	GLC	O	1	12/12	0.93	0.07	49,55,56,58	0
4	GAL	T	2[B]	11/12	0.93	0.09	36,45,51,54	11
2	GLC	V	1	12/12	0.94	0.07	42,48,52,54	0
4	GLA	S	3[A]	11/12	0.94	0.09	36,40,44,44	11
2	GLA	N	3	11/12	0.94	0.09	48,52,54,55	0
2	GLA	K	3	11/12	0.94	0.08	37,40,42,43	0
4	GLA	T	3[B]	11/12	0.94	0.09	36,40,44,44	11
2	GLA	V	3	11/12	0.95	0.07	40,42,50,52	0
2	GAL	L	2	11/12	0.95	0.08	48,49,52,52	0
2	GLA	L	3	11/12	0.95	0.08	44,52,56,57	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLA	M	3	11/12	0.95	0.07	41,53,60,67	0
3	GLA	P	2	11/12	0.96	0.06	44,53,56,57	0
2	GLC	L	1	12/12	0.96	0.07	42,44,49,49	0
2	GAL	K	2	11/12	0.96	0.06	37,43,51,51	0
2	GLA	Q	3	11/12	0.96	0.06	60,66,70,70	0
2	GAL	V	2	11/12	0.97	0.06	30,40,44,46	0
3	GLA	U	2	11/12	0.97	0.07	61,66,67,69	0
5	BGC	a	1[A]	12/12	-	-	76,78,80,81	12
5	GLA	a	2[A]	11/12	-	-	71,75,77,80	11
5	GLA	a	3[A]	11/12	-	-	67,68,70,70	11
5	BGC	b	1[B]	12/12	-	-	76,78,80,81	12
5	GLA	b	2[B]	11/12	-	-	71,75,77,80	11
5	GLA	b	3[B]	11/12	-	-	67,68,70,70	11

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain M:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain V:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Y:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain c:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain d:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain W:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain X:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Z:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain T:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain a:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain b:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	S10	I	1075	15/15	0.69	0.17	76,77,79,79	15
6	S10	F	1073	9/15	0.82	0.16	55,65,73,78	0
6	S10	C	1073	15/15	0.82	0.15	74,79,87,87	0
6	S10	A	1076	15/15	0.85	0.11	45,68,78,78	0
6	S10	D	1075[A]	15/15	0.86	0.14	58,59,60,60	15
6	S10	E	1075	5/15	0.87	0.11	40,44,51,53	0
7	GLA	C	1070	11/12	0.89	0.13	57,67,73,74	0
6	S10	J	1077	5/15	0.93	0.08	59,60,62,63	0
8	SO4	I	1076	5/5	0.93	0.10	73,74,75,75	5
6	S10	J	1076	15/15	0.94	0.09	42,57,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.