



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:01 AM UTC

PDB ID : 2C5L / pdb_00002c5l
Title : Structure of PLC epsilon Ras association domain with hRas
Authors : Roe, S.M.; Bunney, T.D.; Katan, M.; Pearl, L.H.
Deposited on : 2005-10-27
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	173	2% 80% 13% ..
1	B	173	3% 80% 14% .
2	C	117	4% 66% 15% . 17%
2	D	117	49% 54% 12% . 31%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	B	1169	-	-	X	-
5	GOL	C	3240	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4690 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTPASE HRAS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	166	Total	C	N	O	S	0	6	0
			1361	851	231	272	7			
1	B	166	Total	C	N	O	S	0	5	0
			1353	846	232	267	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	VAL	GLY	engineered mutation	UNP P01112
B	12	VAL	GLY	engineered mutation	UNP P01112


- Molecule 2 is a protein called PHOSPHOINOSITIDE-SPECIFIC PHOSPHOLIPASE C PLC-EPSILON.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	97	Total	C	N	O	S	0	3	0
			773	494	131	145	3			
2	D	81	Total	C	N	O	S	0	0	0
			637	409	107	119	2			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	2176	LEU	TYR	engineered mutation	UNP Q9HBX6
D	2176	LEU	TYR	engineered mutation	UNP Q9HBX6

- Molecule 3 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
3	B	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	174	Total	O	0	0
			174	174		
6	B	171	Total	O	0	0
			171	171		
6	C	106	Total	O	0	0
			106	106		
6	D	25	Total	O	0	0
			25	25		



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GTPASE HRAS




- Molecule 1: GTPASE HRAS



- Molecule 2: PHOSPHOINOSITIDE-SPECIFIC PHOSPHOLIPASE C PLC-EPSILON



- Molecule 2: PHOSPHOINOSITIDE-SPECIFIC PHOSPHOLIPASE C PLC-EPSILON



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.42Å 93.62Å 111.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	111.80 – 1.90 71.69 – 1.91	Depositor EDS
% Data completeness (in resolution range)	99.9 (111.80-1.90) 99.5 (71.69-1.91)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.185 , 0.228 0.192 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.442	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4690	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	0/1392	0.87	1/1879 (0.1%)
1	B	0.96	0/1387	0.90	3/1871 (0.2%)
2	C	0.96	0/794	1.02	2/1074 (0.2%)
2	D	0.64	0/646	0.95	0/874
All	All	0.95	0/4219	0.92	6/5698 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2226	LYS	N-CA-C	6.95	122.00	112.90
1	B	161	ARG	NE-CZ-NH2	-6.47	113.38	119.20
1	B	161	ARG	NE-CZ-NH1	6.23	127.73	121.50
2	C	2139	VAL	CB-CA-C	-6.05	101.50	110.33
1	A	33	ASP	CB-CA-C	5.88	118.36	110.13
1	B	161	ARG	CD-NE-CZ	5.55	132.17	124.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1361	0	1341	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1353	0	1341	24	0
2	C	773	0	788	15	0
2	D	637	0	645	15	0
3	A	32	0	12	0	0
3	B	32	0	12	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	12	0	16	1	0
5	B	6	0	8	4	0
5	C	6	0	8	4	0
6	A	174	0	0	8	0
6	B	171	0	0	8	0
6	C	106	0	0	8	0
6	D	25	0	0	2	0
All	All	4690	0	4171	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:3240:GOL:H12	6:C:2106:HOH:O	1.08	1.22
1:A:33:ASP:HB2	6:A:2036:HOH:O	1.76	0.83
2:C:2173:LYS:HD2	6:C:2059:HOH:O	1.81	0.80
1:B:164:ARG:HE	1:B:165:GLN:HE21	1.30	0.79
2:D:2150:ARG:HD2	6:D:2011:HOH:O	1.83	0.79
2:C:2147:GLU:HG3	6:C:2037:HOH:O	1.83	0.79
1:A:164:ARG:HE	1:A:165:GLN:HE21	1.31	0.77
1:B:97[B]:ARG:NE	1:B:101:LYS:HD2	2.03	0.73
1:B:94:HIS:HB2	5:B:1169:GOL:H31	1.71	0.72
5:B:1169:GOL:H32	6:B:2101:HOH:O	1.89	0.71
2:D:2140:GLN:HG2	2:D:2152:VAL:HG22	1.73	0.71
1:A:99:GLN:OE1	6:A:2112:HOH:O	2.10	0.69
5:B:1169:GOL:C3	6:B:2101:HOH:O	2.40	0.68
1:A:3[B]:GLU:HG2	1:A:52:LEU:HD23	1.76	0.68
1:A:30[B]:ASP:OD1	6:A:2028:HOH:O	2.13	0.66
2:D:2160:THR:HG22	2:D:2163:ASP:CG	2.20	0.66
1:A:69:ASP:OD2	1:A:73:ARG:NH2	2.30	0.65
2:D:2209:GLN:O	2:D:2210:ARG:CB	2.48	0.62
1:A:94:HIS:H	1:A:94:HIS:CD2	2.18	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97[B]:ARG:HD2	6:B:2109:HOH:O	2.02	0.60
1:A:33:ASP:OD1	6:A:2036:HOH:O	2.16	0.60
1:A:3[A]:GLU:OE1	1:A:5:LYS:NZ	2.36	0.59
1:B:126:GLU:H	1:B:129:GLN:HE21	1.50	0.59
2:C:2147:GLU:CG	6:C:2037:HOH:O	2.45	0.58
1:B:97[A]:ARG:HD3	1:B:137:TYR:CD2	2.37	0.58
1:B:47:ASP:OD2	1:B:161:ARG:HD3	2.03	0.58
1:B:118[B]:CYS:SG	1:B:143:GLU:HB3	2.46	0.56
5:C:3240:GOL:C1	6:C:2106:HOH:O	1.95	0.56
1:A:95:GLN:HB3	6:A:2107:HOH:O	2.06	0.56
2:C:2192:GLU:OE2	2:C:2209:GLN:NE2	2.36	0.55
2:D:2213:LEU:HB2	2:D:2216:GLU:HB2	1.89	0.54
2:C:2210:ARG:NH1	5:C:3240:GOL:H11	2.21	0.54
1:B:41:ARG:HH22	1:B:54:ASP:HB2	1.73	0.53
1:B:41:ARG:NH2	1:B:54:ASP:HB2	2.24	0.53
1:B:97[B]:ARG:CZ	1:B:101:LYS:HD2	2.38	0.52
1:B:148:THR:O	1:B:149:ARG:HB2	2.08	0.52
2:C:2238:GLN:HG2	6:C:2102:HOH:O	2.10	0.52
1:B:42:LYS:HE3	1:B:44:VAL:CG1	2.40	0.51
1:A:39[B]:SER:O	2:C:2149:PRO:HD2	2.11	0.51
1:B:133:LEU:HD13	5:B:1169:GOL:H11	1.91	0.51
1:B:42:LYS:HE3	1:B:44:VAL:HG12	1.93	0.51
1:A:111:MET:HE2	1:A:139:ILE:HD13	1.93	0.50
2:D:2169:LEU:HD23	2:D:2178:ILE:HD13	1.94	0.50
1:A:29:VAL:HG13	1:A:31:GLU:CD	2.37	0.49
2:C:2147:GLU:CD	6:C:2037:HOH:O	2.55	0.49
1:A:12[B]:VAL:HG23	6:A:2013:HOH:O	2.11	0.49
5:A:1169:GOL:H2	2:C:2152:VAL:HG11	1.93	0.49
1:A:24:ILE:HD11	1:A:55:ILE:HD12	1.94	0.49
1:A:94:HIS:H	1:A:94:HIS:HD2	1.62	0.48
1:B:29:VAL:HG23	1:B:31:GLU:HG3	1.95	0.48
1:B:97[A]:ARG:HD3	1:B:137:TYR:CG	2.48	0.48
1:A:126:GLU:H	1:A:129:GLN:HE21	1.61	0.47
6:B:2044:HOH:O	2:D:2171:LYS:HD2	2.12	0.47
1:A:126:GLU:H	1:A:129:GLN:NE2	2.12	0.47
1:A:164:ARG:HE	1:A:165:GLN:NE2	2.05	0.47
6:B:2022:HOH:O	2:D:2176:LEU:HB2	2.16	0.46
2:C:2134:GLU:N	6:C:2017:HOH:O	2.48	0.46
2:D:2210:ARG:HH22	2:D:2216:GLU:CD	2.24	0.46
1:B:97[A]:ARG:HG2	6:B:2109:HOH:O	2.16	0.46
2:C:2195:LYS:HA	2:C:2196:ASP:C	2.40	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:LYS:HE3	6:A:2105:HOH:O	2.17	0.45
2:D:2209:GLN:O	2:D:2210:ARG:HB2	2.17	0.45
1:B:164:ARG:HE	1:B:165:GLN:NE2	2.07	0.44
1:A:33:ASP:CB	6:A:2036:HOH:O	2.50	0.44
2:C:2235:LEU:HB2	2:C:2238:GLN:HG3	1.98	0.44
2:C:2153[A]:ILE:HD11	2:C:2164:VAL:HG13	1.99	0.44
1:B:94:HIS:CE1	6:B:2109:HOH:O	2.71	0.43
2:D:2181:ASN:HD22	2:D:2181:ASN:N	2.16	0.43
1:A:33:ASP:HA	1:A:34:PRO:HD3	1.89	0.42
1:A:80:CYS:HB3	1:A:93[A]:ILE:HD12	2.01	0.42
2:C:2216:GLU:OE1	5:C:3240:GOL:H2	2.19	0.42
2:C:2153[B]:ILE:HD11	2:C:2168:THR:HA	2.00	0.42
2:D:2209:GLN:O	2:D:2210:ARG:HB3	2.19	0.42
2:D:2160:THR:OG1	2:D:2215:GLN:HA	2.19	0.42
1:B:26:ASN:ND2	1:B:149:ARG:NH2	2.68	0.42
1:B:3:GLU:OE2	1:B:41:ARG:NH2	2.53	0.41
1:B:26:ASN:HD22	1:B:149:ARG:NH2	2.19	0.41
2:D:2160:THR:CG2	2:D:2163:ASP:H	2.34	0.41
1:A:73:ARG:HH11	1:A:73:ARG:HG2	1.85	0.41
1:A:92:ASP:O	1:A:95:GLN:HG2	2.21	0.41
2:D:2160:THR:HG21	6:D:2024:HOH:O	2.20	0.41
1:B:166:HIS:HD2	6:B:2123:HOH:O	2.05	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	170/173 (98%)	167 (98%)	3 (2%)	0	100	100
1	B	169/173 (98%)	167 (99%)	2 (1%)	0	100	100
2	C	96/117 (82%)	95 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	75/117 (64%)	72 (96%)	2 (3%)	1 (1%)	9	3
All	All	510/580 (88%)	501 (98%)	8 (2%)	1 (0%)	43	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	2210	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	151/147 (103%)	145 (96%)	6 (4%)	28	20
1	B	150/147 (102%)	144 (96%)	6 (4%)	28	20
2	C	89/108 (82%)	85 (96%)	4 (4%)	24	17
2	D	74/108 (68%)	68 (92%)	6 (8%)	11	5
All	All	464/510 (91%)	442 (95%)	22 (5%)	25	15

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12[A]	VAL
1	A	12[B]	VAL
1	A	33	ASP
1	A	93[A]	ILE
1	A	93[B]	ILE
1	A	94	HIS
1	B	12	VAL
1	B	29	VAL
1	B	31	GLU
1	B	62	GLU
1	B	128	ARG
1	B	150	GLN
2	C	2139	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	2147	GLU
2	C	2194	VAL
2	C	2230	LYS
2	D	2153	ILE
2	D	2173	LYS
2	D	2176	LEU
2	D	2181	ASN
2	D	2185	SER
2	D	2215	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	GLN
1	A	94	HIS
1	A	95	GLN
1	A	99	GLN
1	A	129	GLN
1	A	150	GLN
1	A	165	GLN
1	B	26	ASN
1	B	129	GLN
1	B	165	GLN
2	C	2140	GLN
2	C	2162	GLN
2	C	2166	GLN
2	C	2222	GLN
2	D	2167	GLN
2	D	2181	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	A	1170	-	5,5,5	0.41	0	5,5,5	0.65	0
5	GOL	A	1169	-	5,5,5	0.33	0	5,5,5	0.64	0
5	GOL	C	3240	-	5,5,5	0.47	0	5,5,5	1.42	0
5	GOL	B	1169	-	5,5,5	0.42	0	5,5,5	1.03	0
3	GTP	A	1167	4	33,34,34	1.06	3 (9%)	50,54,54	1.42	9 (18%)
3	GTP	B	1167	4	33,34,34	1.40	4 (12%)	50,54,54	1.44	10 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	1170	-	-	2/4/4/4	-
5	GOL	A	1169	-	-	4/4/4/4	-
5	GOL	C	3240	-	-	2/4/4/4	-
5	GOL	B	1169	-	-	1/4/4/4	-
3	GTP	A	1167	4	-	2/22/38/38	0/3/3/3
3	GTP	B	1167	4	-	2/22/38/38	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1167	GTP	PB-O3B	4.46	1.64	1.59
3	B	1167	GTP	PA-O3A	4.01	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1167	GTP	PB-O3B	2.11	1.61	1.59
3	A	1167	GTP	PG-O3G	-2.10	1.47	1.54
3	B	1167	GTP	C5-N7	-2.05	1.35	1.39
3	B	1167	GTP	C2-N3	2.04	1.38	1.33
3	A	1167	GTP	C2-N3	2.01	1.38	1.33

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1167	GTP	C5-C4-N3	-3.97	122.07	128.39
3	B	1167	GTP	C5-C4-N3	-3.90	122.18	128.39
3	B	1167	GTP	C2-N3-C4	3.82	118.88	112.30
3	A	1167	GTP	C2-N3-C4	3.63	118.56	112.30
3	A	1167	GTP	N9-C4-N3	3.19	132.32	125.95
3	A	1167	GTP	N9-C8-N7	-3.03	107.78	113.40
3	B	1167	GTP	O6-C6-C5	-2.67	119.47	126.53
3	B	1167	GTP	N9-C4-N3	2.34	130.63	125.95
3	A	1167	GTP	C2-N1-C6	-2.32	120.91	125.11
3	B	1167	GTP	C2-N1-C6	-2.30	120.94	125.11
3	B	1167	GTP	N2-C2-N1	2.30	121.61	116.76
3	B	1167	GTP	N9-C8-N7	-2.29	109.15	113.40
3	B	1167	GTP	O2G-PG-O3B	2.29	112.31	104.64
3	B	1167	GTP	O2B-PB-O3B	2.25	113.36	107.27
3	B	1167	GTP	C5-C6-N1	2.21	118.88	113.25
3	A	1167	GTP	O3G-PG-O3B	2.18	111.95	104.64
3	A	1167	GTP	C5-C6-N1	2.14	118.70	113.25
3	A	1167	GTP	C8-N7-C5	2.06	107.93	104.26
3	A	1167	GTP	C8-N9-C4	2.03	109.84	106.03

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1169	GOL	O1-C1-C2-C3
5	A	1169	GOL	C1-C2-C3-O3
5	A	1169	GOL	O2-C2-C3-O3
5	A	1170	GOL	C1-C2-C3-O3
5	A	1169	GOL	O1-C1-C2-O2
5	C	3240	GOL	O1-C1-C2-O2
3	A	1167	GTP	PA-O3A-PB-O1B
3	A	1167	GTP	PA-O3A-PB-O2B
3	B	1167	GTP	PA-O3A-PB-O2B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	1170	GOL	O2-C2-C3-O3
5	C	3240	GOL	O2-C2-C3-O3
5	B	1169	GOL	O1-C1-C2-O2
3	B	1167	GTP	PA-O3A-PB-O1B


There are no ring outliers.

3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1169	GOL	1	0
5	C	3240	GOL	4	0
5	B	1169	GOL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand GTP A 1167



Ligand GTP B 1167



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	166/173 (95%)	-0.02	4 (2%) 59 63	9, 21, 34, 39	6 (3%)
1	B	166/173 (95%)	0.30	6 (3%) 46 49	12, 25, 38, 44	5 (3%)
2	C	97/117 (82%)	0.25	5 (5%) 33 35	12, 24, 47, 55	3 (3%)
2	D	81/117 (69%)	2.83	57 (70%) 0 0	36, 62, 75, 85	0
All	All	510/580 (87%)	0.59	72 (14%) 6 6	9, 25, 67, 85	14 (2%)

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	2211	VAL	6.7
2	C	2196	ASP	5.9
2	D	2176	LEU	5.6
2	D	2213	LEU	5.4
2	D	2219	PHE	5.2
2	C	2239	VAL	5.1
2	D	2158	VAL	4.9
2	D	2179	LEU	4.9
2	D	2208	SER	4.8
2	D	2235	LEU	4.7
2	D	2190	LEU	4.7
2	D	2178	ILE	4.6
2	D	2189	LEU	4.6
2	D	2193	VAL	4.6
2	D	2234	LYS	4.4
2	D	2218	VAL	4.3
2	D	2177	SER	4.0
2	D	2212	LEU	3.9
2	D	2137	PHE	3.9
2	D	2174	TYR	3.8
2	D	2184	PRO	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	2233	LEU	3.7
1	A	33	ASP	3.5
2	D	2188	VAL	3.5
2	D	2231	PHE	3.4
2	D	2214	ASP	3.4
2	D	2182	PRO	3.4
2	D	2163	ASP	3.3
2	D	2232	ILE	3.3
2	D	2134	GLU	3.2
2	D	2217	CYS	3.2
2	D	2156	PRO	3.1
2	D	2236	LYS	3.1
2	D	2155	ALA	3.1
1	B	27	HIS	3.1
2	D	2187	TYR	3.1
2	D	2230	LYS	3.0
2	D	2209	GLN	3.0
2	D	2164	VAL	3.0
1	B	30	ASP	3.0
2	D	2171	LYS	3.0
2	D	2139	VAL	3.0
2	D	2238	GLN	3.0
2	D	2135	GLU	3.0
2	D	2180	SER	2.9
2	D	2185	SER	2.9
1	A	94	HIS	2.7
2	D	2172	ALA	2.7
1	B	62	GLU	2.7
1	A	166	HIS	2.7
2	D	2138	PHE	2.6
2	D	2215	GLN	2.6
2	D	2237	GLU	2.5
2	D	2181	ASN	2.5
2	D	2141	VAL	2.5
2	C	2238	GLN	2.4
1	A	105	ASP	2.4
2	D	2175	SER	2.4
1	B	31	GLU	2.3
2	D	2216	GLU	2.3
2	D	2143	ASP	2.3
1	B	29	VAL	2.3
2	D	2192	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	2183	ASN	2.2
2	D	2161	ALA	2.2
2	C	2207	SER	2.2
2	D	2157	ARG	2.1
1	B	122	ALA	2.1
2	D	2153	ILE	2.1
2	C	2237	GLU	2.1
2	D	2186	ASP	2.1
2	D	2173	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	A	1169	6/6	0.71	0.24	54,54,55,55	0
5	GOL	C	3240	6/6	0.78	0.20	42,50,54,58	0
5	GOL	A	1170	6/6	0.86	0.12	36,40,40,42	0
5	GOL	B	1169	6/6	0.88	0.16	33,36,36,40	0
3	GTP	B	1167	32/32	0.97	0.06	21,24,27,28	0
4	MG	A	1168	1/1	0.99	0.05	18,18,18,18	0
4	MG	B	1168	1/1	0.99	0.05	24,24,24,24	0
3	GTP	A	1167	32/32	0.99	0.04	13,17,19,20	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around GTP B 1167:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP A 1167:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.