



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:12 AM UTC

PDB ID : 6C68 / pdb_00006c68
Title : MHC-independent t cell receptor A11
Authors : Lu, J.; Van Laethem, F.; Saba, I.; Chu, J.; Bhattacharya, A.; Love, N.C.;
Tikhonova, A.; Radaev, S.; Sun, X.; Ko, A.; Arnon, T.; Shifrut, E.; Friedman,
N.; Weng, N.; Singer, A.; Sun, P.D.
Deposited on : 2018-01-18
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	206	4% 74% 21% .
1	C	206	3% 80% 17% .
2	B	240	5% 71% 21% 6% ..
2	D	240	8% 68% 23% 8% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7135 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-cell receptor alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	205	Total	C	N	O	S	0	0	0
			1613	1014	268	323	8			
1	C	205	Total	C	N	O	S	0	0	0
			1613	1014	268	323	8			

- Molecule 2 is a protein called T-cell receptor beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	238	Total	C	N	O	S	0	0	0
			1886	1184	330	366	6			
2	D	238	Total	C	N	O	S	0	0	0
			1883	1181	330	366	6			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	40	Total	O	0	0
			40	40		
3	B	30	Total	O	0	0
			30	30		
3	C	36	Total	O	0	0
			36	36		
3	D	34	Total	O	0	0
			34	34		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: T-cell receptor alpha chain




- Molecule 1: T-cell receptor alpha chain



- Molecule 2: T-cell receptor beta chain



- Molecule 2: T-cell receptor beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.24Å 102.56Å 118.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.02 – 2.59 34.02 – 2.59	Depositor EDS
% Data completeness (in resolution range)	(Not available) (34.02-2.59) 93.1 (34.02-2.59)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.93 (at 2.58Å)	Xtriage
Refinement program	BUSTER 2.8.0	Depositor
R, R_{free}	0.202 , 0.258 0.216 , 0.282	Depositor DCC
R_{free} test set	1619 reflections (4.71%)	wwPDB-VP
Wilson B-factor (Å ²)	59.3	Xtriage
Anisotropy	0.553	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7135	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	3/1652 (0.2%)	1.36	12/2244 (0.5%)
1	C	0.89	0/1652	1.35	9/2244 (0.4%)
2	B	0.88	3/1937 (0.2%)	1.33	15/2642 (0.6%)
2	D	0.96	1/1934 (0.1%)	1.40	13/2638 (0.5%)
All	All	0.93	7/7175 (0.1%)	1.36	49/9768 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	98	TYR	C-N	-8.93	1.21	1.33
1	A	128	ASP	CA-C	-7.14	1.43	1.52
2	B	91	SER	C-O	-6.89	1.15	1.23
1	A	128	ASP	C-O	-6.60	1.15	1.23
2	B	98	TYR	C-O	-5.92	1.16	1.23
1	A	130	LYS	C-O	-5.30	1.17	1.24
2	B	91	SER	N-CA	-5.15	1.39	1.45

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	96	SER	N-CA-C	10.80	124.46	110.53
2	D	93	GLN	N-CA-C	-10.78	96.31	110.43
2	B	156	VAL	N-CA-CB	9.03	121.82	110.99
2	B	96	SER	N-CA-C	8.10	121.22	110.53
2	D	71	ASN	N-CA-C	7.99	122.65	109.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	156	VAL	N-CA-CB	7.36	121.21	111.64
1	C	96	ASN	N-CA-C	7.29	124.55	113.61
2	D	83	GLN	N-CA-C	-7.02	103.89	113.30
2	D	97	ASP	CB-CA-C	-6.65	98.56	109.53
1	C	165	ASP	CA-CB-CG	6.56	119.16	112.60
1	A	132	SER	N-CA-C	6.47	119.67	109.39
1	A	170	ASP	CA-C-N	6.39	131.20	122.19
1	A	170	ASP	C-N-CA	6.39	131.20	122.19
2	B	25	ASN	CA-CB-CG	6.26	118.86	112.60
1	C	103	VAL	N-CA-C	-6.25	99.42	108.17
2	D	48	TYR	N-CA-C	-6.09	105.87	113.55
2	B	93	GLN	N-CA-C	-5.79	101.06	110.20
1	A	170	ASP	CA-CB-CG	5.78	118.38	112.60
1	C	128	ASP	CA-CB-CG	5.74	118.34	112.60
2	B	131	SER	CA-C-N	5.72	128.22	120.38
2	B	131	SER	C-N-CA	5.72	128.22	120.38
1	A	130	LYS	O-C-N	-5.67	116.58	123.27
2	B	15	GLY	N-CA-C	5.56	118.44	112.33
2	B	176	PRO	CA-C-N	5.55	127.66	120.44
2	B	176	PRO	C-N-CA	5.55	127.66	120.44
1	A	6	THR	CB-CA-C	5.55	118.93	109.72
1	A	105	GLY	N-CA-C	-5.54	104.13	112.89
2	D	18	THR	CB-CA-C	5.53	118.70	110.62
1	A	129	SER	N-CA-C	5.48	117.33	111.36
1	C	133	ASP	CA-CB-CG	5.48	118.08	112.60
1	A	13	THR	CB-CA-C	5.39	118.73	109.51
2	D	219	THR	CB-CA-C	5.38	119.67	111.76
1	C	3	VAL	N-CA-CB	5.33	119.88	111.99
1	A	190	ALA	N-CA-C	5.31	117.98	111.82
1	A	201	PHE	CA-CB-CG	5.29	119.09	113.80
2	B	149	HIS	CA-CB-CG	5.28	119.08	113.80
1	C	132	SER	CA-C-N	5.27	131.60	121.54
1	C	132	SER	C-N-CA	5.27	131.60	121.54
1	C	6	THR	N-CA-CB	5.12	117.48	109.85
2	D	25	ASN	CA-CB-CG	5.09	117.69	112.60
1	A	141	ASP	N-CA-C	5.08	119.05	112.86
2	B	48	TYR	N-CA-C	-5.07	105.41	112.45
2	B	48	TYR	CA-C-N	5.05	129.37	122.90
2	B	48	TYR	C-N-CA	5.05	129.37	122.90
2	D	221	ASP	CA-C-N	5.04	129.39	120.87
2	D	221	ASP	C-N-CA	5.04	129.39	120.87
2	B	81	LEU	CA-C-N	5.02	127.42	120.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	81	LEU	C-N-CA	5.02	127.42	120.29
2	D	60	ASP	N-CA-C	5.00	116.35	109.15

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	105	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1613	0	1531	33	0
1	C	1613	0	1531	20	0
2	B	1886	0	1780	49	0
2	D	1883	0	1771	49	0
3	A	40	0	0	1	0
3	B	30	0	0	0	0
3	C	36	0	0	1	0
3	D	34	0	0	0	0
All	All	7135	0	6613	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:93:GLN:HB3	2:B:96:SER:OG	1.30	1.26
2:D:29:TYR:HB2	2:D:92:SER:O	1.43	1.15
1:A:102:TYR:CD1	2:B:98:TYR:HE2	1.69	1.09
2:B:31:TYR:CE1	2:B:98:TYR:HE1	1.72	1.07
2:D:31:TYR:HD1	2:D:90:ALA:O	1.40	1.05
1:A:102:TYR:CE1	2:B:98:TYR:HE2	1.79	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:TYR:CE1	2:B:98:TYR:CE2	2.54	0.95
1:C:100:TYR:CE2	2:D:94:THR:O	2.20	0.94
1:A:130:LYS:O	1:A:131:SER:HB2	1.71	0.90
2:D:32:TRP:CD1	2:D:72:PHE:CE2	2.60	0.90
1:A:102:TYR:CZ	2:B:98:TYR:CD2	2.61	0.88
2:D:222:ARG:HH11	2:D:222:ARG:HG3	1.38	0.86
2:B:31:TYR:CE1	2:B:98:TYR:CE1	2.63	0.84
2:D:32:TRP:HD1	2:D:72:PHE:CE2	1.95	0.84
1:A:102:TYR:CD1	2:B:98:TYR:CE2	2.61	0.83
1:A:102:TYR:CZ	2:B:98:TYR:HD2	1.96	0.83
2:D:31:TYR:CD1	2:D:90:ALA:O	2.30	0.80
2:B:93:GLN:CB	2:B:96:SER:OG	2.24	0.79
2:D:47:SER:OG	2:D:66:ARG:HD3	1.83	0.78
2:D:105:ARG:HE	2:D:107:LEU:HD11	1.48	0.77
1:A:102:TYR:CE2	2:B:98:TYR:HD2	2.03	0.76
2:D:97:ASP:N	2:D:97:ASP:OD1	2.20	0.73
1:A:102:TYR:CE2	2:B:98:TYR:CD2	2.76	0.73
1:A:130:LYS:O	1:A:131:SER:CB	2.30	0.73
2:B:235:TRP:CD1	2:B:235:TRP:N	2.59	0.71
1:C:6:THR:HG23	1:C:21:ASN:HB2	1.74	0.69
2:D:32:TRP:CD1	2:D:72:PHE:HE2	2.12	0.68
1:A:166:MET:HE2	1:A:169:MET:SD	2.34	0.68
1:A:102:TYR:CZ	2:B:98:TYR:CE2	2.81	0.67
2:D:62:TYR:HD2	2:D:74:LEU:HD21	1.60	0.66
1:A:164:LEU:HB3	2:B:166:CYS:HB3	1.79	0.64
2:B:148:ASP:HB2	2:B:171:PRO:HG2	1.80	0.64
1:C:101:LYS:NZ	1:C:101:LYS:HB3	2.14	0.63
2:B:93:GLN:HB3	2:B:96:SER:CB	2.25	0.63
2:D:27:HIS:ND1	2:D:93:GLN:HG3	2.14	0.63
2:D:66:ARG:HH11	2:D:66:ARG:HG3	1.64	0.62
2:B:4:GLN:NE2	2:B:89:CYS:H	1.98	0.62
2:D:127:GLU:H	2:D:127:GLU:CD	2.07	0.62
2:B:6:PRO:O	2:B:104:THR:HB	2.00	0.61
2:B:81:LEU:O	2:B:84:THR:HG23	2.01	0.60
2:D:47:SER:CB	2:D:66:ARG:HD3	2.32	0.59
2:D:32:TRP:HD1	2:D:72:PHE:HE2	1.46	0.59
1:C:101:LYS:HB3	1:C:101:LYS:HZ2	1.68	0.59
1:C:100:TYR:CZ	2:D:94:THR:O	2.56	0.57
1:C:100:TYR:CD2	2:D:94:THR:O	2.59	0.56
1:A:9:LEU:HD11	1:A:111:LYS:HB2	1.88	0.56
2:B:6:PRO:HD2	2:B:19:LEU:HD23	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:99:ASN:ND2	1:C:99:ASN:H	2.04	0.56
2:D:49:VAL:HG13	2:D:52:SER:HB2	1.87	0.56
2:D:62:TYR:CD2	2:D:74:LEU:HD21	2.40	0.55
2:D:62:TYR:HB3	2:D:74:LEU:HD21	1.89	0.55
1:C:12:VAL:CG1	1:C:110:LEU:HD11	2.36	0.54
1:A:5:GLN:NE2	1:A:90:CYS:H	2.04	0.54
2:B:212:LEU:HD22	2:B:225:PRO:HD2	1.90	0.54
2:B:137:THR:OG1	2:B:190:ARG:HD3	2.07	0.54
1:C:100:TYR:CD2	2:D:94:THR:HA	2.43	0.54
2:D:222:ARG:HH11	2:D:222:ARG:CG	2.12	0.54
1:C:5:GLN:NE2	1:C:90:CYS:H	2.06	0.53
1:A:164:LEU:HD12	1:A:164:LEU:C	2.33	0.53
1:C:166:MET:SD	2:D:190:ARG:HG2	2.48	0.53
2:D:30:MET:HE1	2:D:70:GLU:O	2.09	0.53
1:A:166:MET:CE	1:A:169:MET:SD	2.95	0.53
1:A:188:ALA:HA	1:A:202:PHE:CE1	2.45	0.52
1:C:101:LYS:NZ	1:C:101:LYS:CB	2.72	0.52
2:D:125:PRO:HD3	2:D:138:LEU:HG	1.90	0.51
2:D:22:HIS:HE1	2:D:70:GLU:OE1	1.94	0.51
2:D:148:ASP:HB3	2:D:183:TYR:CG	2.45	0.51
2:D:152:LEU:HD21	2:D:205:CYS:SG	2.50	0.51
2:D:115:VAL:HG12	2:D:225:PRO:HB2	1.92	0.51
1:C:99:ASN:ND2	1:C:99:ASN:N	2.59	0.51
2:D:212:LEU:HD22	2:D:225:PRO:HG2	1.94	0.50
2:B:93:GLN:HB3	2:B:96:SER:HG	1.65	0.50
1:A:99:ASN:HA	2:B:29:TYR:OH	2.12	0.50
2:D:19:LEU:HD22	2:D:104:THR:HG21	1.92	0.50
2:D:137:THR:OG1	2:D:190:ARG:HD3	2.11	0.49
2:B:201:ASN:O	2:B:235:TRP:HA	2.12	0.49
1:A:63:HIS:HD2	3:A:308:HOH:O	1.96	0.49
2:B:29:TYR:HE2	2:B:94:THR:OG1	1.96	0.49
1:A:56:ARG:NH1	1:A:58:GLU:OE2	2.46	0.49
2:B:149:HIS:HB3	2:B:210:TYR:HB2	1.94	0.49
2:D:66:ARG:HH11	2:D:66:ARG:CG	2.26	0.49
1:A:113:ILE:HD12	1:A:144:SER:HB3	1.95	0.49
2:B:112:LEU:HD22	2:B:112:LEU:H	1.77	0.48
1:A:102:TYR:CG	2:B:98:TYR:CE2	3.01	0.48
2:B:235:TRP:HZ3	2:D:206:GLN:OE1	1.97	0.48
1:C:101:LYS:HZ2	1:C:101:LYS:CB	2.26	0.48
1:C:12:VAL:HG12	1:C:110:LEU:HD11	1.95	0.48
2:D:140:CYS:HB2	2:D:154:TRP:CZ2	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:86:VAL:HG22	2:B:105:ARG:HG2	1.96	0.47
1:A:100:TYR:CD2	2:B:94:THR:O	2.68	0.47
1:C:34:PHE:HB2	1:C:91:ALA:HB3	1.96	0.47
2:D:115:VAL:HG11	2:D:212:LEU:HD13	1.97	0.47
1:A:136:VAL:HG22	1:A:179:TRP:HB3	1.95	0.47
1:C:163:VAL:HG22	1:C:174:ASN:OD1	2.15	0.47
2:B:172:LEU:HD23	2:B:172:LEU:O	2.14	0.47
2:D:42:ARG:HD3	2:D:58:ILE:HD13	1.97	0.47
2:D:112:LEU:HD13	2:D:212:LEU:HD21	1.97	0.47
1:A:18:VAL:HG21	1:A:110:LEU:HD13	1.96	0.46
2:D:76:LEU:HD13	2:D:83:GLN:OE1	2.15	0.46
2:D:12:VAL:HA	2:D:109:ILE:O	2.16	0.46
1:C:38:GLN:HG3	1:C:44:PRO:HG3	1.96	0.46
1:A:23:THR:HA	1:A:71:SER:O	2.16	0.46
2:B:34:ARG:HB3	2:B:44:ILE:HD11	1.99	0.45
2:B:107:LEU:HD12	2:B:149:HIS:CE1	2.52	0.45
2:B:30:MET:HE2	2:B:69:GLN:O	2.17	0.45
2:B:173:LYS:HD2	2:B:176:PRO:HA	1.98	0.44
2:B:36:ASP:HB2	2:B:39:HIS:HB2	1.98	0.44
2:D:47:SER:HB3	2:D:66:ARG:CD	2.48	0.44
1:A:6:THR:HG23	1:A:21:ASN:HB2	2.00	0.44
1:A:100:TYR:HB2	2:B:94:THR:HG23	2.00	0.43
1:A:133:ASP:OD1	1:A:133:ASP:N	2.51	0.43
2:B:84:THR:HB	2:B:107:LEU:HA	2.00	0.43
1:C:63:HIS:HD2	3:C:301:HOH:O	2.00	0.43
1:A:164:LEU:HD12	1:A:164:LEU:O	2.18	0.43
2:D:31:TYR:OH	2:D:92:SER:OG	2.24	0.43
2:B:235:TRP:CD1	2:B:235:TRP:H	2.34	0.43
2:D:22:HIS:CE1	2:D:70:GLU:HB3	2.54	0.43
2:D:47:SER:HB3	2:D:66:ARG:HD3	2.00	0.43
1:A:163:VAL:HG22	1:A:174:ASN:OD1	2.19	0.42
2:B:14:GLY:HA2	2:B:78:LEU:HD23	2.01	0.42
1:A:130:LYS:O	1:A:131:SER:C	2.57	0.42
2:B:173:LYS:HD3	2:B:181:SER:HB3	2.02	0.42
2:B:25:ASN:H	2:B:25:ASN:HD22	1.66	0.42
2:D:222:ARG:HD2	2:D:223:ALA:O	2.19	0.41
2:D:95:ASN:ND2	2:D:96:SER:OG	2.53	0.41
2:B:168:ASP:HB2	2:B:185:LEU:HD12	2.01	0.41
2:B:222:ARG:HH12	2:B:225:PRO:HG3	1.84	0.41
1:C:96:ASN:O	1:C:97:THR:C	2.62	0.41
2:D:31:TYR:N	2:D:90:ALA:O	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:107:LEU:HD13	2:B:147:PRO:HB3	2.04	0.40
2:B:168:ASP:HB2	2:B:185:LEU:CD1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	203/206 (98%)	190 (94%)	13 (6%)	0	100	100
1	C	203/206 (98%)	195 (96%)	8 (4%)	0	100	100
2	B	236/240 (98%)	226 (96%)	9 (4%)	1 (0%)	30	51
2	D	236/240 (98%)	227 (96%)	9 (4%)	0	100	100
All	All	878/892 (98%)	838 (95%)	39 (4%)	1 (0%)	48	70

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	50	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/186 (100%)	164 (89%)	21 (11%)	5	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	185/186 (100%)	164 (89%)	21 (11%)	5	11
2	B	206/209 (99%)	177 (86%)	29 (14%)	3	6
2	D	205/209 (98%)	174 (85%)	31 (15%)	3	5
All	All	781/790 (99%)	679 (87%)	102 (13%)	4	8

All (102) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	13	THR
1	A	18	VAL
1	A	19	MET
1	A	25	GLN
1	A	49	ARG
1	A	52	THR
1	A	56	ARG
1	A	66	LEU
1	A	70	SER
1	A	109	ARG
1	A	111	LYS
1	A	116	ILE
1	A	131	SER
1	A	136	VAL
1	A	148	VAL
1	A	163	VAL
1	A	173	SER
1	A	175	SER
1	A	184	ASP
1	A	195	ILE
2	B	2	VAL
2	B	8	SER
2	B	12	VAL
2	B	24	THR
2	B	25	ASN
2	B	51	ASP
2	B	74	LEU
2	B	75	ILE
2	B	76	LEU
2	B	84	THR
2	B	96	SER
2	B	97	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	104	THR
2	B	107	LEU
2	B	111	ASP
2	B	112	LEU
2	B	137	THR
2	B	141	LEU
2	B	156	VAL
2	B	166	CYS
2	B	172	LEU
2	B	178	LEU
2	B	180	ASP
2	B	190	ARG
2	B	204	ARG
2	B	215	ASN
2	B	220	GLN
2	B	231	SER
2	B	235	TRP
1	C	3	VAL
1	C	18	VAL
1	C	19	MET
1	C	38	GLN
1	C	40	LEU
1	C	49	ARG
1	C	56	ARG
1	C	66	LEU
1	C	80	VAL
1	C	87	LEU
1	C	97	THR
1	C	99	ASN
1	C	101	LYS
1	C	111	LYS
1	C	130	LYS
1	C	134	LYS
1	C	136	VAL
1	C	152	LYS
1	C	182	LYS
1	C	195	ILE
1	C	198	GLU
2	D	3	THR
2	D	4	GLN
2	D	7	ARG
2	D	12	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	25	ASN
2	D	30	MET
2	D	51	ASP
2	D	57	ASP
2	D	66	ARG
2	D	74	LEU
2	D	75	ILE
2	D	76	LEU
2	D	77	GLU
2	D	95	ASN
2	D	97	ASP
2	D	107	LEU
2	D	109	ILE
2	D	110	GLU
2	D	127	GLU
2	D	152	LEU
2	D	156	VAL
2	D	166	CYS
2	D	172	LEU
2	D	175	GLN
2	D	178	LEU
2	D	180	ASP
2	D	190	ARG
2	D	215	ASN
2	D	217	GLU
2	D	222	ARG
2	D	237	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	63	HIS
1	A	76	GLN
1	A	81	GLN
1	A	117	GLN
1	A	125	GLN
1	A	193	ASN
2	B	4	GLN
2	B	25	ASN
2	B	45	HIS
1	C	5	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	38	GLN
1	C	54	ASN
1	C	99	ASN
1	C	125	GLN
1	C	145	GLN
1	C	192	ASN
2	D	4	GLN
2	D	23	GLN
2	D	45	HIS
2	D	71	ASN
2	D	95	ASN
2	D	228	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	205/206 (99%)	0.36	8 (3%)	43 38	35, 65, 112, 134	0
1	C	205/206 (99%)	0.31	6 (2%)	53 48	33, 61, 108, 118	0
2	B	238/240 (99%)	0.50	11 (4%)	37 32	43, 70, 103, 120	0
2	D	238/240 (99%)	0.73	20 (8%)	17 13	43, 74, 112, 124	0
All	All	886/892 (99%)	0.49	45 (5%)	33 28	33, 69, 110, 134	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	93	GLN	4.9
2	B	98	TYR	4.1
2	D	91	SER	4.0
1	A	195	ILE	3.8
2	B	95	ASN	3.6
2	D	58	ILE	3.5
2	D	50	ALA	3.4
2	D	89	CYS	3.4
2	D	41	LEU	3.1
2	D	1	ALA	3.0
2	D	94	THR	3.0
1	C	100	TYR	2.9
2	D	92	SER	2.9
2	D	32	TRP	2.9
2	D	112	LEU	2.8
2	B	46	TYR	2.7
1	C	97	THR	2.7
2	D	99	THR	2.6
1	A	134	LYS	2.6
1	A	202	PHE	2.5
2	D	90	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	96	SER	2.5
2	D	29	TYR	2.5
2	B	238	ALA	2.4
2	B	50	ALA	2.4
2	D	49	VAL	2.3
2	B	48	TYR	2.3
2	D	109	ILE	2.3
1	A	185	PHE	2.3
1	A	100	TYR	2.3
1	C	137	CYS	2.3
2	B	69	GLN	2.2
2	B	29	TYR	2.2
1	A	137	CYS	2.2
1	C	205	PRO	2.2
2	D	2	VAL	2.2
1	C	136	VAL	2.1
1	A	187	CYS	2.1
1	C	187	CYS	2.1
2	B	180	ASP	2.1
2	B	90	ALA	2.1
2	D	98	TYR	2.1
2	D	9	LYS	2.1
1	A	123	VAL	2.0
2	B	49	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.