



Full wwPDB EM Validation Report ⓘ

Mar 10, 2026 – 05:39 AM UTC

PDB ID : 2C7D / pdb_00002c7d
EMDB ID : EMD-1181
Title : Fitted coordinates for GroEL-ADP7-GroES Cryo-EM complex (EMD-1181)
Authors : Ranson, N.A.; Clare, D.K.; Farr, G.W.; Houldershaw, D.; Horwich, A.L.;
Saibil, H.R.
Deposited on : 2005-11-22
Resolution : 8.70 Å(reported)
Based on initial model : 1AON

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 8.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Q-score	-	25397	282 (8.20 - 9.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	547	8% 93% . .
1	B	547	8% 93% . .
1	C	547	9% 93% . .
1	D	547	8% 93% . .
1	E	547	8% 93% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	547	
1	G	547	
1	H	547	
1	I	547	
1	J	547	
1	K	547	
1	L	547	
1	M	547	
1	N	547	
2	O	97	
2	P	97	
2	Q	97	
2	R	97	
2	S	97	
2	T	97	
2	U	97	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 57946 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60 KDA CHAPERONIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	B	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	C	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	D	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	E	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	F	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	G	525	Total	C	N	O	S	0	1
			3805	2397	622	766	20		
1	H	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		
1	I	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		
1	J	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		
1	K	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		
1	L	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		
1	M	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		
1	N	523	Total	C	N	O	S	0	1
			3793	2389	620	764	20		


- Molecule 2 is a protein called 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	O	93	Total 680	C 432	N 112	O 135	S 1	0	1
2	P	93	Total 680	C 432	N 112	O 135	S 1	0	1
2	Q	93	Total 680	C 432	N 112	O 135	S 1	0	1
2	R	93	Total 680	C 432	N 112	O 135	S 1	0	1
2	S	93	Total 680	C 432	N 112	O 135	S 1	0	1
2	T	93	Total 680	C 432	N 112	O 135	S 1	0	1
2	U	93	Total 680	C 432	N 112	O 135	S 1	0	1


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 60 KDA CHAPERONIN



• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN




ALA
ALA
GLY
GLY
MET
MET
GLY
GLY
MET
MET
GLY
GLY
MET
MET


• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN







• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN





• Molecule 1: 60 KDA CHAPERONIN






• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN




• Molecule 1: 60 KDA CHAPERONIN









• Molecule 1: 60 KDA CHAPERONIN





• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN




• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN





• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN





- Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN




- Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN



- Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN



- Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C7	Depositor
Number of particles used	7591	Depositor
Resolution determination method	Not provided	
CTF correction method	FULL CORRECTION ON 2D CLASS AVERAGES	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	15	Depositor
Minimum defocus (nm)	1400	Depositor
Maximum defocus (nm)	3300	Depositor
Magnification	50000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	7.869	Depositor
Minimum map value	-4.594	Depositor
Average map value	0.197	Depositor
Map value standard deviation	0.750	Depositor
Recommended contour level	1.9	Depositor
Map size (Å)	268.8, 268.8, 268.8	wwPDB
Map dimensions	192, 192, 192	wwPDB
Map angles (°)	90, 90, 90	wwPDB
Pixel spacing (Å)	1.4, 1.4, 1.4	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	1/3833 (0.0%)	1.36	5/5165 (0.1%)
1	B	0.81	1/3833 (0.0%)	1.37	6/5165 (0.1%)
1	C	0.81	1/3833 (0.0%)	1.36	5/5165 (0.1%)
1	D	0.80	1/3833 (0.0%)	1.37	8/5165 (0.2%)
1	E	0.80	1/3833 (0.0%)	1.38	8/5165 (0.2%)
1	F	0.81	1/3833 (0.0%)	1.36	4/5165 (0.1%)
1	G	0.82	1/3833 (0.0%)	1.36	0/5165
1	H	0.81	1/3820 (0.0%)	1.38	6/5146 (0.1%)
1	I	0.81	1/3820 (0.0%)	1.37	3/5146 (0.1%)
1	J	0.80	1/3820 (0.0%)	1.38	9/5146 (0.2%)
1	K	0.81	1/3820 (0.0%)	1.38	7/5146 (0.1%)
1	L	0.82	1/3820 (0.0%)	1.39	7/5146 (0.1%)
1	M	0.82	1/3820 (0.0%)	1.38	7/5146 (0.1%)
1	N	0.81	1/3820 (0.0%)	1.38	7/5146 (0.1%)
2	O	0.92	1/684 (0.1%)	1.44	2/918 (0.2%)
2	P	0.91	1/684 (0.1%)	1.45	4/918 (0.4%)
2	Q	0.91	1/684 (0.1%)	1.45	4/918 (0.4%)
2	R	0.92	1/684 (0.1%)	1.45	2/918 (0.2%)
2	S	0.92	1/684 (0.1%)	1.46	1/918 (0.1%)
2	T	0.88	1/684 (0.1%)	1.48	5/918 (0.5%)
2	U	0.88	1/684 (0.1%)	1.41	2/918 (0.2%)
All	All	0.82	21/58359 (0.0%)	1.38	102/78603 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	2	3
1	B	2	3
1	C	2	3
1	D	2	3

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	2	3
1	F	2	3
1	G	2	5
1	J	0	1
1	K	0	1
1	L	0	4
1	N	0	3
2	P	0	1
2	T	0	1
2	U	0	1
All	All	14	35

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	525	PRO	C-N	-6.05	1.24	1.33
1	M	524	LEU	C-N	-5.88	1.25	1.34
1	L	524	LEU	C-N	-5.82	1.25	1.34
2	Q	94	ILE	C-N	-5.74	1.25	1.33
1	I	524	LEU	C-N	-5.73	1.25	1.34
1	C	525	PRO	C-N	-5.71	1.25	1.33
2	O	94	ILE	C-N	-5.61	1.25	1.33
1	N	524	LEU	C-N	-5.59	1.25	1.34
1	J	524	LEU	C-N	-5.58	1.25	1.34
1	E	525	PRO	C-N	-5.53	1.25	1.33
1	K	524	LEU	C-N	-5.53	1.25	1.34
1	A	525	PRO	C-N	-5.52	1.25	1.33
2	S	94	ILE	C-N	-5.52	1.25	1.33
1	G	525	PRO	C-N	-5.50	1.25	1.33
2	P	94	ILE	C-N	-5.48	1.25	1.33
1	H	524	LEU	C-N	-5.44	1.25	1.34
2	T	94	ILE	C-N	-5.38	1.25	1.33
2	U	94	ILE	C-N	-5.36	1.25	1.33
2	R	94	ILE	C-N	-5.32	1.25	1.33
1	B	525	PRO	C-N	-5.25	1.25	1.33
1	D	525	PRO	C-N	-5.24	1.26	1.33

All (102) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	136	VAL	CA-C-N	7.63	129.38	119.84
1	N	136	VAL	C-N-CA	7.63	129.38	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	T	50	GLU	CA-C-N	7.16	135.21	121.54
2	T	50	GLU	C-N-CA	7.16	135.21	121.54
2	O	79	ASP	CA-C-N	6.69	134.32	121.54
2	O	79	ASP	C-N-CA	6.69	134.32	121.54
1	D	204	PHE	CA-CB-CG	6.61	120.41	113.80
2	R	50	GLU	CA-C-N	6.49	133.93	121.54
2	R	50	GLU	C-N-CA	6.49	133.93	121.54
2	P	79	ASP	CA-C-N	6.36	133.68	121.54
2	P	79	ASP	C-N-CA	6.36	133.68	121.54
1	F	136	VAL	CA-C-N	6.25	127.66	119.84
1	F	136	VAL	C-N-CA	6.25	127.66	119.84
1	K	356	ALA	CA-C-N	6.05	129.21	120.38
1	K	356	ALA	C-N-CA	6.05	129.21	120.38
1	E	34	LYS	CA-C-N	5.88	125.57	119.92
1	E	34	LYS	C-N-CA	5.88	125.57	119.92
1	E	196	ASP	CA-C-N	5.82	132.65	121.54
1	E	196	ASP	C-N-CA	5.82	132.65	121.54
1	I	153	ASN	CA-C-N	5.79	132.60	121.54
1	I	153	ASN	C-N-CA	5.79	132.60	121.54
1	J	88	GLY	CA-C-N	5.78	127.96	120.44
1	J	88	GLY	C-N-CA	5.78	127.96	120.44
1	H	353	ILE	CA-C-N	5.72	128.74	120.38
1	H	353	ILE	C-N-CA	5.72	128.74	120.38
1	J	83	ASP	CA-CB-CG	5.68	118.28	112.60
1	M	334	ASP	CA-C-N	5.66	125.48	120.10
1	M	334	ASP	C-N-CA	5.66	125.48	120.10
1	M	72	GLN	OE1-CD-NE2	-5.66	116.94	122.60
1	K	153	ASN	CA-C-N	5.64	132.30	121.54
1	K	153	ASN	C-N-CA	5.64	132.30	121.54
1	N	401	HIS	CB-CG-CD2	-5.62	123.89	131.20
1	L	153	ASN	CA-C-N	5.62	132.26	121.54
1	L	153	ASN	C-N-CA	5.62	132.26	121.54
1	E	136	VAL	CA-C-N	5.61	126.85	119.84
1	E	136	VAL	C-N-CA	5.61	126.85	119.84
1	D	34	LYS	CA-C-N	5.57	125.63	120.34
1	D	34	LYS	C-N-CA	5.57	125.63	120.34
1	A	34	LYS	CA-C-N	5.57	125.63	120.34
1	A	34	LYS	C-N-CA	5.57	125.63	120.34
1	N	334	ASP	CA-C-N	5.49	125.91	120.31
1	N	334	ASP	C-N-CA	5.49	125.91	120.31
1	M	353	ILE	CA-C-N	5.41	128.28	120.38
1	M	353	ILE	C-N-CA	5.41	128.28	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	183	LEU	CA-C-N	5.40	131.86	121.54
1	E	183	LEU	C-N-CA	5.40	131.86	121.54
2	Q	79	ASP	CA-C-N	5.40	131.85	121.54
2	Q	79	ASP	C-N-CA	5.40	131.85	121.54
1	J	328	ASP	CA-CB-CG	5.37	117.97	112.60
2	S	7	HIS	CB-CG-CD2	-5.36	124.23	131.20
2	T	51	ASN	N-CA-C	5.34	122.18	110.80
1	L	381	VAL	CA-C-N	5.33	125.86	122.18
1	L	381	VAL	C-N-CA	5.33	125.86	122.18
1	H	225	LYS	N-CA-C	5.33	115.58	108.38
1	C	204	PHE	CA-CB-CG	5.33	119.13	113.80
1	J	496	PRO	N-CA-CB	5.31	105.89	102.92
1	M	153	ASN	CA-C-N	5.31	131.68	121.54
1	M	153	ASN	C-N-CA	5.31	131.68	121.54
1	F	87	ASP	CA-CB-CG	5.30	117.90	112.60
1	J	153	ASN	CA-C-N	5.30	131.66	121.54
1	J	153	ASN	C-N-CA	5.30	131.66	121.54
1	K	209	GLU	CA-C-N	5.28	131.62	121.54
1	K	209	GLU	C-N-CA	5.28	131.62	121.54
2	Q	15	LYS	CA-C-N	5.28	129.17	121.31
2	Q	15	LYS	C-N-CA	5.28	129.17	121.31
1	H	46	ALA	N-CA-C	5.26	112.95	108.22
1	K	401	HIS	CB-CG-CD2	-5.26	124.36	131.20
2	P	31	ALA	CA-C-N	5.26	131.58	121.54
2	P	31	ALA	C-N-CA	5.26	131.58	121.54
1	A	351	GLN	OE1-CD-NE2	-5.24	117.36	122.60
1	I	140	ASP	CA-CB-CG	5.22	117.82	112.60
1	H	34	LYS	CA-C-N	5.21	125.95	120.43
1	H	34	LYS	C-N-CA	5.21	125.95	120.43
2	U	16	GLU	CA-C-N	5.20	127.46	120.50
2	U	16	GLU	C-N-CA	5.20	127.46	120.50
2	T	15	LYS	CA-C-N	5.18	131.44	121.54
2	T	15	LYS	C-N-CA	5.18	131.44	121.54
1	N	482	THR	CA-C-N	5.17	131.42	121.54
1	N	482	THR	C-N-CA	5.17	131.42	121.54
1	D	136	VAL	CA-C-N	5.14	126.27	119.84
1	D	136	VAL	C-N-CA	5.14	126.27	119.84
1	D	208	PRO	CA-C-N	5.13	127.88	120.38
1	D	208	PRO	C-N-CA	5.13	127.88	120.38
1	B	32	GLY	CA-C-N	5.13	124.44	118.85
1	B	32	GLY	C-N-CA	5.13	124.44	118.85
1	D	184	GLN	OE1-CD-NE2	-5.12	117.48	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	204	PHE	CA-CB-CG	5.10	118.90	113.80
1	L	334	ASP	CA-C-N	5.09	125.17	120.34
1	L	334	ASP	C-N-CA	5.09	125.17	120.34
1	C	34	LYS	CA-C-N	5.06	126.74	120.92
1	C	34	LYS	C-N-CA	5.06	126.74	120.92
1	J	348	GLN	OE1-CD-NE2	-5.03	117.57	122.60
1	C	93	THR	CA-C-N	5.03	126.89	120.56
1	C	93	THR	C-N-CA	5.03	126.89	120.56
1	J	313	THR	CA-CB-CG2	5.03	119.05	110.50
1	B	396	VAL	CA-C-N	5.02	127.32	120.54
1	B	396	VAL	C-N-CA	5.02	127.32	120.54
1	L	352	GLN	OE1-CD-NE2	-5.01	117.59	122.60
1	A	153	ASN	CA-C-N	5.01	131.10	121.54
1	A	153	ASN	C-N-CA	5.01	131.10	121.54
1	B	461	GLU	CA-C-N	5.00	126.09	119.84
1	B	461	GLU	C-N-CA	5.00	126.09	119.84

All (14) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	136	VAL	CA
1	A	137	PRO	CA
1	B	136	VAL	CA
1	B	137	PRO	CA
1	C	136	VAL	CA
1	C	137	PRO	CA
1	D	136	VAL	CA
1	D	137	PRO	CA
1	E	136	VAL	CA
1	E	137	PRO	CA
1	F	136	VAL	CA
1	F	137	PRO	CA
1	G	136	VAL	CA
1	G	137	PRO	CA

All (35) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	136	VAL	Peptide
1	A	4	LYS	Peptide
1	A	8	PHE	Peptide
1	B	136	VAL	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	218	PRO	Peptide
1	B	4	LYS	Peptide
1	C	136	VAL	Peptide
1	C	4	LYS	Peptide
1	C	8	PHE	Peptide
1	D	136	VAL	Peptide
1	D	195	PHE	Peptide
1	D	4	LYS	Peptide
1	E	136	VAL	Peptide
1	E	284	ARG	Peptide
1	E	4	LYS	Peptide
1	F	136	VAL	Peptide
1	F	172	GLU	Peptide
1	F	4	LYS	Peptide
1	G	136	VAL	Peptide
1	G	139	SER	Peptide
1	G	218	PRO	Peptide
1	G	307	MET	Peptide
1	G	4	LYS	Peptide
1	J	355	GLU	Peptide
1	K	136	VAL	Peptide
1	L	139	SER	Peptide
1	L	178	GLU	Peptide
1	L	218	PRO	Peptide
1	L	4	LYS	Peptide
1	N	218	PRO	Peptide
1	N	4	LYS	Peptide
1	N	63	GLU	Peptide
2	P	19	THR	Peptide
2	T	93	ALA	Peptide
2	U	93	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3805	0	3881	2	0
1	B	3805	0	3881	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3805	0	3881	1	0
1	D	3805	0	3881	4	0
1	E	3805	0	3881	3	0
1	F	3805	0	3881	2	0
1	G	3805	0	3881	3	0
1	H	3793	0	3869	2	0
1	I	3793	0	3869	1	0
1	J	3793	0	3869	1	0
1	K	3793	0	3869	3	0
1	L	3793	0	3869	2	0
1	M	3793	0	3869	2	0
1	N	3793	0	3869	2	0
2	O	680	0	703	2	0
2	P	680	0	703	1	0
2	Q	680	0	703	1	0
2	R	680	0	703	3	0
2	S	680	0	703	3	0
2	T	680	0	703	3	0
2	U	680	0	703	2	0
All	All	57946	0	59171	36	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (36) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:314:LEU:H	1:J:314:LEU:HD12	1.69	0.56
2:R:3:ILE:HA	2:S:95:VAL:N	2.23	0.53
1:D:385:THR:HG21	1:E:510:VAL:HG23	1.92	0.52
1:B:387:VAL:HA	1:B:390:LYS:HE3	1.91	0.52
1:E:7:LYS:HE2	1:E:66:PHE:CE2	2.45	0.52
1:F:385:THR:HG21	1:G:510:VAL:HG23	1.92	0.50
1:G:7:LYS:HE2	1:G:66:PHE:CE2	2.47	0.50
1:E:7:LYS:HE2	1:E:66:PHE:CD2	2.47	0.49
1:I:7:LYS:HE2	1:I:66:PHE:CE2	2.47	0.49
1:M:149:THR:HG22	1:M:156:GLU:HA	1.95	0.48
1:K:190:VAL:HG22	1:K:191:GLU:H	1.79	0.47
1:N:489:ILE:HD13	1:N:494:LEU:HD21	1.95	0.47
1:B:7:LYS:HE2	1:B:66:PHE:CE2	2.49	0.47
1:H:7:LYS:HE2	1:H:66:PHE:CE2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:LYS:HE2	1:A:66:PHE:CE2	2.50	0.47
2:O:60:LYS:N	2:O:60:LYS:HE3	2.31	0.46
1:M:314:LEU:H	1:M:314:LEU:HD12	1.80	0.46
2:Q:3:ILE:HA	2:R:94:ILE:O	2.17	0.45
1:D:130:GLU:CD	1:D:425:LYS:HZ2	2.24	0.45
1:F:7:LYS:HE2	1:F:66:PHE:CE2	2.51	0.45
2:T:3:ILE:HA	2:U:95:VAL:N	2.31	0.44
1:L:7:LYS:HE2	1:L:66:PHE:CE2	2.51	0.44
2:T:3:ILE:HA	2:U:94:ILE:O	2.16	0.44
1:N:208:PRO:C	1:N:210:THR:H	2.26	0.43
2:R:3:ILE:HA	2:S:94:ILE:O	2.18	0.43
1:G:146:GLN:HE21	1:G:494:LEU:HD21	1.82	0.43
1:D:7:LYS:HE2	1:D:66:PHE:CE2	2.55	0.42
1:K:7:LYS:HE2	1:K:66:PHE:CE2	2.54	0.42
2:O:3:ILE:HA	2:P:95:VAL:N	2.33	0.42
1:H:190:VAL:HG22	1:H:191:GLU:H	1.85	0.42
1:L:24:ALA:HB3	1:L:97:GLN:HE21	1.85	0.42
1:C:7:LYS:HE2	1:C:66:PHE:CE2	2.56	0.41
2:S:3:ILE:HA	2:T:95:VAL:N	2.36	0.41
1:K:149:THR:HG22	1:K:156:GLU:HA	2.03	0.40
1:D:57:ALA:O	1:D:75:LYS:HE2	2.21	0.40
1:A:209:GLU:H	1:A:209:GLU:CD	2.28	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	523/547 (96%)	488 (93%)	28 (5%)	7 (1%)	9	42
1	B	523/547 (96%)	490 (94%)	25 (5%)	8 (2%)	8	40
1	C	523/547 (96%)	486 (93%)	30 (6%)	7 (1%)	9	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	523/547 (96%)	491 (94%)	28 (5%)	4 (1%)	16	54
1	E	523/547 (96%)	483 (92%)	32 (6%)	8 (2%)	8	40
1	F	523/547 (96%)	485 (93%)	30 (6%)	8 (2%)	8	40
1	G	523/547 (96%)	488 (93%)	31 (6%)	4 (1%)	16	54
1	H	521/547 (95%)	476 (91%)	38 (7%)	7 (1%)	9	42
1	I	521/547 (95%)	486 (93%)	29 (6%)	6 (1%)	10	44
1	J	521/547 (95%)	489 (94%)	23 (4%)	9 (2%)	7	36
1	K	521/547 (95%)	477 (92%)	33 (6%)	11 (2%)	5	30
1	L	521/547 (95%)	473 (91%)	39 (8%)	9 (2%)	7	36
1	M	521/547 (95%)	486 (93%)	29 (6%)	6 (1%)	10	44
1	N	521/547 (95%)	478 (92%)	36 (7%)	7 (1%)	9	42
2	O	91/97 (94%)	65 (71%)	21 (23%)	5 (6%)	1	15
2	P	91/97 (94%)	70 (77%)	16 (18%)	5 (6%)	1	15
2	Q	91/97 (94%)	70 (77%)	16 (18%)	5 (6%)	1	15
2	R	91/97 (94%)	70 (77%)	18 (20%)	3 (3%)	3	21
2	S	91/97 (94%)	70 (77%)	15 (16%)	6 (7%)	1	12
2	T	91/97 (94%)	71 (78%)	15 (16%)	5 (6%)	1	15
2	U	91/97 (94%)	70 (77%)	15 (16%)	6 (7%)	1	12
All	All	7945/8337 (95%)	7262 (91%)	547 (7%)	136 (2%)	9	36

All (136) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	137	PRO
1	B	137	PRO
1	C	137	PRO
1	C	483	GLU
1	D	137	PRO
1	E	137	PRO
1	E	197	ARG
1	E	285	ARG
1	F	137	PRO
1	G	137	PRO
1	H	217	SER
1	H	524	LEU
1	I	154	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	217	SER
1	J	217	SER
1	K	154	SER
1	K	217	SER
1	K	334	ASP
1	L	154	SER
1	M	154	SER
1	N	137	PRO
1	N	483	GLU
2	O	80	ASN
2	P	32	ALA
2	P	80	ASN
2	Q	21	SER
2	R	32	ALA
2	R	51	ASN
2	S	73	VAL
2	T	16	GLU
2	T	35	SER
2	T	51	ASN
2	U	73	VAL
1	A	154	SER
1	B	153	ASN
1	B	310	GLU
1	C	9	GLY
1	D	334	ASP
1	E	139	SER
1	E	483	GLU
1	I	139	SER
1	I	483	GLU
1	J	154	SER
1	J	268	ARG
1	J	334	ASP
1	K	210	THR
1	L	217	SER
1	L	233	MET
1	L	409	GLU
1	L	483	GLU
1	M	217	SER
1	N	63	GLU
1	N	154	SER
2	Q	80	ASN
2	Q	94	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	S	7	HIS
2	S	18	GLU
2	T	7	HIS
2	U	94	ILE
1	A	153	ASN
1	B	373	ALA
1	D	153	ASN
1	F	139	SER
1	F	334	ASP
1	G	174	VAL
1	I	43	SER
1	J	483	GLU
1	K	139	SER
1	K	409	GLU
1	M	139	SER
2	O	7	HIS
2	O	18	GLU
2	P	7	HIS
2	Q	18	GLU
2	S	35	SER
2	U	35	SER
1	A	45	GLY
1	A	525	PRO
1	B	483	GLU
1	C	10	ASN
1	D	217	SER
1	E	336	VAL
1	F	153	ASN
1	F	196	ASP
1	G	154	SER
1	H	139	SER
1	J	210	THR
1	J	474	GLY
1	K	190	VAL
1	K	281	PHE
1	L	45	GLY
1	N	62	LEU
1	N	217	SER
2	O	8	ASP
2	P	94	ILE
2	Q	7	HIS
2	R	7	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	S	8	ASP
2	T	94	ILE
2	U	7	HIS
2	U	30	SER
1	A	310	GLU
1	B	231	ARG
1	C	217	SER
1	C	373	ALA
1	E	217	SER
1	F	217	SER
1	H	29	VAL
1	H	327	LYS
1	K	136	VAL
1	L	357	THR
1	M	209	GLU
1	N	209	GLU
2	U	32	ALA
1	B	525	PRO
1	E	337	GLY
1	F	395	ARG
1	G	483	GLU
1	H	210	THR
1	J	45	GLY
1	L	169	VAL
1	M	210	THR
1	A	205	ILE
1	F	45	GLY
1	H	137	PRO
1	K	336	VAL
2	O	94	ILE
1	K	137	PRO
1	L	336	VAL
1	C	205	ILE
1	J	190	VAL
2	P	48	ILE
1	B	205	ILE
1	I	137	PRO
2	S	72	GLY
1	M	137	PRO

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1181. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 96



Y Index: 96



Z Index: 96


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 73



Y Index: 118




Z Index: 89


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 965 nm³; this corresponds to an approximate mass of 872 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.115 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-1181 and PDB model 2C7D. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.9 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.9).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.9) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7430	 0.0780
A	 0.7740	 0.0840
B	 0.7730	 0.0840
C	 0.7900	 0.0870
D	 0.7810	 0.0870
E	 0.7930	 0.0910
F	 0.7830	 0.0880
G	 0.7830	 0.0850
H	 0.6850	 0.0620
I	 0.6910	 0.0710
J	 0.7010	 0.0670
K	 0.7050	 0.0640
L	 0.7010	 0.0650
M	 0.6950	 0.0670
N	 0.6970	 0.0710
O	 0.7810	 0.0910
P	 0.7880	 0.1000
Q	 0.8010	 0.0990
R	 0.7970	 0.0950
S	 0.7810	 0.0950
T	 0.7870	 0.0930
U	 0.7810	 0.0930

