



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:34 AM UTC

PDB ID : 2C7V / pdb_00002c7v
Title : Structure of Trypanosoma brucei pteridine reductase (PTR1) in ternary complex with cofactor and the antifolate methotrexate
Authors : Dawson, A.; Gibellini, F.; Sienkiewicz, N.; Fyfe, P.K.; McLuskey, K.; Fairlamb, A.H.; Hunter, W.N.
Deposited on : 2005-11-29
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	268	 77% 15% • 6%
1	B	268	 77% 14% • 5%
1	C	268	 82% 14% • •
1	D	268	 79% 15% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	A	1274	-	-	X	-
5	ACT	B	1274	-	-	X	-

2 Entry composition ⓘ


There are 6 unique types of molecules in this entry. The entry contains 8945 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PTERIDINE REDUCTASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	As	C	N	O	S			
1	A	253	Total 1933	As 2	C 1215	N 341	O 364	S 11	0	7	0
1	B	254	Total 1945	As 2	C 1220	N 342	O 370	S 11	0	7	0
1	C	260	Total 1984	As 2	C 1242	N 352	O 376	S 12	0	7	0
1	D	257	Total 1950	As 2	C 1225	N 342	O 370	S 11	0	6	0

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O P		
2	A	1	Total 48	21	7	17 3	0	0
2	B	1	Total 48	21	7	17 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			48	21	7	17		
2	D	1	Total	C	N	O	0	0
			48	21	7	17		

- Molecule 3 is METHOTREXATE (CCD ID: MTX) (formula: $C_{20}H_{22}N_8O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	20	8	5		
3	B	1	Total	C	N	O	0	0
			33	20	8	5		
3	C	1	Total	C	N	O	0	0
			33	20	8	5		
3	D	1	Total	C	N	O	0	0
			33	20	8	5		

- Molecule 4 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ni	0	0
			1	1		
4	B	1	Total	Ni	0	0
			1	1		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	203	Total	O	0	0
			203	203		
6	B	217	Total	O	0	0
			217	217		
6	C	192	Total	O	0	0
			192	192		
6	D	187	Total	O	0	0
			187	187		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PTERIDINE REDUCTASE

Chain A: 




• Molecule 1: PTERIDINE REDUCTASE

Chain B: 




• Molecule 1: PTERIDINE REDUCTASE

Chain C: 



• Molecule 1: PTERIDINE REDUCTASE

Chain D: 





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.66Å 90.24Å 82.84Å 90.00° 115.76° 90.00°	Depositor
Resolution (Å)	74.54 – 2.20 74.54 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.2 (74.54-2.20) 99.2 (74.54-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.79 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.153 , 0.223 0.154 , 0.222	Depositor DCC
R_{free} test set	2534 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.849	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.014 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8945	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MTX, CAF, ACT, NI, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/1957	0.88	0/2648
1	B	0.63	0/1968	0.85	0/2665
1	C	0.63	0/2009	0.87	0/2722
1	D	0.62	0/1974	0.88	1/2672 (0.0%)
All	All	0.63	0/7908	0.87	1/10707 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	159	LEU	CA-CB-CG	-5.19	98.12	116.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1933	0	1967	40	0
1	B	1945	0	1968	44	0
1	C	1984	0	2009	31	0
1	D	1950	0	1975	32	0
2	A	48	0	25	0	0
2	B	48	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	48	0	25	1	0
2	D	48	0	25	0	0
3	A	33	0	20	0	0
3	B	33	0	20	3	0
3	C	33	0	20	1	0
3	D	33	0	20	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	4	0	3	4	0
5	B	4	0	3	5	0
6	A	203	0	0	6	0
6	B	217	0	0	7	0
6	C	192	0	0	3	0
6	D	187	0	0	4	0
All	All	8945	0	8105	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:ARG:HH22	5:A:1274:ACT:H3	1.17	1.06
1:B:168:CAF:CE2	3:B:1272:MTX:H15	1.91	0.98
1:B:168:CAF:CE2	3:B:1272:MTX:C15	2.42	0.97
1:B:52:ARG:NH1	6:B:2055:HOH:O	2.10	0.85
1:D:143:LYS:HG2	6:D:2069:HOH:O	1.83	0.78
1:A:120:VAL:O	1:A:124[B]:ILE:HG23	1.84	0.77
1:C:120:VAL:O	1:C:124[A]:ILE:HG23	1.87	0.74
1:C:198:ARG:HD3	6:C:2114:HOH:O	1.87	0.74
1:D:81:PHE:CE2	1:D:143:LYS:HE3	2.23	0.73
1:A:250[A]:GLN:HG3	1:B:236:GLN:HE21	1.53	0.71
1:A:69:LEU:HD13	1:A:133:LEU:HD12	1.73	0.70
1:C:164:VAL:HG22	1:C:179:HIS:CD2	2.27	0.70
1:D:34:TYR:HE2	1:D:58:VAL:HG13	1.56	0.69
1:A:59:CAF:CE2	1:A:75:GLU:HG3	2.22	0.69
1:A:124[A]:ILE:HG21	1:C:124[A]:ILE:HD11	1.74	0.68
1:D:59:CAF:CE1	1:D:59:CAF:HA	2.24	0.67
1:B:69:LEU:HD13	1:B:133:LEU:HD12	1.77	0.67
1:B:215:GLU:HG2	5:B:1274:ACT:H3	1.77	0.67
1:A:250[A]:GLN:HG3	1:B:236:GLN:NE2	2.10	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:81:PHE:HE2	1:D:143:LYS:HE3	1.60	0.66
1:B:164:VAL:HG22	1:B:179:HIS:CD2	2.33	0.64
1:D:22:LYS:HE2	1:D:239:ASP:OD1	1.99	0.63
1:B:59:CAF:HA	1:B:59:CAF:CE1	2.30	0.62
1:A:52:ARG:NH1	6:A:2049:HOH:O	2.33	0.61
1:B:34:TYR:HE2	1:B:58:VAL:HG13	1.65	0.60
1:C:69:LEU:HD13	1:C:133:LEU:HD12	1.83	0.60
1:D:78[A]:ASN:OD1	1:D:141:ARG:NH1	2.35	0.59
1:B:214:GLY:HA2	5:B:1274:ACT:H1	1.84	0.59
1:A:124[A]:ILE:HG21	1:C:124[A]:ILE:CD1	2.32	0.59
1:A:103:VAL:HG11	1:C:143:LYS:HD3	1.84	0.59
1:D:222:ARG:HD3	1:D:231:GLU:OE2	2.02	0.58
1:C:219:ASP:O	1:C:223[A]:ARG:HG3	2.04	0.58
1:C:104[B]:GLN:HE21	1:C:104[B]:GLN:HA	1.69	0.57
1:A:222:ARG:HH22	5:A:1274:ACT:CH3	2.06	0.57
1:A:198:ARG:HD3	6:A:2111:HOH:O	2.03	0.57
1:D:130:ALA:HB3	1:D:131:PRO:HD3	1.86	0.56
1:C:59:CAF:CE1	1:C:60:GLN:H	2.18	0.55
1:A:144:GLY:HA3	6:A:2100:HOH:O	2.07	0.55
1:A:222:ARG:NH2	5:A:1274:ACT:H3	2.02	0.55
1:A:206:VAL:HG23	1:A:263:LEU:HD22	1.88	0.54
1:D:112:ASN:HB2	6:D:2079:HOH:O	2.06	0.54
1:B:215:GLU:H	5:B:1274:ACT:H3	1.73	0.53
1:B:24:HIS:O	1:B:52:ARG:NH2	2.39	0.53
1:B:67[A]:ASN:ND2	6:B:2074:HOH:O	2.38	0.53
1:C:9:THR:HA	1:C:33:HIS:HB3	1.91	0.53
1:B:223[B]:ARG:NH1	6:B:2169:HOH:O	2.42	0.53
1:C:69:LEU:HD22	1:C:73:CYS:SG	2.49	0.53
1:A:232:ALA:HB2	1:B:251:TYR:CE2	2.44	0.52
1:C:17:ARG:NH2	6:C:2010:HOH:O	2.43	0.52
1:C:142:GLN:NE2	6:C:2106:HOH:O	2.37	0.52
1:A:230[B]:ARG:NH2	6:A:2156:HOH:O	2.37	0.51
1:B:9:THR:HA	1:B:33:HIS:HB3	1.93	0.51
1:B:215:GLU:H	5:B:1274:ACT:CH3	2.24	0.51
1:A:254:GLY:HA3	1:B:265:LEU:HD11	1.92	0.51
1:C:250[A]:GLN:HG3	1:D:236:GLN:HE21	1.76	0.50
1:B:67[A]:ASN:H	1:B:67[A]:ASN:HD22	1.60	0.50
1:B:216[A]:GLU:HG2	6:B:2161:HOH:O	2.12	0.49
1:C:250[A]:GLN:CD	1:D:236:GLN:HE21	2.20	0.49
1:A:2:GLU:HG2	1:A:3:ALA:N	2.26	0.49
1:B:17:ARG:HG3	1:B:44:LEU:HG	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:124[A]:ILE:O	1:C:124[A]:ILE:HG13	2.13	0.49
1:D:163:MET:HE3	1:D:166:GLN:HB2	1.94	0.49
1:A:34:TYR:HE2	1:A:58:VAL:HG13	1.77	0.49
1:B:206:VAL:HG23	1:B:263:LEU:HD22	1.95	0.48
1:A:252:ILE:HD13	1:B:257[A]:ILE:HD11	1.96	0.48
1:B:38:ALA:O	1:B:42:VAL:HG13	2.13	0.48
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.49	0.47
1:C:120:VAL:HG13	1:C:124[B]:ILE:HD12	1.96	0.47
1:C:206:VAL:HG23	1:C:263:LEU:HD22	1.96	0.47
1:A:34:TYR:CZ	1:A:60:GLN:HB3	2.50	0.47
1:C:232:ALA:HB2	1:D:251:TYR:CE2	2.49	0.47
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.49	0.47
1:A:52:ARG:NH1	1:A:55:THR:HG21	2.30	0.47
1:A:250[A]:GLN:CG	1:B:236:GLN:HE21	2.24	0.47
1:D:206:VAL:HG23	1:D:263:LEU:HD22	1.96	0.47
1:B:13:LYS:HE2	1:B:37:SER:OG	2.14	0.47
1:D:143:LYS:HD2	1:D:143:LYS:H	1.80	0.46
1:B:34:TYR:CE2	1:B:58:VAL:HG13	2.50	0.46
1:C:265:LEU:O	1:D:190:LEU:HD11	2.15	0.46
1:D:69:LEU:HD13	1:D:133:LEU:HD12	1.97	0.46
1:A:236:GLN:HE21	1:B:250[A]:GLN:CD	2.24	0.46
1:C:247:GLY:O	1:C:250[B]:GLN:HG2	2.15	0.46
3:C:1272:MTX:H15	3:C:1272:MTX:HM1	1.82	0.45
1:D:104:GLN:HE21	1:D:106:ASP:H	1.64	0.45
1:B:104:GLN:HE21	1:B:104:GLN:HA	1.81	0.45
1:D:198:ARG:HD3	6:D:2097:HOH:O	2.17	0.45
1:B:59:CAF:CE2	1:B:79:SER:HB2	2.47	0.45
1:B:242:ILE:HA	1:B:245:VAL:HG22	1.99	0.45
1:D:59:CAF:CE1	1:D:60:GLN:H	2.30	0.45
1:B:247:GLY:O	1:B:250[B]:GLN:HG2	2.18	0.45
1:B:124:ILE:HG21	1:D:124[A]:ILE:CD1	2.46	0.44
1:A:163:MET:HE1	6:A:2183:HOH:O	2.17	0.44
1:A:208:LEU:HD11	1:A:234:ALA:HB2	1.98	0.44
1:A:215:GLU:OE1	5:A:1274:ACT:H2	2.17	0.44
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.52	0.44
1:B:59:CAF:CE1	6:B:2061:HOH:O	2.66	0.44
1:D:143:LYS:HA	6:D:2094:HOH:O	2.16	0.44
1:A:9:THR:O	1:A:93:ASN:HB3	2.16	0.44
1:A:33:HIS:HA	1:A:59:CAF:O	2.17	0.44
1:A:9:THR:HA	1:A:33:HIS:HB3	1.98	0.44
1:A:59:CAF:HA	1:A:59:CAF:CE1	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:ALA:HB2	1:D:266:VAL:HB	2.01	0.43
1:C:250[B]:GLN:HA	1:C:250[B]:GLN:HE21	1.83	0.43
1:B:151:SER:HA	6:B:2120:HOH:O	2.18	0.43
1:A:242:ILE:HA	1:A:245:VAL:HG22	2.01	0.43
1:A:75:GLU:OE2	1:A:82:ARG:NH2	2.45	0.42
1:B:76:ILE:O	1:B:79:SER:HB3	2.20	0.42
1:D:33:HIS:HA	1:D:59:CAF:O	2.19	0.42
1:C:130:ALA:HB3	1:C:131:PRO:HD3	2.02	0.42
1:C:168:CAF:H	1:C:168:CAF:CE1	2.33	0.42
1:B:223[B]:ARG:HA	1:B:229:ARG:HG3	2.02	0.41
1:A:266:VAL:HB	1:D:268:ALA:HB2	2.02	0.41
1:C:232:ALA:HB2	1:D:251:TYR:CD2	2.56	0.41
1:C:265:LEU:HD11	1:D:254:GLY:HA3	2.02	0.41
1:D:223:ARG:NH2	1:D:224:LYS:NZ	2.68	0.41
1:B:215:GLU:N	5:B:1274:ACT:H3	2.35	0.41
1:A:2:GLU:HG2	1:A:3:ALA:H	1.84	0.41
1:C:15:ILE:HB	2:C:1271:NAP:H51N	2.02	0.41
1:C:250[A]:GLN:CG	1:D:236:GLN:HE21	2.33	0.41
6:A:2166:HOH:O	1:B:250[A]:GLN:HG2	2.20	0.41
1:B:69:LEU:HD22	1:B:73:CYS:SG	2.60	0.41
1:B:192:LEU:HB3	1:B:197:ILE:HB	2.03	0.41
1:C:153:ASN:OD1	1:C:250[B]:GLN:NE2	2.54	0.41
1:B:160:CYS:HB3	6:B:2129:HOH:O	2.20	0.40
1:D:34:TYR:CZ	1:D:60:GLN:HB2	2.56	0.40
1:C:242:ILE:HA	1:C:245:VAL:HG22	2.04	0.40
3:B:1272:MTX:H15	3:B:1272:MTX:HM1	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/268 (94%)	243 (96%)	9 (4%)	0	100	100
1	B	253/268 (94%)	244 (96%)	9 (4%)	0	100	100
1	C	261/268 (97%)	251 (96%)	10 (4%)	0	100	100
1	D	255/268 (95%)	244 (96%)	11 (4%)	0	100	100
All	All	1021/1072 (95%)	982 (96%)	39 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/212 (97%)	194 (95%)	11 (5%)	20	25
1	B	207/212 (98%)	191 (92%)	16 (8%)	12	13
1	C	211/212 (100%)	197 (93%)	14 (7%)	15	18
1	D	207/212 (98%)	191 (92%)	16 (8%)	12	13
All	All	830/848 (98%)	773 (93%)	57 (7%)	17	16

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	VAL
1	A	44	LEU
1	A	50	LYS
1	A	58	VAL
1	A	60	GLN
1	A	69	LEU
1	A	159	LEU
1	A	229	ARG
1	A	242	ILE
1	A	250[A]	GLN
1	A	250[B]	GLN
1	B	42	VAL
1	B	44	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	58	VAL
1	B	67[A]	ASN
1	B	67[B]	ASN
1	B	69	LEU
1	B	104	GLN
1	B	159	LEU
1	B	190	LEU
1	B	217[A]	GLU
1	B	217[B]	GLU
1	B	229	ARG
1	B	230	ARG
1	B	242	ILE
1	B	257[A]	ILE
1	B	257[B]	ILE
1	C	42	VAL
1	C	44	LEU
1	C	50	LYS
1	C	58	VAL
1	C	69	LEU
1	C	86	ARG
1	C	124[A]	ILE
1	C	124[B]	ILE
1	C	159	LEU
1	C	166	GLN
1	C	190	LEU
1	C	216	GLU
1	C	231	GLU
1	C	242	ILE
1	D	13	LYS
1	D	39	GLU
1	D	44	LEU
1	D	58	VAL
1	D	69	LEU
1	D	124[A]	ILE
1	D	124[B]	ILE
1	D	143	LYS
1	D	159	LEU
1	D	211	VAL
1	D	229	ARG
1	D	242	ILE
1	D	255[A]	SER
1	D	255[B]	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	257[A]	ILE
1	D	257[B]	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	ASN
1	A	60	GLN
1	A	236	GLN
1	B	25	GLN
1	B	36	ASN
1	B	92	ASN
1	B	104	GLN
1	B	236	GLN
1	C	35	HIS
1	C	92	ASN
1	C	148	ASN
1	D	67	ASN
1	D	104	GLN
1	D	127	ASN
1	D	236	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CAF	C	168	1	5,9,10	0.92	0	4,12,14	0.13	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CAF	B	168	1	5,9,10	1.40	0	4,12,14	0.35	0
1	CAF	D	59	1	5,9,10	1.26	0	4,12,14	0.50	0
1	CAF	B	59	1	5,9,10	1.38	1 (20%)	4,12,14	0.44	0
1	CAF	D	168	1	5,9,10	1.00	0	4,12,14	0.14	0
1	CAF	A	168	1	5,9,10	1.40	0	4,12,14	0.44	0
1	CAF	A	59	1	5,9,10	1.06	0	4,12,14	0.39	0
1	CAF	C	59	1	5,9,10	1.02	0	4,12,14	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAF	C	168	1	-	0/0/8/10	-
1	CAF	B	168	1	-	0/0/8/10	-
1	CAF	D	59	1	-	0/0/8/10	-
1	CAF	B	59	1	-	0/0/8/10	-
1	CAF	D	168	1	-	0/0/8/10	-
1	CAF	A	168	1	-	0/0/8/10	-
1	CAF	A	59	1	-	0/0/8/10	-
1	CAF	C	59	1	-	0/0/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	59	CAF	AS-CE1	-2.05	1.74	1.89

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	168	CAF	1	0
1	B	168	CAF	2	0
1	D	59	CAF	3	0
1	B	59	CAF	3	0
1	A	59	CAF	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	59	CAF	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	A	1274	-	3,3,3	0.86	0	3,3,3	0.91	0
3	MTX	A	1272	-	35,35,35	1.74	4 (11%)	47,49,49	1.79	11 (23%)
2	NAP	C	1271	-	50,52,52	1.79	8 (16%)	71,80,80	1.69	12 (16%)
2	NAP	B	1271	-	50,52,52	1.58	4 (8%)	71,80,80	1.64	12 (16%)
3	MTX	C	1272	-	35,35,35	1.84	5 (14%)	47,49,49	1.86	12 (25%)
5	ACT	B	1274	-	3,3,3	0.72	0	3,3,3	1.22	0
2	NAP	D	1271	-	50,52,52	1.86	7 (14%)	71,80,80	1.61	10 (14%)
3	MTX	B	1272	-	35,35,35	1.84	5 (14%)	47,49,49	1.75	10 (21%)
2	NAP	A	1271	-	50,52,52	1.64	6 (12%)	71,80,80	1.66	11 (15%)
3	MTX	D	1272	-	35,35,35	1.91	4 (11%)	47,49,49	1.91	13 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MTX	A	1272	-	-	2/25/25/25	0/3/3/3
2	NAP	C	1271	-	-	1/35/67/67	0/5/5/5
2	NAP	B	1271	-	-	0/35/67/67	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MTX	C	1272	-	-	5/25/25/25	0/3/3/3
2	NAP	D	1271	-	-	0/35/67/67	0/5/5/5
3	MTX	B	1272	-	-	1/25/25/25	0/3/3/3
2	NAP	A	1271	-	-	0/35/67/67	0/5/5/5
3	MTX	D	1272	-	-	0/25/25/25	0/3/3/3

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1271	NAP	O7N-C7N	10.10	1.42	1.24
2	C	1271	NAP	O7N-C7N	9.06	1.41	1.24
2	A	1271	NAP	O7N-C7N	8.94	1.40	1.24
2	B	1271	NAP	O7N-C7N	8.39	1.39	1.24
3	D	1272	MTX	O-C	7.94	1.41	1.23
3	C	1272	MTX	O-C	7.69	1.41	1.23
3	B	1272	MTX	O-C	7.53	1.40	1.23
3	A	1272	MTX	O-C	7.39	1.40	1.23
3	D	1272	MTX	C6-N5	4.32	1.39	1.32
3	C	1272	MTX	C6-N5	4.18	1.39	1.32
3	B	1272	MTX	C6-N5	4.09	1.39	1.32
2	C	1271	NAP	C2N-N1N	3.89	1.39	1.35
3	B	1272	MTX	C7-N8	3.88	1.38	1.31
3	D	1272	MTX	C7-N8	3.83	1.38	1.31
3	A	1272	MTX	C7-N8	3.69	1.38	1.31
3	A	1272	MTX	C6-N5	3.53	1.38	1.32
3	C	1272	MTX	C7-N8	3.40	1.37	1.31
2	C	1271	NAP	PN-O3	3.15	1.62	1.59
2	D	1271	NAP	C2N-N1N	2.99	1.38	1.35
2	B	1271	NAP	C2A-N1A	2.95	1.39	1.33
2	B	1271	NAP	C2A-N3A	2.85	1.39	1.33
3	C	1272	MTX	C4-N3	2.84	1.39	1.33
2	D	1271	NAP	C2A-N1A	2.70	1.38	1.33
2	A	1271	NAP	C2A-N3A	2.64	1.38	1.33
2	A	1271	NAP	C2N-N1N	2.62	1.37	1.35
2	D	1271	NAP	C2A-N3A	2.60	1.38	1.33
3	B	1272	MTX	C4-N3	2.57	1.38	1.33
2	C	1271	NAP	C2A-N3A	2.53	1.38	1.33
2	D	1271	NAP	PA-O3	2.46	1.62	1.59
3	A	1272	MTX	C4-N3	2.44	1.38	1.33
2	A	1271	NAP	C2A-N1A	2.43	1.38	1.33
2	C	1271	NAP	C8A-N7A	2.42	1.36	1.31
3	D	1272	MTX	C4-N3	2.42	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1271	NAP	PN-O3	2.37	1.62	1.59
2	B	1271	NAP	C2N-N1N	2.33	1.37	1.35
2	C	1271	NAP	C2A-N1A	2.25	1.37	1.33
2	C	1271	NAP	PA-O3	2.25	1.61	1.59
2	A	1271	NAP	PN-O3	2.25	1.61	1.59
3	B	1272	MTX	C2-N3	2.24	1.39	1.35
2	A	1271	NAP	C8A-N7A	2.14	1.35	1.31
3	C	1272	MTX	C2-N3	2.08	1.39	1.35
2	D	1271	NAP	C8A-N7A	2.05	1.35	1.31
2	C	1271	NAP	O4D-C1D	2.00	1.43	1.40

All (91) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1272	MTX	N1-C2-N3	-5.63	120.05	127.21
3	D	1272	MTX	N1-C2-N3	-5.52	120.19	127.21
3	B	1272	MTX	N1-C2-N3	-5.52	120.19	127.21
3	C	1272	MTX	N1-C2-N3	-5.50	120.21	127.21
2	A	1271	NAP	N3A-C2A-N1A	-5.48	120.29	128.58
2	D	1271	NAP	N3A-C2A-N1A	-5.47	120.31	128.58
2	B	1271	NAP	N3A-C2A-N1A	-5.38	120.43	128.58
2	C	1271	NAP	N3A-C2A-N1A	-5.28	120.58	128.58
2	C	1271	NAP	C2B-C1B-N9A	-5.09	105.38	113.75
2	D	1271	NAP	N9A-C8A-N7A	-4.80	107.13	113.94
2	A	1271	NAP	C5A-C4A-N3A	-4.74	120.19	126.72
3	B	1272	MTX	C2-N1-C8A	4.71	120.56	115.48
2	A	1271	NAP	O4B-C1B-N9A	4.63	116.98	108.09
3	C	1272	MTX	C9-C6-N5	4.30	124.08	117.09
2	B	1271	NAP	N9A-C8A-N7A	-4.25	107.90	113.94
3	D	1272	MTX	C2-N1-C8A	4.25	120.07	115.48
2	D	1271	NAP	C5A-C4A-N3A	-4.24	120.88	126.72
2	B	1271	NAP	C5A-C4A-N3A	-4.09	121.09	126.72
2	D	1271	NAP	C5A-N7A-C8A	4.08	109.87	103.45
3	A	1272	MTX	C2-N1-C8A	4.07	119.87	115.48
3	A	1272	MTX	N8-C8A-N1	4.04	120.17	115.77
2	C	1271	NAP	C5A-C4A-N3A	-4.04	121.15	126.72
2	C	1271	NAP	O4B-C1B-N9A	4.04	115.85	108.09
2	D	1271	NAP	O4B-C1B-N9A	4.00	115.77	108.09
2	C	1271	NAP	N9A-C8A-N7A	-3.95	108.33	113.94
2	A	1271	NAP	C2B-C1B-N9A	-3.94	107.27	113.75
2	A	1271	NAP	N9A-C8A-N7A	-3.92	108.38	113.94
2	B	1271	NAP	O4B-C1B-N9A	3.90	115.58	108.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1272	MTX	C6-C7-N8	-3.86	119.44	123.14
2	D	1271	NAP	C2B-C1B-N9A	-3.81	107.47	113.75
2	A	1271	NAP	C5A-N7A-C8A	3.68	109.23	103.45
2	C	1271	NAP	C3N-C7N-N7N	3.62	122.20	117.74
3	D	1272	MTX	N8-C8A-N1	3.61	119.70	115.77
2	A	1271	NAP	C2A-N3A-C4A	3.58	120.57	111.83
2	B	1271	NAP	C5A-N7A-C8A	3.57	109.06	103.45
3	C	1272	MTX	C2-N1-C8A	3.57	119.33	115.48
2	B	1271	NAP	C3N-C7N-N7N	3.53	122.09	117.74
3	B	1272	MTX	N8-C8A-N1	3.50	119.58	115.77
2	C	1271	NAP	C5A-N7A-C8A	3.45	108.87	103.45
3	D	1272	MTX	C9-C6-N5	3.40	122.62	117.09
2	C	1271	NAP	C2A-N3A-C4A	3.27	119.83	111.83
2	D	1271	NAP	C2A-N3A-C4A	3.27	119.82	111.83
2	B	1271	NAP	C2B-C1B-N9A	-3.20	108.48	113.75
2	B	1271	NAP	C2A-N3A-C4A	3.20	119.64	111.83
3	A	1272	MTX	C6-C7-N8	-3.15	120.12	123.14
3	B	1272	MTX	C6-C7-N8	-3.06	120.20	123.14
3	D	1272	MTX	C8A-C4A-N5	-3.05	118.94	122.35
2	D	1271	NAP	N3A-C4A-N9A	3.00	132.27	127.17
2	C	1271	NAP	C4A-C5A-N7A	-2.97	107.19	110.58
2	A	1271	NAP	N3A-C4A-N9A	2.92	132.13	127.17
2	A	1271	NAP	C4A-C5A-N7A	-2.90	107.27	110.58
3	C	1272	MTX	C6-C7-N8	-2.89	120.36	123.14
3	C	1272	MTX	C9-C6-C7	-2.84	116.22	121.38
3	C	1272	MTX	C8A-C4A-N5	-2.78	119.24	122.35
2	B	1271	NAP	N3A-C4A-N9A	2.75	131.84	127.17
3	B	1272	MTX	C9-C6-N5	2.74	121.54	117.09
3	A	1272	MTX	C9-C6-N5	2.69	121.46	117.09
2	D	1271	NAP	C4A-N9A-C8A	2.66	108.53	105.74
3	D	1272	MTX	C7-N8-C8A	2.65	120.89	117.20
2	D	1271	NAP	C4A-C5A-N7A	-2.59	107.61	110.58
3	A	1272	MTX	C7-N8-C8A	2.58	120.79	117.20
2	A	1271	NAP	C3N-C7N-N7N	2.53	120.85	117.74
2	B	1271	NAP	C4A-C5A-N7A	-2.52	107.70	110.58
3	C	1272	MTX	OE2-CD-CG	2.45	121.74	114.00
3	A	1272	MTX	C8A-C4A-N5	-2.44	119.63	122.35
3	B	1272	MTX	C8A-C4A-N5	-2.43	119.64	122.35
2	B	1271	NAP	C4A-N9A-C8A	2.40	108.26	105.74
3	D	1272	MTX	O2-CT-O1	-2.39	118.65	124.08
3	D	1272	MTX	C4-C4A-N5	2.38	122.16	120.33
3	B	1272	MTX	O2-CT-CA	2.36	121.50	113.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1272	MTX	OE2-CD-CG	2.32	121.32	114.00
3	C	1272	MTX	C7-N8-C8A	2.31	120.42	117.20
2	A	1271	NAP	O2A-PA-O3	2.29	113.48	107.27
3	B	1272	MTX	NA2-C2-N3	2.28	120.65	117.22
3	C	1272	MTX	N8-C8A-N1	2.27	118.24	115.77
3	D	1272	MTX	C9-C6-C7	-2.25	117.29	121.38
3	A	1272	MTX	O2-CT-O1	-2.23	119.03	124.08
3	C	1272	MTX	C4-C4A-N5	2.22	122.04	120.33
3	C	1272	MTX	CB-CA-N	2.21	115.29	110.91
2	C	1271	NAP	N3A-C4A-N9A	2.21	130.92	127.17
3	C	1272	MTX	CA-N-C	2.19	126.83	121.56
3	A	1272	MTX	NA2-C2-N1	2.19	121.20	117.79
2	C	1271	NAP	O7N-C7N-N7N	-2.16	119.50	122.62
3	A	1272	MTX	C9-N10-C14	-2.15	117.56	120.17
3	A	1272	MTX	O2-CT-CA	2.12	120.68	113.51
3	B	1272	MTX	C9-N10-C14	-2.10	117.63	120.17
3	D	1272	MTX	OE2-CD-OE1	-2.08	118.00	123.33
2	B	1271	NAP	C4B-O4B-C1B	-2.05	104.94	109.47
2	C	1271	NAP	O2N-PN-O1N	2.04	121.96	112.44
3	D	1272	MTX	O2-CT-CA	2.04	120.42	113.51
3	D	1272	MTX	C13-C12-C11	-2.03	118.63	120.80

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1272	MTX	N-CA-CB-CG
3	C	1272	MTX	CT-CA-CB-CG
3	A	1272	MTX	C6-C9-N10-CM
3	B	1272	MTX	C6-C9-N10-CM
2	C	1271	NAP	C5B-O5B-PA-O1A
3	C	1272	MTX	OE1-CD-CG-CB
3	C	1272	MTX	OE2-CD-CG-CB
3	A	1272	MTX	CT-CA-CB-CG
3	C	1272	MTX	CA-CB-CG-CD

There are no ring outliers.

5 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1274	ACT	4	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1271	NAP	1	0
3	C	1272	MTX	1	0
5	B	1274	ACT	5	0
3	B	1272	MTX	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	251/268 (93%)	-0.55	0 100 100	10, 21, 33, 48	7 (2%)
1	B	252/268 (94%)	-0.57	3 (1%) 76 74	11, 21, 33, 48	7 (2%)
1	C	258/268 (96%)	-0.51	2 (0%) 82 80	9, 22, 37, 50	7 (2%)
1	D	255/268 (95%)	-0.47	3 (1%) 76 74	11, 22, 37, 62	6 (2%)
All	All	1016/1072 (94%)	-0.52	8 (0%) 82 80	9, 21, 36, 62	27 (2%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	112	ASN	3.1
1	D	106	ASP	2.6
1	B	150	THR	2.6
1	C	144	GLY	2.3
1	C	105	GLY	2.2
1	D	113	GLY	2.2
1	D	104	GLN	2.1
1	B	104	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CAF	C	168	10/11	0.89	0.14	24,27,37,38	4
1	CAF	D	168	10/11	0.90	0.14	27,29,38,39	4
1	CAF	A	168	10/11	0.92	0.12	25,27,37,38	4
1	CAF	B	168	10/11	0.95	0.10	23,24,32,32	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	CAF	A	59	10/11	0.97	0.09	28,30,44,46	0
1	CAF	B	59	10/11	0.98	0.08	23,25,37,38	0
1	CAF	D	59	10/11	0.98	0.08	24,26,35,37	0
1	CAF	C	59	10/11	0.98	0.08	24,26,34,34	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NI	A	1273	1/1	0.83	0.20	49,49,49,49	1
5	ACT	A	1274	4/4	0.86	0.13	37,38,38,38	0
5	ACT	B	1274	4/4	0.92	0.09	23,23,23,24	0
3	MTX	C	1272	33/33	0.94	0.07	16,25,36,37	0
3	MTX	A	1272	33/33	0.94	0.06	19,24,30,32	0
3	MTX	D	1272	33/33	0.95	0.06	16,26,35,37	0
3	MTX	B	1272	33/33	0.96	0.06	14,22,30,32	0
4	NI	B	1273	1/1	0.96	0.08	43,43,43,43	1
2	NAP	A	1271	48/48	0.98	0.04	14,19,21,22	0
2	NAP	B	1271	48/48	0.98	0.04	14,17,20,21	0
2	NAP	C	1271	48/48	0.98	0.04	14,17,20,21	0
2	NAP	D	1271	48/48	0.98	0.04	15,18,22,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around MTX C 1272:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MTX A 1272:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MTX D 1272:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MTX B 1272:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 1271:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP B 1271:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP C 1271:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP D 1271:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.