



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 11:41 PM UTC

PDB ID : 1C8T / pdb_00001c8t
Title : HUMAN STROMELYSIN-1 (E202Q) CATALYTIC DOMAIN COMPLEXED
WITH RO-26-2812
Authors : Steele, D.L.; el-Kabbani, O.; Dunten, P.; Crowther, R.L.
Deposited on : 1999-07-29
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	167	
1	B	167	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2795 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STROMELYSIN-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	167	Total	C	N	O	S	0	0	0
			1325	851	220	252	2			
1	B	167	Total	C	N	O	S	0	0	0
			1325	851	220	252	2			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	202	GLN	GLU	engineered mutation	UNP P08254
B	202	GLN	GLU	engineered mutation	UNP P08254
A	252	PRO	SER	conflict	UNP P08254
B	252	PRO	SER	conflict	UNP P08254


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Ca	0	0
			3	3		
3	B	3	Total	Ca	0	0
			3	3		

- Molecule 4 is 2-(2-{2-[(BIPHENYL-4-YLMETHYL)-AMINO]-3-MERCAPTO-PENTAN OYLAMINO}-ACETYLAMINO)-3-METHYL-BUTYRIC ACID METHYL ESTER (CCD ID: TR1) (formula: C₂₄H₃₁N₃O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 32	C 24	N 3	O 4	S 1	0	0
4	B	1	Total 32	C 24	N 3	O 4	S 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	36	Total O 36 36	0	0
5	B	35	Total O 35 35	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: STROMELYSIN-1



• Molecule 1: STROMELYSIN-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	120.10Å 47.00Å 54.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60 20.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.60) 96.2 (20.00-2.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.90 (at 2.60Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.220 , (Not available) 0.221 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	21.5	Xtriage
Anisotropy	0.283	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	2795	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: TR1, ZN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/1369	2.06	51/1871 (2.7%)
1	B	0.81	0/1369	2.10	55/1871 (2.9%)
All	All	0.78	0/2738	2.08	106/3742 (2.8%)

There are no bond length outliers.

All (106) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111	ASP	CA-CB-CG	-11.48	101.12	112.60
1	B	132	PHE	CA-CB-CG	11.46	125.26	113.80
1	B	181	ASP	CA-CB-CG	10.65	123.25	112.60
1	B	141	ASP	CA-CB-CG	-10.48	102.12	112.60
1	A	153	ASP	CA-CB-CG	10.04	122.64	112.60
1	A	182	ASP	CA-CB-CG	9.93	122.53	112.60
1	A	201	HIS	CA-CB-CG	9.68	123.47	113.80
1	B	201	HIS	CA-CB-CG	9.63	123.43	113.80
1	B	249	PRO	N-CA-C	9.15	121.87	110.70
1	A	213	ALA	N-CA-C	-8.53	103.01	113.41
1	A	227	THR	CA-C-O	8.51	132.68	120.51
1	B	231	ARG	CD-NE-CZ	8.19	135.86	124.40
1	B	210	PHE	CA-CB-CG	7.86	121.66	113.80
1	B	196	PHE	CA-CB-CG	-7.66	106.14	113.80
1	B	251	ASP	CA-CB-CG	7.57	120.17	112.60
1	B	167	ALA	O-C-N	7.54	132.29	123.17
1	A	93	ARG	CA-C-O	7.41	128.00	119.18
1	A	224	HIS	CA-CB-CG	7.35	121.15	113.80
1	A	247	GLY	CA-C-N	6.96	124.67	119.66
1	A	247	GLY	C-N-CA	6.96	124.67	119.66
1	A	238	ASP	CA-CB-CG	6.95	119.55	112.60
1	A	150	GLU	CA-C-O	-6.84	112.83	120.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	ASN	CA-C-O	-6.81	114.00	121.28
1	B	140	ALA	CA-C-O	-6.81	113.06	121.78
1	B	182	ASP	CA-CB-CG	-6.77	105.83	112.60
1	A	86	PHE	CA-CB-CG	-6.73	107.07	113.80
1	B	225	SER	CA-C-O	6.64	128.18	120.80
1	A	251	ASP	N-CA-C	6.54	124.27	109.81
1	A	100	ARG	NE-CZ-NH1	-6.52	114.98	121.50
1	A	251	ASP	N-CA-CB	-6.45	98.88	110.37
1	B	214	ASN	CA-CB-CG	6.37	118.97	112.60
1	A	248	PRO	CB-CA-C	-6.36	105.19	111.17
1	B	167	ALA	CA-C-O	-6.24	114.35	121.40
1	A	151	HIS	CA-C-O	-6.23	113.03	119.51
1	A	217	ALA	N-CA-C	6.23	118.56	110.53
1	B	163	VAL	N-CA-C	6.15	117.01	108.89
1	B	141	ASP	O-C-N	6.15	128.66	122.08
1	B	132	PHE	N-CA-C	6.08	118.80	108.90
1	B	212	SER	CA-C-O	-6.08	114.11	121.28
1	A	250	PRO	CA-C-O	6.04	131.58	120.60
1	A	135	LEU	CA-C-O	-6.01	114.08	121.11
1	B	97	LEU	N-CA-C	6.00	119.25	109.59
1	A	132	PHE	CA-CB-CG	-5.99	107.81	113.80
1	A	251	ASP	CA-CB-CG	5.96	118.56	112.60
1	A	102	VAL	CB-CA-C	-5.96	102.45	112.16
1	A	166	HIS	CA-CB-CG	5.96	119.76	113.80
1	A	126	GLU	CB-CG-CD	5.94	122.70	112.60
1	B	127	VAL	N-CA-C	5.93	117.94	111.77
1	A	112	ALA	CA-C-N	5.89	128.53	120.46
1	A	112	ALA	C-N-CA	5.89	128.53	120.46
1	B	188	LYS	N-CA-C	-5.86	104.84	112.23
1	B	179	HIS	CB-CG-CD2	-5.85	123.59	131.20
1	A	242	ILE	CA-C-O	-5.83	114.57	121.05
1	B	103	ASN	CA-C-N	-5.83	113.44	122.59
1	B	103	ASN	C-N-CA	-5.83	113.44	122.59
1	A	166	HIS	CB-CG-CD2	5.82	138.76	131.20
1	B	106	PRO	CA-C-O	5.79	128.14	119.74
1	B	129	PRO	CA-C-O	5.78	123.84	118.29
1	A	179	HIS	CA-C-N	-5.74	114.90	123.00
1	A	179	HIS	C-N-CA	-5.74	114.90	123.00
1	A	175	ASN	CA-CB-CG	-5.74	106.86	112.60
1	A	250	PRO	CA-C-N	5.73	135.78	121.80
1	A	250	PRO	C-N-CA	5.73	135.78	121.80
1	A	193	THR	CA-C-O	5.72	127.22	120.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	181	ASP	CB-CG-OD1	5.71	131.54	118.40
1	B	145	SER	O-C-N	5.68	129.22	123.26
1	B	156	PRO	CA-C-O	-5.68	114.85	121.95
1	B	228	ASP	CA-C-O	5.62	127.24	120.27
1	B	242	ILE	O-C-N	5.57	127.57	121.83
1	A	195	LEU	CA-C-O	5.55	126.62	120.63
1	B	189	ASP	CA-C-N	5.54	128.71	120.17
1	B	189	ASP	C-N-CA	5.54	128.71	120.17
1	A	236	GLN	CB-CG-CD	5.50	121.95	112.60
1	B	251	ASP	N-CA-C	5.49	121.95	109.81
1	B	177	ASP	CA-C-O	-5.45	115.55	121.87
1	B	242	ILE	CA-C-O	-5.43	115.09	120.85
1	B	238	ASP	CA-CB-CG	-5.43	107.17	112.60
1	B	214	ASN	CA-C-N	5.43	127.81	120.38
1	B	214	ASN	C-N-CA	5.43	127.81	120.38
1	B	127	VAL	CA-C-O	-5.42	114.30	120.26
1	B	168	TYR	CA-C-O	5.40	126.53	120.70
1	A	90	PRO	N-CA-CB	-5.33	97.65	103.25
1	B	126	GLU	O-C-N	-5.32	116.00	122.22
1	B	156	PRO	O-C-N	5.30	129.32	122.91
1	B	231	ARG	N-CA-CB	5.25	117.91	110.46
1	B	177	ASP	CA-CB-CG	-5.24	107.36	112.60
1	A	199	ALA	N-CA-C	-5.22	105.02	111.33
1	A	93	ARG	NE-CZ-NH2	5.20	123.88	119.20
1	B	183	ASP	CA-CB-CG	5.20	117.80	112.60
1	A	172	PRO	O-C-N	-5.18	116.83	123.04
1	A	166	HIS	CA-C-O	-5.17	114.95	120.75
1	A	137	GLU	CB-CG-CD	5.17	121.39	112.60
1	B	163	VAL	CA-C-N	5.17	131.03	121.52
1	B	163	VAL	C-N-CA	5.17	131.03	121.52
1	A	175	ASN	CB-CA-C	5.15	117.99	109.70
1	A	100	ARG	N-CA-C	5.14	116.80	108.26
1	B	127	VAL	N-CA-CB	-5.13	105.50	112.22
1	A	103	ASN	OD1-CG-ND2	-5.09	117.51	122.60
1	B	166	HIS	CA-CB-CG	5.07	118.87	113.80
1	A	177	ASP	CA-CB-CG	-5.05	107.55	112.60
1	B	96	HIS	CA-C-O	-5.05	115.38	120.84
1	B	149	ARG	N-CA-CB	-5.05	101.95	110.49
1	B	156	PRO	CB-CA-C	-5.02	104.64	111.12
1	A	249	PRO	CA-C-N	5.01	126.10	119.84
1	A	249	PRO	C-N-CA	5.01	126.10	119.84
1	A	227	THR	O-C-N	-5.00	115.93	122.59

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1325	0	1250	69	0
1	B	1325	0	1250	74	0
2	A	2	0	0	0	0
2	B	2	0	0	1	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	32	0	30	2	0
4	B	32	0	29	8	0
5	A	36	0	0	5	0
5	B	35	0	0	2	0
All	All	2795	0	2559	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:HIS:HA	1:A:218:LEU:HD21	1.49	0.92
2:B:260:ZN:ZN	4:B:265:TR1:HSG	0.59	0.88
1:A:86:PHE:HB2	1:A:87:PRO:HD3	1.59	0.83
1:A:216:GLU:HB3	5:A:18:HOH:O	1.88	0.73
1:B:209:LEU:HD11	1:B:242:ILE:HB	1.72	0.70
1:A:231:ARG:HA	1:A:231:ARG:HE	1.55	0.70
1:B:94:LYS:NZ	1:B:97:LEU:HD23	2.05	0.70
4:B:265:TR1:HG13	4:B:265:TR1:C2	2.22	0.69
1:B:249:PRO:O	1:B:251:ASP:N	2.26	0.69
1:A:166:HIS:HB3	1:B:87:PRO:HG2	1.75	0.69
4:B:265:TR1:HG13	4:B:265:TR1:O2	1.93	0.68
1:A:89:ILE:HG12	1:A:91:LYS:HG2	1.76	0.68
1:A:150:GLU:HA	1:A:156:PRO:HB3	1.75	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:HIS:CA	1:A:218:LEU:HD21	2.24	0.65
1:B:209:LEU:HB2	1:B:219:MET:HE2	1.77	0.64
1:B:236:GLN:HA	1:B:239:ILE:HD12	1.79	0.63
1:A:218:LEU:HD23	1:A:219:MET:SD	2.38	0.63
1:B:198:VAL:HA	4:B:265:TR1:H48	1.80	0.63
1:A:201:HIS:HA	1:A:218:LEU:CD2	2.26	0.62
1:A:231:ARG:HA	1:A:231:ARG:NE	2.11	0.62
1:B:228:ASP:OD1	1:B:231:ARG:HD2	1.99	0.62
1:A:169:ALA:HB1	1:A:170:PRO:HD2	1.81	0.62
1:B:248:PRO:C	1:B:250:PRO:HD2	2.25	0.61
1:A:232:PHE:O	1:A:233:ARG:NE	2.35	0.58
1:A:239:ILE:O	1:A:243:GLN:HG3	2.03	0.58
1:B:134:ARG:HD2	5:B:71:HOH:O	2.02	0.58
1:B:238:ASP:O	1:B:242:ILE:HG22	2.04	0.58
1:B:235:SER:C	1:B:237:ASP:H	2.12	0.57
1:A:134:ARG:HG3	1:A:135:LEU:N	2.19	0.57
1:A:187:THR:O	1:A:194:ASN:HA	2.04	0.57
1:A:249:PRO:O	1:A:250:PRO:C	2.48	0.57
1:B:251:ASP:N	1:B:252:PRO:HD3	2.19	0.57
1:B:94:LYS:HZ3	1:B:97:LEU:HD23	1.67	0.57
1:B:199:ALA:O	1:B:203:ILE:HG12	2.04	0.57
1:B:100:ARG:HB3	1:B:143:MET:SD	2.44	0.56
1:A:221:PRO:HG2	1:A:222:LEU:HD22	1.88	0.56
1:A:172:PRO:O	1:A:175:ASN:HB2	2.04	0.56
1:A:249:PRO:HB2	1:A:251:ASP:CB	2.36	0.56
1:A:128:THR:HB	1:A:129:PRO:CD	2.35	0.56
1:A:190:THR:HB	1:A:225:SER:HB3	1.86	0.56
1:B:189:ASP:CG	1:B:190:THR:H	2.14	0.55
1:B:194:ASN:OD1	1:B:197:LEU:HG	2.06	0.55
1:B:209:LEU:HD11	1:B:242:ILE:HD13	1.88	0.55
1:B:226:LEU:HD12	1:B:231:ARG:O	2.06	0.55
1:A:234:LEU:HD13	1:A:238:ASP:HB2	1.89	0.55
1:A:249:PRO:HB2	1:A:251:ASP:HB2	1.88	0.54
1:A:87:PRO:HG3	4:B:265:TR1:SG	2.48	0.54
1:A:187:THR:HG22	5:A:15:HOH:O	2.07	0.54
1:A:228:ASP:O	1:A:230:THR:N	2.41	0.54
1:B:186:TRP:HZ3	1:B:198:VAL:HG21	1.72	0.54
1:B:127:VAL:C	1:B:128:THR:HG23	2.32	0.54
1:B:129:PRO:HG3	1:B:252:PRO:HD2	1.89	0.54
1:A:100:ARG:HG2	1:A:101:ILE:N	2.24	0.53
1:A:98:THR:HB	1:A:135:LEU:HD13	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:THR:CB	1:A:129:PRO:CD	2.87	0.52
1:B:235:SER:C	1:B:237:ASP:N	2.67	0.52
1:B:99:TYR:HA	1:B:142:ILE:O	2.10	0.51
1:B:92:TRP:CE2	1:B:170:PRO:HB3	2.45	0.51
1:B:164:LEU:HD21	4:B:265:TR1:HM33	1.93	0.51
1:B:100:ARG:NH2	1:B:143:MET:HE1	2.25	0.51
1:B:187:THR:HG21	1:B:191:THR:HB	1.92	0.51
1:B:104:TYR:HB3	5:B:21:HOH:O	2.10	0.51
1:B:134:ARG:HG3	1:B:135:LEU:N	2.26	0.51
1:B:158:ASP:OD2	1:B:162:ASN:HB3	2.11	0.51
1:B:194:ASN:HB3	1:B:197:LEU:HD12	1.92	0.51
1:B:94:LYS:HZ2	1:B:97:LEU:HD23	1.74	0.50
1:A:221:PRO:HG2	1:A:222:LEU:CD2	2.41	0.50
1:A:233:ARG:CZ	1:A:233:ARG:HA	2.41	0.50
1:B:118:GLU:HA	1:B:121:LEU:HD12	1.93	0.50
1:A:217:ALA:HB1	1:A:238:ASP:OD2	2.12	0.50
1:B:181:ASP:OD1	1:B:183:ASP:HB2	2.12	0.49
1:B:249:PRO:N	1:B:250:PRO:HD2	2.28	0.49
1:B:169:ALA:HB1	1:B:170:PRO:HD2	1.93	0.49
1:B:98:THR:HA	1:B:133:SER:O	2.12	0.49
1:A:229:LEU:C	1:A:231:ARG:N	2.70	0.49
1:A:229:LEU:C	1:A:231:ARG:H	2.19	0.49
1:A:238:ASP:O	1:A:242:ILE:HG22	2.13	0.49
1:A:98:THR:HB	1:A:135:LEU:CD1	2.43	0.48
1:A:234:LEU:HB3	1:A:239:ILE:HG13	1.95	0.48
1:A:99:TYR:CZ	1:A:134:ARG:HB2	2.49	0.48
1:B:161:GLY:O	1:B:162:ASN:C	2.56	0.48
1:A:150:GLU:CA	1:A:156:PRO:HB3	2.44	0.48
1:A:189:ASP:OD1	1:A:191:THR:OG1	2.27	0.48
1:A:222:LEU:HD22	1:A:222:LEU:N	2.28	0.48
1:B:97:LEU:O	1:B:132:PHE:HA	2.14	0.48
1:A:121:LEU:HD22	1:A:132:PHE:CD1	2.48	0.48
1:A:162:ASN:HA	5:A:65:HOH:O	2.13	0.48
1:B:105:THR:HB	1:B:146:PHE:CE1	2.48	0.48
1:B:243:GLN:C	1:B:245:LEU:N	2.72	0.47
1:A:219:MET:O	1:A:220:TYR:C	2.57	0.47
1:A:129:PRO:HA	1:A:250:PRO:HD2	1.97	0.47
1:B:226:LEU:C	1:B:228:ASP:N	2.72	0.47
4:B:265:TR1:C2	4:B:265:TR1:CG1	2.93	0.47
5:A:14:HOH:O	1:B:87:PRO:HB2	2.13	0.47
1:A:92:TRP:CD1	1:A:170:PRO:HB3	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:236:GLN:NE2	1:A:240:ASN:OD1	2.49	0.46
1:B:220:TYR:CD2	1:B:221:PRO:HD2	2.51	0.46
1:B:234:LEU:O	1:B:235:SER:C	2.59	0.46
1:B:129:PRO:HB3	1:B:251:ASP:HA	1.98	0.46
1:A:128:THR:HB	1:A:129:PRO:HD2	1.99	0.45
1:A:203:ILE:O	1:A:207:LEU:HG	2.15	0.45
1:A:209:LEU:HD21	1:A:242:ILE:HA	1.98	0.45
1:A:198:VAL:O	1:A:199:ALA:C	2.58	0.45
1:B:89:ILE:HD12	1:B:91:LYS:HG2	1.99	0.45
1:A:243:GLN:O	1:A:244:SER:C	2.60	0.44
1:A:132:PHE:N	1:A:132:PHE:CD2	2.86	0.44
1:B:209:LEU:HD11	1:B:242:ILE:CD1	2.48	0.44
1:B:207:LEU:O	1:B:246:TYR:OH	2.34	0.43
1:A:146:PHE:HZ	1:A:195:LEU:HD21	1.84	0.43
1:B:129:PRO:CB	1:B:251:ASP:HA	2.48	0.43
1:A:191:THR:H	1:A:191:THR:HG1	1.60	0.43
1:A:217:ALA:HA	1:A:235:SER:OG	2.18	0.43
1:B:105:THR:HB	1:B:146:PHE:CD1	2.53	0.43
1:A:236:GLN:HA	1:A:239:ILE:HB	2.00	0.43
1:B:123:VAL:O	1:B:234:LEU:HD11	2.19	0.43
1:B:98:THR:HG21	1:B:135:LEU:HD21	2.01	0.42
1:B:127:VAL:C	1:B:128:THR:CG2	2.91	0.42
1:B:180:PHE:CD2	1:B:180:PHE:N	2.88	0.42
1:B:92:TRP:HB3	1:B:94:LYS:HG2	2.02	0.42
1:B:243:GLN:C	1:B:245:LEU:H	2.27	0.42
1:A:93:ARG:NH1	1:B:154:PHE:O	2.47	0.42
1:B:134:ARG:O	1:B:135:LEU:HD23	2.19	0.42
1:A:240:ASN:O	1:A:244:SER:OG	2.37	0.42
1:A:108:LEU:HD21	1:A:187:THR:HA	2.02	0.42
1:A:200:ALA:CB	1:A:218:LEU:HD11	2.50	0.42
1:A:108:LEU:HG	1:A:186:TRP:O	2.20	0.41
1:B:205:HIS:O	1:B:207:LEU:N	2.53	0.41
1:B:201:HIS:NE2	4:B:265:TR1:N	2.69	0.41
1:B:123:VAL:O	1:B:127:VAL:HG22	2.20	0.41
1:A:105:THR:HA	1:A:106:PRO:HD3	1.88	0.41
1:A:129:PRO:C	5:A:43:HOH:O	2.63	0.41
1:A:217:ALA:O	4:A:265:TR1:H45	2.19	0.41
1:B:89:ILE:H	1:B:89:ILE:HG13	1.51	0.41
1:B:203:ILE:O	1:B:204:GLY:C	2.64	0.41
1:B:240:ASN:O	1:B:241:GLY:C	2.64	0.41
1:B:198:VAL:O	1:B:202:GLN:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:THR:O	1:B:232:PHE:N	2.54	0.41
1:A:166:HIS:CB	1:B:87:PRO:HG2	2.47	0.40
1:B:226:LEU:C	1:B:228:ASP:H	2.28	0.40
1:B:240:ASN:O	1:B:243:GLN:N	2.53	0.40
1:A:178:ALA:O	1:A:179:HIS:HD2	2.04	0.40
1:A:198:VAL:HA	4:A:265:TR1:H48	2.03	0.40
1:B:181:ASP:HB3	1:B:184:GLU:HG2	2.03	0.40
1:B:243:GLN:O	1:B:245:LEU:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	165/167 (99%)	148 (90%)	13 (8%)	4 (2%)	4	9
1	B	165/167 (99%)	139 (84%)	21 (13%)	5 (3%)	3	6
All	All	330/334 (99%)	287 (87%)	34 (10%)	9 (3%)	4	7

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	229	LEU
1	B	250	PRO
1	B	251	ASP
1	B	227	THR
1	A	88	GLY
1	A	250	PRO
1	B	162	ASN
1	A	251	ASP
1	B	87	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/141 (100%)	120 (85%)	21 (15%)	3	5
1	B	141/141 (100%)	113 (80%)	28 (20%)	1	2
All	All	282/282 (100%)	233 (83%)	49 (17%)	2	3

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	90	PRO
1	A	105	THR
1	A	122	LYS
1	A	127	VAL
1	A	133	SER
1	A	134	ARG
1	A	137	GLU
1	A	182	ASP
1	A	187	THR
1	A	190	THR
1	A	212	SER
1	A	216	GLU
1	A	222	LEU
1	A	227	THR
1	A	228	ASP
1	A	229	LEU
1	A	233	ARG
1	A	234	LEU
1	A	236	GLN
1	A	244	SER
1	A	245	LEU
1	B	89	ILE
1	B	91	LYS
1	B	93	ARG
1	B	111	ASP
1	B	115	SER
1	B	126	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	133	SER
1	B	148	VAL
1	B	162	ASN
1	B	174	ILE
1	B	182	ASP
1	B	185	GLN
1	B	188	LYS
1	B	191	THR
1	B	193	THR
1	B	212	SER
1	B	215	THR
1	B	216	GLU
1	B	224	HIS
1	B	225	SER
1	B	226	LEU
1	B	229	LEU
1	B	230	THR
1	B	231	ARG
1	B	244	SER
1	B	249	PRO
1	B	250	PRO
1	B	251	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	236	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 12 ligands modelled in this entry, 10 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TR1	A	265	2	33,33,33	1.10	2 (6%)	43,43,43	2.32	12 (27%)
4	TR1	B	265	2	33,33,33	1.22	2 (6%)	43,43,43	3.11	19 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TR1	A	265	2	-	5/34/34/34	0/2/2/2
4	TR1	B	265	2	-	3/34/34/34	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	265	TR1	C52-C41	-3.63	1.40	1.49
4	B	265	TR1	C52-C41	-3.30	1.41	1.49
4	B	265	TR1	CA3-N3	-3.13	1.39	1.45
4	A	265	TR1	C2-N3	2.06	1.38	1.34

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	265	TR1	CA3-N3-C2	12.76	146.99	121.80
4	A	265	TR1	CA-CB-SG	-6.76	106.53	114.16
4	B	265	TR1	C3-CA3-N3	6.41	126.34	109.71
4	A	265	TR1	CA2-N2-C	5.75	135.89	121.38
4	A	265	TR1	OE-C3-O3	-5.31	113.50	123.85
4	B	265	TR1	OE-C3-CA3	4.78	126.61	111.61
4	A	265	TR1	O-C-N2	4.49	132.48	122.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	265	TR1	CB-CA-N	4.41	117.95	111.14
4	B	265	TR1	OE-C3-O3	-4.28	115.51	123.85
4	B	265	TR1	CB-CA-C	4.28	118.81	109.50
4	B	265	TR1	CB3-CA3-N3	-3.89	102.03	111.44
4	A	265	TR1	O-C-CA	-3.81	112.50	120.48
4	B	265	TR1	C2-CA2-N2	3.68	123.75	113.04
4	A	265	TR1	OE-C3-CA3	3.66	123.08	111.61
4	B	265	TR1	CG2-CB3-CA3	3.64	121.14	111.16
4	A	265	TR1	CM2-N-CA	-3.58	107.13	113.84
4	B	265	TR1	CA2-N2-C	-3.55	112.42	121.38
4	A	265	TR1	CA3-N3-C2	-3.15	115.58	121.80
4	A	265	TR1	CB3-CA3-C3	3.12	120.08	111.53
4	B	265	TR1	CA-CB-SG	-3.03	110.75	114.16
4	B	265	TR1	CA2-C2-N3	-2.83	109.42	116.16
4	A	265	TR1	CB3-CA3-N3	-2.68	104.96	111.44
4	B	265	TR1	C50-C48-C47	-2.52	117.69	121.00
4	B	265	TR1	C47-CM2-N	-2.51	106.61	112.66
4	A	265	TR1	C51-C49-C47	-2.47	117.75	121.00
4	B	265	TR1	CM2-N-CA	-2.43	109.28	113.84
4	B	265	TR1	C49-C51-C52	-2.43	118.00	121.12
4	B	265	TR1	O3-C3-CA3	-2.41	117.81	124.43
4	B	265	TR1	C-CA-N	-2.39	106.09	112.61
4	A	265	TR1	O2-C2-N3	-2.11	119.38	122.95
4	B	265	TR1	O2-C2-CA2	2.10	125.42	120.75

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	265	TR1	N-CA-CB-SG
4	A	265	TR1	C-CA-CB-SG
4	A	265	TR1	CA3-C3-OE-CM3
4	B	265	TR1	CB3-CA3-N3-C2
4	A	265	TR1	O3-C3-OE-CM3
4	B	265	TR1	C3-CA3-CB3-CG1
4	B	265	TR1	O-C-CA-N
4	A	265	TR1	C-CA-N-CM2


There are no ring outliers.

2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	265	TR1	2	0
4	B	265	TR1	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	167/167 (100%)	0.37	12 (7%) 21 17	4, 15, 33, 54	0
1	B	167/167 (100%)	0.40	8 (4%) 35 30	4, 13, 29, 39	0
All	All	334/334 (100%)	0.38	20 (5%) 27 22	4, 14, 30, 54	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	252	PRO	5.5
1	B	251	ASP	4.8
1	A	252	PRO	4.2
1	A	251	ASP	4.2
1	B	227	THR	3.5
1	B	191	THR	3.3
1	A	86	PHE	3.2
1	A	250	PRO	3.0
1	A	249	PRO	2.9
1	A	227	THR	2.8
1	A	88	GLY	2.6
1	B	86	PHE	2.6
1	B	249	PRO	2.5
1	B	96	HIS	2.4
1	A	87	PRO	2.3
1	A	230	THR	2.2
1	A	89	ILE	2.2
1	A	241	GLY	2.2
1	B	89	ILE	2.1
1	A	119	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	TR1	B	265	32/32	0.85	0.13	11,20,28,29	0
4	TR1	A	265	32/32	0.87	0.13	7,21,32,34	0
3	CA	B	263	1/1	0.92	0.06	15,15,15,15	0
3	CA	A	262	1/1	0.93	0.05	13,13,13,13	0
3	CA	A	263	1/1	0.93	0.06	13,13,13,13	0
3	CA	A	264	1/1	0.93	0.09	12,12,12,12	0
3	CA	B	262	1/1	0.96	0.05	14,14,14,14	0
2	ZN	B	260	1/1	0.97	0.04	21,21,21,21	0
3	CA	B	264	1/1	0.97	0.07	20,20,20,20	0
2	ZN	A	261	1/1	0.98	0.06	14,14,14,14	0
2	ZN	A	260	1/1	0.98	0.04	24,24,24,24	0
2	ZN	B	261	1/1	0.99	0.05	10,10,10,10	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around TR1 B 265:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TR1 A 265:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.