



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:20 AM UTC

PDB ID : 2C9E / pdb_00002c9e
Title : Peridinin-chlorophyll a protein, high-salt form
Authors : Schulte, T.; Sharples, F.P.; Hiller, R.G.; Hofmann, E.
Deposited on : 2005-12-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	

2 Entry composition ⓘ

There are 6 unique types of molecules in this entry. The entry contains 3188 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PERIDININ-CHLOROPHYLL A PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	317	2360	1490	406	455	9	0	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	GLY	SEE REMARK 999	UNP O76183
A	128	ALA	GLY	SEE REMARK 999	UNP O76183
A	39	GLY	SER	SEE REMARK 999	UNP O76183
A	79	LYS	THR	SEE REMARK 999	UNP O76183
A	279	ASP	HIS	SEE REMARK 999	UNP O76183

- Molecule 2 is CHLOROPHYLL A (CCD ID: CLA) (formula: C₅₅H₇₂MgN₄O₅).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Mg	N	O		
2	A	1	65	55	1	4	5	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Mg	N	O	0	0
			65	55	1	4	5		

- Molecule 3 is PERIDININ (CCD ID: PID) (formula: $C_{39}H_{50}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			46	39	7		
3	A	1	Total	C	O	0	0
			46	39	7		
3	A	1	Total	C	O	0	0
			46	39	7		
3	A	1	Total	C	O	0	0
			46	39	7		
3	A	1	Total	C	O	0	0
			46	39	7		
3	A	1	Total	C	O	0	0
			46	39	7		

- Molecule 4 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (CCD ID: DGD) (formula: $C_{51}H_{96}O_{15}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			66	51	15		
4	A	1	Total	C	O	0	0
			66	51	15		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	289	Total	O	0	0
			289	289		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PERIDININ-CHLOROPHYLL A PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	46.58Å 62.67Å 63.34Å 90.00° 100.89° 90.00°	Depositor
Resolution (Å)	36.95 – 2.10 36.95 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.4 (36.95-2.10) 97.6 (36.95-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.07 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.174 , 0.219 0.164 , 0.211	Depositor DCC
R_{free} test set	1027 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.461	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3188	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DGD, MG, PID, CLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	2/2398 (0.1%)	1.17	16/3239 (0.5%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	245	VAL	CA-CB	5.13	1.60	1.54
1	A	54	VAL	CA-CB	5.06	1.60	1.54

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	279	ASP	CA-C-N	9.20	128.53	118.97
1	A	279	ASP	C-N-CA	9.20	128.53	118.97
1	A	153	SER	N-CA-C	8.68	123.03	110.10
1	A	175	GLY	N-CA-C	-8.55	94.89	112.34
1	A	200	SER	CA-C-N	7.56	127.10	119.24
1	A	200	SER	C-N-CA	7.56	127.10	119.24
1	A	252	LEU	N-CA-C	6.76	120.40	111.75
1	A	132	ALA	N-CA-C	6.23	118.07	111.28
1	A	155	ASN	N-CA-C	6.10	119.59	111.30
1	A	106	LYS	N-CA-C	6.07	117.56	111.07
1	A	191	ILE	N-CA-C	-5.99	105.88	111.45
1	A	63	VAL	N-CA-C	-5.31	105.36	110.72
1	A	245	VAL	N-CA-C	-5.27	105.36	110.42
1	A	36	ALA	N-CA-C	5.20	117.62	111.33
1	A	279	ASP	N-CA-C	-5.15	100.13	109.44
1	A	105	ASP	N-CA-C	-5.07	102.41	109.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2360	0	2382	46	0
2	A	130	0	144	6	0
3	A	276	0	300	20	0
4	A	132	0	192	19	0
5	A	1	0	0	0	0
6	A	289	0	0	4	0
All	All	3188	0	3018	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ALA:O	1:A:164:GLU:HB2	1.74	0.86
1:A:246:ARG:NH1	1:A:266:ARG:HD2	1.90	0.85
1:A:320:THR:HG21	3:A:1335:PID:HM13	1.63	0.79
2:A:1328:CLA:HED3	4:A:1336:DGD:HBG2	1.63	0.79
1:A:192:MET:HB2	4:A:1336:DGD:HBW1	1.66	0.76
3:A:1330:PID:H22	4:A:1332:DGD:HAE2	1.68	0.75
1:A:320:THR:CG2	3:A:1335:PID:HM13	2.18	0.74
1:A:269:LEU:HG	1:A:273:LYS:HE2	1.70	0.73
1:A:268:ASN:ND2	3:A:1335:PID:H18	2.07	0.70
1:A:40:ASN:HB2	6:A:2050:HOH:O	1.93	0.68
1:A:79:LYS:HG2	1:A:80:ASN:N	2.08	0.67
1:A:162:ILE:HD13	1:A:163:ALA:N	2.12	0.65
1:A:79:LYS:HE2	1:A:80:ASN:HD22	1.64	0.62
2:A:1328:CLA:CED	4:A:1336:DGD:HBG2	2.29	0.61
1:A:273:LYS:O	1:A:277:THR:HG23	2.00	0.61
1:A:184:PHE:HZ	4:A:1336:DGD:HBS2	1.64	0.61
1:A:64:ARG:O	1:A:68:GLU:HG3	2.02	0.59
1:A:200:SER:HB2	6:A:2184:HOH:O	2.02	0.59
4:A:1336:DGD:HBG1	4:A:1336:DGD:HB31	1.84	0.59
1:A:76:SER:O	1:A:79:LYS:HD3	2.03	0.59
1:A:325:SER:O	1:A:326:SER:HB3	2.01	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:GLU:HG3	1:A:121:GLU:OE1	2.03	0.58
1:A:174:ASP:HA	1:A:178:GLY:HA3	1.86	0.57
1:A:94:ASN:OD1	3:A:1331:PID:H18	2.04	0.56
1:A:246:ARG:HH12	1:A:266:ARG:HD2	1.69	0.56
1:A:54:VAL:HG22	1:A:108:LYS:HB3	1.88	0.56
1:A:268:ASN:HD21	3:A:1335:PID:H18	1.69	0.56
1:A:154:ILE:CD1	1:A:158:LYS:HG3	2.35	0.56
2:A:1327:CLA:HHC	2:A:1327:CLA:HBB1	1.88	0.55
1:A:191:ILE:HG21	4:A:1336:DGD:HB91	1.93	0.51
1:A:5:ASP:HB3	1:A:9:ARG:NH2	2.26	0.50
2:A:1328:CLA:H171	4:A:1332:DGD:HAG2	1.93	0.50
3:A:1330:PID:O3	3:A:1330:PID:H7	2.11	0.50
1:A:260:GLU:HG3	6:A:2224:HOH:O	2.13	0.49
3:A:1331:PID:O5	3:A:1331:PID:HM72	2.12	0.49
1:A:234:GLN:OE1	1:A:237:ILE:HD12	2.13	0.48
3:A:1334:PID:H22	4:A:1336:DGD:HAF1	1.96	0.48
1:A:184:PHE:CZ	4:A:1336:DGD:HBS2	2.48	0.48
4:A:1332:DGD:HAS2	3:A:1334:PID:HM81	1.95	0.48
3:A:1334:PID:HM72	3:A:1334:PID:O5	2.14	0.47
1:A:39:GLY:HA3	6:A:2049:HOH:O	2.15	0.47
1:A:247:ALA:HB1	3:A:1335:PID:HM73	1.97	0.47
1:A:298:MET:HE3	4:A:1336:DGD:HE62	1.96	0.47
1:A:154:ILE:HD12	1:A:158:LYS:HG3	1.96	0.46
4:A:1332:DGD:HB91	4:A:1332:DGD:HBG2	1.96	0.46
1:A:174:ASP:HA	1:A:178:GLY:CA	2.45	0.46
1:A:162:ILE:HD13	1:A:162:ILE:C	2.41	0.45
1:A:186:GLU:HA	1:A:186:GLU:OE1	2.16	0.45
3:A:1333:PID:HM43	4:A:1336:DGD:HBT2	1.98	0.45
4:A:1336:DGD:HB52	4:A:1336:DGD:HB81	1.77	0.45
2:A:1328:CLA:HBB1	2:A:1328:CLA:HHC	2.00	0.43
1:A:200:SER:HA	1:A:201:PRO:HD2	1.66	0.43
1:A:29:ILE:HG21	3:A:1329:PID:HM53	1.99	0.43
4:A:1332:DGD:HB52	4:A:1332:DGD:HB82	1.44	0.43
1:A:127:PHE:CE1	3:A:1329:PID:HM22	2.53	0.43
1:A:106:LYS:HG2	3:A:1331:PID:H42	2.01	0.42
1:A:320:THR:HG23	3:A:1335:PID:HM13	2.01	0.41
1:A:90:PHE:HZ	4:A:1332:DGD:HBF2	1.84	0.41
2:A:1328:CLA:HAC1	3:A:1334:PID:HM62	2.02	0.41
1:A:276:ALA:HB2	1:A:323:VAL:HG13	2.02	0.41
3:A:1335:PID:O3	3:A:1335:PID:H7	2.20	0.41
4:A:1336:DGD:HA92	4:A:1336:DGD:HAW2	1.71	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:ILE:HD11	1:A:134:GLU:HG2	2.03	0.40
1:A:109:PHE:CE1	3:A:1330:PID:C15	3.04	0.40
1:A:298:MET:HE3	4:A:1336:DGD:HE4	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/327 (96%)	308 (98%)	5 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/239 (98%)	220 (94%)	13 (6%)	19	18

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	LYS
1	A	79	LYS
1	A	118	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	140	ASP
1	A	145	LEU
1	A	162	ILE
1	A	164	GLU
1	A	183	LYS
1	A	186	GLU
1	A	205	LYS
1	A	230	LEU
1	A	260	GLU
1	A	273	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	GLN
1	A	268	ASN
1	A	297	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CLA	A	1328	6	69,73,73	1.68	11 (15%)	82,113,113	1.55	8 (9%)
3	PID	A	1331	-	43,49,49	1.89	8 (18%)	52,76,76	1.81	8 (15%)
3	PID	A	1329	-	43,49,49	1.89	8 (18%)	52,76,76	1.74	13 (25%)
3	PID	A	1330	-	43,49,49	1.91	8 (18%)	52,76,76	1.72	9 (17%)
4	DGD	A	1332	-	67,67,67	0.81	2 (2%)	81,81,81	1.25	7 (8%)
3	PID	A	1333	-	43,49,49	1.90	8 (18%)	52,76,76	2.10	15 (28%)
2	CLA	A	1327	6	69,73,73	1.46	8 (11%)	82,113,113	1.66	12 (14%)
3	PID	A	1334	-	43,49,49	1.89	8 (18%)	52,76,76	1.84	9 (17%)
3	PID	A	1335	-	43,49,49	1.89	7 (16%)	52,76,76	1.86	8 (15%)
4	DGD	A	1336	-	67,67,67	0.94	3 (4%)	81,81,81	1.06	5 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CLA	A	1328	6	-	2/39/115/115	-
3	PID	A	1331	-	-	0/24/93/93	0/4/4/4
3	PID	A	1329	-	-	0/24/93/93	0/4/4/4
3	PID	A	1330	-	-	0/24/93/93	0/4/4/4
4	DGD	A	1332	-	-	20/55/95/95	0/2/2/2
3	PID	A	1333	-	-	0/24/93/93	0/4/4/4
2	CLA	A	1327	6	-	0/39/115/115	-
3	PID	A	1334	-	-	0/24/93/93	0/4/4/4
3	PID	A	1335	-	-	0/24/93/93	0/4/4/4
4	DGD	A	1336	-	-	25/55/95/95	0/2/2/2

All (71) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1327	CLA	MG-NA	7.78	2.24	2.06
3	A	1330	PID	C6-C7	-6.13	1.40	1.50
3	A	1335	PID	C6-C7	-6.03	1.40	1.50
3	A	1334	PID	C6-C7	-5.97	1.40	1.50
3	A	1329	PID	C6-C7	-5.96	1.40	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1333	PID	C6-C7	-5.95	1.40	1.50
3	A	1331	PID	C6-C7	-5.95	1.40	1.50
2	A	1328	CLA	O2D-CED	-5.66	1.32	1.45
3	A	1333	PID	C11-C12	-5.47	1.33	1.44
3	A	1329	PID	C11-C12	-5.44	1.33	1.44
3	A	1334	PID	C11-C12	-5.40	1.34	1.44
2	A	1328	CLA	MG-NA	5.38	2.19	2.06
3	A	1330	PID	C11-C12	-5.38	1.34	1.44
3	A	1335	PID	C11-C12	-5.33	1.34	1.44
3	A	1331	PID	C11-C12	-5.30	1.34	1.44
2	A	1328	CLA	O2A-CGA	4.93	1.47	1.33
3	A	1333	PID	C9-C10	-4.44	1.39	1.48
3	A	1330	PID	C9-C10	-4.42	1.39	1.48
3	A	1331	PID	C9-C10	-4.41	1.39	1.48
3	A	1335	PID	C9-C10	-4.32	1.39	1.48
3	A	1334	PID	C9-C10	-4.31	1.39	1.48
3	A	1329	PID	C9-C10	-4.23	1.39	1.48
2	A	1328	CLA	C5-C3	3.61	1.58	1.51
2	A	1327	CLA	CMC-C2C	3.47	1.57	1.50
2	A	1328	CLA	CMB-C2B	3.47	1.57	1.50
2	A	1328	CLA	C1-C2	-3.39	1.39	1.49
3	A	1335	PID	C8-C7	3.39	1.40	1.32
3	A	1331	PID	C8-C7	3.39	1.40	1.32
3	A	1334	PID	C8-C7	3.36	1.40	1.32
3	A	1329	PID	C8-C7	3.34	1.40	1.32
2	A	1328	CLA	CMD-C2D	3.31	1.57	1.50
3	A	1333	PID	C8-C7	3.30	1.40	1.32
3	A	1330	PID	C8-C7	3.26	1.39	1.32
3	A	1333	PID	C13-C14	-3.06	1.40	1.45
3	A	1335	PID	C13-C14	-3.05	1.40	1.45
2	A	1328	CLA	C4-C3	3.04	1.58	1.50
3	A	1331	PID	C13-C14	-3.00	1.40	1.45
3	A	1334	PID	C13-C14	-2.99	1.40	1.45
3	A	1330	PID	C13-C14	-2.98	1.40	1.45
3	A	1329	PID	C13-C14	-2.96	1.40	1.45
2	A	1327	CLA	MG-NB	2.92	2.11	2.05
2	A	1328	CLA	C2-C3	2.82	1.39	1.33
4	A	1336	DGD	O6D-C1D	2.73	1.48	1.41
2	A	1327	CLA	O2D-CED	-2.70	1.39	1.45
3	A	1330	PID	C8-C9	-2.68	1.40	1.46
4	A	1332	DGD	O1G-C1G	-2.61	1.39	1.45
3	A	1333	PID	C8-C9	-2.59	1.40	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1335	PID	C8-C9	-2.56	1.40	1.46
3	A	1331	PID	C8-C9	-2.55	1.40	1.46
3	A	1329	PID	C8-C9	-2.55	1.40	1.46
2	A	1327	CLA	CMA-C3A	2.52	1.58	1.53
3	A	1334	PID	C8-C9	-2.50	1.40	1.46
4	A	1336	DGD	O5D-C1E	2.46	1.44	1.40
4	A	1332	DGD	O5D-C1E	2.44	1.44	1.40
3	A	1333	PID	C11-C9	-2.40	1.33	1.39
3	A	1335	PID	C11-C9	-2.40	1.33	1.39
3	A	1334	PID	C11-C9	-2.40	1.33	1.39
3	A	1329	PID	O1-C1	-2.35	1.43	1.46
3	A	1330	PID	C11-C9	-2.35	1.33	1.39
3	A	1331	PID	C11-C9	-2.34	1.33	1.39
2	A	1327	CLA	CMB-C2B	2.28	1.55	1.50
3	A	1329	PID	C11-C9	-2.26	1.34	1.39
2	A	1328	CLA	CHC-C1C	2.16	1.42	1.38
2	A	1327	CLA	CBB-CAB	2.13	1.40	1.30
2	A	1327	CLA	CHB-C4A	2.11	1.43	1.37
3	A	1331	PID	O1-C1	-2.08	1.43	1.46
3	A	1333	PID	O1-C1	-2.06	1.43	1.46
3	A	1334	PID	O1-C1	-2.06	1.43	1.46
4	A	1336	DGD	C4E-C3E	2.03	1.57	1.52
3	A	1330	PID	O1-C1	-2.03	1.43	1.46
2	A	1328	CLA	MG-NC	2.02	2.11	2.06

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1327	CLA	C4A-NA-C1A	8.78	110.69	106.68
2	A	1328	CLA	C4A-NA-C1A	8.71	110.65	106.68
3	A	1335	PID	C12-O4-C10	-5.86	104.83	107.68
3	A	1335	PID	O4-C12-C11	5.49	110.51	107.39
3	A	1334	PID	O1-C1-C2	5.18	118.34	113.49
3	A	1331	PID	C12-O4-C10	-5.11	105.20	107.68
3	A	1333	PID	C22-C23-C24	-5.05	171.70	177.66
3	A	1334	PID	C12-O4-C10	-5.02	105.24	107.68
3	A	1335	PID	O3-C10-C9	-4.93	125.92	131.04
3	A	1333	PID	C12-O4-C10	-4.91	105.29	107.68
3	A	1331	PID	O3-C10-C9	-4.85	126.00	131.04
3	A	1330	PID	O4-C12-C11	4.76	110.09	107.39
3	A	1333	PID	O1-C1-C2	4.67	117.87	113.49
2	A	1328	CLA	O2D-CGD-CBD	4.63	119.33	111.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1334	PID	O3-C10-C9	-4.48	126.38	131.04
3	A	1331	PID	O6-C30-C31	4.44	119.00	111.09
3	A	1333	PID	O4-C12-C11	4.40	109.89	107.39
3	A	1331	PID	O1-C1-C2	4.36	117.58	113.49
3	A	1334	PID	O4-C12-C11	4.36	109.86	107.39
3	A	1333	PID	O6-C30-C31	4.27	118.71	111.09
3	A	1330	PID	O1-C1-C2	4.26	117.48	113.49
3	A	1335	PID	O1-C1-C2	4.17	117.40	113.49
3	A	1333	PID	O3-C10-C9	-4.16	126.71	131.04
3	A	1330	PID	O3-C10-C9	-4.15	126.72	131.04
3	A	1329	PID	O4-C12-C11	4.14	109.74	107.39
4	A	1332	DGD	O3G-C3G-C2G	-4.14	100.76	110.82
4	A	1332	DGD	O6E-C5E-C4E	-4.13	102.26	109.70
2	A	1327	CLA	O2D-CGD-CBD	4.12	118.43	111.23
3	A	1331	PID	O4-C12-C11	3.91	109.61	107.39
3	A	1329	PID	O6-C30-C31	3.88	118.00	111.09
3	A	1329	PID	O3-C10-C9	-3.86	127.02	131.04
3	A	1335	PID	O6-C30-C31	3.83	117.92	111.09
3	A	1334	PID	C29-C24-C25	-3.83	115.90	119.70
3	A	1330	PID	O6-C30-C31	3.74	117.76	111.09
3	A	1329	PID	O1-C1-C2	3.73	116.99	113.49
3	A	1331	PID	C29-C24-C25	-3.66	116.06	119.70
3	A	1330	PID	C12-O4-C10	-3.65	105.91	107.68
3	A	1329	PID	C26-C25-C24	3.59	112.70	109.21
3	A	1333	PID	CM7-C25-C24	-3.53	107.31	110.47
2	A	1328	CLA	C3B-C4B-NB	-3.46	107.44	110.53
3	A	1329	PID	C12-O4-C10	-3.41	106.02	107.68
2	A	1328	CLA	O2A-CGA-CBA	3.41	122.24	111.83
3	A	1329	PID	CM7-C25-C24	-3.32	107.50	110.47
3	A	1333	PID	O1-C1-CM1	3.30	118.74	115.05
4	A	1332	DGD	O1G-C1A-O1A	-3.29	115.39	123.63
4	A	1332	DGD	O6D-C5D-C6D	-3.29	100.18	106.69
2	A	1327	CLA	O2A-CGA-CBA	3.24	121.70	111.83
4	A	1336	DGD	C1E-O6E-C5E	-3.22	107.42	113.72
3	A	1334	PID	O6-C30-C31	3.18	116.76	111.09
2	A	1327	CLA	CED-O2D-CGD	3.16	123.08	115.92
4	A	1336	DGD	C1D-O6D-C5D	-3.15	107.56	113.72
3	A	1333	PID	C26-C25-C24	3.12	112.25	109.21
3	A	1330	PID	C7-C8-C9	-3.06	122.20	126.06
2	A	1327	CLA	CMD-C2D-C1D	2.96	129.94	124.73
2	A	1328	CLA	C1-C2-C3	2.95	131.03	126.20
4	A	1332	DGD	C1E-O6E-C5E	-2.84	108.17	113.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1330	PID	C29-C24-C25	-2.81	116.91	119.70
4	A	1336	DGD	O2G-C1B-C2B	2.79	117.52	111.48
3	A	1330	PID	O4-C10-O3	2.79	125.40	120.17
4	A	1332	DGD	O1G-C1A-C2A	2.76	120.24	111.83
2	A	1327	CLA	C3B-C4B-NB	-2.61	108.20	110.53
3	A	1333	PID	C8-C9-C10	2.60	128.70	123.60
3	A	1335	PID	O4-C10-O3	2.54	124.94	120.17
3	A	1330	PID	O1-C1-CM1	2.54	117.88	115.05
4	A	1336	DGD	O2G-C1B-O1B	-2.52	117.82	123.70
3	A	1329	PID	O4-C10-O3	2.49	124.83	120.17
3	A	1333	PID	CM1-C1-C6	-2.41	118.34	122.30
2	A	1327	CLA	CAC-C3C-C4C	2.40	127.91	124.79
2	A	1328	CLA	O1D-CGD-CBD	-2.39	119.81	124.52
3	A	1331	PID	O4-C10-O3	2.34	124.56	120.17
2	A	1327	CLA	CHD-C1D-ND	-2.32	121.54	124.80
2	A	1327	CLA	C2B-C1B-NB	-2.31	107.93	110.33
2	A	1327	CLA	CMB-C2B-C1B	2.31	128.93	125.42
3	A	1333	PID	CM2-C5-C4	-2.30	104.92	108.97
3	A	1333	PID	O6-C27-C26	2.25	113.39	107.64
3	A	1333	PID	O4-C10-O3	2.24	124.37	120.17
2	A	1327	CLA	O1D-CGD-CBD	-2.23	120.11	124.52
3	A	1334	PID	C8-C9-C10	2.23	127.96	123.60
3	A	1331	PID	C8-C9-C10	2.20	127.90	123.60
3	A	1329	PID	C8-C9-C10	2.14	127.79	123.60
2	A	1327	CLA	C3A-C2A-C1A	2.13	104.53	101.34
3	A	1334	PID	O4-C10-O3	2.12	124.14	120.17
3	A	1334	PID	CM2-C5-C4	-2.11	105.25	108.97
3	A	1335	PID	C4-C3-C2	-2.11	106.84	110.79
4	A	1336	DGD	O6D-C1D-O3G	-2.10	105.08	110.04
3	A	1329	PID	C11-C12-C13	-2.09	123.72	128.34
3	A	1333	PID	C11-C12-C13	-2.08	123.73	128.34
3	A	1329	PID	C22-C23-C24	-2.07	175.21	177.66
3	A	1329	PID	O6-C27-C28	2.06	112.92	107.64
3	A	1335	PID	C29-C24-C25	-2.06	117.65	119.70
2	A	1328	CLA	C1D-ND-C4D	-2.04	104.88	106.31
2	A	1328	CLA	CHB-C1B-NB	2.03	127.09	124.05
3	A	1329	PID	C29-C24-C25	-2.02	117.69	119.70
4	A	1332	DGD	O6D-C5D-C4D	2.01	113.32	109.70

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1336	DGD	C9A-CAA-CBA-CCA
4	A	1332	DGD	C5B-C6B-C7B-C8B
4	A	1336	DGD	C4A-C5A-C6A-C7A
4	A	1332	DGD	C3B-C4B-C5B-C6B
4	A	1332	DGD	C6A-C7A-C8A-C9A
4	A	1336	DGD	C3A-C4A-C5A-C6A
4	A	1336	DGD	CAA-CBA-CCA-CDA
4	A	1332	DGD	CAB-CBB-CCB-CDB
4	A	1332	DGD	C4B-C5B-C6B-C7B
4	A	1332	DGD	C6B-C7B-C8B-C9B
4	A	1336	DGD	O1B-C1B-O2G-C2G
4	A	1332	DGD	C7B-C8B-C9B-CAB
4	A	1332	DGD	C7A-C8A-C9A-CAA
4	A	1332	DGD	CDA-CEA-CFA-CGA
4	A	1332	DGD	CBB-CCB-CDB-CEB
4	A	1336	DGD	C8A-C9A-CAA-CBA
4	A	1336	DGD	C5A-C6A-C7A-C8A
4	A	1336	DGD	C7A-C8A-C9A-CAA
4	A	1336	DGD	CBB-CCB-CDB-CEB
4	A	1336	DGD	CCA-CDA-CEA-CFA
4	A	1332	DGD	O6E-C5E-C6E-O5E
4	A	1336	DGD	C9B-CAB-CBB-CCB
4	A	1332	DGD	CFA-CGA-CHA-CIA
4	A	1332	DGD	C9B-CAB-CBB-CCB
4	A	1332	DGD	CFB-CGB-CHB-CIB
2	A	1328	CLA	CAA-CBA-CGA-O2A
4	A	1336	DGD	CEB-CFB-CGB-CHB
4	A	1336	DGD	C4B-C5B-C6B-C7B
4	A	1336	DGD	CCB-CDB-CEB-CFB
4	A	1332	DGD	C2B-C3B-C4B-C5B
4	A	1336	DGD	O1A-C1A-O1G-C1G
4	A	1332	DGD	O1A-C1A-O1G-C1G
4	A	1332	DGD	C2A-C3A-C4A-C5A
4	A	1332	DGD	CCB-CDB-CEB-CFB
4	A	1336	DGD	O1G-C1G-C2G-O2G
4	A	1336	DGD	O1G-C1G-C2G-C3G
4	A	1336	DGD	C1G-C2G-O2G-C1B
4	A	1336	DGD	CDB-CEB-CFB-CGB
4	A	1336	DGD	C5D-C6D-O5D-C1E
4	A	1336	DGD	CFA-CGA-CHA-CIA
4	A	1336	DGD	C5B-C6B-C7B-C8B
2	A	1328	CLA	CAA-CBA-CGA-O1A
4	A	1332	DGD	O6D-C5D-C6D-O5D

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
4	A	1332	DGD	C4D-C5D-C6D-O5D
4	A	1336	DGD	O6D-C5D-C6D-O5D
4	A	1336	DGD	O2G-C1B-C2B-C3B
4	A	1336	DGD	C7B-C8B-C9B-CAB




There are no ring outliers.




10 monomers are involved in 37 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1328	CLA	5	0
3	A	1331	PID	3	0
3	A	1329	PID	2	0
3	A	1330	PID	3	0
4	A	1332	DGD	6	0
3	A	1333	PID	1	0
2	A	1327	CLA	1	0
3	A	1334	PID	4	0
3	A	1335	PID	7	0
4	A	1336	DGD	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/327 (96%)	-0.45	3 (0%) 81 83	15, 27, 41, 70	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	163	ALA	2.9
1	A	174	ASP	2.2
1	A	175	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DGD	A	1336	66/66	0.93	0.07	20,28,38,42	0
4	DGD	A	1332	66/66	0.94	0.07	21,27,44,51	0
3	PID	A	1329	46/46	0.94	0.06	14,21,26,26	0
3	PID	A	1333	46/46	0.95	0.06	12,21,30,33	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PID	A	1334	46/46	0.95	0.06	18,25,32,33	0
3	PID	A	1335	46/46	0.95	0.06	13,21,28,32	0
3	PID	A	1330	46/46	0.95	0.06	13,21,27,29	0
3	PID	A	1331	46/46	0.95	0.06	16,21,24,27	0
2	CLA	A	1327	65/65	0.97	0.05	15,19,22,24	0
2	CLA	A	1328	65/65	0.97	0.05	11,20,25,26	0
5	MG	A	1337	1/1	0.97	0.05	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DGD A 1336:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DGD A 1332:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PID A 1329:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PID A 1333:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PID A 1334:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PID A 1335:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PID A 1330:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PID A 1331:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CLA A 1327:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.