



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 02:02 PM UTC

PDB ID : 2C9T / pdb_00002c9t
Title : Crystal Structure Of Acetylcholine Binding Protein (AChBP) From Aplysia Californica In Complex With alpha-Conotoxin ImI
Authors : Ulens, C.; Hogg, R.C.; Celie, P.H.; Bertrand, D.; Tsetlin, V.; Smit, A.B.; Sixma, T.K.
Deposited on : 2005-12-14
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	0% 79%12%6%
1	B	217	3% 80%12%6%
1	C	217	3% 83%10%6%
1	D	217	6% 84%9%6%
1	E	217	5% 81%12%6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	217	
1	G	217	
1	H	217	
1	I	217	
1	J	217	
2	K	13	
2	M	13	
2	O	13	
2	P	13	
2	Q	13	
2	R	13	
2	S	13	
2	T	13	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 18606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SOLUBLE ACETYLCHOLINE RECEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	B	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	C	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	D	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	E	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	F	205	Total	C	N	O	S	0	1	0
			1640	1040	266	325	9			
1	G	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	H	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	I	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			
1	J	205	Total	C	N	O	S	0	0	0
			1636	1036	266	325	9			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	41	VAL	ALA	conflict	UNP Q8WSF8
A	136	VAL	ALA	conflict	UNP Q8WSF8
B	41	VAL	ALA	conflict	UNP Q8WSF8
B	136	VAL	ALA	conflict	UNP Q8WSF8
C	41	VAL	ALA	conflict	UNP Q8WSF8
C	136	VAL	ALA	conflict	UNP Q8WSF8
D	41	VAL	ALA	conflict	UNP Q8WSF8
D	136	VAL	ALA	conflict	UNP Q8WSF8
E	41	VAL	ALA	conflict	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	136	VAL	ALA	conflict	UNP Q8WSF8
F	41	VAL	ALA	conflict	UNP Q8WSF8
F	136	VAL	ALA	conflict	UNP Q8WSF8
G	41	VAL	ALA	conflict	UNP Q8WSF8
G	136	VAL	ALA	conflict	UNP Q8WSF8
H	41	VAL	ALA	conflict	UNP Q8WSF8
H	136	VAL	ALA	conflict	UNP Q8WSF8
I	41	VAL	ALA	conflict	UNP Q8WSF8
I	136	VAL	ALA	conflict	UNP Q8WSF8
G	41	VAL	ALA	conflict	UNP Q8WSF8
G	136	VAL	ALA	conflict	UNP Q8WSF8

- Molecule 2 is a protein called ALPHA-CONOTOXIN IMI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	K	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	M	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	O	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	P	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	Q	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	R	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	S	13	Total 91	C 52	N 20	O 15	S 4	0	0	1
2	T	13	Total 91	C 52	N 20	O 15	S 4	0	0	1

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	139	Total 139	O 139	0	0
3	B	165	Total 165	O 165	0	0
3	C	173	Total 173	O 173	0	0
3	D	155	Total 155	O 155	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	136	Total 136	O 136	0	0
3	F	136	Total 136	O 136	0	0
3	G	126	Total 126	O 126	0	0
3	H	128	Total 128	O 128	0	0
3	I	161	Total 161	O 161	0	0
3	J	157	Total 157	O 157	0	0
3	K	5	Total 5	O 5	0	0
3	M	4	Total 4	O 4	0	0
3	O	6	Total 6	O 6	0	0
3	P	2	Total 2	O 2	0	0
3	Q	3	Total 3	O 3	0	0
3	R	11	Total 11	O 11	0	0
3	S	2	Total 2	O 2	0	0
3	T	5	Total 5	O 5	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain A: 




• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain B: 




• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR

Chain C: 




• Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR


Chain D: 




● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR




● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR




● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR




● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR



● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR



● Molecule 1: SOLUBLE ACETYLCHOLINE RECEPTOR





- Molecule 2: ALPHA-CONOTOXIN IMI

Chain K: 77% 23%




- Molecule 2: ALPHA-CONOTOXIN IMI

Chain M: 100%

There are no outlier residues recorded for this chain.


- Molecule 2: ALPHA-CONOTOXIN IMI

Chain O: 15% 85% 15%




- Molecule 2: ALPHA-CONOTOXIN IMI

Chain P: 15% 100% 15%




- Molecule 2: ALPHA-CONOTOXIN IMI

Chain Q: 77% 23%




- Molecule 2: ALPHA-CONOTOXIN IMI

Chain R: 69% 23% 8%



- Molecule 2: ALPHA-CONOTOXIN IMI

Chain S: 77% 23%



- Molecule 2: ALPHA-CONOTOXIN IMI

Chain T:  8% 85% 15%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	113.21Å 123.13Å 118.75Å 90.00° 117.47° 90.00°	Depositor
Resolution (Å)	105.41 – 2.25 105.36 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.1 (105.41-2.25) 96.8 (105.36-2.25)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 2.25Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.168 , 0.227 0.208 , 0.260	Depositor DCC
R_{free} test set	6659 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	33.4	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18606	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.13	7/1676 (0.4%)	1.04	6/2287 (0.3%)
1	B	1.04	1/1676 (0.1%)	0.95	0/2287
1	C	1.07	2/1676 (0.1%)	0.90	0/2287
1	D	1.04	0/1676	0.97	0/2287
1	E	1.01	2/1676 (0.1%)	0.95	0/2287
1	F	1.12	4/1683 (0.2%)	1.03	3/2297 (0.1%)
1	G	1.02	4/1676 (0.2%)	0.96	0/2287
1	H	1.03	2/1676 (0.1%)	0.92	2/2287 (0.1%)
1	I	1.13	7/1676 (0.4%)	1.02	4/2287 (0.2%)
1	J	1.09	2/1676 (0.1%)	0.95	0/2287
2	K	0.97	0/92	1.14	0/123
2	M	1.02	0/92	1.04	0/123
2	O	0.89	0/92	0.96	0/123
2	P	0.88	0/92	0.92	0/123
2	Q	0.88	0/92	0.94	0/123
2	R	0.98	0/92	0.95	0/123
2	S	0.99	0/92	1.09	0/123
2	T	1.03	0/92	1.02	0/123
All	All	1.07	31/17503 (0.2%)	0.97	15/23864 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
1	E	0	1
1	H	0	1
1	J	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
All	All	0	5

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	186	TYR	C-N	-16.65	1.10	1.33
1	A	187	SER	C-N	-14.59	1.12	1.33
1	F	189	CYS	C-N	-14.09	1.16	1.34
1	A	189	CYS	C-N	-7.27	1.26	1.34
1	A	186	TYR	C-N	-6.17	1.25	1.33
1	F	184	GLN	CD-OE1	6.17	1.35	1.23
1	A	160	GLN	CD-OE1	6.02	1.34	1.23
1	F	72	ASN	CG-OD1	5.96	1.34	1.23
1	J	97	VAL	C-O	-5.95	1.18	1.24
1	I	72	ASN	CG-OD1	5.84	1.34	1.23
1	I	36	GLN	CD-OE1	5.82	1.34	1.23
1	B	3	ASN	CG-OD1	5.64	1.34	1.23
1	C	72	ASN	CG-OD1	5.64	1.34	1.23
1	H	185	HIS	ND1-CE1	5.59	1.38	1.32
1	I	95	ARG	N-CA	5.59	1.50	1.45
1	G	72	ASN	CG-OD1	5.58	1.34	1.23
1	I	68	ASN	CG-OD1	5.57	1.34	1.23
1	J	68	ASN	CG-OD1	5.55	1.34	1.23
1	H	61	ASN	CG-OD1	5.51	1.34	1.23
1	G	36	GLN	CD-OE1	5.49	1.33	1.23
1	I	185	HIS	ND1-CE1	5.44	1.38	1.32
1	I	77	ARG	CA-C	-5.43	1.46	1.52
1	A	36	GLN	CD-OE1	5.38	1.33	1.23
1	A	72	ASN	CG-OD1	5.32	1.33	1.23
1	E	182	GLN	CD-NE2	-5.22	1.22	1.33
1	I	104	ILE	C-O	-5.19	1.18	1.24
1	G	19	PRO	CA-C	5.14	1.57	1.52
1	A	190	PRO	C-N	-5.13	1.17	1.33
1	C	115	PHE	C-O	-5.13	1.18	1.23
1	G	36	GLN	CD-NE2	-5.07	1.22	1.33
1	E	182	GLN	CD-OE1	5.03	1.33	1.23

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	189	CYS	O-C-N	-17.08	109.75	121.88
1	A	189	CYS	O-C-N	-10.20	111.72	121.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	189	CYS	CA-C-N	8.22	127.94	119.64
1	F	189	CYS	C-N-CA	8.22	127.94	119.64
1	A	189	CYS	CA-C-N	6.79	126.93	119.87
1	A	189	CYS	C-N-CA	6.79	126.93	119.87
1	H	185	HIS	CB-CG-CD2	-6.64	122.57	131.20
1	I	185	HIS	CB-CG-CD2	-6.59	122.64	131.20
1	A	186	TYR	O-C-N	6.39	131.33	123.21
1	I	185	HIS	CB-CG-ND1	5.63	131.15	122.70
1	H	185	HIS	CB-CG-ND1	5.61	131.11	122.70
1	I	39	VAL	CB-CA-C	-5.29	105.15	112.24
1	I	146	VAL	N-CA-C	5.18	118.61	113.53
1	A	116	ILE	CA-C-N	-5.13	114.63	119.76
1	A	116	ILE	C-N-CA	-5.13	114.63	119.76

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	188	CYS	Peptide
1	D	188	CYS	Peptide
1	E	188	CYS	Peptide
1	H	188	CYS	Peptide
1	J	188	CYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1636	0	1573	26	0
1	B	1636	0	1572	24	0
1	C	1636	0	1572	17	0
1	D	1636	0	1572	14	0
1	E	1636	0	1572	27	0
1	F	1640	0	1580	18	0
1	G	1636	0	1572	15	0
1	H	1636	0	1572	10	0
1	I	1636	0	1572	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	J	1636	0	1572	16	0
2	K	91	0	78	1	0
2	M	91	0	78	0	0
2	O	91	0	78	1	0
2	P	91	0	78	0	0
2	Q	91	0	78	3	0
2	R	91	0	78	4	0
2	S	91	0	78	1	0
2	T	91	0	78	1	0
3	A	139	0	0	3	0
3	B	165	0	0	1	1
3	C	173	0	0	5	0
3	D	155	0	0	5	0
3	E	136	0	0	4	0
3	F	136	0	0	3	0
3	G	126	0	0	2	0
3	H	128	0	0	0	0
3	I	161	0	0	5	0
3	J	157	0	0	1	1
3	K	5	0	0	0	0
3	M	4	0	0	0	0
3	O	6	0	0	0	0
3	P	2	0	0	0	0
3	Q	3	0	0	1	0
3	R	11	0	0	1	0
3	S	2	0	0	0	0
3	T	5	0	0	0	0
All	All	18606	0	16353	169	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1:GLN:N	1:C:1:GLN:OE1	1.90	1.05
1:E:91:TYR:CE1	3:E:2075:HOH:O	2.14	1.01
1:B:1:GLN:N	1:B:1:GLN:OE1	1.91	1.01
1:D:1:GLN:HA	1:D:1:GLN:OE1	1.57	0.99
1:F:95:ARG:HD2	3:F:2044:HOH:O	1.64	0.98
1:G:1:GLN:N	1:G:1:GLN:OE1	1.98	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:GLN:N	1:A:1:GLN:OE1	2.00	0.94
1:J:1:GLN:CD	1:J:1:GLN:H1	1.75	0.92
1:A:114:MET:SD	1:A:116:ILE:CD1	2.59	0.91
1:F:1:GLN:OE1	1:F:1:GLN:N	2.05	0.89
1:A:69:GLU:HG2	3:I:2066:HOH:O	1.73	0.88
1:A:125:CYS:SG	1:A:138:CYS:CB	2.62	0.87
1:J:1:GLN:CD	1:J:1:GLN:N	2.31	0.87
1:C:95:ARG:HD2	3:C:2053:HOH:O	1.73	0.86
1:E:114:MET:HE2	1:E:116:ILE:HD11	1.58	0.85
1:A:114:MET:SD	1:A:116:ILE:HD13	2.19	0.83
1:J:95:ARG:HD2	3:J:2093:HOH:O	1.84	0.76
1:A:114:MET:SD	1:A:116:ILE:HD11	2.25	0.76
3:E:2054:HOH:O	1:J:69:GLU:HG2	1.90	0.71
1:J:57:ARG:HD2	1:J:113:VAL:O	1.91	0.71
1:E:55:GLN:CD	1:E:114:MET:HE3	2.17	0.69
3:D:2020:HOH:O	1:E:8:LYS:HE3	1.92	0.68
1:E:1:GLN:N	1:E:1:GLN:CD	2.51	0.68
1:D:54:GLU:O	1:D:117:PRO:HD2	1.94	0.67
1:I:205:ARG:HE	1:I:205:ARG:C	2.02	0.67
1:A:125:CYS:CB	1:A:138:CYS:SG	2.81	0.67
1:B:147:TYR:CE1	1:C:77:ARG:HD3	2.30	0.67
1:D:6:ARG:NH2	1:D:69:GLU:O	2.31	0.64
1:D:25:ASP:CG	1:E:1:GLN:OE1	2.42	0.63
1:G:48:VAL:HG21	1:G:125:CYS:SG	2.39	0.62
1:J:114:MET:CE	1:J:116:ILE:HD11	2.32	0.60
1:E:10:ASP:HA	1:E:14:ARG:HD2	1.84	0.60
1:H:41:VAL:HG22	1:H:48:VAL:HG22	1.84	0.60
1:E:91:TYR:CZ	3:E:2075:HOH:O	2.41	0.59
1:J:114:MET:HE3	1:J:116:ILE:HD11	1.84	0.59
1:H:114:MET:HE3	2:Q:10:TRP:HB2	1.85	0.58
1:A:167:TYR:HB2	1:E:124:MET:HE3	1.86	0.57
1:B:48:VAL:HG21	1:B:125:CYS:SG	2.44	0.57
1:D:92:SER:HB2	1:D:124:MET:HE2	1.87	0.56
1:G:153:ASP:OD2	1:G:155:LYS:HE2	2.05	0.56
1:H:48:VAL:HG21	1:H:125:CYS:SG	2.45	0.56
1:A:10:ASP:HA	1:A:14:ARG:HD2	1.88	0.56
1:B:57:ARG:NH2	1:B:157:ASP:OD2	2.40	0.55
1:G:41:VAL:HG13	1:G:127:PRO:HG3	1.89	0.55
1:C:6:ARG:HD3	3:C:2004:HOH:O	2.06	0.55
1:B:114:MET:HE2	1:B:116:ILE:HG12	1.87	0.55
1:G:185:HIS:ND1	3:G:2117:HOH:O	2.33	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:23:LYS:NZ	1:E:23:LYS:HB3	2.21	0.55
2:R:8:CYS:O	2:R:11:ARG:HG3	2.07	0.55
1:I:54:GLU:O	1:I:117:PRO:HD2	2.07	0.55
1:B:114:MET:HE2	1:B:116:ILE:CG1	2.37	0.55
1:D:94:THR:O	1:E:120:ARG:HD2	2.07	0.54
1:E:48:VAL:HG21	1:E:125:CYS:SG	2.47	0.54
1:H:1:GLN:OE1	1:H:1:GLN:N	2.33	0.54
1:H:19:PRO:HD3	1:I:5:MET:HE2	1.90	0.54
1:I:69:GLU:CG	3:I:2065:HOH:O	2.56	0.53
2:Q:13:NH2:N	3:Q:2003:HOH:O	2.41	0.53
1:J:48:VAL:HG21	1:J:125:CYS:SG	2.49	0.53
1:J:114:MET:HE3	1:J:116:ILE:CG1	2.40	0.52
1:A:124:MET:HE3	1:B:167:TYR:HB2	1.91	0.52
3:D:2020:HOH:O	1:E:8:LYS:CE	2.55	0.52
1:G:95:ARG:NH2	3:G:2069:HOH:O	2.42	0.52
1:E:1:GLN:CD	1:E:1:GLN:H1	2.17	0.52
1:C:57:ARG:NH1	3:C:2068:HOH:O	2.42	0.51
1:F:124:MET:HE3	1:G:167:TYR:HB2	1.93	0.51
1:C:139:ALA:HA	1:C:198:LEU:O	2.11	0.51
1:F:17:MET:HE1	3:F:2064:HOH:O	2.11	0.51
1:G:77:ARG:HG3	1:G:106:VAL:HG22	1.93	0.51
1:I:114:MET:HE3	2:R:10:TRP:HA	1.91	0.51
1:I:205:ARG:C	1:I:205:ARG:NE	2.69	0.50
1:C:36:GLN:OE1	1:C:53:TYR:CE1	2.64	0.50
1:E:92:SER:HB2	1:E:124:MET:HE2	1.94	0.50
1:G:134:GLU:H	1:G:134:GLU:CD	2.18	0.50
1:I:94:THR:O	1:J:120:ARG:HD2	2.12	0.50
1:A:204:GLU:O	1:A:205:ARG:HG3	2.12	0.49
1:I:173:GLU:HG2	1:I:205:ARG:HA	1.94	0.49
1:F:147:TYR:CE1	1:G:77:ARG:HD3	2.46	0.49
1:C:17:MET:HE2	1:C:18:TYR:H	1.77	0.49
1:D:8:LYS:NZ	3:D:2009:HOH:O	2.45	0.49
1:G:154:LEU:HD13	1:G:196:VAL:HG23	1.93	0.49
1:A:167:TYR:CG	1:E:124:MET:HE3	2.49	0.48
1:F:94:THR:O	1:G:120:ARG:HD2	2.12	0.48
1:I:41:VAL:HG22	1:I:48:VAL:HG22	1.95	0.48
1:I:25:ASP:CG	1:I:25:ASP:O	2.56	0.48
1:A:94:THR:O	1:B:120:ARG:HD2	2.14	0.48
1:D:155:LYS:HD3	3:D:2055:HOH:O	2.14	0.48
1:A:108:THR:HG22	1:A:110:ASP:OD1	2.14	0.48
1:G:41:VAL:HG22	1:G:48:VAL:HG22	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:1:GLN:H3	1:E:1:GLN:NE2	2.13	0.47
1:A:1:GLN:N	1:A:1:GLN:CD	2.69	0.47
1:B:54:GLU:O	1:B:117:PRO:HD2	2.15	0.47
1:B:147:TYR:CD1	1:C:77:ARG:HD3	2.49	0.47
1:J:114:MET:HE3	1:J:116:ILE:CD1	2.43	0.47
1:A:92:SER:HB2	1:A:124:MET:HE2	1.97	0.46
1:I:55:GLN:OE1	1:I:114:MET:HE1	2.15	0.46
1:A:167:TYR:HB2	1:E:124:MET:CE	2.45	0.46
1:C:168:ALA:O	1:C:205:ARG:NH2	2.49	0.46
1:F:6:ARG:HD3	3:F:2006:HOH:O	2.15	0.46
1:B:17:MET:HE1	1:B:84:TRP:HB2	1.97	0.46
1:D:57:ARG:HH11	1:D:114:MET:HB2	1.79	0.46
1:H:54:GLU:O	1:H:117:PRO:HD2	2.16	0.46
1:B:114:MET:HE2	1:B:116:ILE:HD11	1.97	0.46
1:A:124:MET:HE3	1:B:167:TYR:CG	2.52	0.45
1:F:205:ARG:HD2	1:F:205:ARG:C	2.41	0.45
1:F:64:MET:HG2	1:F:110:ASP:C	2.42	0.45
1:H:114:MET:HG2	2:Q:10:TRP:HA	1.98	0.45
1:F:120:ARG:HD2	1:J:94:THR:O	2.17	0.45
1:B:94:THR:O	1:C:120:ARG:HD2	2.17	0.45
1:C:17:MET:HE2	1:C:17:MET:HA	1.98	0.45
1:C:125:CYS:O	1:C:127:PRO:HD3	2.16	0.45
1:I:41:VAL:HG13	1:I:127:PRO:HG3	1.99	0.45
1:J:114:MET:HE3	1:J:116:ILE:HG12	1.97	0.45
1:A:49:ASP:HA	1:A:121:LEU:O	2.17	0.45
1:I:146:VAL:HB	1:J:77:ARG:HG2	1.99	0.45
1:I:147:TYR:CD1	1:J:77:ARG:HD3	2.52	0.45
1:E:1:GLN:N	1:E:1:GLN:NE2	2.65	0.45
2:R:10:TRP:HD1	3:R:2008:HOH:O	1.99	0.45
1:E:143:GLY:HA2	1:E:154:LEU:HD11	1.99	0.44
1:F:48:VAL:HG21	1:F:125:CYS:SG	2.58	0.44
1:F:49:ASP:HA	1:F:121:LEU:O	2.17	0.44
1:F:6:ARG:NH2	1:F:69:GLU:O	2.35	0.44
1:B:95:ARG:HD2	3:C:2102:HOH:O	2.16	0.44
1:B:170:SER:O	1:B:205:ARG:HD3	2.17	0.44
1:B:61:ASN:O	1:B:64:MET:HG2	2.18	0.44
1:F:162:ASP:OD2	2:T:4:SER:OG	2.35	0.44
1:A:45:THR:HG22	1:B:40:LYS:HB3	2.00	0.43
1:I:69:GLU:HG2	3:I:2065:HOH:O	2.18	0.43
1:A:25:ASP:HB3	3:A:2016:HOH:O	2.18	0.43
1:A:120:ARG:HD2	1:E:94:THR:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:25:ASP:HB2	3:C:2009:HOH:O	2.17	0.43
1:D:124:MET:HE3	1:E:167:TYR:HB2	2.00	0.43
1:I:69:GLU:HG3	3:I:2065:HOH:O	2.19	0.43
2:R:2:CYS:O	2:R:8:CYS:HB3	2.18	0.43
1:A:10:ASP:O	1:A:14:ARG:HD3	2.19	0.43
1:B:149:GLY:HA3	1:B:194:ILE:CD1	2.49	0.43
1:E:95:ARG:NE	3:E:2080:HOH:O	2.52	0.43
1:G:139:ALA:HA	1:G:198:LEU:O	2.18	0.43
1:A:25:ASP:CB	3:A:2016:HOH:O	2.67	0.42
1:B:114:MET:HG2	3:B:2103:HOH:O	2.20	0.42
1:H:147:TYR:CE1	1:I:77:ARG:HD3	2.54	0.42
1:I:57:ARG:NH1	3:I:2057:HOH:O	2.52	0.42
1:I:136:VAL:O	1:I:201:LYS:HA	2.20	0.42
1:F:41:VAL:HG22	1:F:48:VAL:HG22	2.02	0.42
1:H:6:ARG:NH2	1:H:69:GLU:O	2.42	0.42
1:E:145:TRP:O	2:O:6:PRO:HB2	2.20	0.42
1:G:49:ASP:HA	1:G:121:LEU:O	2.20	0.42
1:E:149:GLY:HA2	1:E:194:ILE:HD12	2.01	0.41
1:B:49:ASP:HA	1:B:121:LEU:O	2.20	0.41
1:B:114:MET:HE2	1:B:116:ILE:CD1	2.50	0.41
1:B:159:ASP:HA	1:B:179:GLN:O	2.20	0.41
1:E:23:LYS:NZ	1:E:23:LYS:CB	2.82	0.41
1:H:182:GLN:OE1	1:H:195:ASP:OD2	2.38	0.41
1:E:1:GLN:CD	1:E:1:GLN:H3	2.26	0.41
1:D:57:ARG:HD2	1:D:114:MET:HE3	2.03	0.41
1:D:69:GLU:HG2	3:D:2065:HOH:O	2.20	0.41
2:S:2:CYS:O	2:S:8:CYS:HB3	2.21	0.41
1:F:92:SER:HB2	1:F:124:MET:HE2	2.02	0.41
1:B:149:GLY:CA	1:B:194:ILE:CD1	2.99	0.40
1:A:23:LYS:NZ	1:A:23:LYS:HB3	2.36	0.40
1:A:95:ARG:NE	3:A:2078:HOH:O	2.44	0.40
1:C:17:MET:HE2	1:C:18:TYR:N	2.36	0.40
1:D:49:ASP:HA	1:D:121:LEU:O	2.21	0.40
1:D:189:CYS:HA	1:D:190:PRO:HD2	1.95	0.40
1:J:64:MET:HG2	1:J:110:ASP:C	2.46	0.40
2:K:5:ASP:HA	2:K:6:PRO:HD2	1.95	0.40
1:C:49:ASP:HA	1:C:121:LEU:O	2.22	0.40
1:F:129:GLY:C	1:F:136[B]:VAL:HG13	2.46	0.40
1:C:127:PRO:O	1:C:128:THR:C	2.64	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:2129:HOH:O	3:J:2057:HOH:O[1_655]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	203/217 (94%)	202 (100%)	1 (0%)	0	100	100
1	B	203/217 (94%)	196 (97%)	7 (3%)	0	100	100
1	C	203/217 (94%)	199 (98%)	4 (2%)	0	100	100
1	D	203/217 (94%)	201 (99%)	2 (1%)	0	100	100
1	E	203/217 (94%)	198 (98%)	4 (2%)	1 (0%)	24	24
1	F	204/217 (94%)	200 (98%)	3 (2%)	1 (0%)	24	24
1	G	203/217 (94%)	197 (97%)	6 (3%)	0	100	100
1	H	203/217 (94%)	200 (98%)	3 (2%)	0	100	100
1	I	203/217 (94%)	201 (99%)	2 (1%)	0	100	100
1	J	203/217 (94%)	200 (98%)	3 (2%)	0	100	100
2	K	11/13 (85%)	11 (100%)	0	0	100	100
2	M	11/13 (85%)	11 (100%)	0	0	100	100
2	O	11/13 (85%)	10 (91%)	1 (9%)	0	100	100
2	P	11/13 (85%)	11 (100%)	0	0	100	100
2	Q	11/13 (85%)	10 (91%)	1 (9%)	0	100	100
2	R	11/13 (85%)	10 (91%)	1 (9%)	0	100	100
2	S	11/13 (85%)	10 (91%)	1 (9%)	0	100	100
2	T	11/13 (85%)	11 (100%)	0	0	100	100
All	All	2119/2274 (93%)	2078 (98%)	39 (2%)	2 (0%)	48	56

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	187	SER
1	E	72	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/197 (95%)	177 (94%)	11 (6%)	18	18
1	B	188/197 (95%)	181 (96%)	7 (4%)	30	37
1	C	188/197 (95%)	183 (97%)	5 (3%)	39	49
1	D	188/197 (95%)	182 (97%)	6 (3%)	34	43
1	E	188/197 (95%)	180 (96%)	8 (4%)	26	31
1	F	189/197 (96%)	184 (97%)	5 (3%)	40	50
1	G	188/197 (95%)	180 (96%)	8 (4%)	26	31
1	H	188/197 (95%)	182 (97%)	6 (3%)	34	43
1	I	188/197 (95%)	184 (98%)	4 (2%)	47	58
1	J	188/197 (95%)	184 (98%)	4 (2%)	47	58
2	K	10/10 (100%)	9 (90%)	1 (10%)	7	5
2	M	10/10 (100%)	10 (100%)	0	100	100
2	O	10/10 (100%)	9 (90%)	1 (10%)	7	5
2	P	10/10 (100%)	10 (100%)	0	100	100
2	Q	10/10 (100%)	9 (90%)	1 (10%)	7	5
2	R	10/10 (100%)	9 (90%)	1 (10%)	7	5
2	S	10/10 (100%)	9 (90%)	1 (10%)	7	5
2	T	10/10 (100%)	9 (90%)	1 (10%)	7	5
All	All	1961/2050 (96%)	1891 (96%)	70 (4%)	31	39

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	23	LYS
1	A	39	VAL
1	A	108	THR
1	A	114	MET
1	A	116	ILE
1	A	134	GLU
1	A	155	LYS
1	A	187	SER
1	A	189	CYS
1	A	205	ARG
1	B	1	GLN
1	B	17	MET
1	B	23	LYS
1	B	27	LEU
1	B	64	MET
1	B	114	MET
1	B	187	SER
1	C	1	GLN
1	C	17	MET
1	C	95	ARG
1	C	140	VAL
1	C	187	SER
1	D	1	GLN
1	D	15	SER
1	D	40	LYS
1	D	124	MET
1	D	159	ASP
1	D	201	LYS
1	E	1	GLN
1	E	5	MET
1	E	14	ARG
1	E	23	LYS
1	E	72	ASN
1	E	89	THR
1	E	201	LYS
1	E	205	ARG
1	F	15	SER
1	F	95	ARG
1	F	114	MET
1	F	133	GLU
1	F	158	THR
1	G	1	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	36	GLN
1	G	133	GLU
1	G	134	GLU
1	G	140	VAL
1	G	187	SER
1	G	191	GLU
1	G	205	ARG
1	H	6	ARG
1	H	31	LEU
1	H	41	VAL
1	H	78	THR
1	H	114	MET
1	H	155	LYS
1	I	1	GLN
1	I	41	VAL
1	I	136	VAL
1	I	205	ARG
1	J	1	GLN
1	J	68	ASN
1	J	95	ARG
1	J	187	SER
2	K	11	ARG
2	O	4	SER
2	Q	4	SER
2	R	11	ARG
2	S	11	ARG
2	T	7	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	103	GLN
1	A	119	GLN
1	B	119	GLN
1	B	182	GLN
1	D	56	GLN
1	D	72	ASN
1	D	182	GLN
1	E	46	ASN
1	E	103	GLN
1	E	184	GLN
1	F	119	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	103	GLN
1	G	185	HIS
1	H	55	GLN
1	H	119	GLN
1	I	119	GLN
1	I	160	GLN
1	I	197	ASN
1	J	103	GLN
1	J	119	GLN
1	J	182	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2
1	F	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	190:PRO	C	191:GLU	N	1.17
1	F	189:CYS	C	190:PRO	N	1.16
1	A	187:SER	C	188:CYS	N	1.12
1	F	186:TYR	C	187:SER	N	1.10

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	205/217 (94%)	0.48	2 (0%) 79 81	39, 45, 52, 60	0
1	B	205/217 (94%)	0.55	6 (2%) 53 54	39, 46, 56, 62	0
1	C	205/217 (94%)	0.61	6 (2%) 53 54	37, 45, 53, 60	0
1	D	205/217 (94%)	0.71	12 (5%) 28 26	39, 45, 55, 63	0
1	E	205/217 (94%)	0.61	10 (4%) 35 34	39, 45, 54, 60	0
1	F	205/217 (94%)	0.57	5 (2%) 59 61	30, 45, 53, 60	1 (0%)
1	G	205/217 (94%)	0.61	7 (3%) 48 48	38, 45, 54, 58	0
1	H	205/217 (94%)	0.59	8 (3%) 43 43	39, 45, 52, 61	0
1	I	205/217 (94%)	0.64	7 (3%) 48 48	40, 46, 53, 59	0
1	J	205/217 (94%)	0.56	7 (3%) 48 48	40, 45, 53, 62	0
2	K	12/13 (92%)	0.31	0 100 100	33, 39, 47, 50	0
2	M	12/13 (92%)	0.98	0 100 100	38, 43, 53, 54	0
2	O	12/13 (92%)	0.91	2 (16%) 4 3	39, 43, 53, 55	0
2	P	12/13 (92%)	1.12	2 (16%) 4 3	40, 47, 54, 55	0
2	Q	12/13 (92%)	1.00	0 100 100	37, 48, 54, 55	0
2	R	12/13 (92%)	0.35	0 100 100	30, 37, 46, 47	0
2	S	12/13 (92%)	0.57	0 100 100	30, 38, 46, 49	0
2	T	12/13 (92%)	0.77	1 (8%) 17 16	35, 39, 48, 51	0
All	All	2146/2274 (94%)	0.60	75 (3%) 47 47	30, 45, 54, 63	1 (0%)

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	188	CYS	4.3
1	D	189	CYS	3.8
1	D	188	CYS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	188	CYS	3.5
1	G	187	SER	3.4
1	E	187	SER	3.3
1	D	187	SER	3.1
1	I	1	GLN	3.1
1	D	150	PHE	3.0
1	H	134	GLU	3.0
1	G	188	CYS	3.0
1	F	187	SER	3.0
1	C	17	MET	3.0
1	I	205	ARG	2.9
1	E	189	CYS	2.9
1	B	68	ASN	2.9
1	F	188	CYS	2.9
1	H	14	ARG	2.8
1	B	186	TYR	2.8
1	D	190	PRO	2.8
1	G	91	TYR	2.7
1	B	187	SER	2.7
1	E	129	GLY	2.7
2	P	1	GLY	2.6
1	E	68	ASN	2.6
1	C	205	ARG	2.6
1	E	184	GLN	2.5
1	H	188	CYS	2.5
1	J	57	ARG	2.5
1	J	188	CYS	2.5
1	D	57	ARG	2.5
1	H	205	ARG	2.5
1	I	91	TYR	2.5
1	C	68	ASN	2.5
1	J	68	ASN	2.5
1	F	133	GLU	2.4
1	A	114	MET	2.4
1	J	205	ARG	2.4
1	C	16	PRO	2.4
1	J	55	GLN	2.4
1	D	149	GLY	2.3
1	B	189	CYS	2.3
1	I	187	SER	2.3
1	C	188	CYS	2.3
2	T	1	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	114	MET	2.3
1	E	190	PRO	2.3
2	O	1	GLY	2.3
1	E	186	TYR	2.3
1	J	187	SER	2.2
1	E	130	VAL	2.2
1	G	205	ARG	2.2
1	D	1	GLN	2.2
1	H	68	ASN	2.2
1	I	55	GLN	2.2
1	F	91	TYR	2.2
1	I	57	ARG	2.2
1	C	150	PHE	2.2
1	D	23	LYS	2.2
1	H	189	CYS	2.2
1	H	114	MET	2.1
1	G	133	GLU	2.1
1	I	134	GLU	2.1
2	O	3	CYS	2.1
1	J	118	ALA	2.1
1	F	55	GLN	2.1
1	A	188	CYS	2.1
2	P	3	CYS	2.1
1	D	159	ASP	2.1
1	D	53	TYR	2.1
1	D	186	TYR	2.1
1	G	134	GLU	2.0
1	H	16	PRO	2.0
1	E	131	ASP	2.0
1	B	14	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.