



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:15 PM UTC

PDB ID : 6C9G / pdb_00006c9g
Title : AMP-activated protein kinase bound to pharmacological activator R739
Authors : Yan, Y.; Zhou, X.E.; Novick, S.; Shaw, S.J.; Li, Y.; Hitoshi, Y.; Brunzelle, J.S.; Griffin, P.R.; Xu, H.E.; Melcher, K.
Deposited on : 2018-01-26
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	494	
2	B	204	
3	C	331	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7170 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-1,5'-AMP-activated protein kinase catalytic subunit alpha-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	386	Total	C	N	O	P	S	0	0	0
			3140	2009	551	560	1	19			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	MET	-	expression tag	UNP Q13131
A	4	GLY	-	expression tag	UNP Q13131
A	5	HIS	-	expression tag	UNP Q13131
A	6	HIS	-	expression tag	UNP Q13131
A	7	HIS	-	expression tag	UNP Q13131
A	8	HIS	-	expression tag	UNP Q13131
A	9	HIS	-	expression tag	UNP Q13131
A	10	HIS	-	expression tag	UNP Q13131
A	11	GLY	-	expression tag	UNP Q13131
A	12	SER	-	expression tag	UNP Q13131

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	177	Total	C	N	O	S	0	0	0
			1419	918	241	255	5			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	67	MET	-	initiating methionine	UNP Q9Y478
B	108	ASP	SER	engineered mutation	UNP Q9Y478

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	300	Total	C	N	O	S	0	0	0
			2420	1572	402	439	7			

- Molecule 4 is 5-{[6-chloro-5-(2'-hydroxy[1,1'-biphenyl]-4-yl)-1H-benzimidazol-2-yl]oxy}-N-hydroxy-2-methylbenzamide (CCD ID: R93) (formula: $C_{27}H_{20}ClN_3O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			35	27	1	3	4		

- Molecule 5 is STAUROSPOURINE (CCD ID: STU) (formula: $C_{28}H_{26}N_4O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			35	28	4	3		


- Molecule 6 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
6	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
6	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	41	Total	O	0	0
			41	41		
7	B	7	Total	O	0	0
			7	7		
7	C	4	Total	O	0	0
			4	4		



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	122.99Å 122.99Å 406.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.56 – 2.70 49.56 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.56-2.70) 100.0 (49.56-2.70)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.58Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.202 , 0.240 0.207 , 0.243	Depositor DCC
R_{free} test set	4168 reflections (7.11%)	wwPDB-VP
Wilson B-factor (Å ²)	61.0	Xtriage
Anisotropy	0.362	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 67.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7170	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, R93, STU, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/3198	0.79	0/4310
2	B	0.39	0/1459	0.75	0/1986
3	C	0.36	0/2471	0.75	2/3355 (0.1%)
All	All	0.41	0/7128	0.76	2/9651 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	182	PHE	CA-C-N	6.09	126.44	119.93
3	C	182	PHE	C-N-CA	6.09	126.44	119.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3140	0	3177	51	0
2	B	1419	0	1418	18	0
3	C	2420	0	2489	36	0
4	A	35	0	0	2	0
5	A	35	0	26	2	0
6	C	69	0	36	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	41	0	0	2	0
7	B	7	0	0	2	0
7	C	4	0	0	0	0
All	All	7170	0	7146	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:PHE:CZ	3:C:174:PHE:HA	2.12	0.84
1:A:29:PHE:HZ	1:A:59:VAL:HG21	1.43	0.84
1:A:29:PHE:CZ	1:A:59:VAL:HG21	2.13	0.84
1:A:342:PHE:CD1	3:C:173:LYS:HG3	2.15	0.81
1:A:342:PHE:HD1	3:C:173:LYS:HG3	1.48	0.79
3:C:188:MET:HB3	3:C:285:GLU:HB2	1.68	0.76
1:A:55:ARG:HD2	2:B:172:LYS:HB2	1.80	0.64
1:A:29:PHE:CE2	1:A:63:ILE:HD11	2.33	0.63
1:A:29:PHE:HB2	1:A:49:LEU:HD23	1.80	0.63
1:A:430:ASN:HB3	1:A:433:TYR:HB3	1.80	0.62
3:C:69:ARG:HD3	3:C:151:ARG:HH21	1.64	0.62
1:A:330:ILE:HG13	1:A:331:ASP:N	2.18	0.59
1:A:138:VAL:HG12	1:A:140:ARG:HG3	1.85	0.58
1:A:29:PHE:HB2	1:A:49:LEU:CD2	2.34	0.58
1:A:398:TRP:HB2	2:B:213:VAL:HG11	1.85	0.58
1:A:140:ARG:HH22	1:A:174:TPO:HB	1.69	0.57
3:C:319:GLN:HA	3:C:322:VAL:HG12	1.86	0.57
1:A:29:PHE:CD1	1:A:54:ILE:HG22	2.39	0.57
1:A:330:ILE:HG13	1:A:331:ASP:H	1.70	0.57
2:B:107:ARG:HD3	2:B:112:PHE:CZ	2.41	0.56
1:A:425:GLU:HG2	2:B:192:TYR:HD2	1.71	0.55
2:B:78:ARG:HB3	2:B:160:PHE:CZ	2.42	0.55
1:A:30:GLY:HA2	4:A:601:R93:C18	2.36	0.55
2:B:83:ARG:NH2	7:B:301:HOH:O	2.31	0.55
3:C:188:MET:O	3:C:283:THR:HB	2.07	0.55
3:C:73:LEU:HD21	3:C:85:LEU:HB2	1.88	0.54
1:A:136:MET:HA	1:A:166:MET:HE3	1.90	0.54
1:A:75:HIS:ND1	1:A:76:PRO:HD2	2.23	0.54
3:C:27:VAL:HG11	3:C:182:PHE:CE2	2.43	0.54
1:A:75:HIS:CD2	1:A:77:HIS:H	2.26	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:VAL:HG22	1:A:31:LYS:HG2	1.92	0.52
3:C:182:PHE:CD1	3:C:183:PRO:HD2	2.44	0.52
1:A:419:ILE:HG23	1:A:424:TYR:HB2	1.91	0.52
1:A:429:VAL:HB	1:A:433:TYR:HD2	1.76	0.51
2:B:83:ARG:NE	7:B:301:HOH:O	2.36	0.51
3:C:303:ASP:OD2	3:C:304:GLU:N	2.43	0.51
2:B:78:ARG:HB3	2:B:160:PHE:CE1	2.45	0.51
1:A:102:GLU:OE2	5:A:602:STU:N4	2.43	0.51
1:A:140:ARG:NH2	1:A:174:TPO:HB	2.26	0.51
1:A:425:GLU:HA	2:B:192:TYR:HB3	1.93	0.50
1:A:429:VAL:HB	1:A:433:TYR:CD2	2.46	0.50
1:A:332:ASN:O	1:A:335:ILE:HG12	2.11	0.50
1:A:265:ARG:HH22	1:A:281:GLU:HB2	1.76	0.50
1:A:29:PHE:CE1	1:A:54:ILE:HG22	2.47	0.50
1:A:69:ASN:ND2	1:A:165:MET:SD	2.77	0.50
1:A:342:PHE:CZ	3:C:177:LEU:HD12	2.47	0.50
2:B:226:ALA:O	3:C:46:LYS:N	2.40	0.49
5:A:602:STU:H16	5:A:602:STU:H261	1.95	0.49
3:C:226:ALA:HB3	3:C:298:ARG:HD2	1.94	0.49
3:C:40:LEU:HD11	3:C:174:PHE:CD2	2.48	0.49
2:B:88:GLY:O	2:B:107:ARG:NH1	2.47	0.48
3:C:291:LEU:HD13	3:C:314:LEU:HD23	1.96	0.47
1:A:98:VAL:HG11	1:A:156:LYS:HG3	1.95	0.47
1:A:452:GLN:HG2	1:A:454:TYR:CZ	2.50	0.47
1:A:422:LEU:HD21	1:A:547:ILE:HD11	1.97	0.47
1:A:342:PHE:HE1	3:C:173:LYS:O	1.98	0.47
1:A:249:HIS:CG	1:A:259:ALA:HB2	2.50	0.47
3:C:192:LEU:HD21	3:C:312:VAL:HG21	1.97	0.46
3:C:176:LYS:HD3	3:C:176:LYS:C	2.41	0.46
3:C:192:LEU:HD22	3:C:287:ILE:CD1	2.46	0.46
1:A:342:PHE:CE1	3:C:174:PHE:HA	2.49	0.46
1:A:342:PHE:HZ	3:C:174:PHE:HA	1.76	0.45
3:C:305:ASN:O	3:C:306:ASP:HB2	2.16	0.45
3:C:40:LEU:HD23	3:C:166:LEU:HD11	1.98	0.45
1:A:338:GLU:HB3	1:A:342:PHE:HE2	1.82	0.45
3:C:27:VAL:HG11	3:C:182:PHE:CD2	2.52	0.44
1:A:265:ARG:NH2	7:A:701:HOH:O	2.47	0.44
1:A:527:THR:HB	1:A:528:PRO:HD2	2.00	0.44
3:C:48:VAL:O	3:C:72:PRO:HD2	2.16	0.44
3:C:287:ILE:HG23	3:C:299:LEU:HD12	1.99	0.44
2:B:128:PHE:CZ	2:B:131:GLY:HA2	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ARG:NE	7:A:701:HOH:O	2.27	0.43
2:B:78:ARG:HA	2:B:79:PRO:HD3	1.90	0.43
2:B:235:MET:HE2	2:B:235:MET:HB3	1.90	0.43
3:C:31:PHE:CE1	3:C:35:HIS:CE1	3.06	0.43
1:A:338:GLU:O	1:A:342:PHE:CD2	2.72	0.43
1:A:408:PRO:HG3	1:A:461:TYR:CE1	2.54	0.43
3:C:190:LYS:HB2	3:C:195:LEU:HD21	2.01	0.43
1:A:529:ARG:HB2	1:A:530:PRO:HD2	2.02	0.42
1:A:529:ARG:HH12	1:A:533:HIS:HB2	1.85	0.42
3:C:144:LEU:HD21	3:C:152:LEU:HB2	2.01	0.41
3:C:175:LEU:O	3:C:179:ILE:HG13	2.20	0.41
3:C:320:ALA:O	3:C:324:THR:HB	2.20	0.41
4:A:601:R93:CL1	2:B:113:VAL:HG11	2.57	0.41
2:B:190:GLU:N	2:B:191:PRO:HD2	2.35	0.41
1:A:465:PHE:HB2	2:B:239:LEU:HB3	2.02	0.41
1:A:533:HIS:HB3	3:C:161:ASN:HD21	1.86	0.40
1:A:415:VAL:O	1:A:419:ILE:HG13	2.22	0.40
2:B:136:ASP:HA	2:B:137:PRO:HD3	1.95	0.40
3:C:131:ILE:HD13	3:C:140:ALA:HB2	2.03	0.40
3:C:42:PRO:HG2	3:C:45:SER:HB3	2.04	0.40
3:C:197:ILE:O	3:C:200:TYR:OH	2.27	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	379/494 (77%)	374 (99%)	5 (1%)	0	100	100
2	B	171/204 (84%)	168 (98%)	3 (2%)	0	100	100
3	C	298/331 (90%)	295 (99%)	3 (1%)	0	100	100
All	All	848/1029 (82%)	837 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/447 (78%)	346 (100%)	1 (0%)	86	94
2	B	160/185 (86%)	160 (100%)	0	100	100
3	C	276/304 (91%)	274 (99%)	2 (1%)	76	90
All	All	783/936 (84%)	780 (100%)	3 (0%)	84	93

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ILE
3	C	175	LEU
3	C	276	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	430	ASN
1	A	533	HIS
2	B	123	HIS
2	B	124	GLN
2	B	150	ASN
2	B	212	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	174	1	8,10,11	1.60	2 (25%)	10,14,16	2.43	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	174	1	-	1/9/11/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	174	TPO	P-O1P	3.31	1.60	1.50
1	A	174	TPO	P-O2P	-2.11	1.47	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	174	TPO	P-OG1-CB	-7.12	103.97	123.33

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	174	TPO	C-CA-CB-CG2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	174	TPO	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	AMP	C	1101	-	25,25,25	1.41	4 (16%)	37,38,38	1.89	7 (18%)
4	R93	A	601	-	37,39,39	2.22	6 (16%)	53,56,56	1.26	6 (11%)
5	STU	A	602	-	39,42,42	3.16	13 (33%)	50,68,68	1.64	9 (18%)
6	AMP	C	1103	-	25,25,25	1.43	4 (16%)	37,38,38	1.84	9 (24%)
6	AMP	C	1102	-	25,25,25	1.41	4 (16%)	37,38,38	1.87	9 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AMP	C	1101	-	-	3/10/26/26	0/3/3/3
4	R93	A	601	-	-	2/16/18/18	0/5/5/5
5	STU	A	602	-	-	1/4/42/42	-
6	AMP	C	1103	-	-	0/10/26/26	0/3/3/3
6	AMP	C	1102	-	-	3/10/26/26	0/3/3/3

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	602	STU	C8-N1	11.41	1.43	1.35
4	A	601	R93	C18-N8	10.65	1.46	1.32
5	A	602	STU	C25-N3	-9.91	1.37	1.45
5	A	602	STU	O5-C8	7.26	1.40	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	1101	AMP	C5-C4	4.81	1.47	1.39
6	C	1103	AMP	C5-C4	4.80	1.47	1.39
6	C	1102	AMP	C5-C4	4.77	1.47	1.39
4	A	601	R93	C7-C2	4.07	1.56	1.49
5	A	602	STU	C18-N2	3.73	1.44	1.40
5	A	602	STU	C22-C23	-3.37	1.49	1.53
5	A	602	STU	C17-N2	3.35	1.45	1.40
4	A	601	R93	C34-C5	3.27	1.55	1.49
5	A	602	STU	C20-N3	3.14	1.44	1.40
5	A	602	STU	C9-C10	2.98	1.53	1.50
4	A	601	R93	O23-C1	2.90	1.42	1.36
4	A	601	R93	C23-N22	2.86	1.35	1.30
6	C	1103	AMP	C5-C6	2.81	1.48	1.41
6	C	1101	AMP	C5-C6	2.68	1.48	1.41
4	A	601	R93	O21-N8	2.63	1.46	1.40
5	A	602	STU	C5-C6	2.62	1.53	1.46
6	C	1102	AMP	C5-C6	2.60	1.48	1.41
5	A	602	STU	C12-C11	2.47	1.52	1.46
6	C	1103	AMP	C8-N7	2.43	1.36	1.31
5	A	602	STU	C26-C21	2.41	1.54	1.51
6	C	1102	AMP	C5-N7	-2.33	1.34	1.39
6	C	1101	AMP	C5-N7	-2.29	1.34	1.39
6	C	1101	AMP	C8-N7	2.28	1.36	1.31
6	C	1102	AMP	C8-N7	2.27	1.36	1.31
5	A	602	STU	O6-C22	2.27	1.46	1.42
5	A	602	STU	C24-C25	2.22	1.55	1.51
6	C	1103	AMP	C5-N7	-2.12	1.35	1.39

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	1101	AMP	C5-C4-N3	-5.88	118.61	126.72
6	C	1102	AMP	C5-C4-N3	-5.65	118.93	126.72
6	C	1103	AMP	C5-C4-N3	-5.49	119.15	126.72
5	A	602	STU	C9-C10-C7	5.36	111.85	109.88
5	A	602	STU	C9-N1-C8	-4.98	109.32	113.86
6	C	1101	AMP	N3-C4-N9	4.71	135.18	127.17
6	C	1102	AMP	N3-C4-N9	4.60	134.99	127.17
6	C	1103	AMP	N3-C4-N9	4.31	134.50	127.17
4	A	601	R93	O21-N8-C18	-4.02	109.66	119.73
6	C	1101	AMP	C2-N3-C4	3.68	120.82	111.83
6	C	1102	AMP	C2-N3-C4	3.58	120.57	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	1103	AMP	C2-N3-C4	3.56	120.51	111.83
6	C	1103	AMP	C4-C5-N7	-3.44	106.65	110.58
5	A	602	STU	C19-C18-N2	3.35	134.22	131.38
6	C	1101	AMP	C4-C5-N7	-3.30	106.81	110.58
6	C	1102	AMP	C4-C5-N7	-3.22	106.90	110.58
6	C	1102	AMP	N3-C2-N1	-3.19	123.75	128.58
6	C	1101	AMP	N3-C2-N1	-3.18	123.77	128.58
6	C	1103	AMP	N3-C2-N1	-3.12	123.85	128.58
4	A	601	R93	C32-C29-C30	-2.93	118.47	122.81
6	C	1102	AMP	C4-N9-C8	2.73	108.61	105.74
6	C	1103	AMP	C4-N9-C8	2.69	108.56	105.74
5	A	602	STU	C6-C7-C8	2.48	134.03	130.53
6	C	1101	AMP	C4-N9-C8	2.44	108.30	105.74
6	C	1103	AMP	C5-N7-C8	2.42	107.26	103.45
6	C	1101	AMP	C5-N7-C8	2.41	107.24	103.45
6	C	1102	AMP	C5-N7-C8	2.40	107.23	103.45
4	A	601	R93	C11-C10-C7	-2.39	120.12	121.97
4	A	601	R93	C13-N22-C23	2.38	108.84	104.13
5	A	602	STU	C7-C8-N1	2.33	108.60	106.38
5	A	602	STU	C18-C19-N3	2.30	131.38	129.42
6	C	1103	AMP	C6-C5-N7	2.24	136.40	132.09
5	A	602	STU	C16-C17-C12	-2.22	118.99	121.59
6	C	1102	AMP	O3P-P-O2P	2.21	116.09	107.80
5	A	602	STU	C6-C7-C10	-2.21	119.22	120.76
6	C	1102	AMP	O2P-P-O5'	-2.13	101.10	106.67
6	C	1103	AMP	O3P-P-O2P	2.08	115.59	107.80
4	A	601	R93	C14-C13-N22	2.06	133.75	129.31
5	A	602	STU	C28-N4-C23	-2.02	111.97	114.39
4	A	601	R93	C2-C7-C10	-2.01	120.27	123.48

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	1101	AMP	C5'-O5'-P-O2P
6	C	1101	AMP	C5'-O5'-P-O3P
6	C	1102	AMP	C5'-O5'-P-O3P
6	C	1102	AMP	O4'-C4'-C5'-O5'
6	C	1102	AMP	C3'-C4'-C5'-O5'
6	C	1101	AMP	C5'-O5'-P-O1P
5	A	602	STU	C24-C23-N4-C28
4	A	601	R93	N8-C18-C30-C31

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	601	R93	O20-C18-C30-C31


There are no ring outliers.

2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	R93	2	0
5	A	602	STU	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand STU A 602




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	385/494 (77%)	0.32	31 (8%)	18 15	36, 68, 157, 242	0
2	B	177/204 (86%)	0.72	23 (12%)	7 6	45, 84, 160, 191	0
3	C	300/331 (90%)	0.56	24 (8%)	18 15	56, 93, 143, 182	0
All	All	862/1029 (83%)	0.48	78 (9%)	15 13	36, 83, 154, 242	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	29	PHE	8.4
1	A	335	ILE	5.5
1	A	342	PHE	5.5
1	A	28	THR	5.3
1	A	30	GLY	5.3
1	A	330	ILE	5.2
2	B	226	ALA	5.1
2	B	221	ILE	5.0
1	A	57	LEU	4.9
3	C	323	LEU	4.8
3	C	187	PHE	4.8
2	B	222	SER	4.6
1	A	339	ALA	4.4
1	A	27	GLY	4.4
2	B	270	ILE	4.4
1	A	11	GLY	4.3
2	B	219	THR	4.1
3	C	125	PHE	3.9
3	C	322	VAL	3.7
1	A	526	LEU	3.6
3	C	184	LYS	3.6
3	C	271	TYR	3.6
2	B	223	CYS	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	193	VAL	3.5
1	A	411	ILE	3.4
2	B	74	PRO	3.3
1	A	31	LYS	3.3
2	B	224	ASP	3.3
3	C	126	LYS	3.2
2	B	225	PRO	3.2
3	C	182	PHE	3.2
1	A	426	TRP	3.2
3	C	203	ILE	3.2
2	B	220	GLY	3.1
1	A	415	VAL	3.1
1	A	414	GLU	3.0
3	C	324	THR	2.9
3	C	27	VAL	2.7
1	A	530	PRO	2.7
1	A	173	ARG	2.7
3	C	183	PRO	2.7
3	C	185	PRO	2.5
1	A	527	THR	2.5
3	C	32	MET	2.5
2	B	77	ALA	2.5
2	B	109	HIS	2.5
2	B	191	PRO	2.5
3	C	28	TYR	2.5
3	C	274	GLY	2.4
2	B	227	LEU	2.4
3	C	270	HIS	2.4
1	A	469	ASP	2.4
1	A	175	SER	2.3
2	B	195	LYS	2.3
1	A	281	GLU	2.3
1	A	336	MET	2.3
3	C	127	PRO	2.3
1	A	442	VAL	2.3
1	A	395	LYS	2.3
3	C	297	HIS	2.2
2	B	190	GLU	2.2
1	A	441	PRO	2.2
1	A	531	GLY	2.2
2	B	155	VAL	2.2
1	A	399	HIS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	396	ALA	2.2
2	B	75	ALA	2.2
2	B	188	HIS	2.2
3	C	69	ARG	2.1
1	A	528	PRO	2.1
2	B	110	ASN	2.1
3	C	106	TYR	2.1
3	C	137	LEU	2.1
3	C	268	ARG	2.1
3	C	201	ALA	2.0
1	A	421	GLN	2.0
2	B	194	CYS	2.0
2	B	213	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	174	11/12	0.89	0.13	43,57,115,153	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	AMP	C	1102	23/23	0.88	0.13	65,85,117,131	0
6	AMP	C	1101	23/23	0.95	0.09	80,112,118,121	0
6	AMP	C	1103	23/23	0.95	0.09	72,94,104,117	0
4	R93	A	601	35/35	0.96	0.10	35,54,156,177	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	STU	A	602	35/35	0.98	0.07	25,40,45,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AMP C 1102:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP C 1101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP C 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around R93 A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around STU A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.