



Full wwPDB EM Validation Report ⓘ

Mar 24, 2026 – 02:52 AM UTC

PDB ID : 8C9M / pdb_00008c9m
EMDB ID : EMD-16511
Title : HERV-K Gag immature lattice
Authors : Krebs, A.-S.; Liu, H.-F.; Zhou, Y.; Rey, J.S.; Levintov, L.; Perilla, J.R.; Bartesaghi, A.; Zhang, P.
Deposited on : 2023-01-23
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	666	
1	B	666	
1	C	666	
1	D	666	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	666	 27% 7% 66%
1	F	666	 27% 7% 66%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 21480 atoms, of which 10752 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gag protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	228	Total	C	H	N	O	S	0	0
			3580	1127	1792	315	334	12		
1	B	228	Total	C	H	N	O	S	0	0
			3580	1127	1792	315	334	12		
1	C	228	Total	C	H	N	O	S	0	0
			3580	1127	1792	315	334	12		
1	D	228	Total	C	H	N	O	S	0	0
			3580	1127	1792	315	334	12		
1	E	228	Total	C	H	N	O	S	0	0
			3580	1127	1792	315	334	12		
1	F	228	Total	C	H	N	O	S	0	0
			3580	1127	1792	315	334	12		

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-191	ILE	LEU	conflict	UNP Q96897
A	-185	ASN	LYS	conflict	UNP Q96897
A	-174	GLY	SER	conflict	UNP Q96897
A	-57	PRO	SER	conflict	UNP Q96897
A	38	HIS	TYR	conflict	UNP Q96897
A	120	CYS	VAL	conflict	UNP Q96897
A	133	THR	ALA	conflict	UNP Q96897
A	160	GLN	GLU	conflict	UNP Q96897
A	191	PRO	SER	conflict	UNP Q96897
A	209	ALA	VAL	conflict	UNP Q96897
A	255	ASN	SER	conflict	UNP Q96897
A	291	GLN	LEU	conflict	UNP Q96897
A	356	PRO	LEU	conflict	UNP Q96897
B	-191	ILE	LEU	conflict	UNP Q96897
B	-185	ASN	LYS	conflict	UNP Q96897
B	-174	GLY	SER	conflict	UNP Q96897
B	-57	PRO	SER	conflict	UNP Q96897
B	38	HIS	TYR	conflict	UNP Q96897

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	120	CYS	VAL	conflict	UNP Q96897
B	133	THR	ALA	conflict	UNP Q96897
B	160	GLN	GLU	conflict	UNP Q96897
B	191	PRO	SER	conflict	UNP Q96897
B	209	ALA	VAL	conflict	UNP Q96897
B	255	ASN	SER	conflict	UNP Q96897
B	291	GLN	LEU	conflict	UNP Q96897
B	356	PRO	LEU	conflict	UNP Q96897
C	-191	ILE	LEU	conflict	UNP Q96897
C	-185	ASN	LYS	conflict	UNP Q96897
C	-174	GLY	SER	conflict	UNP Q96897
C	-57	PRO	SER	conflict	UNP Q96897
C	38	HIS	TYR	conflict	UNP Q96897
C	120	CYS	VAL	conflict	UNP Q96897
C	133	THR	ALA	conflict	UNP Q96897
C	160	GLN	GLU	conflict	UNP Q96897
C	191	PRO	SER	conflict	UNP Q96897
C	209	ALA	VAL	conflict	UNP Q96897
C	255	ASN	SER	conflict	UNP Q96897
C	291	GLN	LEU	conflict	UNP Q96897
C	356	PRO	LEU	conflict	UNP Q96897
D	-191	ILE	LEU	conflict	UNP Q96897
D	-185	ASN	LYS	conflict	UNP Q96897
D	-174	GLY	SER	conflict	UNP Q96897
D	-57	PRO	SER	conflict	UNP Q96897
D	38	HIS	TYR	conflict	UNP Q96897
D	120	CYS	VAL	conflict	UNP Q96897
D	133	THR	ALA	conflict	UNP Q96897
D	160	GLN	GLU	conflict	UNP Q96897
D	191	PRO	SER	conflict	UNP Q96897
D	209	ALA	VAL	conflict	UNP Q96897
D	255	ASN	SER	conflict	UNP Q96897
D	291	GLN	LEU	conflict	UNP Q96897
D	356	PRO	LEU	conflict	UNP Q96897
E	-191	ILE	LEU	conflict	UNP Q96897
E	-185	ASN	LYS	conflict	UNP Q96897
E	-174	GLY	SER	conflict	UNP Q96897
E	-57	PRO	SER	conflict	UNP Q96897
E	38	HIS	TYR	conflict	UNP Q96897
E	120	CYS	VAL	conflict	UNP Q96897
E	133	THR	ALA	conflict	UNP Q96897
E	160	GLN	GLU	conflict	UNP Q96897

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	191	PRO	SER	conflict	UNP Q96897
E	209	ALA	VAL	conflict	UNP Q96897
E	255	ASN	SER	conflict	UNP Q96897
E	291	GLN	LEU	conflict	UNP Q96897
E	356	PRO	LEU	conflict	UNP Q96897
F	-191	ILE	LEU	conflict	UNP Q96897
F	-185	ASN	LYS	conflict	UNP Q96897
F	-174	GLY	SER	conflict	UNP Q96897
F	-57	PRO	SER	conflict	UNP Q96897
F	38	HIS	TYR	conflict	UNP Q96897
F	120	CYS	VAL	conflict	UNP Q96897
F	133	THR	ALA	conflict	UNP Q96897
F	160	GLN	GLU	conflict	UNP Q96897
F	191	PRO	SER	conflict	UNP Q96897
F	209	ALA	VAL	conflict	UNP Q96897
F	255	ASN	SER	conflict	UNP Q96897
F	291	GLN	LEU	conflict	UNP Q96897
F	356	PRO	LEU	conflict	UNP Q96897


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gag protein




- Molecule 1: Gag protein







• Molecule 1: Gag protein



GLN	THR	GLY	ALA	PHE	PRO	ILE	GLN	PHE	VAL	PRO	GLN	GLY	PHE	GLN	GLY	GLN	GLN	PRO	PRO	LEU	SER	GLN	VAL	PHE	GLN	GLY	ILE	SER	GLN	LEU	PRO	TYR	GLN	ASN	ASN	CYS	PRO	PRO	PRO	GLN	ALA	ALA	VAL	GLN	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C6	Depositor
Number of subtomograms used	188111	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	127.5	Depositor
Minimum defocus (nm)	2000	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.198	Depositor
Minimum map value	-0.932	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.031	Depositor
Recommended contour level	0.0736	Depositor
Map size (Å)	384.768, 384.768, 384.768	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.503, 1.503, 1.503	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.65	36/1825 (2.0%)	1.10	17/2467 (0.7%)
1	B	1.65	35/1825 (1.9%)	1.11	17/2467 (0.7%)
1	C	1.68	39/1825 (2.1%)	1.11	19/2467 (0.8%)
1	D	1.65	35/1825 (1.9%)	1.10	16/2467 (0.6%)
1	E	1.66	35/1825 (1.9%)	1.11	16/2467 (0.6%)
1	F	1.65	36/1825 (2.0%)	1.10	17/2467 (0.7%)
All	All	1.66	216/10950 (2.0%)	1.10	102/14802 (0.7%)

All (216) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	67	TRP	CA-C	-10.85	1.39	1.52
1	B	67	TRP	CA-C	-10.82	1.39	1.52
1	D	67	TRP	CA-C	-10.82	1.39	1.52
1	A	67	TRP	CA-C	-10.81	1.39	1.52
1	C	67	TRP	CA-C	-10.81	1.39	1.52
1	E	67	TRP	CA-C	-10.79	1.39	1.52
1	B	63	PHE	CA-C	-9.22	1.41	1.52
1	A	63	PHE	CA-C	-9.21	1.41	1.52
1	E	63	PHE	CA-C	-9.21	1.41	1.52
1	D	63	PHE	CA-C	-9.19	1.41	1.52
1	F	63	PHE	CA-C	-9.14	1.41	1.52
1	C	63	PHE	CA-C	-9.12	1.41	1.52
1	E	140	VAL	CA-C	-8.83	1.43	1.52
1	A	140	VAL	CA-C	-8.80	1.43	1.52
1	C	140	VAL	CA-C	-8.79	1.43	1.52
1	F	140	VAL	CA-C	-8.77	1.43	1.52
1	D	140	VAL	CA-C	-8.74	1.43	1.52
1	B	140	VAL	CA-C	-8.73	1.43	1.52
1	E	19	VAL	N-CA	-8.71	1.36	1.46
1	D	19	VAL	N-CA	-8.69	1.36	1.46
1	A	19	VAL	N-CA	-8.66	1.36	1.46
1	F	19	VAL	N-CA	-8.64	1.36	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	19	VAL	N-CA	-8.63	1.36	1.46
1	C	19	VAL	N-CA	-8.61	1.36	1.46
1	C	152	VAL	CA-C	-7.67	1.43	1.52
1	E	211	ASP	CA-C	-7.53	1.43	1.52
1	F	211	ASP	CA-C	-7.52	1.43	1.52
1	D	211	ASP	CA-C	-7.50	1.43	1.52
1	A	211	ASP	CA-C	-7.49	1.43	1.52
1	B	211	ASP	CA-C	-7.49	1.43	1.52
1	C	211	ASP	CA-C	-7.49	1.43	1.52
1	D	120	CYS	CA-C	-7.47	1.43	1.52
1	E	120	CYS	CA-C	-7.47	1.43	1.52
1	C	120	CYS	CA-C	-7.47	1.43	1.52
1	F	120	CYS	CA-C	-7.45	1.43	1.52
1	B	120	CYS	CA-C	-7.43	1.43	1.52
1	A	120	CYS	CA-C	-7.40	1.43	1.52
1	F	124	TRP	CA-C	-6.72	1.44	1.52
1	C	124	TRP	CA-C	-6.72	1.44	1.52
1	B	124	TRP	CA-C	-6.70	1.44	1.52
1	A	124	TRP	CA-C	-6.70	1.44	1.52
1	D	124	TRP	CA-C	-6.69	1.44	1.52
1	E	124	TRP	CA-C	-6.66	1.44	1.52
1	D	156	GLN	CA-C	-6.52	1.44	1.52
1	C	18	GLY	C-N	-6.49	1.25	1.33
1	E	156	GLN	CA-C	-6.49	1.44	1.52
1	F	206	TYR	N-CA	-6.49	1.38	1.46
1	B	206	TYR	N-CA	-6.49	1.38	1.46
1	B	156	GLN	CA-C	-6.48	1.44	1.52
1	E	206	TYR	N-CA	-6.48	1.38	1.46
1	C	206	TYR	N-CA	-6.47	1.38	1.46
1	E	114	GLU	CA-C	-6.47	1.44	1.52
1	F	156	GLN	CA-C	-6.46	1.44	1.52
1	A	156	GLN	CA-C	-6.46	1.44	1.52
1	A	18	GLY	C-N	-6.46	1.25	1.33
1	C	156	GLN	CA-C	-6.45	1.44	1.52
1	D	114	GLU	CA-C	-6.44	1.44	1.52
1	C	147	PRO	N-CA	-6.43	1.39	1.47
1	A	206	TYR	N-CA	-6.42	1.38	1.46
1	C	114	GLU	CA-C	-6.42	1.44	1.52
1	D	206	TYR	N-CA	-6.42	1.38	1.46
1	F	114	GLU	CA-C	-6.42	1.44	1.52
1	B	114	GLU	CA-C	-6.41	1.44	1.52
1	B	18	GLY	C-N	-6.41	1.25	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	114	GLU	CA-C	-6.40	1.44	1.52
1	D	18	GLY	C-N	-6.39	1.25	1.33
1	E	18	GLY	C-N	-6.38	1.25	1.33
1	F	18	GLY	C-N	-6.38	1.25	1.33
1	D	118	ALA	CA-C	-6.35	1.44	1.52
1	E	118	ALA	CA-C	-6.34	1.44	1.52
1	C	118	ALA	CA-C	-6.34	1.44	1.52
1	B	118	ALA	CA-C	-6.31	1.44	1.52
1	A	118	ALA	CA-C	-6.29	1.44	1.52
1	A	46	ASP	CA-C	-6.27	1.44	1.52
1	C	46	ASP	CA-C	-6.26	1.44	1.52
1	C	153	ALA	CA-C	-6.26	1.44	1.52
1	F	118	ALA	CA-C	-6.26	1.44	1.52
1	E	153	ALA	CA-C	-6.26	1.44	1.52
1	E	46	ASP	CA-C	-6.24	1.44	1.52
1	D	46	ASP	CA-C	-6.23	1.44	1.52
1	B	153	ALA	CA-C	-6.22	1.44	1.52
1	F	153	ALA	CA-C	-6.22	1.44	1.52
1	A	153	ALA	CA-C	-6.21	1.44	1.52
1	B	46	ASP	CA-C	-6.21	1.44	1.52
1	F	46	ASP	CA-C	-6.21	1.44	1.52
1	D	153	ALA	CA-C	-6.21	1.44	1.52
1	B	74	GLN	CA-C	-6.08	1.44	1.52
1	C	74	GLN	CA-C	-6.08	1.44	1.52
1	E	139	THR	CA-C	-6.07	1.44	1.52
1	D	74	GLN	CA-C	-6.06	1.44	1.52
1	A	139	THR	CA-C	-6.06	1.44	1.52
1	B	139	THR	CA-C	-6.06	1.44	1.52
1	F	139	THR	CA-C	-6.06	1.44	1.52
1	F	74	GLN	CA-C	-6.06	1.44	1.52
1	C	139	THR	CA-C	-6.04	1.44	1.52
1	F	72	GLN	CA-C	-6.03	1.45	1.52
1	E	74	GLN	CA-C	-6.03	1.44	1.52
1	A	74	GLN	CA-C	-6.02	1.44	1.52
1	C	186	GLN	C-N	-6.02	1.25	1.33
1	B	186	GLN	C-N	-6.00	1.25	1.33
1	E	72	GLN	CA-C	-6.00	1.45	1.52
1	A	72	GLN	CA-C	-5.99	1.45	1.52
1	F	186	GLN	C-N	-5.98	1.25	1.33
1	A	186	GLN	C-N	-5.98	1.25	1.33
1	C	72	GLN	CA-C	-5.97	1.45	1.52
1	E	186	GLN	C-N	-5.96	1.25	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	186	GLN	C-N	-5.94	1.25	1.33
1	B	72	GLN	CA-C	-5.93	1.45	1.52
1	C	119	ILE	CA-C	-5.92	1.45	1.52
1	A	119	ILE	CA-C	-5.92	1.45	1.52
1	D	72	GLN	CA-C	-5.92	1.45	1.52
1	E	119	ILE	CA-C	-5.91	1.45	1.52
1	F	119	ILE	CA-C	-5.91	1.45	1.52
1	E	151	PHE	CA-C	-5.91	1.45	1.52
1	B	119	ILE	CA-C	-5.88	1.45	1.52
1	D	205	GLU	C-N	-5.88	1.26	1.33
1	C	205	GLU	C-N	-5.88	1.26	1.33
1	F	151	PHE	CA-C	-5.88	1.45	1.52
1	D	119	ILE	CA-C	-5.87	1.45	1.52
1	B	151	PHE	CA-C	-5.86	1.45	1.52
1	B	205	GLU	C-N	-5.86	1.26	1.33
1	D	151	PHE	CA-C	-5.86	1.45	1.52
1	C	151	PHE	CA-C	-5.85	1.45	1.52
1	E	205	GLU	C-N	-5.85	1.26	1.33
1	A	205	GLU	C-N	-5.82	1.26	1.33
1	A	151	PHE	CA-C	-5.81	1.45	1.52
1	F	205	GLU	C-N	-5.81	1.26	1.33
1	D	115	GLN	N-CA	-5.79	1.39	1.46
1	E	115	GLN	N-CA	-5.79	1.39	1.46
1	C	115	GLN	N-CA	-5.74	1.39	1.46
1	B	34	ASP	CA-C	-5.70	1.45	1.52
1	F	115	GLN	N-CA	-5.69	1.39	1.46
1	B	115	GLN	N-CA	-5.69	1.39	1.46
1	C	34	ASP	CA-C	-5.69	1.45	1.52
1	D	34	ASP	CA-C	-5.68	1.45	1.52
1	A	115	GLN	N-CA	-5.68	1.39	1.46
1	E	34	ASP	CA-C	-5.68	1.45	1.52
1	A	34	ASP	CA-C	-5.67	1.45	1.52
1	F	34	ASP	CA-C	-5.66	1.45	1.52
1	D	219	LYS	C-N	-5.65	1.26	1.33
1	B	219	LYS	C-N	-5.62	1.26	1.33
1	E	219	LYS	C-N	-5.61	1.26	1.33
1	F	219	LYS	C-N	-5.61	1.26	1.33
1	A	219	LYS	C-N	-5.60	1.26	1.33
1	C	219	LYS	C-N	-5.59	1.26	1.33
1	D	139	THR	CA-C	-5.52	1.44	1.52
1	D	46	ASP	N-CA	-5.45	1.39	1.46
1	E	46	ASP	N-CA	-5.43	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	46	ASP	N-CA	-5.41	1.39	1.46
1	F	46	ASP	N-CA	-5.41	1.39	1.46
1	C	46	ASP	N-CA	-5.39	1.39	1.46
1	A	182	ASN	CA-C	-5.37	1.45	1.52
1	C	182	ASN	CA-C	-5.36	1.45	1.52
1	C	36	ILE	N-CA	-5.35	1.39	1.46
1	E	36	ILE	N-CA	-5.34	1.39	1.46
1	E	157	ASP	CA-C	-5.34	1.46	1.52
1	C	157	ASP	CA-C	-5.33	1.46	1.52
1	B	46	ASP	N-CA	-5.33	1.40	1.46
1	A	157	ASP	CA-C	-5.32	1.46	1.52
1	F	182	ASN	CA-C	-5.32	1.45	1.52
1	B	36	ILE	N-CA	-5.32	1.39	1.46
1	B	157	ASP	CA-C	-5.31	1.46	1.52
1	F	36	ILE	N-CA	-5.31	1.39	1.46
1	E	182	ASN	CA-C	-5.30	1.45	1.52
1	F	157	ASP	CA-C	-5.30	1.46	1.52
1	A	36	ILE	N-CA	-5.30	1.39	1.46
1	B	182	ASN	CA-C	-5.30	1.45	1.52
1	D	182	ASN	CA-C	-5.30	1.45	1.52
1	D	36	ILE	N-CA	-5.26	1.39	1.46
1	D	157	ASP	CA-C	-5.26	1.46	1.52
1	C	147	PRO	CA-C	-5.26	1.45	1.52
1	D	52	LYS	CA-C	-5.24	1.46	1.52
1	F	52	LYS	CA-C	-5.23	1.46	1.52
1	B	202	VAL	CA-C	-5.22	1.46	1.52
1	C	52	LYS	CA-C	-5.22	1.46	1.52
1	D	202	VAL	CA-C	-5.21	1.46	1.52
1	B	52	LYS	CA-C	-5.21	1.46	1.52
1	A	52	LYS	CA-C	-5.20	1.46	1.52
1	C	152	VAL	N-CA	-5.19	1.40	1.46
1	E	52	LYS	CA-C	-5.19	1.46	1.52
1	F	202	VAL	CA-C	-5.19	1.46	1.52
1	E	202	VAL	CA-C	-5.18	1.46	1.52
1	C	202	VAL	CA-C	-5.17	1.46	1.52
1	A	193	LYS	CA-C	-5.16	1.45	1.52
1	C	193	LYS	CA-C	-5.15	1.45	1.52
1	A	35	SER	C-N	-5.14	1.27	1.33
1	A	202	VAL	CA-C	-5.13	1.46	1.52
1	B	27	PRO	C-N	-5.13	1.27	1.33
1	D	193	LYS	CA-C	-5.12	1.45	1.52
1	F	193	LYS	CA-C	-5.12	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	193	LYS	CA-C	-5.11	1.45	1.52
1	C	23	GLY	N-CA	5.11	1.51	1.44
1	C	35	SER	C-N	-5.11	1.27	1.33
1	D	35	SER	C-N	-5.10	1.27	1.33
1	A	23	GLY	N-CA	5.10	1.51	1.44
1	A	27	PRO	C-N	-5.09	1.27	1.33
1	F	35	SER	C-N	-5.09	1.27	1.33
1	B	23	GLY	N-CA	5.09	1.51	1.44
1	E	208	LYS	CA-C	-5.08	1.46	1.52
1	F	27	PRO	C-N	-5.08	1.27	1.33
1	D	208	LYS	CA-C	-5.08	1.46	1.52
1	D	23	GLY	N-CA	5.07	1.51	1.44
1	E	193	LYS	CA-C	-5.07	1.45	1.52
1	B	208	LYS	CA-C	-5.06	1.46	1.52
1	D	27	PRO	C-N	-5.06	1.27	1.33
1	C	27	PRO	C-N	-5.06	1.27	1.33
1	E	23	GLY	N-CA	5.06	1.51	1.44
1	E	35	SER	C-N	-5.06	1.27	1.33
1	B	35	SER	C-N	-5.05	1.27	1.33
1	E	27	PRO	C-N	-5.05	1.27	1.33
1	F	23	GLY	N-CA	5.05	1.51	1.44
1	F	205	GLU	CA-C	-5.04	1.46	1.52
1	C	208	LYS	CA-C	-5.04	1.46	1.52
1	F	208	LYS	CA-C	-5.04	1.46	1.52
1	A	208	LYS	CA-C	-5.03	1.46	1.52
1	A	205	GLU	CA-C	-5.01	1.46	1.52

All (102) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	23	GLY	CA-C-N	8.02	128.46	119.32
1	E	23	GLY	C-N-CA	8.02	128.46	119.32
1	D	23	GLY	CA-C-N	8.00	128.44	119.32
1	D	23	GLY	C-N-CA	8.00	128.44	119.32
1	C	23	GLY	CA-C-N	8.00	128.44	119.32
1	C	23	GLY	C-N-CA	8.00	128.44	119.32
1	F	23	GLY	CA-C-N	7.98	128.42	119.32
1	F	23	GLY	C-N-CA	7.98	128.42	119.32
1	A	23	GLY	CA-C-N	7.98	128.42	119.32
1	A	23	GLY	C-N-CA	7.98	128.42	119.32
1	B	23	GLY	CA-C-N	7.97	128.41	119.32
1	B	23	GLY	C-N-CA	7.97	128.41	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	182	ASN	CA-C-N	7.72	128.12	119.32
1	B	182	ASN	C-N-CA	7.72	128.12	119.32
1	E	182	ASN	CA-C-N	7.70	128.09	119.32
1	E	182	ASN	C-N-CA	7.70	128.09	119.32
1	A	182	ASN	CA-C-N	7.69	128.08	119.32
1	A	182	ASN	C-N-CA	7.69	128.08	119.32
1	D	182	ASN	CA-C-N	7.68	128.08	119.32
1	D	182	ASN	C-N-CA	7.68	128.08	119.32
1	C	182	ASN	CA-C-N	7.68	128.07	119.32
1	C	182	ASN	C-N-CA	7.68	128.07	119.32
1	F	182	ASN	CA-C-N	7.65	128.04	119.32
1	F	182	ASN	C-N-CA	7.65	128.04	119.32
1	C	26	SER	CA-C-N	7.35	127.70	119.32
1	C	26	SER	C-N-CA	7.35	127.70	119.32
1	B	26	SER	CA-C-N	7.32	127.66	119.32
1	B	26	SER	C-N-CA	7.32	127.66	119.32
1	F	26	SER	CA-C-N	7.31	127.65	119.32
1	F	26	SER	C-N-CA	7.31	127.65	119.32
1	D	26	SER	CA-C-N	7.30	127.64	119.32
1	D	26	SER	C-N-CA	7.30	127.64	119.32
1	A	26	SER	CA-C-N	7.29	127.63	119.32
1	A	26	SER	C-N-CA	7.29	127.63	119.32
1	E	26	SER	CA-C-N	7.27	127.61	119.32
1	E	26	SER	C-N-CA	7.27	127.61	119.32
1	F	196	VAL	CA-C-N	6.70	126.62	119.85
1	F	196	VAL	C-N-CA	6.70	126.62	119.85
1	D	196	VAL	CA-C-N	6.67	126.59	119.85
1	D	196	VAL	C-N-CA	6.67	126.59	119.85
1	E	196	VAL	CA-C-N	6.67	126.59	119.85
1	E	196	VAL	C-N-CA	6.67	126.59	119.85
1	A	196	VAL	CA-C-N	6.66	126.58	119.85
1	A	196	VAL	C-N-CA	6.66	126.58	119.85
1	C	196	VAL	CA-C-N	6.65	126.56	119.85
1	C	196	VAL	C-N-CA	6.65	126.56	119.85
1	B	196	VAL	CA-C-N	6.63	126.55	119.85
1	B	196	VAL	C-N-CA	6.63	126.55	119.85
1	B	43	ILE	CA-C-N	6.42	126.64	119.32
1	B	43	ILE	C-N-CA	6.42	126.64	119.32
1	C	43	ILE	CA-C-N	6.42	126.64	119.32
1	C	43	ILE	C-N-CA	6.42	126.64	119.32
1	E	43	ILE	CA-C-N	6.42	126.64	119.32
1	E	43	ILE	C-N-CA	6.42	126.64	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	43	ILE	CA-C-N	6.41	126.63	119.32
1	D	43	ILE	C-N-CA	6.41	126.63	119.32
1	F	43	ILE	CA-C-N	6.39	126.61	119.32
1	F	43	ILE	C-N-CA	6.39	126.61	119.32
1	A	43	ILE	CA-C-N	6.39	126.60	119.32
1	A	43	ILE	C-N-CA	6.39	126.60	119.32
1	B	9	ILE	N-CA-C	6.23	116.54	111.62
1	A	83	PRO	CA-C-N	6.04	125.98	119.76
1	A	83	PRO	C-N-CA	6.04	125.98	119.76
1	C	83	PRO	CA-C-N	5.93	125.86	119.76
1	C	83	PRO	C-N-CA	5.93	125.86	119.76
1	B	83	PRO	CA-C-N	5.80	125.71	119.85
1	B	83	PRO	C-N-CA	5.80	125.71	119.85
1	F	83	PRO	CA-C-N	5.79	125.69	119.85
1	F	83	PRO	C-N-CA	5.79	125.69	119.85
1	C	146	GLU	CA-C-N	5.76	125.69	119.76
1	C	146	GLU	C-N-CA	5.76	125.69	119.76
1	E	83	PRO	CA-C-N	5.76	125.66	119.85
1	E	83	PRO	C-N-CA	5.76	125.66	119.85
1	D	83	PRO	CA-C-N	5.75	125.66	119.85
1	D	83	PRO	C-N-CA	5.75	125.66	119.85
1	D	56	SER	CA-C-N	5.58	126.82	119.84
1	D	56	SER	C-N-CA	5.58	126.82	119.84
1	F	56	SER	CA-C-N	5.58	126.82	119.84
1	F	56	SER	C-N-CA	5.58	126.82	119.84
1	C	56	SER	CA-C-N	5.56	126.79	119.84
1	C	56	SER	C-N-CA	5.56	126.79	119.84
1	B	56	SER	CA-C-N	5.55	126.78	119.84
1	B	56	SER	C-N-CA	5.55	126.78	119.84
1	A	56	SER	CA-C-N	5.54	126.77	119.84
1	A	56	SER	C-N-CA	5.54	126.77	119.84
1	E	56	SER	CA-C-N	5.54	126.76	119.84
1	E	56	SER	C-N-CA	5.54	126.76	119.84
1	F	9	ILE	N-CA-C	5.49	115.96	111.62
1	C	129	ASP	CA-C-N	5.43	125.69	119.83
1	C	129	ASP	C-N-CA	5.43	125.69	119.83
1	B	129	ASP	CA-C-N	5.41	125.67	119.83
1	B	129	ASP	C-N-CA	5.41	125.67	119.83
1	A	129	ASP	CA-C-N	5.38	125.64	119.83
1	A	129	ASP	C-N-CA	5.38	125.64	119.83
1	D	129	ASP	CA-C-N	5.38	125.64	119.83
1	D	129	ASP	C-N-CA	5.38	125.64	119.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	129	ASP	CA-C-N	5.37	125.63	119.83
1	E	129	ASP	C-N-CA	5.37	125.63	119.83
1	F	129	ASP	CA-C-N	5.36	125.61	119.83
1	F	129	ASP	C-N-CA	5.36	125.61	119.83
1	A	9	ILE	N-CA-C	5.34	115.84	111.62
1	C	9	ILE	N-CA-C	5.29	115.80	111.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1788	1792	1794	4	0
1	B	1788	1792	1794	4	0
1	C	1788	1792	1794	4	0
1	D	1788	1792	1794	4	0
1	E	1788	1792	1794	4	0
1	F	1788	1792	1794	4	0
All	All	10728	10752	10764	24	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (24) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:100:SER:OG	1:E:101:THR:N	2.43	0.51
1:F:100:SER:OG	1:F:101:THR:N	2.43	0.51
1:A:100:SER:OG	1:A:101:THR:N	2.43	0.51
1:B:100:SER:OG	1:B:101:THR:N	2.43	0.50
1:F:133:THR:O	1:F:134:CYS:C	2.56	0.49
1:A:133:THR:O	1:A:134:CYS:C	2.56	0.49
1:C:100:SER:OG	1:C:101:THR:N	2.44	0.49
1:D:100:SER:OG	1:D:101:THR:N	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:133:THR:O	1:C:134:CYS:C	2.56	0.48
1:D:133:THR:O	1:D:134:CYS:C	2.56	0.48
1:B:133:THR:O	1:B:134:CYS:C	2.56	0.48
1:F:40:HIS:O	1:F:41:ARG:C	2.59	0.46
1:A:40:HIS:O	1:A:41:ARG:C	2.59	0.46
1:E:134:CYS:O	1:E:134:CYS:SG	2.75	0.45
1:E:133:THR:O	1:E:134:CYS:C	2.60	0.44
1:D:40:HIS:O	1:D:41:ARG:C	2.59	0.44
1:B:40:HIS:O	1:B:41:ARG:C	2.59	0.44
1:D:134:CYS:O	1:D:134:CYS:SG	2.76	0.43
1:C:134:CYS:O	1:C:134:CYS:SG	2.76	0.43
1:B:134:CYS:O	1:B:134:CYS:SG	2.76	0.42
1:C:40:HIS:O	1:C:41:ARG:C	2.59	0.42
1:F:134:CYS:O	1:F:134:CYS:SG	2.76	0.42
1:E:40:HIS:O	1:E:41:ARG:C	2.59	0.42
1:A:134:CYS:SG	1:A:134:CYS:O	2.76	0.42

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/666 (34%)	218 (96%)	6 (3%)	2 (1%)	14	47
1	B	226/666 (34%)	218 (96%)	6 (3%)	2 (1%)	14	47
1	C	226/666 (34%)	218 (96%)	6 (3%)	2 (1%)	14	47
1	D	226/666 (34%)	218 (96%)	6 (3%)	2 (1%)	14	47
1	E	226/666 (34%)	218 (96%)	6 (3%)	2 (1%)	14	47
1	F	226/666 (34%)	218 (96%)	6 (3%)	2 (1%)	14	47
All	All	1356/3996 (34%)	1308 (96%)	36 (3%)	12 (1%)	16	47

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	4	TYR
1	B	4	TYR
1	C	4	TYR
1	D	4	TYR
1	E	4	TYR
1	F	4	TYR
1	A	134	CYS
1	B	134	CYS
1	C	134	CYS
1	D	134	CYS
1	E	134	CYS
1	F	134	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/570 (34%)	192 (100%)	0	100	100
1	B	192/570 (34%)	192 (100%)	0	100	100
1	C	192/570 (34%)	192 (100%)	0	100	100
1	D	192/570 (34%)	192 (100%)	0	100	100
1	E	192/570 (34%)	192 (100%)	0	100	100
1	F	192/570 (34%)	192 (100%)	0	100	100
All	All	1152/3420 (34%)	1152 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16511. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 110




Y Index: 141




Z Index: 147


6.3.2 Raw map



X Index: 110



Y Index: 136




Z Index: 127


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0736. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 579 nm³; this corresponds to an approximate mass of 523 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.38	4.06	3.40

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-16511 and PDB model 8C9M. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0736 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0736).

9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0736) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7660	0.4140
A	0.7710	0.4170
B	0.7760	0.4160
C	0.7760	0.4100
D	0.7720	0.4090
E	0.7730	0.4150
F	0.7790	0.4150

1.0

0.0

<0.0